REQUEST FOR QUOTATIONS		THIS RFQ IS IS NOT A SMALL BUSINESS SET-ASIDE		-ASIDE	PAGE OF	PAGES 7		
1. REQUEST NO. SPE4A6-15-T-A798	2. DATE ISSUED 2014 NOV 24	3. REQUISITION/PURCHAS 0056032114	SE REQUEST NO.	4. CERT.FOR UNDER BE AND/OR D	OSA REG. 2	RATING	D-A1	
5. ISSUED BY DLA AVIATION				6. DELIVER		ADO		
ASC COMMODITIES DIVISION 8000 JEFFERSON DAVIS HIGHWAY RICHMOND VA 23297					7. DELIVERY  FOB DESTINATION  OTHER (See Schedule)			
USA Name: Pamela Williams Buyer Code:PARAV08 Tel: 804-279-3430 Email: Pamela.Williams@dla.mil					9. DESTINATION a. NAME OF CONSIGNEE			
8. TO:					See Schedule			
				b. STREET ADDRESS				
				c. CITY				
				d. STATE	e. ZIP CODE			
10. PLEASE FURNISH QUOTATIONS T ISSUING OFFICE IN BLOCK 5 ON C BEFORE CLOSE OF BUSINESS (De	indicate on the incurred in origin unless	PORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so icate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs urred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic jin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must completed by the quoter.					y any costs of domestic	
2014 DEC 01	be completed	Glob by the quoter.						
		11. SCHEDULE (See Co	ntinuation Sheets)					

#### POC INFORMATION:

WHEN TECHNICAL DATA IS PROVIDED IT MUST BE OBTAINED AThttps://pcf1.bsm.dla.mil/cfolders. DISCREPANCIES FOUND IN TECHNICAL DATAPROVIDED, SUBMIT REQUEST TO THE DLA CUSTOMER SERVICE WEBSITE:https://www.pdmd.dla.mil/cs/

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dla.mil

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT: https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm OR PHONE 1-855-DLA-0001 (1-855-352-0001).

### MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT: http://www.dla.mil/Acquisition/Documents/EProcurement\_DLA\_Automated\_Master\_Solicitation\_REV25OCT2014.docx

a. 10 CALENDAR DAYS (%)			b. 20 CALENDAR DAYS (%) c. 30 CALENDAR DAYS (%)		d. CALENDAR DAYS				
12. DISCOUNT FOR PROMPT PAYMENT							NUMBER	PERCENTAGE	
NOTE: Additional provisions and representations are are not attached.									
13. NAME AND ADDRESS OF QUOTER				14. SIGNATURE OF PERSON AL	15. Date of Quotation				
a. NAME OF QUOTER CA	GE				- QUOTATION				
b. STREET ADDRESS					16. SIGNER				
					a. NAME (Type or Print)	b. TELEPHONE			
c. COUNTY						AREA CODE			
d. CITY	e. STATE	f. ZIP CC	DDE		C. TITLE (Type or Print)		NUMBER		

## SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT https://www.dibbs.bsm.dla.mil.MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 332991 SEE http://www.sba.gov/content/table-small-business-size-standards FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

ORIGIN INSPECTION REQUIRED - FAR 52.246-2 APPLIES

THE CONTRACTOR SHALL COMPLY WITH THE ISO 9001 HIGHER-LEVEL QUALITY STANDARD. FAR 52.246-11 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT and DLAD 52.246-9043 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT (NON-MANUFACTURERS) APPLY.

MEASUREMENT AND TEST EQUIPMENT (M/TE) APPLIES (DLAD 52.246-9003).

THIS BUY IS NOT FAST PAY

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further

CONTINUED ON NEXT PAGE

## SECTION A

solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

Procurement History for NSN/FSC:011592819/3110

CAGE	Contract Number	Quantity	Unit Cost	AWD Date
32828	SPM4A612MGT07	74.000	85.00000	20120316
06144	SPM4A711MQ256	48.000	101.00000	20110615
32828	SPM4A611MJL96	19.000	157.00000	20110408
32828	SPM4A611MJL88	3.000	157.00000	20110408
32828	SPM4A611MJB13	28.000	157.00000	20110330
32828	SPM4A611MJA90	23.000	157.00000	20110329
32828	SPM4A510MF448	11.000	173.00000	20100925
32828	SPM4A510MF175	13.000	173.00000	20100923
32828	SPM4A510M1126	19.000	135.00000	20091026
32828	SPM4M108V1721	20.000	135.00000	20080226
32828	SP044106MU355	172.000	109.00000	20060505
32828	SP044106MN946	23.000	125.00000	20060303
32828	SP044105MX114	81.000	82.00000	20050120
32828	SP044103MVC03	102.000	70.00000	20030327
0GKF8	SP044103MSB01	29.000	94.79000	20030224
04836	SP044102MJK94	65.000	97.90000	20020325
1X695	SP044102MJD46	70.000	85.00000	20020208
32828	SP050097MZ525	259.000	62.74131	19970113
32828	DLA50089WD191	60.000	42.75000	19890728

This solicitation is being issued under the First Destination Transportation (FDT) program. If this acquisition is for Foreign Military Sales (FMS) or has an APO/FPO ship-to address, FDT will not apply and normal procedures should be followed. For FDT program transportation requirements, see DLAD clauses 52.247-9059 F.O.B. Origin, Government Arranged Transportation and 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS). Additional information about FDT can be found on the FDT website (http://www.dla.mil/FDTPI/).

# Reference No. of Document Being Continued: SPE4A6-15-T-A798

Page 4 of 7

### SECTION B

PR: 0056032114 NSN/MATERIAL:3110011592819 ITEM DESCRIPTION BEARING, BALL, ANNULAR BEARING, BALL, ANNULAR CONFIGURATION CONTROL ITEM BREEZE-EASTERN CORP DWG: AJ-9800-13 CAGE: 08484 REV:AA ACCEPTABLE SOURCES: KEENE CORP KAYDON BEARING DIV CAGE: 32828 ITB/RBC CAGE: 06144 IDENTIFY TO: MIL-STD-130N(1) DATED 16 NOV 2012. IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY BEARING RESTRICTION: MIL-STD-130N(1) DATED 16 NOV 2012. IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY 52.246-11 Higher Level Contract Quality Requirement (Manufacturers) FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008 (EXAMPLE SAE AS 9100), THE FOLLOWING TAILORED VERSION OF ISO 9001:2008; OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008 (EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS EXCLUSIONS TO THIS DOCUMENT. DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008 4.1 General requirements, [excluding reference to 1.2 and excluding NOTE 3 c)] 4.2.1 General, [excluding subparagraph a)] 4.2.2 Quality manual, [excluding subparagraph a)] 4.2.3 Control of documents 4.2.4 Control of records 5.1 Management commitment 5.3 Quality policy 6.2.2 Competence, training and awareness 6.4 Work environment 7.1 Planning of product realization, [excluding NOTE 2] 7.2.1 Determination of requirements related to the product 7.2.2 Review of requirements related to the product 7.2.3 Customer communication 7.3.7 Control of design and development changes 7.4.1 Purchasing process 7.4.3 Verification of purchased product 7.5.1 Control of production and service provision

# Reference No. of Document Being Continued: SPE4A6-15-T-A798

Page 5 of 7

## SECTION B

```
7.5.3 Identification and traceability
```

- 7.5.4 Customer property
- 7.5.5 Preservation of product
- 7.6 Control of monitoring and measuring equipment
- 8.1 General, [excluding subparagraph b) and subparagraph c)]
- 8.2.2 Internal audit
- 8.2.4 Monitoring and measurement of product
- 8.3 Control of nonconforming product
- 8.5.2 Corrective action
- 8.5.3 Preventive action

PRESERVATION, PACKAGING, PACKING, AND MARKING REQUIREMENTS SHALL BE IN ACCORDANCE WITH MIL-DTL-197L.

- 1. METHOD OF PRESERVATION SHALL BE DETERMINED BY
- BEARING TYPE AND SIZE (REFER TO TABLE I).
- 2. PARAGRAPH 3.10.2, SELECTION OF UNIT PRESERVATION, APPLIES. PROTECTIVE LUBRICANT OR
- PRESERVATIVE COMPOUND SHALL BE DETERMINED
- DEPENDANT UPON BEARING TYPE AND CLOSURE IN
- ACCORDANCE WITH PARAGRAPH 3.3.4 AND TABLE II. FOR PRESERVATION PROCESS CONTROLS, DEPENDANT
- UPON BEARING TYPE, CLOSURE, AND LUBRICANT, PARAGRAPHS 3.4 THROUGH 3.9 APPLY.
- 3. PACKAGING PRECAUTIONARY MARKING REQUIREMENTS OF PARAGRAPH 3.12.4 APPLY.
- 4. CONTRACTOR'S PACKAGING FACILITY SHALL ADHERE TO THE QUALITY ASSURANCE VERIFICATION
- REQUIREMENTS AS CONTAINED WITHIN SECTION 4 OF MIL-DTL-197L.
- ...END OF SPECIAL PACKAGING INSTRUCTIONS... PRESERVATION, PACKAGING, PACKING, AND MARKING REQUIREMENTS SHALL BE IN ACCORDANCE WITH MIL-DTL-197L.
- 1. METHOD OF PRESERVATION SHALL BE DETERMINED BY
- BEARING TYPE AND SIZE (REFER TO TABLE I). 2. PARAGRAPH 3.10.2, SELECTION OF UNIT
- PRESERVATION, APPLIES. PROTECTIVE LUBRICANT OR
- PRESERVATIVE COMPOUND SHALL BE DETERMINED
- DEPENDANT UPON BEARING TYPE AND CLOSURE IN
- ACCORDANCE WITH PARAGRAPH 3.3.4 AND TABLE II.
- FOR PRESERVATION PROCESS CONTROLS, DEPENDANT
- UPON BEARING TYPE, CLOSURE, AND LUBRICANT,
- PARAGRAPHS 3.4 THROUGH 3.9 APPLY.
- 3. PACKAGING PRECAUTIONARY MARKING REQUIREMENTS OF PARAGRAPH 3.12.4 APPLY.
- 4. CONTRACTOR'S PACKAGING FACILITY SHALL ADHERE TO THE QUALITY ASSURANCE VERIFICATION
- REQUIREMENTS AS CONTAINED WITHIN SECTION 4 OF MIL-DTL-197L.
- ...END OF SPECIAL PACKAGING INSTRUCTIONS...

KAYDON CORPORATION DBA KAYDON 32828 P/N AJ-9800-13-14

IAW REFERENCE QAP 13873 QAP-B02 REVISION NR B DTD 12/11/2013 PART PIECE NUMBER:

CONTINUED ON NEXT PAGE

# Reference No. of Document Being Continued: SPE4A6-15-T-A798

Page 6 of 7

### SECTION B

<u>CLIN PR PRLI UI QUANTITY UNIT PRICE TOTAL PRICE</u> 0001 0056032114 0001 EA 3.000

NSN/MATERIAL: 3110011592819

DELIVERY (IN DAYS):0033

DELIVER FOB: ORIGIN

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: ORIGIN
ACCEPTANCE POINT: ORIGIN

PREP FOR DELIVERY:

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999
QUP:001 PRES MTHD:ZZ CLNG/DRY:X PRESV MAT:XX
WRAP MAT:XX CUSH/DUNN MAT:XX CUSH/DUNN THKNESS:X
UNIT CONT:XX OPI:M
INTRMDTE CONT:XX INTRMDTE CONT QTY:XXX
PACK CODE:U
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129.
SPECIAL MARKING CODE:51 -

PALLETIZATION SHALL BE IN ACCORDANCE WITH MD00100452 REV B DATED JULY 01, 2008

PRESERVATION, PACKAGING, PACKING, AND MARKING REQUIREMENTS SHALL BE IN ACCORDANCE WITH MIL-DTL-197L.

- 1. METHOD OF PRESERVATION SHALL BE DETERMINED BY BEARING TYPE AND SIZE (REFER TO TABLE I).
  2. PARAGRAPH 3.10.2, SELECTION OF UNIT PRESERVATION, APPLIES. PROTECTIVE LUBRICANT OR PRESERVATIVE COMPOUND SHALL BE DETERMINED DEPENDANT UPON BEARING TYPE AND CLOSURE IN ACCORDANCE WITH PARAGRAPH 3.3.4 AND TABLE II. FOR PRESERVATION PROCESS CONTROLS, DEPENDANT UPON BEARING TYPE, CLOSURE, AND LUBRICANT, PARAGRAPHS 3.4 THROUGH 3.9 APPLY.
- 3. PACKAGING PRECAUTIONARY MARKING REQUIREMENTS OF PARAGRAPH 3.12.4 APPLY.
- 4. CONTRACTOR'S PACKAGING FACILITY SHALL ADHERE TO THE QUALITY ASSURANCE VERIFICATION REQUIREMENTS AS CONTAINED WITHIN SECTION 4 OF MIL-DTL-197L.
- ...END OF SPECIAL PACKAGING INSTRUCTIONS... PRESERVATION, PACKAGING, PACKING, AND MARKING REQUIREMENTS SHALL BE IN ACCORDANCE WITH MIL-DTL-197L.
- 1. METHOD OF PRESERVATION SHALL BE DETERMINED BY BEARING TYPE AND SIZE (REFER TO TABLE I).
  2. PARAGRAPH 3.10.2, SELECTION OF UNIT PRESERVATION, APPLIES. PROTECTIVE LUBRICANT OR PRESERVATIVE COMPOUND SHALL BE DETERMINED DEPENDANT UPON BEARING TYPE AND CLOSURE IN

CONTINUED ON NEXT PAGE

# Reference No. of Document Being Continued: SPE4A6-15-T-A798

Page 7 of 7

#### SECTION B

PR: 0056032114 PRLI: 0001 CONT'D

ACCORDANCE WITH PARAGRAPH 3.3.4 AND TABLE II. FOR PRESERVATION PROCESS CONTROLS, DEPENDANT UPON BEARING TYPE, CLOSURE, AND LUBRICANT, PARAGRAPHS 3.4 THROUGH 3.9 APPLY.

3. PACKAGING PRECAUTIONARY MARKING REQUIREMENTS OF PARAGRAPH 3.12.4 APPLY.

- 4. CONTRACTOR'S PACKAGING FACILITY SHALL ADHERE
  TO THE QUALITY ASSURANCE VERIFICATION
- REQUIREMENTS AS CONTAINED WITHIN SECTION 4 OF MIL-DTL-197L.
- ...END OF SPECIAL PACKAGING INSTRUCTIONS...

#### PARCEL POST ADDRESS:

SW3211
DLA DISTRIBUTION DEPOT OKLAHOMA
3301 F AVE CEN REC BLDG 506 DR 22
TINKER AFB OK 73145-8000
US

FOR TRANSPORTATION ASSISTANCE SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT) AWARDS SEE DLAD 52.247-9059 AND CONTRACT INSTRUCTIONS INSTEAD.

FREIGHT SHIPPING ADDRESS:

SW3211 DLA DISTRIBUTION DEPOT OKLAHOMA 3301 F AVE CEN REC BLDG 506 DR 22 TINKER AFB OK 73145-8000 US