REQUEST FOR QUOTATIONS		THIS RFQ IS IS NOT A SMALL BUSINESS SET-ASIDE		PAGE O	F PAGES				
1. REQUEST NO. SPE2DS-15-T-0639	2. DATE ISSUED 2014 DEC 02	3. REQUISITION/PURCH/ 0056148622	ASE REQUEST NO.		R NAT. DEF. DSA REG. 2 DMS REG. 1	RATING D	O-C9		
5. ISSUED BY DLA TROOP SUPPORT					6. DELIVER BY (Date) 5 DAYS ADO				
MEDICAL SUPPLY CHAIN MD SURG FSF 700 ROBBINS AVENUE PHILADELPHIA PA 19111 USA					7. DELIVERY  FOB DESTINATION  OTHER (See Schedule)				
Name: Desiree Orlando Buyer Code:PDPSDCB Tel: 215-737-7878 Fax: 215-737-4113 Email: Desiree.Orlando@dla.mil					9. DESTINATION a. NAME OF CONSIGNEE				
8. TO:				See Schedule					
				b. STREET	ADDRESS				
				c. CITY					
				d. STATE	e. ZIP CODE				
10. PLEASE FURNISH QUOTATIONS T ISSUING OFFICE IN BLOCK 5 ON C BEFORE CLOSE OF BUSINESS (Da	indicate on the incurred in origin unless	IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.							
2014 DEC 12									
		11. SCHEDULE (See C	ontinuation Sheets)						

### POC INFORMATION:

WHEN TECHNICAL DATA IS PROVIDED IT MUST BE OBTAINED AThttps://pcf1.bsm.dla.mil/cfolders. DISCREPANCIES FOUND IN TECHNICAL DATAPROVIDED, SUBMIT REQUEST TO THE DLA CUSTOMER SERVICE WEBSITE:https://www.pdmd.dla.mil/cs/

 $\textbf{ALL OTHER QUESTIONS} \ (\textbf{SOLICITATION REQUIREMENTS}, \textbf{ITEM DESCRIPTION}, \textbf{AWARD CHOICE}, \textbf{ETC.}), \textbf{PLEASE CONTACT THE BUYER SHOWN ABOVE}.$ 

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dla.mil

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT: https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm OR PHONE 1-855-DLA-0001 (1-855-352-0001).

#### MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT: http://www.dla.mil/Acquisition/Documents/EProcurement\_DLA\_Automated\_Master\_Solicitation\_REV25OCT2014.docx

a. 10 CALENDAR DAYS (%)			b. 20 CALENDAR DAYS (%) c. 30 CALENDAR DAYS (%)		d. CALENDAR DAYS			
12. DISCOUNT FOR PROMPT PAYMENT							NUMBER	PERCENTAGE
NOTE: Additional provisions and representations are are not attached.								
13. NAME AND ADDRESS OF QUOTER				14. SIGNATURE OF PERSON AUTHORIZED TO SIGN		15. Date of Quotation		
a. NAME OF QUOTER CA	GE				QUOTATION			
					1			
b. STREET ADDRESS				16. SIGNER				
					a. NAME (Type or Print)		b. TELEPHONE	
c. COUNTY						AREA COD	)E	
d. CITY	e. STATE	f. ZIP CO	DE		c. TITLE (Type or Print)		NUMBER	

#### SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT https://www.dibbs.bsm.dla.mil.MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 339112 SEE http://www.sba.gov/content/table-small-business-size-standards FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DESTINATION INSPECTION REQUIRED - FAR 52.246-2 APPLIES.

THIS BUY IS FAST PAY

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no

### SECTION A

quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

Procurement History for NSN/FSC:015137010/6515

CAGE	Contract Number	Quantity	Unit Cost	AWD Date
0ZSM5	SPE2D115V0089	5.000	1445.13000	20141029
0ZSM5	SPE2D115V0058	1.000	1480.11000	20141017
0ZSM5	SPE2D115V0011	20.000	1463.76000	20141001
0ZSM5	SPE2D114M0293	1.000	1440.13000	20140911
3QBH8	SPE2D114M0104	31.000	1360.00000	20140416
3QBH8	SPM2D114M0020	1.000	1287.00000	20131009
3QBH8	SPM2D114M0019	2.000	1287.00000	20131009
6T4W3	SPM2D113V0044	4.000	940.00000	20130122
3QBH8	SPM2D113M0119	1.000	1172.50000	20121203
3QBH8	SPM2D113M0076	6.000	1172.50000	20121114
3QBH8	SPM2D112M0535	5.000	1160.00000	20120719
30BH8	SPM2D112M0052	1.000	1154.74000	20111101
3QBH8	SPM2D112M0051	10.000	1154.74000	20111101
4Õ702	SPM2D111M0238	2.000	391.88000	20110316
40702	SPM2D111M0153	4.000	391.88000	20110125
4Õ7Õ2	SPM2D111M0152	1.000	391.88000	20110125
4Õ7Õ2	SPM2D111M0151	11.000	391.88000	20110125
1Ÿ3X1	SPM2D110V0405	1.000	412.50000	20100820
40702	SPM2D110M0815	2.000	391.88000	20100715
40702	SPM2D110M0578	2.000	674.50000	20100224

## Reference No. of Document Being Continued: SPE2DS-15-T-0639

Page 4 of 10

#### SECTION B

PR: 0056148622

NSN/MATERIAL:6515015137010

ITEM DESCRIPTION MONITOR, BLOOD DRAW

BLOOD COLLECTION MONITOR, Genesis, CAGE: 3QBH8 P/N: 425-CM350, U/I - EACH (EA)

MERCURY OR MERCURY CONTAINING COMPOUNDS SHALL NOT BE INTENTIONALLY ADDED TO,OR COME IN DIRECT CONTACT WITH,ANY HARDWARE OR SUPPLIES FURNISHED UNDER THIS CONTRACT. EXCEPTION: FUNCTIONAL MERCURY USED IN BATTERIES, FLUORESCENT LIGHTS, REQUIRED INSTRUMENTS; SENSORS OR CONTROLS; WEAPON SYSTEMS; AND CHEMICAL ANALYSIS REAGENTS SPECIFIED BY NAVSEA. PORTABLE FLUORESCENT LAMPS AND PORTABLE INSTRUMENTS CONTAINING MERCURY SHALL BE SHOCK PROOF AND CONTAIN A SECOND BOUNDARY OF CONTAINMENT OF THE MERCURY OR MERCURY COMPOUND. (IAW NAVSEA 5100-003D). This device or drug is regulated by the FDA. Note to Buyer: The Government contracting official shall submit a pre-award survey request, through email, to product specialist.

WHEN THE PURCHASE ORDER TEXT (POT)
DESCRIBES THE REQUIRED PRODUCT(S) BY NAME AND
PART NUMBER OF A SPECIFIC ENTITY, BY THE NAMES
AND PART NUMBERS OF A NUMBER OF SPECIFIC
ENTITIES, OR BY THE NAME(S) AND PART NUMBER(S)
OF SPECIFIC ENTITY/ENTITIES AS MODIFIED BY
ADDITIONAL REQUIREMENTS SET FORTH IN THE POT,
ONLY THAT/THOSE PRODUCT(S) HAVE BEEN DETERMINED
TO MEET THE NEEDS OF THE GOVERNMENT AND ARE
ACCEPTABLE. SUCH PRODUCT(S) ARE "EXACT
PRODUCT(S)" AS DEFINED IN "DLAD 52.217-9002,
CONDITIONS FOR EVALUATION AND ACCEPTANCE OF
OFFERS FOR PART NUMBERED ITEMS."

A VENDOR OFFER/QUOTATION, "BID WITHOUT EXCEPTION," IS A CERTIFICATION THAT THE "EXACT PRODUCT," MANUFACTURED AND/OR SUPPLIED BY ONE OF THE ENTITIES CITED IN THE POT WILL BE FURNISHED UNDER THE CONTRACT OR ORDER. ANY PRODUCT NOT MANUFACTURED AND/OR SUPPLIED BY ONE OF THE ENTITIES CITED IN THE POT IS AN "ALTERNATE PRODUCT," EVEN THOUGH IT MIGHT BE MANUFACTURED IN ACCORDANCE WITH THE DRAWING(S) AND/OR SPECIFICATIONS OF ONE OF THE ENTITIES CITED IN THE POT.

IF AN ALTERNATE PRODUCT IS FURNISHED UNDER A CONTRACT OR ORDER FOR AN EXACT PRODUCT, THE ALTERNATE PRODUCT WILL BE AN UNAUTHORIZED SUBSTITUTION, AND MAY YIELD CRIMINAL PENALTIES IN ADDITION TO ANY CIVIL REMEDIES AVAILABLE TO

### Reference No. of Document Being Continued: SPE2DS-15-T-0639

Page 5 of 10

#### SECTION B

THE GOVERNMENT.

٠

CLAUSE 52.247-9012 (REQUIREMENTS FOR TREATMENT OF WOOD PACKAGING MATERIAL (WPM)) SHALL BE MANDATORY FOR ALL SHIPMENTS PACKED IN WOODEN BOXES, CRATES, ETC., AND/OR UNITIZED ON WOODEN PALLETS. HEAT TREATMENT OR KILN-DRIED HEAT TREATMENT OF WPM SHALL BE THE ONLY METHODS AUTHORIZED FOR SHIPMENT TO DOD LOCATIONS. ADDITIONAL INFORMATION REGARDING DOD'S WPM REQUIREMENT IS AVAILABLE ON THE DLA PACKAGING WEBSITE: HTTP://WWW.LANDANDMARITIME.DLA.MIL/OFFICES/PACKAGING/PALLETIZATION WPMNOTICE.ASP.

PACKAGING AND PACKING SHALL BE COMMERCIAL, AS SPECIFIED HEREIN.

EACH COMPLETE UNIT SHALL BE PROPERLY PACKAGED IN A SUITABLE SEALED UNIT CONTAINER. WHEN REQUIRED, UNIT CONTAINER SHALL CONTAIN INTERNAL FITTINGS, WRAPPING, CUSHIONING, ETC., CAPABLE OF PROTECTING THE CONTENTS FROM DAMAGE AND/OR BREAKAGE.

UNITS SHALL BE PACKED IN SUITABLE COMMERCIAL EXTERIOR (SHIPPING) CONTAINERS (EXPORT WHEN NECESSARY) WHICH SHALL INSURE ACCEPTANCE AND SAFE DELIVERY BY COMMON OR OTHER CARRIER, AT THE LOWEST RATE, TO POINT OF DELIVERY CALLED FOR IN THE CONTRACT OR ORDER.

PALLETIZATION SHALL BE IN ACCORDANCE WITH MIL-STD-147. UNITIZED LOADS SHALL BE USED WHENEVER TOTAL QUANTITY FOR SHIPMENT TO ONE DESTINATION EXCEEDS 250 LBS (EXCLUDING THE PALLET) OR 20 CU FT. LOADS SHALL BE UNITIZED ON TYPE IV OR TYPE V 4-WAY ENTRY PALLETS. PALLET SHALL HAVE A LENGTH OF 40 INCHES AND A WIDTH OF 48 INCHES. PALLET LOAD, INCLUDING THE PALLET, SHALL NOT EXCEED 54 INCHES IN HEIGHT, 43 INCHES IN LENGTH AND 52 INCHES IN WIDTH.

QUANTITY FOR SHIPMENT TO ONE DESTINATION OF LESS THAN 250 LBS OR 20 CUBIC FEET NEED NOT BE PALLETIZED.

IF A PROPERLY PALLETIZED LOAD OF A SINGLE ITEM (EQUIPMENT ITEM AND PALLET) EXCEEDS 54 INCHES IN HEIGHT, HEIGHT LIMITATION NEED NOT BE ADHERED TO.

IF A SINGLE ITEM EXCEEDS THE MAXIMUM PALLET LOAD DIMENSIONS, LENGTH AND WIDTH NEED NOT BE ADHERED TO. CONTACT THE CONTRACTING OFFICER FOR ADDITIONAL GUIDANCE.

.

## Reference No. of Document Being Continued: SPE2DS-15-T-0639

Page 6 of 10

#### SECTION B

AS AN ALTERNATE, COMMERCIAL UNITIZATION MAY BE SUPPLIED.

IN ADDITION TO ALL MARKING REQUIREMENTS SPECIFIED HEREIN AND IN THE APPLICABLE SPECIFICATION DOCUMENT, ALL SHIPMENTS TO DLA DISTRIBUTION LOCATIONS SHALL ALSO REQUIRE PASSIVE RFID TAGS IN ACCORDANCE WITH DFARS CLAUSE 252.211-7006. HOWEVER, EXCEPTIONS ARE CURRENTLY APPLICABLE TO NSNS IN FSCS 6505/6508/6509/6550.

LABELING AND MARKING. MATERIAL SHALL BE LABELED AND MARKED IN ACCORDANCE WITH COMMERCIAL PRACTICE AND AS SPECIFIED HEREIN.

MARKING ON EACH UNIT SHALL INCLUDE THE NSN AND GOVERNMENT QUANTITY AND UNIT OF ISSUE.

MARKING ON EACH SHIPPING CONTAINER AND/OR UNITIZED LOAD SHALL BE AS SPECIFIED IN MEDICAL MARKING STANDARD NO. 1A (MMS NO. 1A) DATED 4 FEBRUARY 2013.

ADDITIONAL MARKINGS SHALL BE SUPPLIED IN ACCORDANCE WITH ALL APPLICABLE REGULATORY REQUIREMENTS, FOR ALL ITEMS REQUIRING SPECIAL HANDLING, I.E., CONTROLLED, PERISHABLE AND HAZARDOUS ITEMS.

APPLICABLE TO ALL SHIPMENTS, EXCEPT SHIPMENTS TO DLA DISTRIBUTION LOCATIONS: AS AN ALTERNATE, FOR SHIPMENTS DIRECTLY TO MEDICAL FACILITIES OF ALL ITEMS EXCEPT PERISHABLE ITEMS AND HAZARDOUS MATERIAL, REQUIRED MARKINGS MAY BE SUPPLIED ON THE DD FORM 250 OR PACKING LIST ACCOMPANYING THE SHIPMENT.

MIL-STD-147 IS AVAILABLE ONLINE AT HTTP://QUICKSEARCH.DLA.MIL/

.MMS NO. 1A MAY BE OBTAINED BY CONTACTING DLA TROOP SUPPORT, ATTN: MEDICAL SUPPLIER OPERATIONS, FSFB (PACKAGING), VIA EMAIL: DSCP.PACKAGING@DLA.MIL. MMS NO. 1A IS ALSO AVAILABLE ONLINE AT HTTP://WWW.LANDANDMARITIME.DLA.MIL/DOWNLOADS/PACKAGING/MMS1.PDF

APPLICABLE TO ALL MEDICAL ACQUISITIONS:

PRESERVATION, PACKAGING, PACKING, UNITIZATION, LABELING, AND MARKING SHALL BE AS SPECIFIED IN THE APPLICABLE PROCUREMENT DOCUMENT REFERENCED IN THE "ITEM DESCRIPTION" SECTION, AND/OR AS SPECIFIED IN-THE-CLEAR IN THE "ITEM DESCRIPTION" AND "PACKAGING DATA" SECTIONS OF THE ACQUISITION.

### Reference No. of Document Being Continued: SPE2DS-15-T-0639

Page 7 of 10

#### SECTION B

THE FOLLOWING CHANGES/DELETIONS ARE APPLICABLE TO THE SECTION HEADED "PACKAGING DATA":

DISREGARD ALL REFERENCE TO MIL-STD-2073. UNDER THE HEADING "PREPARATION FOR DELIVERY", DELETE THE SECTION BEGINNING WITH "PKGING DATA -" AND ENDING WITH "DATED 88090" IN ITS ENTIRETY.

DISREGARD ALL REFERENCES TO SPECIAL PACKAGING INSTRUCTION (SPI). SPI'S ARE NOT PREPARED FOR MEDICAL ITEMS. ALL APPLICABLE PACKAGING REQUIREMENTS ARE SPECIFIED IN THE ACQUISITION.

DELETE "MIL-STD-129" WHEREVER IT APPEARS AND SUBSTITUTE "MEDICAL MARKING STANDARD NO. 1A".

DELETE THE PARAGRAPH BEGINNING WITH "FOR ALL SHIPMENTS OF PACKAGED MATERIEL TO THE GOVERNMENT" AND ENDING WITH "THE SCHEDULE TAKES PRECEDENCE." IN ITS ENTIRETY.

GENESIS BPS LLC DBA 3QBH8 P/N 425-CM350

<u>CLIN PR PRLI UI QUANTITY UNIT PRICE TOTAL PRICE</u> 0001 0056148622 0001 EA 1.000

NSN/MATERIAL:6515015137010

DELIVERY (IN DAYS):0005

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0% INSPECTION POINT: DESTINATION ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED STANDARD COMMERCIAL IN ACCORDANCE WITH ASTM D 3951.

CLAUSE 52.247-9012 (REQUIREMENTS FOR TREATMENT OF WOOD PACKAGING MATERIAL (WPM)) SHALL BE MANDATORY FOR ALL SHIPMENTS PACKED IN WOODEN BOXES, CRATES, ETC., AND/OR UNITIZED ON WOODEN PALLETS. HEAT TREATMENT OR KILN-DRIED HEAT TREATMENT OF WPM SHALL BE THE ONLY METHODS AUTHORIZED FOR SHIPMENT TO DOD LOCATIONS. ADDITIONAL INFORMATION REGARDING DOD'S WPM REQUIREMENT IS AVAILABLE ON THE DLA PACKAGING WEBSITE: HTTP://WWW.LANDANDMARITIME.DLA.MIL/OFFICES/PACKAGING/PALLETIZATION\_WPMNOTICE.ASP.

## Reference No. of Document Being Continued: SPE2DS-15-T-0639

Page 8 of 10

#### SECTION B

PR: 0056148622 PRLI: 0001 CONT'D

PACKAGING AND PACKING SHALL BE COMMERCIAL, AS SPECIFIED HEREIN.

EACH COMPLETE UNIT SHALL BE PROPERLY PACKAGED IN A SUITABLE SEALED UNIT CONTAINER. WHEN REQUIRED, UNIT CONTAINER SHALL CONTAIN INTERNAL FITTINGS, WRAPPING, CUSHIONING, ETC., CAPABLE OF PROTECTING THE CONTENTS FROM DAMAGE AND/OR BREAKAGE.

UNITS SHALL BE PACKED IN SUITABLE COMMERCIAL EXTERIOR (SHIPPING) CONTAINERS (EXPORT WHEN NECESSARY) WHICH SHALL INSURE ACCEPTANCE AND SAFE DELIVERY BY COMMON OR OTHER CARRIER, AT THE LOWEST RATE, TO POINT OF DELIVERY CALLED FOR IN THE CONTRACT OR ORDER.

PALLETIZATION SHALL BE IN ACCORDANCE WITH MIL-STD-147. UNITIZED LOADS SHALL BE USED WHENEVER TOTAL QUANTITY FOR SHIPMENT TO ONE DESTINATION EXCEEDS 250 LBS (EXCLUDING THE PALLET) OR 20 CU FT. LOADS SHALL BE UNITIZED ON TYPE IV OR TYPE V 4-WAY ENTRY PALLETS. PALLET SHALL HAVE A LENGTH OF 40 INCHES AND A WIDTH OF 48 INCHES. PALLET LOAD, INCLUDING THE PALLET, SHALL NOT EXCEED 54 INCHES IN HEIGHT, 43 INCHES IN LENGTH AND 52 INCHES IN WIDTH.

QUANTITY FOR SHIPMENT TO ONE DESTINATION OF LESS THAN 250 LBS OR 20 CUBIC FEET NEED NOT BE PALLETIZED.

IF A PROPERLY PALLETIZED LOAD OF A SINGLE ITEM (EQUIPMENT ITEM AND PALLET) EXCEEDS 54 INCHES IN HEIGHT, HEIGHT LIMITATION NEED NOT BE ADHERED TO.

IF A SINGLE ITEM EXCEEDS THE MAXIMUM PALLET LOAD DIMENSIONS, LENGTH AND WIDTH NEED NOT BE ADHERED TO. CONTACT THE CONTRACTING OFFICER FOR ADDITIONAL GUIDANCE.

AS AN ALTERNATE, COMMERCIAL UNITIZATION MAY BE SUPPLIED.

IN ADDITION TO ALL MARKING REQUIREMENTS SPECIFIED HEREIN AND IN THE APPLICABLE SPECIFICATION DOCUMENT, ALL SHIPMENTS TO DLA DISTRIBUTION LOCATIONS SHALL ALSO REQUIRE PASSIVE RFID TAGS IN ACCORDANCE WITH DFARS CLAUSE 252.211-7006. HOWEVER, EXCEPTIONS ARE CURRENTLY APPLICABLE

HOWEVER, EXCEPTIONS ARE CURRENTLY APPLICABLE TO NSNS IN FSCS 6505/6508/6509/6550.

LABELING AND MARKING. MATERIAL SHALL BE LABELED AND MARKED IN ACCORDANCE WITH COMMERCIAL PRACTICE AND AS SPECIFIED HEREIN.

## Reference No. of Document Being Continued: SPE2DS-15-T-0639

Page 9 of 10

#### SECTION B

PR: 0056148622 PRLI: 0001 CONT'D

MARKING ON EACH UNIT SHALL INCLUDE THE NSN AND GOVERNMENT QUANTITY AND UNIT OF ISSUE.

MARKING ON EACH SHIPPING CONTAINER AND/OR UNITIZED LOAD SHALL BE AS SPECIFIED IN MEDICAL MARKING STANDARD NO. 1A (MMS NO. 1A) DATED 4 FEBRUARY 2013.

ADDITIONAL MARKINGS SHALL BE SUPPLIED IN ACCORDANCE WITH ALL APPLICABLE REGULATORY REQUIREMENTS, FOR ALL ITEMS REQUIRING SPECIAL HANDLING, I.E., CONTROLLED, PERISHABLE AND HAZARDOUS ITEMS.

APPLICABLE TO ALL SHIPMENTS, EXCEPT SHIPMENTS TO DLA DISTRIBUTION LOCATIONS: AS AN ALTERNATE, FOR SHIPMENTS DIRECTLY TO MEDICAL FACILITIES OF ALL ITEMS EXCEPT PERISHABLE ITEMS AND HAZARDOUS MATERIAL, REQUIRED MARKINGS MAY BE SUPPLIED ON THE DD FORM 250 OR PACKING LIST ACCOMPANYING THE SHIPMENT.

MIL-STD-147 IS AVAILABLE ONLINE AT HTTP://QUICKSEARCH.DLA.MIL/

MMS NO. 1A MAY BE OBTAINED BY CONTACTING DLA TROOP SUPPORT, ATTN: MEDICAL SUPPLIER OPERATIONS, FSFB (PACKAGING), VIA EMAIL: DSCP.PACKAGING@DLA.MIL. MMS NO. 1A IS ALSO AVAILABLE ONLINE AT HTTP://WWW.LANDANDMARITIME.DLA.MIL/DOWNLOADS/PACKAGING/MMS1.PDF

APPLICABLE TO ALL MEDICAL ACQUISITIONS:

PRESERVATION, PACKAGING, PACKING, UNITIZATION, LABELING, AND MARKING SHALL BE AS SPECIFIED IN THE APPLICABLE PROCUREMENT DOCUMENT REFERENCED IN THE "ITEM DESCRIPTION" SECTION, AND/OR AS SPECIFIED IN-THE-CLEAR IN THE "ITEM DESCRIPTION" AND "PACKAGING DATA" SECTIONS OF THE ACQUISITION.

THE FOLLOWING CHANGES/DELETIONS ARE APPLICABLE TO THE SECTION HEADED "PACKAGING DATA":

DISREGARD ALL REFERENCE TO MIL-STD-2073. UNDER THE HEADING "PREPARATION FOR DELIVERY", DELETE THE SECTION BEGINNING WITH "PKGING DATA -" AND ENDING WITH "DATED 88090" IN ITS ENTIRETY.

DISREGARD ALL REFERENCES TO SPECIAL PACKAGING INSTRUCTION (SPI). SPI'S ARE NOT PREPARED FOR MEDICAL ITEMS. ALL APPLICABLE PACKAGING REQUIREMENTS ARE SPECIFIED IN THE ACQUISITION.

DELETE "MIL-STD-129" WHEREVER IT APPEARS AND

# Reference No. of Document Being Continued: SPE2DS-15-T-0639

Page 10 of 10

#### SECTION B

PR: 0056148622 PRLI: 0001 CONT'D

SUBSTITUTE "MEDICAL MARKING STANDARD NO. 1A".

DELETE THE PARAGRAPH BEGINNING WITH "FOR ALL SHIPMENTS OF PACKAGED MATERIEL TO THE GOVERNMENT" AND ENDING WITH "THE SCHEDULE TAKES PRECEDENCE." IN ITS ENTIRETY.

R21533 USS ESSEX LHD 2 UNIT 100150 BOX 1 FPO AP 96643 US

M/F:(TCN) R215334322H322 RDD: 330 PROJ EP5 TP 1 SUP ADD YNMED SIG A

FOR GOVERNMENT USE ONLY: IPD 03

DIC A4A DIST 9B ADV 2A FC N7