

REQUEST FOR QUOTATIONS		THIS RFQ <input type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE		PAGE 1 OF 11 PAGES
1. REQUEST NO. SPE4A7-15-T-3101	2. DATE ISSUED 2014 NOV 21	3. REQUISITION/PURCHASE REQUEST NO. 0055252612	4. CERT.FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING DO-A1
5. ISSUED BY DLA AVIATION ASC SUPPLIER OPER AE AND AF DIV 8000 JEFFERSON DAVIS HWY RICHMOND VA 23297 USA Name: GARLAND PEAY Buyer Code:PARDA3 Tel: 804-279-2508 Fax: 804-279-6157 Email: ROY.PEAY@DLA.MIL			6. DELIVER BY (Date) 111 DAYS ADO	
8. TO:			7. DELIVERY <input type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)	
			9. DESTINATION	
			a. NAME OF CONSIGNEE See Schedule	
			b. STREET ADDRESS	
			c. CITY	
			d. STATE	e. ZIP CODE
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5 ON OR BEFORE CLOSE OF BUSINESS (Date) 2014 DEC 01		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.		
11. SCHEDULE (See Continuation Sheets)				

POC INFORMATION:

DRAWINGS MAY BE OBTAINED AT <https://pcf1.bsm.dla.mil/cfolders>
DISCREPANCIES FOUND IN BIDSETS SHOULD BE E-MAILED TO Dscr.PdmdDistribution@dlamail

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dlamail

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT:
<https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm> OR PHONE 1-855-DLA-0001 (1-855-352-0001).

MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT:
http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx

12. DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS (%)		b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS	
					NUMBER	PERCENTAGE
NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.						
13. NAME AND ADDRESS OF QUOTER				14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. Date of Quotation
a. NAME OF QUOTER CAGE				16. SIGNER		b. TELEPHONE
b. STREET ADDRESS						
c. COUNTY						
d. CITY	e. STATE	f. ZIP CODE	c. TITLE (Type or Print)		AREA CODE	NUMBER

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3101	Page 2 of 11
--------------------	--	--------------

SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>. MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 336413 SEE <http://www.sba.gov/content/table-small-business-size-standards> FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DFARS 252.225-7001, BUY AMERICAN AND BALANCE OF PAYMENTS PROGRAM, APPLIES TO ALL QUOTES ABOVE THE MICRO-PURCHASE THRESHOLD.

ORIGIN INSPECTION REQUIRED - FAR 52.246-2 APPLIES

THE CONTRACTOR SHALL COMPLY WITH THE ISO 9001 HIGHER-LEVEL QUALITY STANDARD. FAR 52.246-11 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT and DLAD 52.246-9043 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT (NON-MANUFACTURERS) APPLY.

MEASUREMENT AND TEST EQUIPMENT (M/TE) APPLIES (DLAD 52.246-9003).

THIS BUY IS NOT FAST PAY

CONTINUED ON NEXT PAGE

SECTION A

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

Procurement History for NSN/FSC:011287475/1560

CAGE	Contract Number	Quantity	Unit Cost	AWD Date
2V045	SPM4A706M8478	3.000	521.00000	20060915
82918	F3365780C0032	2.000	1136.40000	19791126

This solicitation is being issued under the First Destination Transportation (FDT) program. If this acquisition is for Foreign Military Sales (FMS) or has an APO/FPO ship-to address, FDT will not apply and normal procedures should be followed. For FDT program transportation requirements, see DLAD clauses 52.247-9059 F.O.B. Origin, Government Arranged Transportation and 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS). Additional information about FDT can be found on the FDT website (<http://www.dla.mil/FDTPI/>).

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3101	Page 4 of 11
--------------------	--	--------------

SECTION B

PR: 0055252612
NSN/MATERIAL:1560011287475

ITEM DESCRIPTION
SUPPORT,STRUCTURAL

SUPPORT,STRUCTURAL
THE FOLLOWING EXCEPTIONS TO DWG:361-10490 APPLY:
DWG:361-10490(-503),NOTES:1-10

1. PART MARKING PER MIL-STD-130, METHOD PER THE DRAWING REQUIREMENTS AND BAC 5307. MARKING MUST INCLUDE NATIONAL STOCK NUMBER, PART NUMBER, CURRENT DESIGN AUTHORITY CODE (98748), ACTUAL MANUFACTURER'S CAGE CODE (-----), DATE OF MANUFACTURE, AND "FOR MILITARY USE ONLY". PARTS WILL NOT BE MARKED WITH THE ORIGINAL DESIGN AUTHORITY (BOEING) CAGE CODE.
2. USE ASME Y14.5 IN LIEU OF ANSI/USASI Y14.5.
3. DELETE REFERENCE TO D2-5000.
4. SURFACE TEXTURE PER ASME B46.1.
5. LOCATE AND DRILL ALL HOLES AS DEPICTED ON DRAWING. THREAD, COUNTERSINK AND SPOT FACE THE TWO .452 -.457 DIA HOLES AS SHOWN IN VIEW 1B4. USE AS8879 IN LIEU OF MIL-S-8879. THE NAS1395-5L INSERTS ARE NOT TO BE INSTALLED OR PROVIDED WITH PART. DELETE REFERENCE TO FLAGNOTE 11.
6. USE SAE AMS-QQ-A-200 AND SAE AMS-QQ-A-200/11 IN LIEU OF QQ-A-200/11.
7. BSS 7055 REPLACES BAC 5439-3 FOR WROUGHT MATERIALS AND SHALL BE USED IN CONJUNCTION WITH BAC 5439. OPTIONAL TO USE ASTM E2375, CLASS B IN LIEU OF BAC 5439, CLASS B.
8. F-2.16 FINISH CODE DEFINED: CHEMICAL TREAT TO MEET THE REQUIREMENTS OF MIL-DTL-5541, CLASS 1A. APPLY MIL-PRF-23377, TYPE I, CLASS C2, PRIMER TO A DRY FILM THICKNESS OF 0.001 TO 0.002 INCH ACCORDING TO FINISH MANUFACTURER'S APPLICATION INSTRUCTIONS AND MIL-F-18264.
9. ALL SPECIAL PROCESSES IDENTIFIED BY 424 SCMS IN DRAWING 20145214 SHALL BE PERFORMED BY ORGANIZATIONS MAINTAINING NADCAP CERTIFICATION FOR THE RELEVANT SPECIAL PROCESS. ONLY THOSE PROCESSES HIGHLIGHTED IN YELLOW IN DRAWING 20145214 ARE IDENTIFIED BY 424 SCMS AS REQUIRING NADCAP CERTIFIED PROCESSORS.
10. WHEN X'ED BELOW OR LISTED IN THESE NOTES, DEFINITIONS APPLICABLE TO THIS PRODUCT ARE OR HAVE:
 - (A) ENGINEERING CRITICAL IN APPLICATION: An item which requires special manufacturing process, controls, and testing of material or end items Because of its use or application, failure to maintain the highest reliability of such an item could be catastrophic resulting in loss of life or serious injury, loss of a weapon system or extensive secondary damage, with direct impact on the capability to respond to a national emergency or to achieve wartime sustainability.
 - (B) COMPLEX: Items having quality characteristics not wholly visible (hidden characteristics), in the end product for which contractual conformance must be established progressively through precise measurements, tests or controls applied during purchasing, manufacturing, performance, assembly and functional operation either as an individual item or in conjunction with other items [FAR SUBPART 46.203(b)].
 - (c) COMMERCIAL: Described in commercial catalogs, drawings or industrial standards [FAR SUBPART 46.203(a),(1)].
 - (D) CRITICAL CHARACTERISTICS: Characteristics which, when defective, are likely to result in hazardous or unsafe conditions for individuals using, maintaining or depending upon the product, or, are likely to prevent performance of the tactical function of a major end item such as an aircraft,

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3101	Page 5 of 11
--------------------	--	--------------

SECTION B

missile, space vehicle, engine or a major part thereof. (Derived from MIL-STD-1916).

(E) MAJOR CHARACTERISTICS: Characteristics (other than critical or minor), which, when defective, are likely to result in failure or to reduce the usability of the product or a major end item for its intended purpose. (Derived from MIL-STD-1916).

(F) MINOR CHARACTERISTICS: All characteristics not designated as critical or major but for which full conformity is required.

THIS PRODUCT HAS BEEN DETERMINED TO BE OR CONTAINS (AS X'ED BELOW):

- X Engineering critical in application.
- ___ Critical characteristics.
- ___ Major characteristics.
- X Minor characteristics, all excepting critical and major.
- ___ Complex.
- ___ Available as a commercial product.

. When materials, processes or components are to be obtained from directed sources as indicated herein or in the specifications, alternate sources may only be utilized upon prior approval by the contracting officer of this procuring activity as a deviation.

Bidders shall notify this procuring activity at the time of quotation of any drawing, specification or standard which is of more current data revision than those shown on the data listing or in these engineering notes. Determination of acceptability of the more currently dated data will be made by the responsible engineering office of this procuring activity.

Lower tier specifications listed in or referenced by first tier specifications may not be shown on the data lists or engineering notes accompanying this contract but are nonetheless required by this contract for compliance. Exceptions would occur only when such lower tier requirements

have been specifically waived or substitute specifications/requirements are designated herein.

Reports, process sheets, inspection methods sheets and all other documents

required by specifications imposed by this contract for contractor compli-

ance which were previously required to be submitted to a prime design con-

tractor shall be held at that facility for review by government personnel.

When prime design source specifications require or provide for participa-

tion by that prime source quality, manufacturing, laboratory or engineering

support services, these requirements or provisions do not apply when the contract was issued by this procuring activity. For these services or direction pertaining thereto, contact the cognizant government contract administration office or this procuring activity for assistance.

The contractor is responsible for assuring that all dimensions, conditions,

tests and test results identified in these engineering notes, applicable drawings, specifications and contract quality requirements are met by themselves and their suppliers. This requirement applies to all

character-istics whether those characteristics have been specifically designed as being critical, major or are those minor characteristics not specifically

designated as such.

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3101	Page 6 of 11
--------------------	--	--------------

SECTION B

.
PROCESS DATA REQUIREMENTS (APPLIES WHEN X'ED):

___ Prior to beginning of manufacture, the contractor will notify the engineering office of this procuring activity of all manufacturing process and processing procedures intended for use in production of this product. Once these processes are established, no changes shall be made without prior approval of the engineering office of this procuring activity.

.
SERIALIZATION OF PARTS (X'ED WHEN APPLICABLE):

___ Serialization of each part/assembly (contract end item), is required.

.
MARK IAW MIL-STD-130N(1), DATED 16 NOV 2012.
CONFIGURATION CONTROL APPLIES

.
Source is defined as the site of the actual manufacturer, whether or not the prime contractor is the actual manufacturer.

.
A quality system compliant with AS9100 or ISO 9001:2008 is acceptable.

Compliance is demonstrated by certification or third party audit findings, such as from a DCMA QMS audit.

REMINDER: Per DFAR 246.202-4 Higher-level Contract Quality Requirements

(1) Higher-level contract quality requirements are used in ADDITION to a standard inspection requirement.

(2) Higher-level contract quality requirements, including nongovernment quality system standards adopted to meet DoD needs, are listed in the DoD Index of Specifications and Standards.

.
All special processes shall be performed by organizations maintaining NADCAP approval for the relevant special process. See drawing 20145214 for a list of NADCAP processes.

.
52.246-11 Higher Level Contract Quality Requirement (Manufacturers)

FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008 (EXAMPLE SAE AS 9100), THE FOLLOWING TAILORED VERSION OF ISO 9001:2008; OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008 (EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS EXCLUSIONS TO THIS DOCUMENT.
DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008

4.1 General requirements, [excluding reference to 1.2 and excluding NOTE 3 c)]

4.2.1 General, [excluding subparagraph a)]

4.2.2 Quality manual, [excluding subparagraph a)]

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3101	Page 7 of 11
--------------------	--	--------------

SECTION B

4.2.3 Control of documents
 4.2.4 Control of records
 5.1 Management commitment
 5.3 Quality policy
 6.2.2 Competence, training and awareness
 6.4 Work environment
 7.1 Planning of product realization, [excluding NOTE 2]
 7.2.1 Determination of requirements related to the product
 7.2.2 Review of requirements related to the product
 7.2.3 Customer communication
 7.3.7 Control of design and development changes
 7.4.1 Purchasing process
 7.4.3 Verification of purchased product
 7.5.1 Control of production and service provision
 7.5.3 Identification and traceability
 7.5.4 Customer property
 7.5.5 Preservation of product
 7.6 Control of monitoring and measuring equipment
 8.1 General, [excluding subparagraph b) and subparagraph c)]
 8.2.2 Internal audit
 8.2.4 Monitoring and measurement of product
 8.3 Control of nonconforming product
 8.5.2 Corrective action
 8.5.3 Preventive action

.
 A COMPLETE TECH DATA PKG/BIDSET EXISTS,BUT
 IS EXPORT CONTROLLED

THIS ITEM HAS TECHNICAL DATA SOME OR ALL OF WHICH IS SUBJECT TO
 EXPORT-CONTROL REGULATIONS. DISTRIBUTION OF THE TECHNICAL DATA
 AND ELIGIBILITY FOR AWARD ARE LIMITED TO THOSE SUPPLIERS QUALIFIED
 THROUGH JCP CERTIFICATION, OR TO THOSE LICENSED BY EITHER THE
 DEPARTMENTS OF STATE OR COMMERCE; OR TO FOREIGN SUPPLIERS PURSUANT TO
 INTERNATIONAL AGREEMENTS.

TO APPLY FOR JCP CERTIFICATION, COMPLETE DD FORM 2345, "MILITARY
 CRITICAL TECHNICAL DATA AGREEMENT," FORM IS AVAILABLE AT THE WORLD WIDE
 WEB ADDRESS [HTTP://WWW.DLIS.DLA.MIL/JCP](http://WWW.DLIS.DLA.MIL/JCP) OR BY WRITING TO:

DLA LOGISTICS INFORMATION SERVICE
 FEDERAL CENTER
 74 WASHINGTON AVE., NORTH
 BATTLE CREEK, MI 49037-3084

TO MANUFACTURE THIS ITEM, NON-JCP CERTIFIED SUPPLIERS MUST SUBMIT A
 CURRENT MANUFACTURING LICENSE AGREEMENT, TECHNICAL ASSISTANCE AGREEMENT,
 DISTRIBUTION AGREEMENT OR OFF-SHORE PROCUREMENT AGREEMENT APPROVED BY
 THE DIRECTORATE OF DEFENSE TRADE CONTROLS WITH THE OFFER, UNLESS AN
 EXEMPTION UNDER THE PROVISIONS OF ITAR SECTION, 125.4 "EXEMPTIONS OF
 GENERAL APPLICABILITY," AND/OR EAR PART 740 ARE APPLICABLE.

NON-JCP CERTIFIED SUPPLIERS SEEKING EXPORT CONTROLLED TECHNICAL
 DATA ARE REQUIRED TO PROVIDE THE CONTRACTING OFFICER WITH AN
 APPLICABLE AGREEMENT OR IDENTIFY WHICH ITAR/EAR EXEMPTION APPLIES TO
 RECEIVE A COPY OF THE EXPORT CONTROLLED TECHNICAL DATA.

NOTE: JCP CERTIFIED CONTRACTORS WHO RECEIVE TECHNICAL DATA PURSUANT TO
 THEIR DD FORM 2345 CERTIFICATION MAY NOT FURTHER DISSEMINATE SUCH DATA
 UNLESS FURTHER DISSEMINATION OF THE TECHNICAL DATA IS EXPRESSLY
 PERMITTED BY DODD 5230.25."

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3101	Page 8 of 11
--------------------	--	--------------

SECTION B

SAMPLING:

1. SAMPLING FOR INSPECTION AND TESTING SHALL BE IAW ANSI/ASQ Z1.4-2003 (R2013). ANY ALTERNATE PLAN MUST BE APPROVED BY THE PCO. A SAMPLING PLAN THAT ACCEPTS ON ZERO DEFECTS IS REQUIRED

2. ANY DEFECTIVE ITEM DISCOVERED DURING INSPECTION MAY BE CAUSE FOR REJECTION OF THE ENTIRE CONTRACT QUANTITY.

IAW BASIC DRAWING NR 82918 361-10490
REVISION NR D DTD 04/02/1987
PART PIECE NUMBER: 361-10490-503

IAW REFERENCE DRAWING NR 81205 BAC5049
REVISION NR H DTD 05/24/1999
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5049
REVISION NR H DTD 05/20/1996
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5423
REVISION NR W DTD 09/15/2005
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5439
REVISION NR J DTD 08/14/2000
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5439
REVISION NR J DTD 07/26/2013
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5423
REVISION NR W DTD 09/02/1999
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BSS7055
REVISION NR A DTD 06/12/2002
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BSS7055
REVISION NR A DTD 02/28/2001
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 82918 361-10490
REVISION NR B DTD 04/29/1987
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5300
REVISION NR M DTD 09/09/2011
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5300
REVISION NR M DTD 10/31/1999
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5300-1
REVISION NR F DTD 04/09/2013

CONTINUED ON NEXT PAGE

SPE4A7-15-T-3101

SECTION B

PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5300-2
REVISION NR G DTD 10/09/2013
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5307
REVISION NR U DTD 11/27/2013
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5300-1
REVISION NR F DTD 09/01/2006
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5300-2
REVISION NR G DTD 09/01/2006
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5307-1
REVISION NR A DTD 12/19/2013
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98748 20145214
REVISION NR DTD 02/03/2014
PART PIECE NUMBER:

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0001	0055252612	0001	EA	3.000		

NSN/MATERIAL:1560011287475

DELIVERY (IN DAYS):0111

DELIVER FOB: ORIGIN

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: ORIGIN

ACCEPTANCE POINT: ORIGIN

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS
MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS
SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E.,
TITLE 49 CODE OF FEDERAL REGULATIONS,
INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO)
TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4
OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME
DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG
COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS
ON TRANSPORT OF DANGEROUS GOODS. WHEN A);
CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3101	Page 10 of 11
--------------------	--	---------------

SECTION B

PR: 0055252612 PRLI: 0001 CONT'D

SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

PARCEL POST ADDRESS:

W25G1U
W1BG DLA DISTRIBUTION
DDSP NEW CUMBERLAND FACILITY
2001 NORMANDY DRIVE DOOR 113 TO 134
NEW CUMBERLAND PA 17070-5002
US

FOR TRANSPORTATION ASSISTANCE SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT) AWARDS SEE DLAD 52.247-9059 AND CONTRACT INSTRUCTIONS INSTEAD.

CONTINUED ON NEXT PAGE

SECTION B

PR: 0055252612 PRLI: 0001 CONT'D

FREIGHT SHIPPING ADDRESS:

W25G1U
W1BG DLA DISTRIBUTION
DDSP NEW CUMBERLAND FACILITY
2001 NORMANDY DRIVE DOOR 113 TO 134
NEW CUMBERLAND PA 17070-5002
US

Need Ship Date:03/23/2015
Original Required Delivery Date:01/25/2016
