REQUEST FOR QUOTATIONS		THIS RFQ IS IS NOT A SMALL BUSINESS SET-ASIDE		PAGE OF	PAGES 12		
1. REQUEST NO. SPE7L4-15-T-2108	2. DATE ISSUED 2014 DEC 02	3. REQUISITION/PURCHAS 0055610761	E REQUEST NO.		R NAT. DEF. DSA REG. 2 MS REG. 1	RATING DO	-C9
PO BOX 3990 COLUMBUS OH 43218-3990 USA Name: Connie Mcgraw Buyer Code:PLCLDAZ Tel: 614-692-6402 Fax: 614-692-1539			6. DELIVER BY (Date) SEE SCHEDULE				
			7. DELIVERY OTHER (See Schedule)				
			9. DESTINATION a. NAME OF CONSIGNEE				
8. TO:			See Schedule				
			b. STREET	ADDRESS			
			c. CITY				
				d. STATE	e. ZIP CODE		
10. PLEASE FURNISH QUOTATIONS T ISSUING OFFICE IN BLOCK 5 ON C BEFORE CLOSE OF BUSINESS (De 2014 DEC 12	indicate on the incurred in the origin unless	NT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so this form and return it to the address in Block 5. This request does not commit the Government to pay any costs in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic so otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must ted by the quoter.				any costs f domestic	
11. SCHEDULE (See Continuation Sheets)							

POC INFORMATION:

WHEN TECHNICAL DATA IS PROVIDED IT MUST BE OBTAINED AThttps://pcf1.bsm.dla.mil/cfolders. DISCREPANCIES FOUND IN TECHNICAL DATAPROVIDED, SUBMIT REQUEST TO THE DLA CUSTOMER SERVICE WEBSITE:https://www.pdmd.dla.mil/cs/

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dla.mil

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT: https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm OR PHONE 1-855-DLA-0001 (1-855-352-0001).

MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT: http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx

		a. 10 C	ALENDAR	DAYS (%)	b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CAI	LENDAR DAYS
12. DISCOUNT FOR PROMPT PAYMENT							NUMBER	PERCENTAGE
NOTE: Additional provisions and representations are are are not attached.								
13. NAME AND ADDRESS OF QUOTER			14. SIGNATURE OF PERSON AUTHORIZED TO SIGN 15. Date of Quota		te of Quotation			
a. NAME OF QUOTER CA	GE				- QUOTATION			
					1			
b. STREET ADDRESS			16. SIGNER					
			a. NAME (Type or Print) b. TELEPH		TELEPHONE			
c. COUNTY					AREA COD	NE		
							AREA COD	, <u> </u>
d. CITY	e. STATE	f. ZIP COD	E		c. TITLE (Type or Print)		NUMBER	

SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT https://www.dibbs.bsm.dla.mil.MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT https://www.dibbs.bsm.dla.mil.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 332994 SEE http://www.sba.gov/content/table-small-business-size-standards FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

ORIGIN INSPECTION REQUIRED - FAR 52.246-2 APPLIES

THE CONTRACTOR SHALL COMPLY WITH THE TAILORED ISO 9001 HIGHER-LEVEL QUALITY STANDARD. FAR 52.246-11 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT and DLAD 52.246-9043 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT (NON-MANUFACTURERS) APPLY.

FIRST ARTICLE APPROVAL - CONTRACTOR TESTING REQUIRED (FAR 52.209-3)
THE CONTRACTOR SHALL TEST 000005 UNIT(S) OF LOT/ITEM

1005/6147780 AS SPECIFIED IN THIS CONTRACT. AT LEAST 10

CALENDAR DAYS BEFORE THE BEGINNING OF THE FIRST ARTICLE TESTS, THE

CONTRACTOR SHALL NOTIFY THE CONTRACTING OFFICER, IN WRITING, OF THE TIME

AND LOCATION OF THE TESTING SO THAT THE GOVERNMENT MAY WITNESS THE

SECTION A

TESTS. THE CONTRACTOR SHALL SUBMITT THE FIRST ARTICLE TEST REPORT WITHIN 000090 CALENDAR DAYS FROM THE DATE OF THIS CONTRACT. NOTIFICATION AND SUBMITTAL ADDRESSES ARE IAW FAR 52.209-3.

WITHIN 000045 CALENDAR DAYS AFTER THE GOVERNMENT

RECEIVES THE TEST REPORT, THE CONTRACTING OFFICER SHALL NOTIFY THE

CONTRACTOR, IN WRITING, OF THE CONDITIONAL APPROVAL, APPROVAL, OR

DISAPPROVAL OF THE FIRST ARTICLE.

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

Procurement History for NSN/FSC:006147780/1005

CAGE	Contract Number	Quantity	Unit Cost	AWD Date
51081	DAAA0993P0096	2414.000	6.86431	19921028
51081	DAAA0992P0119	1557.000	0.00000	19911030

Continuation Sheet	Reference No. of Document Being Continued:	Page 4 of 12
	SPE7L4-15-T-2108	

SECTION A

Procurement History for NSN/FSC:006147780/1005

CAGE	Contract Number	Quantity	Unit Cost	AWD Date	
51081	DAAA0990C1052	2922.000	7.19000	19901002	
51081	DAAA0990C0368	4649.000	0.00000	19900306	

Reference No. of Document Being Continued: SPE7L4-15-T-2108

Page 5 of 12

SECTION B

PR: 0055610761

NSN/MATERIAL:1005006147780

ITEM DESCRIPTION TRIGGER

TRIGGER.

THIS ITEM IS A "DEFENSE ARTICLE" AS DEFINED IN AND SUBJECT TO THE INTERNATIONAL TRAFFIC IN ARMS REGULATIONS (22 C.F.R. 120-30) AND THE ARMS EXPORT CONTROL ACT (22 U.S.C.A. 2778-2799). ANY MANUFACTURER OR EXPORTER OF DEFENSE ARTICLES IS REQUIRED TO REGISTER WITH THE DIRECTORATE OF DEFENSE TRADE CONTROLS (DDTC), DEPARTMENT OF STATE. DOCUMENTARY EVIDENCE OF REGISTRATION MAY BE REQUIRED PRIOR TO AWARD. ADDITIONAL EXPORT RESTRICTIONS APPLY AS INDICATED HEREIN. FAILURE TO SUBMIT DDTC REGISTRATION WHEN REQUESTED WILL MAKE A QUOTE/OFFER INELIGIBLE FOR AWARD.

__EXCEPTION DATA_

Add Distribution Statement 'A' Unlimited, to all drawings and associated documents without a Distribution Statement.

PD 6147780:

Change Method:

From: MIL-P-116, IA-8. To: MIL-STD-2073-1, Method 10

Change UNIT PACK QTY: From: 10 To: 1/EA

In Step 1 Change:

From: MIL-P-116, Type P-9 To: MIL-PRF-3150, SEE NOTE **. DELETE STEP 2 IN ITS ENTIRETY.

Change Step 3:

From: MIL-B-117, Type I, Class C To: BAG: SEE DWG 13027484 FOR DETAILS.

Change Note **:

From: WRAP EACH ASSEMBLY INDIVIDUALLY
To: IF PRESERVATIVE HAS BEEN APPLIED AT TIME OF
MANUFACTURING, AND PART HAS NOT BEEN CONTAMINATED,
THEN CLEANING, DRYING, GREASING, AND COATING STEPS
MAY BE ELIMINATED. OTHERWISE, PART SHALL BE CLEANED
ACCORDINGLY AND TREATED IN ACCORDANCE WITH THE
DRAWING REQUIREMENTS.

TDPL:

ADD DOCUMENT 13027484

The TDP contains gage drawings that are to be considered "For Informational Purposes Only" and are not up to date with the latest drawing revision. The use of gages is optional and not a requirement.

Reference No. of Document Being Continued: SPE7L4-15-T-2108

Page 6 of 12

SECTION B

Gages can be replaced with Standard Measuring & Test Equipment. The TDP contains IELs (Inspection Equipment Lists) and gage designs that are not necessarily up-to-date with the latest product drawing revision. These IELs and gage designs shall be considered "For Informational Purposes Only" and the use of these particular gage drawings is optional unless specified as mandatory. If an informational gage design is used, it must first be approved using the Acceptance Inspection Equipment (AIE) Evaluation process specified in the contract to ensure its applicability to the current part drawing. An informational gage design can be replaced with Standard Measuring & Test Equipment (SMTE) or an alternate design. Either method of replacement must first be approved using the Acceptance Inspection Equipment (AIE) Evaluation process specified in the contract.

Document: QS, Pg1: DELETE: MIL-STD-105 SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES. REPLACE WITH: MIL-STD-1916 DOD PREFERRED METHODS ACCEPTANCE OF PRODUCT.

THE CONTRACTOR SHALL USE MIL-STD-1916, DOD PREFERRED METHODS OF ACCEPTANCE OF PRODUCT. THE VERIFICATION LEVEL (VL) SHALL BE VL III IN LIEU OF AQL OF .65, FOR MAJOR CHARACTERISTICS AND VL II IN LIEU OF AQL 1.5 AND IN LIEU OF AQL OF 2.5 FOR MINOR CHARACTERISTICS.

END OF EXCEPTIONS_____

THE ITEM BEING PROCURED IS A CRITICAL GUN PART ITEM WITH UNIQUE REQUIREMENTS.

CONTRACTOR FAT APPLIES. PER FAR 52.209-3:

(a) THE CONTRACTOR SHALL TEST 5 UNIT(S)... AT LEAST 10 CALENDAR DAYS BEFORE THE BEGINNING OF FIRST ARTICLE TESTING, THE CONTRACTOR SHALL NOTIFY...

(b) THE CONTRACTOR SHALL SUBMIT THE FAT REPORT WITHIN 90 CALENDAR DAYS... (NOTE: THE DELIVERY SCHEDULE ON THE FACE OF THE SOLICITATION REFLECTS ONLY THE TIME TO DELIVER THE SUPPLIES.)

WITHIN 45 CALENDAR DAYS AFTER THE GOVERNMENT RECEIVES THE FIRST ARTICLE THE CONTRACTING OFFICER SHALL NOTIFY...

DISPOSITION OF FIRST ARTICLES:

THE CONTRACTOR MAY DELIVER APPROVED UNDAMAGED FIRST ARTICLE SAMPLES AS PART OF THE PRODUCTION QUANTITY.

Reference No. of Document Being Continued: SPE7L4-15-T-2108

Page 7 of 12

SECTION B

AFTER RECEIPT OF QUOTES, OFFERORS MAY BE CONTACTED TO PRICE THE FAT REQUIREMENT.

PROCESS PROCEDURES AND OR WORKMANSHIP SPECIMENS REQUIRED BY MILITARY SPECIFICATION (S) APPLICABLE TO THIS CONTRACT WILL BE APPROVED BY THE CONTRACT POST AWARD CONTRACTING OFFICER (PCO).

PRODUCT INSPECTION WILL BE CONDUCTED BY THE DCMA QAR AT THE ACTUAL MANUFACTURER'S FACILITY. THE IDENTIFICATION OF THE ACTUAL MANUFACTURER AND PHOSPHATE CONTRACTOR MUST BE SUBMITTED TO THE CONTRACTING OFFICER FOR INCLUSION IN THE AWARD. UPON AWARD, ANY CHANGES TO THE ABOVE MUST BE APPROVED BY THE PCO VIA FORMAL CONTRACT MODIFICATION.

THIS NSN CONTAINS ONE OR MORE COMPONENTS WHICH MUST MEET QPL/QML SPECIFICATIONS AS IDENTIFIED IN THE TECHNICAL DATA PACKAGE. CLAUSE 109A01 (FAR CLAUSE 52.209-1) QUALIFICATION REQUIREMENTS IS APPLICABLE. THE AWARDEE SHALL PROVIDE QPL/QML COMPONENTS ONLY FROM SOURCES QUALIFIED ON THE APPLICABLE QPL(S)/QML(S). THE IDENTIFICATION OF ALL APPLICABLE QPL/QML SOURCES MUST BE SUBMITTED TO THE CONTRACTING OFFICER FOR EVALUATION PRIOR TO CONTRACT AWARD.

PRODUCT VERIFICATION TESTING (PVT) CLAUSE DLAD 52.246-9004 MAY BE INVOKED FOR THE REFERENCED CONTRACT. IF INVOKED, PVT SAMPLES MUST BE INSPECTED, PACKAGED AND MARKED AS REQUIRED IN THE CONTRACT. ONE (1) SAMPLE MAY BE DESTROYED DURING TESTING.

PRODUCT VERIFICATION TESTING, IF INVOKED, WILL BE PERFORMED PRIOR TO ACCEPTANCE OF EACH SHIPMENT. THE CONTRACTOR MUST PROVIDE PVT SAMPLES FROM EACH (SUB)CONTRACTOR USED IN THE PRODUCTION OF PARTS ON THIS CONTRACT. FIVE (5) PVT SAMPLES, UNLESS OTHERWISE SPECIFIED, WILL BE REQUIRED TO BE IDENTIFIED TO THOSE (SUB)CONTRACTORS WHEN THEY ARE SENT IN FOR TESTING.

CERTIFICATE OF CONFORMANCE IS NOT AUTHORIZED.

52.246-11 Higher Level Contract Quality Requirement (Manufacturers)

FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008 (EXAMPLE SAE AS 9100), THE FOLLOWING TAILORED VERSION OF ISO 9001:2008; OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008 (EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS EXCLUSIONS TO THIS DOCUMENT.

Reference No. of Document Being Continued: SPE7L4-15-T-2108

Page 8 of 12

SECTION B

DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008 4.1 General requirements, [excluding reference to 1.2 and excluding NOTE 3 c)] 4.2.1 General, [excluding subparagraph a)] 4.2.2 Quality manual, [excluding subparagraph a)]
4.2.3 Control of documents 4.2.4 Control of records 5.1 Management commitment 5.3 Quality policy 6.2.2 Competence, training and awareness 6.4 Work environment 7.1 Planning of product realization, [excluding NOTE 2] 7.2.1 Determination of requirements related to the product 7.2.2 Review of requirements related to the product 7.2.3 Customer communication 7.3.7 Control of design and development changes 7.4.1 Purchasing process 7.4.3 Verification of purchased product 7.5.1 Control of production and service provision 7.5.3 Identification and traceability 7.5.4 Customer property 7.5.5 Preservation of product 7.6 Control of monitoring and measuring equipment 8.1 General, [excluding subparagraph b) and subparagraph c)] 8.2.2 Internal audit 8.2.4 Monitoring and measurement of product 8.3 Control of nonconforming product 8.5.2 Corrective action 8.5.3 Preventive action CLASS I OZONE DEPLETING CHEMICALS ARE NOT TO BE USED NOR INCORPORATED IN ANY ITEMS TO BE DELIVERED UNDER THIS CONTRACT. THIS PROHIBITION SUPERSEDES ALL SPECIFICATION REQUIREMENTS BUT DOES NOT ALLEVIATE ANY PRODUCT REQUIREMENTS. SUBSTITUTE CHEMICALS MUST BE SUBMITTED FOR APPROVAL UNLESS THEY ARE AUTHORIZED BY THE SPECIFICATION REQUIREMENTS. DLAD 52.246-9003, MEASURING AND TEST EQUIPMENT, APPLIES. This item contains a phosphate coating requirement IAW MIL-STD-171 and MIL-DTL-16232. In lieu of the required submittal of a preproduction phosphate procedure the following is now required: The contractor responsible for the actual coating procedure must be certified by the Performance Review Institute (PRI) to the Nadcap standard for chemical processes. Verification of this certification may be required and must be supplied upon request of the Contracting Officer. THIS ITEM HAS TECHNICAL DATA SOME OR ALL OF WHICH IS SUBJECT TO EXPORT-CONTROL REGULATIONS. DISTRIBUTION OF THE TECHNICAL DATA AND ELIGIBILITY FOR AWARD ARE LIMITED TO THOSE SUPPLIERS QUALIFIED THROUGH JCP CERTIFICATION, OR TO THOSE LICENSED BY EITHER THE DEPARTMENTS OF STATE OR COMMERCE; OR TO FOREIGN SUPPLIERS PURSUANT TO INTERNATIONAL AGREEMENTS.

Reference No. of Document Being Continued: SPE7L4-15-T-2108

Page 9 of 12

SECTION B

TO APPLY FOR JCP CERTIFICATION, COMPLETE DD FORM 2345, "MILITARY CRITICAL TECHNICAL DATA AGREEMENT," FORM IS AVAILABLE AT THE WORLD WIDE WEB ADDRESS HTTP://WWW.DLIS.DLA.MIL/JCP OR BY WRITING TO:

DLA LOGISTICS INFORMATION SERVICE FEDERAL CENTER 74 WASHINGTON AVE., NORTH BATTLE CREEK, MI 49037-3084

TO MANUFACTURE THIS ITEM, NON-JCP CERTIFIED SUPPLIERS MUST SUBMIT A CURRENT MANUFACTURING LICENSE AGREEMENT, TECHNICAL ASSISTANCE AGREEMENT, DISTRIBUTION AGREEMENT OR OFF-SHORE PROCUREMENT AGREEMENT APPROVED BY THE DIRECTORATE OF DEFENSE TRADE CONTROLS WITH THE OFFER, UNLESS AN EXEMPTION UNDER THE PROVISIONS OF ITAR SECTION, 125.4 "EXEMPTIONS OF GENERAL APPLICABILITY," AND/OR EAR PART 740 ARE APPLICABLE.

NON-JCP CERTIFIED SUPPLIERS SEEKING EXPORT CONTROLLED TECHNICAL DATA ARE REQUIRED TO PROVIDE THE CONTRACTING OFFICER WITH AN APPLICABLE AGREEMENT OR IDENTIFY WHICH ITAR/EAR EXEMPTION APPLIES TO RECEIVE A COPY OF THE EXPORT CONTROLLED TECHNICAL DATA.

NOTE: JCP CERTIFIED CONTRACTORS WHO RECEIVE TECHNICAL DATA PURSUANT TO THEIR DD FORM 2345 CERTIFICATION MAY NOT FURTHER DISSEMINATE SUCH DATA UNLESS FURTHER DISSEMINATION OF THE TECHNICAL DATA IS EXPRESSLY PERMITTED BY DODD 5230.25."

DLAD PROVISION 52.211-9009 IS APPLICABLE TO THIS SOLICITATION, THEREFORE SURPLUS MATERIAL WILL NOT BE CONSIDERED. IF PRESENT IN THE SOLICITATION, PROVISION 52.211-9003 AND CLAUSE 52.211-9000 ARE NOT APPLICABLE.

MERCURY OR MERCURY CONTAINING COMPOUNDS SHALL NOT BE INTENTIONALLY ADDED TO,OR COME IN DIRECT CONTACT WITH,ANY HARDWARE OR SUPPLIES FURNISHED UNDER THIS CONTRACT. EXCEPTION: FUNCTIONAL MERCURY USED IN BATTERIES, FLUORESCENT LIGHTS, REQUIRED INSTRUMENTS; SENSORS OR CONTROLS; WEAPON SYSTEMS; AND CHEMICAL ANALYSIS REAGENTS SPECIFIED BY NAVSEA. PORTABLE FLUORESCENT LAMPS AND PORTABLE INSTRUMENTS CONTAINING MERCURY SHALL BE SHOCK PROOF AND CONTAIN A SECOND BOUNDARY OF CONTAINMENT OF THE MERCURY OR MERCURY COMPOUND. (IAW NAVSEA 5100-003D).

"CONTRACTOR/MANUFACTURER IS REQUIRED TO ESTABLISH AND MAINTAIN A CALIBRATION SYSTEM THAT MEETS THE REQUIREMENTS OF ANSI/NCSL Z540-1-1994, AMERICAN NATIONAL STANDARD FOR CALIBRATION - CALIBRATION LABORATORIES AND MEASURING AND TEST EQUIPMENT-GENERAL REQUIREMENTS, OR ISO 10012-1, QUALITY ASSURANCE REQUIREMENTS FOR MEASURING EQUIPMENT- PART 1, METROLOGICAL CONFIRMATION SYSTEM FOR MEASURING EQUIPMENT."

IAW BASIC DRAWING NR 19200 6147780 REVISION NR B DTD 01/15/1982 PART PIECE NUMBER:

Reference No. of Document Being Continued: SPE7L4-15-T-2108

Page 10 of 12

SECTION B

IAW REFERENCE DRAWING NR 19200 5153126 REVISION NR C DTD PART PIECE NUMBER:

IAW REFERENCE QAP 19200 5153126 REVISION NR A DTD 01/15/1982 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 19200 5153127 REVISION NR B DTD PART PIECE NUMBER:

IAW REFERENCE QAP 19200 5153127 REVISION NR B DTD 07/30/1990 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 19200 6147780 REVISION NR F DTD 02/09/1967 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 19200 6147780 REVISION NR A DTD 01/15/1982 PART PIECE NUMBER:

IAW REFERENCE QAP 19200 6147780 REVISION NR B DTD 01/15/1982 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 19200 12579607 REVISION NR C DTD 08/04/2009 PART PIECE NUMBER:

IAW REFERENCE SPEC NR MIL-DTL-16232G NOT 1 REVISION NR G DTD PART PIECE NUMBER:

IAW REFERENCE UNK QPL-3150-34 NOT 1 REVISION NR 34 DTD PART PIECE NUMBER:

IAW REFERENCE UNK QPL-3420-28 NOT 1 REVISION NR 2 DTD PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 19200 13027484 REVISION NR DTD 09/22/2009 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 19205 7318242 REVISION NR B DTD 11/12/1963 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 19205 7319554 REVISION NR B DTD 05/06/1963 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 19205 6147780 REVISION NR B DTD 01/15/1982 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 19205 6147780

Reference No. of Document Being Continued: SPE7L4-15-T-2108

Page 11 of 12

SECTION B

REVISION NR DTD 10/21/2014 PART PIECE NUMBER:

<u>CLIN PR PRLI UI QUANTITY UNIT PRICE TOTAL PRICE</u> 0001 0055610761 0001 EA 86.000

NSN/MATERIAL:1005006147780
DELIVERY (IN DAYS):0128

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: ORIGIN ACCEPTANCE POINT: ORIGIN

PREP FOR DELIVERY:
PKGING DATA-QUP:001

SHALL BE PACKAGED STANDARD COMMERCIAL IN ACCORDANCE WITH ASTM D 3951.

Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply: •,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.

- •,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- \bullet ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

PARCEL POST ADDRESS:

W62G2T W1BG DLA DISTRIBUTION 25600 S CHRISMAN ROAD REC WHSE 57 TRACY CA 95304-5000 US

FOR TRANSPORTATION ASSISTANCE SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT) AWARDS SEE DLAD 52.247-9059 AND CONTRACT INSTRUCTIONS INSTEAD.

FREIGHT SHIPPING ADDRESS:

W62G2T W1BG DLA DISTRIBUTION 25600 S CHRISMAN ROAD REC WHSE 57 TRACY CA 95304-5000 US

Reference No. of Document Being Continued: SPE7L4-15-T-2108

Page 12 of 12

SECTION B

PR: 0055610761 PRLI: 0001 CONT'D

Need Ship Date: 04/20/2015

PRLI UI QUANTITY CLIN PR UNIT PRICE TOTAL PRICE

0002 0000000000

NSN/MATERIAL:0001S00000053

DELIVERY (IN DAYS):0000

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: ORIGIN

ACCEPTANCE POINT: ORIGIN

Need Ship Date:00/00/0000