

REQUEST FOR QUOTATIONS		THIS RFQ <input type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE		PAGE 1 OF 20 PAGES
1. REQUEST NO. SPE2DS-15-T-0497	2. DATE ISSUED 2014 NOV 20	3. REQUISITION/PURCHASE REQUEST NO. See Schedule	4. CERT.FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING DO-C9
5. ISSUED BY DLA TROOP SUPPORT MEDICAL SUPPLY CHAIN MD SURG FSF 700 ROBBINS AVENUE PHILADELPHIA PA 19111 USA Name: Tonia R. Washington Buyer Code:PDPSFA5 Tel: 215-737-4197 Fax: 215-737-5555 Email: Tonia.Washington@dla.mil			6. DELIVER BY (Date) 5 DAYS ADO	
8. TO:			7. DELIVERY <input type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)	
			9. DESTINATION	
			a. NAME OF CONSIGNEE See Schedule	
			b. STREET ADDRESS	
			c. CITY	
			d. STATE	e. ZIP CODE
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5 ON OR BEFORE CLOSE OF BUSINESS (Date) 2014 DEC 01		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.		
11. SCHEDULE (See Continuation Sheets)				

POC INFORMATION:

DRAWINGS MAY BE OBTAINED AT <https://pcf1.bsm.dla.mil/cfolders>
DISCREPANCIES FOUND IN BIDSETS SHOULD BE E-MAILED TO Dscr.PdmdDistribution@dla.mil

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dla.mil

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT:
<https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm> OR PHONE 1-855-DLA-0001 (1-855-352-0001).

MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT:
http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx

12. DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS (%)		b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS	
					NUMBER	PERCENTAGE
NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.						
13. NAME AND ADDRESS OF QUOTER				14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. Date of Quotation
a. NAME OF QUOTER CAGE				16. SIGNER		b. TELEPHONE
b. STREET ADDRESS						
c. COUNTY						
d. CITY	e. STATE	f. ZIP CODE	c. TITLE (Type or Print)		AREA CODE	NUMBER

Continuation Sheet	Reference No. of Document Being Continued: SPE2DS-15-T-0497	Page 2 of 20
--------------------	--	--------------

SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>. MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 339113 SEE <http://www.sba.gov/content/table-small-business-size-standards> FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DESTINATION INSPECTION REQUIRED - FAR 52.246-2 APPLIES.

THIS BUY IS FAST PAY

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no

CONTINUED ON NEXT PAGE

SECTION A

quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

Procurement History for NSN/FSC:001817412/6515

CAGE	Contract Number	Quantity	Unit Cost	AWD Date
0AG09	SPE2DS15MD285	6.000	14.78000	20141117
9C381	SPM2DV11D8500525601	1.000	7.57000	20141022
9C381	SPM2DV11D8500525501	3.000	7.57000	20141022
9C381	SPM2DV11D8500525301	1.000	7.57000	20141022
9C381	SPM2DV11D8500525001	1.000	7.57000	20141022
9C381	SPM2DV11D85005249	1.000	7.57000	20141022
07TA6	SPM2DV11D80015087	2.000	7.62000	20140929
07TA6	SPM2DV11D80015086	1.000	7.62000	20140929
07TA6	SPM2DV11D80015085	1.000	7.62000	20140929
07TA6	SPM2DV11D80015084	1.000	7.62000	20140906
07TA6	SPM2DV11D80015083	1.000	7.62000	20140906
6LED4	SPE2DS14V2029	2.000	7.50000	20140811
0AG09	SPE2DS14V1787	1.000	19.48000	20140721
07TA6	SPM2DV11D80015060	1.000	7.62000	20140708
07TA6	SPM2DV11D80015059	2.000	7.62000	20140614
07TA6	SPM2DV11D80015058	1.000	7.62000	20140614
07TA6	SPM2DV11D80015055	1.000	7.62000	20140613
0AG09	SPE2DS14V1437	2.000	17.95000	20140612
07TA6	SPM2DV11D80015042	1.000	12.15000	20140510
07TA6	SPM2DV11D80015041	1.000	12.15000	20140510

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE2DS-15-T-0497	Page 4 of 20
--------------------	--	--------------

SECTION B

PR: 0056014969
NSN/MATERIAL:6515001817412

ITEM DESCRIPTION
NEEDLE,HYPODERMIC

NEEDLE, HYPODERMIC, DENTAL, 27 GA, 1-3/8 INCH,
CARTRIDGE TYPE, STERILE, DISP, 100S

.
U/I - PACKAGE (PG) OF 100s

.
SHELF LIFE IS 60 MONTHS OR 5 YEARS.

.
THERE SHALL BE NO LESS THAN 51 MONTHS SHELF LIFE REMAINING
FROM DATE OF MANUFACTURE TO DATE OF
DELIVERY TO THE GOVERNMENT.

.
DEPOT STOCKED
FILL REQ5 FROM DEPOT BEFORE GOING DVD

.
SHALL BE IN ACCORDANCE WITH COMMERCIAL ITEM
DESCRIPTION A-A-54664 DATED 29 MAY 1992 AND
DPSC DRAWING NO. 20467 REVISED 12 MARCH 1991,
EXCEPT ON SHEET 1 OF THE DRAWING IN THE ASSEMBLY
DELETE "13/32 MIN." AND SUBSTITUTE "0.400 PLUS
0.033 MINUS 0.026".
ON DWG 20467 SHEET 1 UNDER NOTES DELETE
"FSN 6515-985-7106" AND SUBSTITUTE NSN 6515-01-
010-8761".

.
ADD THE FOLLOWING UNDER "SALIENT CHARACTERISTICS"
"SHALL HAVE A SHELF LIFE OF 60 MONTHS.
NOT MORE THAN 10 MONTHS SHALL HAVE ELAPSED FROM
DATE OF MANUFACTURE TO DATE OF DELIVERY TO THE
GOVERNMENT."

.
DELETE PARAGRAPH HEADED "UNIT" ENTIRELY AND
SUBSTITUTE:
"UNIT. PACKAGE (PG). ONE PACKAGE CONTAINING 100
INDIVIDUALLY PACKAGED HYPODERMIC NEEDLES OF ONE
TYPE OR SIZE ONLY, AS SPECIFIED, CONSTITUTES ONE
UNIT. THE INDIVIDUAL PACKAGE SHALL BE A SEALED,
PEEL-OPEN CONTAINER CAPABLE OF MAINTAINING
STERILITY OF CONTENTS UNLESS PACKAGE IS DAMAGED
OR OPENED."

.
PACKAGING AND PACKING QUANTITIES.
SHIPPING CONTAINER SHALL CONTAIN 10 UNITS.

.
LABELING AND MARKING.

.
EACH INDIVIDUAL PACKAGE SHALL BE MARKED IN
ACCORDNCE WITH COMMERCIAL PRACTICE. MARKING
SHALL INCLUDE THE LOT (CONTROL) NUMBER AND
THE LEGENDS: "STERILE" AND "STERILITY
GUARANTEED UNLESS PACKAGE IS DAMAGED OR OPENED"
OR SIMILAR COMMERCIAL LEGENDS.

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE2DS-15-T-0497	Page 5 of 20
--------------------	--	--------------

SECTION B

.
EACH UNIT(PACKAGE) SHALL BE MARKED IN ACCORDANCE WITH COMMERCIAL PRACTICE. MARKING SHALL INCLUDE THE NATIONAL STOCK NUMBER (NSN), QUANTITY AND UNIT OF ISSUE, LOT (CONTROL) NUMBER AND DATE OF MANUFACTURE PREFIXED BY "MFD".

.
SHIPPING CONTAINER SHALL BE MARKED AS SPECIFIED IN MEDICAL MARKING STANDARD NO. 1. MARKING SHALL INCLUDE THE LOT (CONTROL) NUMBER AND DATE OF MANUFACTURE PREFIXED BY "MFD".

.
6515-00-181-7404/7412/7425 18 JANUARY 2012
This device or drug is regulated by the FDA.
Note to Buyer: The Government contracting official shall submit a pre-award survey request, through email, to product specialist.

CLAUSE 52.247-9012 (REQUIREMENTS FOR TREATMENT OF WOOD PACKAGING MATERIAL (WPM)) SHALL BE MANDATORY FOR ALL SHIPMENTS PACKED IN WOODEN BOXES, CRATES, ETC., AND/OR UNITIZED ON WOODEN PALLETS. HEAT TREATMENT OR KILN-DRIED HEAT TREATMENT OF WPM SHALL BE THE ONLY METHODS AUTHORIZED FOR SHIPMENT TO DOD LOCATIONS. ADDITIONAL INFORMATION REGARDING DOD'S WPM REQUIREMENT IS AVAILABLE ON THE DLA PACKAGING WEBSITE: [HTTP://WWW.DSCC.DLA.MIL/DOWNLOADS/ PACKAGING/PALLETIZATIONRQMTWPMCLAUSE.PDF](http://www.dscc.dla.mil/downloads/packaging/palletizationrqmtwpmclause.pdf)

PACKAGING AND PACKING SHALL BE COMMERCIAL AS SPECIFIED IN THE PROCUREMENT DOCUMENT.

PALLETIZATION SHALL BE IN ACCORDANCE WITH THE LATEST EDITION OF MIL-STD-147. UNITIZED LOADS COMMENSURATE WITH THE LEVEL OF PACKING SPECIFIED IN THE CONTRACT OR ORDER SHALL BE USED WHENEVER TOTAL QUANTITY FOR SHIPMENT TO ONE DESTINATION EXCEEDS 250 LBS (EXCLUDING THE PALLET) OR 20 CU FT. LOADS SHALL BE UNITIZED ON TYPE IV OR TYPE V 4-WAY ENTRY PALLETS. PALLET SHALL HAVE A LENGTH OF 40 INCHES AND A WIDTH OF 48 INCHES. PALLET LOAD, INCLUDING THE PALLET, SHALL NOT EXCEED 54 INCHES IN HEIGHT, 43 INCHES IN LENGTH AND 52 INCHES IN WIDTH.

QUANTITY FOR SHIPMENT TO ONE DESTINATION OF LESS THAN 250 LBS OR 20 CUBIC FEET NEED NOT BE PALLETIZED.

APPLICABLE TO EQUIPMENT ITEMS HAVING A HEIGHT OF 48 INCHES OR GREATER:
IF A PROPERLY PALLETIZED LOAD (EQUIPMENT ITEM AND PALLET) EXCEEDS 54 INCHES IN HEIGHT, HEIGHT LIMITATION NEED NOT BE ADHERED TO.

APPLICABLE TO A SINGLE ITEM HAVING DIMENSIONS EXCEEDING THE MAXIMUM PALLET LOAD LENGTH AND/OR WIDTH DIMENSIONS:
IF A SINGLE ITEM EXCEEDS THE MAXIMUM PALLET LOAD DIMENSIONS, LENGTH AND WIDTH NEED NOT BE

CONTINUED ON NEXT PAGE

SECTION B

ADHERED TO. CONTACT THE CONTRACTING OFFICER FOR ADDITIONAL GUIDANCE.

COPIES OF THE LATEST EDITION OF MIL-STD-147 ARE AVAILABLE FROM DLA DOCUMENT SERVICES, BLDG 4/D, 700 ROBBINS AVENUE, PHILADELPHIA, PA 19111-5094. COPIES ARE ALSO AVAILABLE ONLINE AT [HTTP://QUICKSEARCH.DLA.MIL/](http://QUICKSEARCH.DLA.MIL/) IN ADDITION TO ALL MARKING REQUIREMENTS SPECIFIED HEREIN AND IN THE APPLICABLE SPECIFICATION DOCUMENT, ALL ORDERS FOR DEPOT STOCK SHALL ALSO REQUIRE PASSIVE RFID TAGS IN ACCORDANCE WITH DFARS CLAUSE 252.211-7006. HOWEVER, EXCEPTIONS TO THIS REQUIREMENT ARE CURRENTLY APPLICABLE TO NSNS IN FSCS 6505/6508/6509/6550.

.
MARKING SHALL BE AS SPECIFIED IN MEDICAL MARKING STANDARD NO. 1A DATED 4 FEBRUARY 2013.

.
MARKINGS SHALL INCLUDE BAR CODES, AS FOLLOWS:
UNIT - BAR CODES ARE NOT REQUIRED UNLESS THE UNIT IS ALSO THE EXTERIOR (SHIPPING) CONTAINER.

.
INTERMEDIATE PACKAGE - BAR CODES ARE NOT REQUIRED.

.
EXTERIOR (SHIPPING) CONTAINER - BAR CODES (NSN, PIIN AND CAGE) SHALL BE SUPPLIED ON THE IDENTIFICATION-MARKED SIDE OF THE CONTAINER.

.
UNITIZED LOAD - BAR CODES (NSN, PIIN AND CAGE) SHALL BE SUPPLIED ON THE IDENTIFICATION MARKED SIDES OF THE LOAD.

.
NOTES:
SEE MEDICAL MARKING STANDARD NO. 1A FOR PLACEMENT OF ALL REQUIRED MARKINGS.

.
BAR CODES SHALL INCLUDE THE HUMAN READABLE INTERPRETATION (HRI).

.
PIIN REFERS TO THE CONTRACT OR ORDER NUMBER, TOGETHER WITH DELIVERY ORDER NUMBER, WHEN APPLICABLE.

.
MIL-STD-1189B - STANDARD DEPARTMENT OF DEFENSE BAR CODE SYMBOLOGY - HAS BEEN CANCELLED AND REPLACED BY COMMERCIAL BAR CODE STANDARD ISO/IEC 16388 (INFORMATION TECHNOLOGY - AUTOMATIC IDENTIFICATION AND DATA CAPTURE TECHNIQUES - CODE SYMBOLOGY SPECIFICATION - CODE 39). COPIES OF ISO/IEC 16388 ARE AVAILABLE FOR PURCHASE FROM ANSI, 25 WEST 43RD STREET, NEW YORK, NY 10036, WWW.ANSI.ORG.

.
COPIES OF MEDICAL MARKING STANDARD NO. 1A (MMS NO. 1A) MAY BE OBTAINED BY CONTACTING DLA TROOP SUPPORT VIA EMAIL TO DSCP.PACKAGING@DLA.MIL. MMS NO. 1A IS ALSO AVAILABLE ONLINE AT

CONTINUED ON NEXT PAGE

SPE2DS-15-T-0497

SECTION B

HTTP://WWW.LANDANDMARITIME.DLA.MIL/
DOWNLOADS/PACKAGING/MMS1.PDF

.
APPLICABLE TO ALL MEDICAL ACQUISITIONS:

.
PRESERVATION, PACKAGING, PACKING, UNITIZATION,
LABELING, AND MARKING SHALL BE AS SPECIFIED IN
THE APPLICABLE PROCUREMENT DOCUMENT REFERENCED
IN THE "ITEM DESCRIPTION" SECTION, AND/OR AS
SPECIFIED IN-THE-CLEAR IN THE "ITEM
DESCRIPTION" AND "PACKAGING DATA" SECTIONS OF
THE ACQUISITION.

.
THE FOLLOWING CHANGES/DELETIONS ARE APPLICABLE
TO THE SECTION HEADED "PACKAGING DATA":

.
DISREGARD ALL REFERENCE TO MIL-STD-2073. UNDER
THE HEADING "PREPARATION FOR DELIVERY", DELETE
THE SECTION BEGINNING WITH "PKGING DATA -" AND
ENDING WITH "DATED 88090" IN ITS ENTIRETY.

.
DISREGARD ALL REFERENCES TO SPECIAL PACKAGING
INSTRUCTION (SPI). SPI'S ARE NOT PREPARED FOR
MEDICAL ITEMS. ALL APPLICABLE PACKAGING
REQUIREMENTS ARE SPECIFIED IN THE ACQUISITION.

.
DELETE "MIL-STD-129" WHEREVER IT APPEARS AND
SUBSTITUTE "MEDICAL MARKING STANDARD NO. 1A".

.
DELETE THE PARAGRAPH BEGINNING WITH "FOR ALL
SHIPMENTS OF PACKAGED MATERIEL TO THE
GOVERNMENT" AND ENDING WITH "THE SCHEDULE TAKES
PRECEDENCE." IN ITS ENTIRETY.

IAW BASIC CID A-A-54664
REVISION NR DTD 05/29/1992
PART PIECE NUMBER:

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0001	0056014969	0001	PG	1.000		

NSN/MATERIAL:6515001817412

DELIVERY (IN DAYS):0005

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001
SHALL BE PACKAGED STANDARD COMMERCIAL IN ACCORDANCE WITH ASTM D 3951.

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE2DS-15-T-0497	Page 8 of 20
--------------------	--	--------------

SECTION B

PR: 0056014969 PRLI: 0001 CONT'D

CLAUSE 52.247-9012 (REQUIREMENTS FOR TREATMENT OF WOOD PACKAGING MATERIAL (WPM)) SHALL BE MANDATORY FOR ALL SHIPMENTS PACKED IN WOODEN BOXES, CRATES, ETC., AND/OR UNITIZED ON WOODEN PALLETS. HEAT TREATMENT OR KILN-DRIED HEAT TREATMENT OF WPM SHALL BE THE ONLY METHODS AUTHORIZED FOR SHIPMENT TO DOD LOCATIONS. ADDITIONAL INFORMATION REGARDING DOD'S WPM REQUIREMENT IS AVAILABLE ON THE DLA PACKAGING WEBSITE: [HTTP://WWW.DSCC.DLA.MIL/DOWNLOADS/ PACKAGING/PALLETIZATIONRQMTWPMCLAUSE.PDF](http://www.dscc.dla.mil/downloads/packaging/palletizationrqmtwpmclause.pdf)

PACKAGING AND PACKING SHALL BE COMMERCIAL AS SPECIFIED IN THE PROCUREMENT DOCUMENT.

PALLETIZATION SHALL BE IN ACCORDANCE WITH THE LATEST EDITION OF MIL-STD-147. UNITIZED LOADS COMMENSURATE WITH THE LEVEL OF PACKING SPECIFIED IN THE CONTRACT OR ORDER SHALL BE USED WHENEVER TOTAL QUANTITY FOR SHIPMENT TO ONE DESTINATION EXCEEDS 250 LBS (EXCLUDING THE PALLET) OR 20 CU FT. LOADS SHALL BE UNITIZED ON TYPE IV OR TYPE V 4-WAY ENTRY PALLETS. PALLET SHALL HAVE A LENGTH OF 40 INCHES AND A WIDTH OF 48 INCHES. PALLET LOAD, INCLUDING THE PALLET, SHALL NOT EXCEED 54 INCHES IN HEIGHT, 43 INCHES IN LENGTH AND 52 INCHES IN WIDTH.

QUANTITY FOR SHIPMENT TO ONE DESTINATION OF LESS THAN 250 LBS OR 20 CUBIC FEET NEED NOT BE PALLETIZED.

APPLICABLE TO EQUIPMENT ITEMS HAVING A HEIGHT OF 48 INCHES OR GREATER:
IF A PROPERLY PALLETIZED LOAD (EQUIPMENT ITEM AND PALLET) EXCEEDS 54 INCHES IN HEIGHT, HEIGHT LIMITATION NEED NOT BE ADHERED TO.

APPLICABLE TO A SINGLE ITEM HAVING DIMENSIONS EXCEEDING THE MAXIMUM PALLET LOAD LENGTH AND/OR WIDTH DIMENSIONS:
IF A SINGLE ITEM EXCEEDS THE MAXIMUM PALLET LOAD DIMENSIONS, LENGTH AND WIDTH NEED NOT BE ADHERED TO. CONTACT THE CONTRACTING OFFICER FOR ADDITIONAL GUIDANCE.

COPIES OF THE LATEST EDITION OF MIL-STD-147 ARE AVAILABLE FROM DLA DOCUMENT SERVICES, BLDG 4/D, 700 ROBBINS AVENUE, PHILADELPHIA, PA 19111-5094. COPIES ARE ALSO AVAILABLE ONLINE AT [HTTP://QUICKSEARCH.DLA.MIL/](http://quicksearch.dla.mil/) IN ADDITION TO ALL MARKING REQUIREMENTS SPECIFIED HEREIN AND IN THE APPLICABLE SPECIFICATION DOCUMENT, ALL ORDERS FOR DEPOT STOCK SHALL ALSO REQUIRE PASSIVE RFID TAGS IN ACCORDANCE WITH DFARS CLAUSE 252.211-7006. HOWEVER, EXCEPTIONS TO THIS REQUIREMENT ARE CURRENTLY APPLICABLE TO NSNS IN FSCS 6505/6508/6509/6550.

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE2DS-15-T-0497	Page 9 of 20
--------------------	--	--------------

SECTION B

PR: 0056014969 PRLI: 0001 CONT'D

.
MARKING SHALL BE AS SPECIFIED IN MEDICAL MARKING STANDARD NO. 1A DATED 4 FEBRUARY 2013.

.
MARKINGS SHALL INCLUDE BAR CODES, AS FOLLOWS:
UNIT - BAR CODES ARE NOT REQUIRED UNLESS THE UNIT IS ALSO THE EXTERIOR (SHIPPING) CONTAINER.

.
INTERMEDIATE PACKAGE - BAR CODES ARE NOT REQUIRED.

.
EXTERIOR (SHIPPING) CONTAINER - BAR CODES (NSN, PIIN AND CAGE) SHALL BE SUPPLIED ON THE IDENTIFICATION-MARKED SIDE OF THE CONTAINER.

.
UNITIZED LOAD - BAR CODES (NSN, PIIN AND CAGE) SHALL BE SUPPLIED ON THE IDENTIFICATION MARKED SIDES OF THE LOAD.

.
NOTES:
SEE MEDICAL MARKING STANDARD NO. 1A FOR PLACEMENT OF ALL REQUIRED MARKINGS.

.
BAR CODES SHALL INCLUDE THE HUMAN READABLE INTERPRETATION (HRI).

.
PIIN REFERS TO THE CONTRACT OR ORDER NUMBER, TOGETHER WITH DELIVERY ORDER NUMBER, WHEN APPLICABLE.

.
MIL-STD-1189B - STANDARD DEPARTMENT OF DEFENSE BAR CODE SYMBOLOGY - HAS BEEN CANCELLED AND REPLACED BY COMMERCIAL BAR CODE STANDARD ISO/IEC 16388 (INFORMATION TECHNOLOGY - AUTOMATIC IDENTIFICATION AND DATA CAPTURE TECHNIQUES - CODE SYMBOLOGY SPECIFICATION - CODE 39). COPIES OF ISO/IEC 16388 ARE AVAILABLE FOR PURCHASE FROM ANSI, 25 WEST 43RD STREET, NEW YORK, NY 10036, WWW.ANSI.ORG.

.
COPIES OF MEDICAL MARKING STANDARD NO. 1A (MMS NO. 1A) MAY BE OBTAINED BY CONTACTING DLA TROOP SUPPORT VIA EMAIL TO DSCP.PACKAGING@DLA.MIL. MMS NO. 1A IS ALSO AVAILABLE ONLINE AT [HTTP://WWW.LANDANDMARITIME.DLA.MIL/DOWNLOADS/PACKAGING/MMS1.PDF](http://WWW.LANDANDMARITIME.DLA.MIL/DOWNLOADS/PACKAGING/MMS1.PDF)

.
APPLICABLE TO ALL MEDICAL ACQUISITIONS:

.
PRESERVATION, PACKAGING, PACKING, UNITIZATION, LABELING, AND MARKING SHALL BE AS SPECIFIED IN THE APPLICABLE PROCUREMENT DOCUMENT REFERENCED IN THE "ITEM DESCRIPTION" SECTION, AND/OR AS SPECIFIED IN-THE-CLEAR IN THE "ITEM DESCRIPTION" AND "PACKAGING DATA" SECTIONS OF THE ACQUISITION.

.
THE FOLLOWING CHANGES/DELETIONS ARE APPLICABLE

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056014969 PRLI: 0001 CONT'D

TO THE SECTION HEADED "PACKAGING DATA":

.
DISREGARD ALL REFERENCE TO MIL-STD-2073. UNDER
THE HEADING "PREPARATION FOR DELIVERY", DELETE
THE SECTION BEGINNING WITH "PKGING DATA -" AND
ENDING WITH "DATED 88090" IN ITS ENTIRETY.

.
DISREGARD ALL REFERENCES TO SPECIAL PACKAGING
INSTRUCTION (SPI). SPI'S ARE NOT PREPARED FOR
MEDICAL ITEMS. ALL APPLICABLE PACKAGING
REQUIREMENTS ARE SPECIFIED IN THE ACQUISITION.

.
DELETE "MIL-STD-129" WHEREVER IT APPEARS AND
SUBSTITUTE "MEDICAL MARKING STANDARD NO. 1A".

.
DELETE THE PARAGRAPH BEGINNING WITH "FOR ALL
SHIPMENTS OF PACKAGED MATERIEL TO THE
GOVERNMENT" AND ENDING WITH "THE SCHEDULE TAKES
PRECEDENCE." IN ITS ENTIRETY.

ST3117
USS SHAMAL PC 13
UNIT 100338 BOX 1
FPO AA 34093
US

M/F:(TCN) V2214742680284
RDD: 268
PROJ Z2Z TP 3
SUP ADD YNMH01 SIG A

FOR GOVERNMENT USE ONLY:IPD 13

DIC A4A DIST 9B ADV 2A FC S7

Need Ship Date:00/00/0000
Original Required Delivery Date:11/19/2014

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0002	0056014968	0001	PG	1.000		

NSN/MATERIAL:6515001817412

DELIVERY (IN DAYS):0005

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

CONTINUED ON NEXT PAGE

SPE2DS-15-T-0497

SECTION B

PR: 0056014968 PRLI: 0001 CONT'D

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED STANDARD COMMERCIAL IN ACCORDANCE WITH ASTM D 3951.

CLAUSE 52.247-9012 (REQUIREMENTS FOR TREATMENT OF WOOD PACKAGING MATERIAL (WPM)) SHALL BE MANDATORY FOR ALL SHIPMENTS PACKED IN WOODEN BOXES, CRATES, ETC., AND/OR UNITIZED ON WOODEN PALLETS. HEAT TREATMENT OR KILN-DRIED HEAT TREATMENT OF WPM SHALL BE THE ONLY METHODS AUTHORIZED FOR SHIPMENT TO DOD LOCATIONS. ADDITIONAL INFORMATION REGARDING DOD'S WPM REQUIREMENT IS AVAILABLE ON THE DLA PACKAGING WEBSITE: [HTTP://WWW.DSCC.DLA.MIL/DOWNLOADS/PACKAGING/PALLETIZATIONRQMTWPMCLAUSE.PDF](http://WWW.DSCC.DLA.MIL/DOWNLOADS/PACKAGING/PALLETIZATIONRQMTWPMCLAUSE.PDF)

PACKAGING AND PACKING SHALL BE COMMERCIAL AS SPECIFIED IN THE PROCUREMENT DOCUMENT.

PALLETIZATION SHALL BE IN ACCORDANCE WITH THE LATEST EDITION OF MIL-STD-147. UNITIZED LOADS COMMENSURATE WITH THE LEVEL OF PACKING SPECIFIED IN THE CONTRACT OR ORDER SHALL BE USED WHENEVER TOTAL QUANTITY FOR SHIPMENT TO ONE DESTINATION EXCEEDS 250 LBS (EXCLUDING THE PALLET) OR 20 CU FT. LOADS SHALL BE UNITIZED ON TYPE IV OR TYPE V 4-WAY ENTRY PALLETS. PALLET SHALL HAVE A LENGTH OF 40 INCHES AND A WIDTH OF 48 INCHES. PALLET LOAD, INCLUDING THE PALLET, SHALL NOT EXCEED 54 INCHES IN HEIGHT, 43 INCHES IN LENGTH AND 52 INCHES IN WIDTH.

QUANTITY FOR SHIPMENT TO ONE DESTINATION OF LESS THAN 250 LBS OR 20 CUBIC FEET NEED NOT BE PALLETIZED.

APPLICABLE TO EQUIPMENT ITEMS HAVING A HEIGHT OF 48 INCHES OR GREATER:
IF A PROPERLY PALLETIZED LOAD (EQUIPMENT ITEM AND PALLET) EXCEEDS 54 INCHES IN HEIGHT, HEIGHT LIMITATION NEED NOT BE ADHERED TO.

APPLICABLE TO A SINGLE ITEM HAVING DIMENSIONS EXCEEDING THE MAXIMUM PALLET LOAD LENGTH AND/OR WIDTH DIMENSIONS:
IF A SINGLE ITEM EXCEEDS THE MAXIMUM PALLET LOAD DIMENSIONS, LENGTH AND WIDTH NEED NOT BE ADHERED TO. CONTACT THE CONTRACTING OFFICER FOR ADDITIONAL GUIDANCE.

COPIES OF THE LATEST EDITION OF MIL-STD-147 ARE AVAILABLE FROM DLA DOCUMENT SERVICES, BLDG 4/D, 700 ROBBINS AVENUE, PHILADELPHIA, PA 19111-5094. COPIES ARE ALSO AVAILABLE ONLINE AT [HTTP://QUICKSEARCH.DLA.MIL/](http://QUICKSEARCH.DLA.MIL/) IN ADDITION TO ALL MARKING REQUIREMENTS SPECIFIED HEREIN AND IN THE APPLICABLE SPECIFICATION DOCUMENT, ALL ORDERS FOR DEPOT

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE2DS-15-T-0497	Page 12 of 20
--------------------	--	---------------

SECTION B

PR: 0056014968 PRLI: 0001 CONT'D

STOCK SHALL ALSO REQUIRE PASSIVE RFID TAGS IN ACCORDANCE WITH DFARS CLAUSE 252.211-7006. HOWEVER, EXCEPTIONS TO THIS REQUIREMENT ARE CURRENTLY APPLICABLE TO NSNS IN FSCS 6505/6508/6509/6550.

.
MARKING SHALL BE AS SPECIFIED IN MEDICAL MARKING STANDARD NO. 1A DATED 4 FEBRUARY 2013.

.
MARKINGS SHALL INCLUDE BAR CODES, AS FOLLOWS:
UNIT - BAR CODES ARE NOT REQUIRED UNLESS THE UNIT IS ALSO THE EXTERIOR (SHIPPING) CONTAINER.

.
INTERMEDIATE PACKAGE - BAR CODES ARE NOT REQUIRED.

.
EXTERIOR (SHIPPING) CONTAINER - BAR CODES (NSN, PIIN AND CAGE) SHALL BE SUPPLIED ON THE IDENTIFICATION-MARKED SIDE OF THE CONTAINER.

.
UNITIZED LOAD - BAR CODES (NSN, PIIN AND CAGE) SHALL BE SUPPLIED ON THE IDENTIFICATION MARKED SIDES OF THE LOAD.

.
NOTES:
SEE MEDICAL MARKING STANDARD NO. 1A FOR PLACEMENT OF ALL REQUIRED MARKINGS.

.
BAR CODES SHALL INCLUDE THE HUMAN READABLE INTERPRETATION (HRI).

.
PIIN REFERS TO THE CONTRACT OR ORDER NUMBER, TOGETHER WITH DELIVERY ORDER NUMBER, WHEN APPLICABLE.

.
MIL-STD-1189B - STANDARD DEPARTMENT OF DEFENSE BAR CODE SYMBOLOGY - HAS BEEN CANCELLED AND REPLACED BY COMMERCIAL BAR CODE STANDARD ISO/IEC 16388 (INFORMATION TECHNOLOGY - AUTOMATIC IDENTIFICATION AND DATA CAPTURE TECHNIQUES - CODE SYMBOLOGY SPECIFICATION - CODE 39). COPIES OF ISO/IEC 16388 ARE AVAILABLE FOR PURCHASE FROM ANSI, 25 WEST 43RD STREET, NEW YORK, NY 10036, WWW.ANSI.ORG.

.
COPIES OF MEDICAL MARKING STANDARD NO. 1A (MMS NO. 1A) MAY BE OBTAINED BY CONTACTING DLA TROOP SUPPORT VIA EMAIL TO DSCP.PACKAGING@DLA.MIL. MMS NO. 1A IS ALSO AVAILABLE ONLINE AT HTTP://WWW.LANDANDMARITIME.DLA.MIL/ DOWNLOADS/PACKAGING/MMS1.PDF

.
APPLICABLE TO ALL MEDICAL ACQUISITIONS:

.
PRESERVATION, PACKAGING, PACKING, UNITIZATION, LABELING, AND MARKING SHALL BE AS SPECIFIED IN THE APPLICABLE PROCUREMENT DOCUMENT REFERENCED IN THE "ITEM DESCRIPTION" SECTION, AND/OR AS

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056014968 PRLI: 0001 CONT'D

SPECIFIED IN-THE-CLEAR IN THE "ITEM DESCRIPTION" AND "PACKAGING DATA" SECTIONS OF THE ACQUISITION.

THE FOLLOWING CHANGES/DELETIONS ARE APPLICABLE TO THE SECTION HEADED "PACKAGING DATA":

DISREGARD ALL REFERENCE TO MIL-STD-2073. UNDER THE HEADING "PREPARATION FOR DELIVERY", DELETE THE SECTION BEGINNING WITH "PKGING DATA -" AND ENDING WITH "DATED 88090" IN ITS ENTIRETY.

DISREGARD ALL REFERENCES TO SPECIAL PACKAGING INSTRUCTION (SPI). SPI'S ARE NOT PREPARED FOR MEDICAL ITEMS. ALL APPLICABLE PACKAGING REQUIREMENTS ARE SPECIFIED IN THE ACQUISITION.

DELETE "MIL-STD-129" WHEREVER IT APPEARS AND SUBSTITUTE "MEDICAL MARKING STANDARD NO. 1A".

DELETE THE PARAGRAPH BEGINNING WITH "FOR ALL SHIPMENTS OF PACKAGED MATERIEL TO THE GOVERNMENT" AND ENDING WITH "THE SCHEDULE TAKES PRECEDENCE." IN ITS ENTIRETY.

N21870
USNS LARAMIE T A0 203
CALL NAVSUP WSS T&D 757 443 5434
NORFOLK VA 23511-2806
US

M/F:(TCN) N218704279S039
RDD: 777
PROJ HK5 TP 1
SUP ADD YNMEDI SIG A

FOR GOVERNMENT USE ONLY:IPD 02

DIC A41 DIST 9B ADV 2A FC E5

Need Ship Date:00/00/0000
Original Required Delivery Date:11/19/2014

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0003	0056014967	0001	PG	3.000		

NSN/MATERIAL:6515001817412

DELIVERY (IN DAYS):0005

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE2DS-15-T-0497	Page 14 of 20
--------------------	--	---------------

SECTION B

PR: 0056014967 PRLI: 0001 CONT'D

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED STANDARD COMMERCIAL IN ACCORDANCE WITH ASTM D 3951.

CLAUSE 52.247-9012 (REQUIREMENTS FOR TREATMENT OF WOOD PACKAGING MATERIAL (WPM)) SHALL BE MANDATORY FOR ALL SHIPMENTS PACKED IN WOODEN BOXES, CRATES, ETC., AND/OR UNITIZED ON WOODEN PALLETS. HEAT TREATMENT OR KILN-DRIED HEAT TREATMENT OF WPM SHALL BE THE ONLY METHODS AUTHORIZED FOR SHIPMENT TO DOD LOCATIONS. ADDITIONAL INFORMATION REGARDING DOD'S WPM REQUIREMENT IS AVAILABLE ON THE DLA PACKAGING WEBSITE: [HTTP://WWW.DSCC.DLA.MIL/DOWNLOADS/PACKAGING/PALLETIZATIONRQMTWPMCLAUSE.PDF](http://WWW.DSCC.DLA.MIL/DOWNLOADS/PACKAGING/PALLETIZATIONRQMTWPMCLAUSE.PDF)

PACKAGING AND PACKING SHALL BE COMMERCIAL AS SPECIFIED IN THE PROCUREMENT DOCUMENT.

PALLETIZATION SHALL BE IN ACCORDANCE WITH THE LATEST EDITION OF MIL-STD-147. UNITIZED LOADS COMMENSURATE WITH THE LEVEL OF PACKING SPECIFIED IN THE CONTRACT OR ORDER SHALL BE USED WHENEVER TOTAL QUANTITY FOR SHIPMENT TO ONE DESTINATION EXCEEDS 250 LBS (EXCLUDING THE PALLET) OR 20 CU FT. LOADS SHALL BE UNITIZED ON TYPE IV OR TYPE V 4-WAY ENTRY PALLETS. PALLET SHALL HAVE A LENGTH OF 40 INCHES AND A WIDTH OF 48 INCHES. PALLET LOAD, INCLUDING THE PALLET, SHALL NOT EXCEED 54 INCHES IN HEIGHT, 43 INCHES IN LENGTH AND 52 INCHES IN WIDTH.

QUANTITY FOR SHIPMENT TO ONE DESTINATION OF LESS THAN 250 LBS OR 20 CUBIC FEET NEED NOT BE PALLETIZED.

APPLICABLE TO EQUIPMENT ITEMS HAVING A HEIGHT OF 48 INCHES OR GREATER:
IF A PROPERLY PALLETIZED LOAD (EQUIPMENT ITEM AND PALLET) EXCEEDS 54 INCHES IN HEIGHT, HEIGHT LIMITATION NEED NOT BE ADHERED TO.

APPLICABLE TO A SINGLE ITEM HAVING DIMENSIONS EXCEEDING THE MAXIMUM PALLET LOAD LENGTH AND/OR WIDTH DIMENSIONS:
IF A SINGLE ITEM EXCEEDS THE MAXIMUM PALLET LOAD DIMENSIONS, LENGTH AND WIDTH NEED NOT BE ADHERED TO. CONTACT THE CONTRACTING OFFICER FOR ADDITIONAL GUIDANCE.

COPIES OF THE LATEST EDITION OF MIL-STD-147 ARE AVAILABLE FROM DLA DOCUMENT SERVICES, BLDG 4/D, 700 ROBBINS AVENUE, PHILADELPHIA, PA 19111-5094.

CONTINUED ON NEXT PAGE

SPE2DS-15-T-0497

SECTION B

PR: 0056014967 PRLI: 0001 CONT'D

COPIES ARE ALSO AVAILABLE ONLINE AT
[HTTP://QUICKSEARCH.DLA.MIL/](http://QUICKSEARCH.DLA.MIL/)
IN ADDITION TO ALL MARKING REQUIREMENTS
SPECIFIED HEREIN AND IN THE APPLICABLE
SPECIFICATION DOCUMENT, ALL ORDERS FOR DEPOT
STOCK SHALL ALSO REQUIRE PASSIVE RFID TAGS IN
ACCORDANCE WITH DFARS CLAUSE 252.211-7006.
HOWEVER, EXCEPTIONS TO THIS REQUIREMENT ARE
CURRENTLY APPLICABLE TO NSNS IN FSCS
6505/6508/6509/6550.

MARKING SHALL BE AS SPECIFIED IN MEDICAL
MARKING STANDARD NO. 1A DATED 4 FEBRUARY 2013.

MARKINGS SHALL INCLUDE BAR CODES, AS FOLLOWS:
UNIT - BAR CODES ARE NOT REQUIRED UNLESS THE
UNIT IS ALSO THE EXTERIOR (SHIPPING) CONTAINER.

INTERMEDIATE PACKAGE - BAR CODES ARE NOT
REQUIRED.

EXTERIOR (SHIPPING) CONTAINER - BAR CODES (NSN,
PIIN AND CAGE) SHALL BE SUPPLIED ON THE
IDENTIFICATION-MARKED SIDE OF THE CONTAINER.

UNITIZED LOAD - BAR CODES (NSN, PIIN AND CAGE)
SHALL BE SUPPLIED ON THE IDENTIFICATION MARKED
SIDES OF THE LOAD.

NOTES:

SEE MEDICAL MARKING STANDARD NO. 1A FOR
PLACEMENT OF ALL REQUIRED MARKINGS.

BAR CODES SHALL INCLUDE THE HUMAN READABLE
INTERPRETATION (HRI).

PIIN REFERS TO THE CONTRACT OR ORDER NUMBER,
TOGETHER WITH DELIVERY ORDER NUMBER, WHEN
APPLICABLE.

MIL-STD-1189B - STANDARD DEPARTMENT OF DEFENSE
BAR CODE SYMBOLOGY - HAS BEEN CANCELLED AND
REPLACED BY COMMERCIAL BAR CODE STANDARD
ISO/IEC 16388 (INFORMATION TECHNOLOGY -
AUTOMATIC IDENTIFICATION AND DATA CAPTURE
TECHNIQUES - CODE SYMBOLOGY SPECIFICATION - CODE
39). COPIES OF ISO/IEC 16388 ARE AVAILABLE FOR
PURCHASE FROM ANSI, 25 WEST 43RD STREET, NEW
YORK, NY 10036, WWW.ANSI.ORG.

COPIES OF MEDICAL MARKING STANDARD NO. 1A
(MMS NO. 1A) MAY BE OBTAINED BY CONTACTING DLA
TROOP SUPPORT VIA EMAIL TO DSCP.PACKAGING@DLA.MIL.
MMS NO. 1A IS ALSO AVAILABLE ONLINE AT
[HTTP://WWW.LANDANDMARITIME.DLA.MIL/](http://WWW.LANDANDMARITIME.DLA.MIL/Downloads/Packaging/MMS1.PDF)
[DOWNLOADS/PACKAGING/MMS1.PDF](http://WWW.LANDANDMARITIME.DLA.MIL/Downloads/Packaging/MMS1.PDF)

APPLICABLE TO ALL MEDICAL ACQUISITIONS:

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056014967 PRLI: 0001 CONT'D

.
PRESERVATION, PACKAGING, PACKING, UNITIZATION, LABELING, AND MARKING SHALL BE AS SPECIFIED IN THE APPLICABLE PROCUREMENT DOCUMENT REFERENCED IN THE "ITEM DESCRIPTION" SECTION, AND/OR AS SPECIFIED IN-THE-CLEAR IN THE "ITEM DESCRIPTION" AND "PACKAGING DATA" SECTIONS OF THE ACQUISITION.

.
THE FOLLOWING CHANGES/DELETIONS ARE APPLICABLE TO THE SECTION HEADED "PACKAGING DATA":

.
DISREGARD ALL REFERENCE TO MIL-STD-2073. UNDER THE HEADING "PREPARATION FOR DELIVERY", DELETE THE SECTION BEGINNING WITH "PKGING DATA -" AND ENDING WITH "DATED 88090" IN ITS ENTIRETY.

.
DISREGARD ALL REFERENCES TO SPECIAL PACKAGING INSTRUCTION (SPI). SPI'S ARE NOT PREPARED FOR MEDICAL ITEMS. ALL APPLICABLE PACKAGING REQUIREMENTS ARE SPECIFIED IN THE ACQUISITION.

.
DELETE "MIL-STD-129" WHEREVER IT APPEARS AND SUBSTITUTE "MEDICAL MARKING STANDARD NO. 1A".

.
DELETE THE PARAGRAPH BEGINNING WITH "FOR ALL SHIPMENTS OF PACKAGED MATERIEL TO THE GOVERNMENT" AND ENDING WITH "THE SCHEDULE TAKES PRECEDENCE." IN ITS ENTIRETY.

V21422
USS GUNSTON HALL LSD 44
CALL NAVSUP WSS T&D 757 443 5434
NORFOLK VA 23511-2806
US

M/F:(TCN) V214224238MH06
RDD: 254
PROJ 733 TP 1
SUP ADD YNMH01 SIG A

FOR GOVERNMENT USE ONLY:IPD 02

DIC A41 DIST 9B ADV 2A FC S7

Need Ship Date:00/00/0000
Original Required Delivery Date:11/19/2014

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0004	0056014966	0001	PG	1.000		

NSN/MATERIAL:6515001817412

Continuation Sheet	Reference No. of Document Being Continued: SPE2DS-15-T-0497	Page 17 of 20
--------------------	--	---------------

SECTION B

PR: 0056014966 PRLI: 0001 CONT'D

DELIVERY (IN DAYS):0005

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED STANDARD COMMERCIAL IN ACCORDANCE WITH ASTM D 3951.

CLAUSE 52.247-9012 (REQUIREMENTS FOR TREATMENT OF WOOD PACKAGING MATERIAL (WPM)) SHALL BE MANDATORY FOR ALL SHIPMENTS PACKED IN WOODEN BOXES, CRATES, ETC., AND/OR UNITIZED ON WOODEN PALLETS. HEAT TREATMENT OR KILN-DRIED HEAT TREATMENT OF WPM SHALL BE THE ONLY METHODS AUTHORIZED FOR SHIPMENT TO DOD LOCATIONS. ADDITIONAL INFORMATION REGARDING DOD'S WPM REQUIREMENT IS AVAILABLE ON THE DLA PACKAGING WEBSITE: [HTTP://WWW.DSCC.DLA.MIL/DOWNLOADS/ PACKAGING/PALLETIZATIONRQMTWPMCLAUSE.PDF](http://www.dscc.dla.mil/downloads/packaging/palletizationrqmtwpmclause.pdf)

PACKAGING AND PACKING SHALL BE COMMERCIAL AS SPECIFIED IN THE PROCUREMENT DOCUMENT.

PALLETIZATION SHALL BE IN ACCORDANCE WITH THE LATEST EDITION OF MIL-STD-147. UNITIZED LOADS COMMENSURATE WITH THE LEVEL OF PACKING SPECIFIED IN THE CONTRACT OR ORDER SHALL BE USED WHENEVER TOTAL QUANTITY FOR SHIPMENT TO ONE DESTINATION EXCEEDS 250 LBS (EXCLUDING THE PALLET) OR 20 CU FT. LOADS SHALL BE UNITIZED ON TYPE IV OR TYPE V 4-WAY ENTRY PALLETS. PALLET SHALL HAVE A LENGTH OF 40 INCHES AND A WIDTH OF 48 INCHES. PALLET LOAD, INCLUDING THE PALLET, SHALL NOT EXCEED 54 INCHES IN HEIGHT, 43 INCHES IN LENGTH AND 52 INCHES IN WIDTH.

QUANTITY FOR SHIPMENT TO ONE DESTINATION OF LESS THAN 250 LBS OR 20 CUBIC FEET NEED NOT BE PALLETIZED.

APPLICABLE TO EQUIPMENT ITEMS HAVING A HEIGHT OF 48 INCHES OR GREATER:
IF A PROPERLY PALLETIZED LOAD (EQUIPMENT ITEM AND PALLET) EXCEEDS 54 INCHES IN HEIGHT, HEIGHT LIMITATION NEED NOT BE ADHERED TO.

APPLICABLE TO A SINGLE ITEM HAVING DIMENSIONS EXCEEDING THE MAXIMUM PALLET LOAD LENGTH AND/OR WIDTH DIMENSIONS:
IF A SINGLE ITEM EXCEEDS THE MAXIMUM PALLET LOAD DIMENSIONS, LENGTH AND WIDTH NEED NOT BE ADHERED TO. CONTACT THE CONTRACTING OFFICER FOR

CONTINUED ON NEXT PAGE

SPE2DS-15-T-0497

SECTION B

PR: 0056014966 PRLI: 0001 CONT'D

ADDITIONAL GUIDANCE.

COPIES OF THE LATEST EDITION OF MIL-STD-147 ARE AVAILABLE FROM DLA DOCUMENT SERVICES, BLDG 4/D, 700 ROBBINS AVENUE, PHILADELPHIA, PA 19111-5094. COPIES ARE ALSO AVAILABLE ONLINE AT [HTTP://QUICKSEARCH.DLA.MIL/](http://QUICKSEARCH.DLA.MIL/) IN ADDITION TO ALL MARKING REQUIREMENTS SPECIFIED HEREIN AND IN THE APPLICABLE SPECIFICATION DOCUMENT, ALL ORDERS FOR DEPOT STOCK SHALL ALSO REQUIRE PASSIVE RFID TAGS IN ACCORDANCE WITH DFARS CLAUSE 252.211-7006. HOWEVER, EXCEPTIONS TO THIS REQUIREMENT ARE CURRENTLY APPLICABLE TO NSNS IN FSCS 6505/6508/6509/6550.

MARKING SHALL BE AS SPECIFIED IN MEDICAL MARKING STANDARD NO. 1A DATED 4 FEBRUARY 2013.

MARKINGS SHALL INCLUDE BAR CODES, AS FOLLOWS:
UNIT - BAR CODES ARE NOT REQUIRED UNLESS THE UNIT IS ALSO THE EXTERIOR (SHIPPING) CONTAINER.

INTERMEDIATE PACKAGE - BAR CODES ARE NOT REQUIRED.

EXTERIOR (SHIPPING) CONTAINER - BAR CODES (NSN, PIIN AND CAGE) SHALL BE SUPPLIED ON THE IDENTIFICATION-MARKED SIDE OF THE CONTAINER.

UNITIZED LOAD - BAR CODES (NSN, PIIN AND CAGE) SHALL BE SUPPLIED ON THE IDENTIFICATION MARKED SIDES OF THE LOAD.

NOTES:
SEE MEDICAL MARKING STANDARD NO. 1A FOR PLACEMENT OF ALL REQUIRED MARKINGS.

BAR CODES SHALL INCLUDE THE HUMAN READABLE INTERPRETATION (HRI).

PIIN REFERS TO THE CONTRACT OR ORDER NUMBER, TOGETHER WITH DELIVERY ORDER NUMBER, WHEN APPLICABLE.

MIL-STD-1189B - STANDARD DEPARTMENT OF DEFENSE BAR CODE SYMBOLOGY - HAS BEEN CANCELLED AND REPLACED BY COMMERCIAL BAR CODE STANDARD ISO/IEC 16388 (INFORMATION TECHNOLOGY - AUTOMATIC IDENTIFICATION AND DATA CAPTURE TECHNIQUES - CODE SYMBOLOGY SPECIFICATION - CODE 39). COPIES OF ISO/IEC 16388 ARE AVAILABLE FOR PURCHASE FROM ANSI, 25 WEST 43RD STREET, NEW YORK, NY 10036, WWW.ANSI.ORG.

COPIES OF MEDICAL MARKING STANDARD NO. 1A (MMS NO. 1A) MAY BE OBTAINED BY CONTACTING DLA TROOP SUPPORT VIA EMAIL TO DSCP.PACKAGING@DLA.MIL.

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE2DS-15-T-0497	Page 19 of 20
--------------------	--	---------------

SECTION B

PR: 0056014966 PRLI: 0001 CONT'D

MMS NO. 1A IS ALSO AVAILABLE ONLINE AT
[HTTP://WWW.LANDANDMARITIME.DLA.MIL/](http://WWW.LANDANDMARITIME.DLA.MIL/Downloads/Packaging/MMS1.PDF)
 DOWNLOADS/PACKAGING/MMS1.PDF

.
 APPLICABLE TO ALL MEDICAL ACQUISITIONS:

.
 PRESERVATION, PACKAGING, PACKING, UNITIZATION,
 LABELING, AND MARKING SHALL BE AS SPECIFIED IN
 THE APPLICABLE PROCUREMENT DOCUMENT REFERENCED
 IN THE "ITEM DESCRIPTION" SECTION, AND/OR AS
 SPECIFIED IN-THE-CLEAR IN THE "ITEM
 DESCRIPTION" AND "PACKAGING DATA" SECTIONS OF
 THE ACQUISITION.

.
 THE FOLLOWING CHANGES/DELETIONS ARE APPLICABLE
 TO THE SECTION HEADED "PACKAGING DATA":

.
 DISREGARD ALL REFERENCE TO MIL-STD-2073. UNDER
 THE HEADING "PREPARATION FOR DELIVERY", DELETE
 THE SECTION BEGINNING WITH "PKGING DATA -" AND
 ENDING WITH "DATED 88090" IN ITS ENTIRETY.

.
 DISREGARD ALL REFERENCES TO SPECIAL PACKAGING
 INSTRUCTION (SPI). SPI'S ARE NOT PREPARED FOR
 MEDICAL ITEMS. ALL APPLICABLE PACKAGING
 REQUIREMENTS ARE SPECIFIED IN THE ACQUISITION.

.
 DELETE "MIL-STD-129" WHEREVER IT APPEARS AND
 SUBSTITUTE "MEDICAL MARKING STANDARD NO. 1A".

.
 DELETE THE PARAGRAPH BEGINNING WITH "FOR ALL
 SHIPMENTS OF PACKAGED MATERIEL TO THE
 GOVERNMENT" AND ENDING WITH "THE SCHEDULE TAKES
 PRECEDENCE." IN ITS ENTIRETY.

PARCEL POST ADDRESS:

V23164
 USS GRAVELY DDG 107
 UNIT 100337 BOX 1
 FPO AE 09570
 US

VESSEL SHIPMENT. FOR TRANSPORTATION ASSISTANCE, SEE DLAD 52.247-9034. FOR FIRST DESTINATION
 TRANSPORTATION (FDT) AWARDS, SEE DLAD
 52.247-9059 AND CONTRACT INSTRUCTIONS INSTEAD.

FREIGHT SHIPPING ADDRESS:

V23164
 USS GRAVELY DDG 107
 UNIT 100337 BOX 1
 FPO AE 09570
 US

VESSEL SHIPMENT. FOR TRANSPORTATION ASSISTANCE, SEE DLAD 52.247-9034. FOR FIRST DESTINATION
 TRANSPORTATION (FDT) AWARDS, SEE DLAD

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056014966 PRLI: 0001 CONT'D
52.247-9059 AND CONTRACT INSTRUCTIONS INSTEAD.
SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

M/F:(TCN) V231644272HM28
RDD: 272
PROJ EK5 TP 1
SUP ADD YNHM01 SIG A

FOR GOVERNMENT USE ONLY:IPD 03

DIC A4A DIST 9B ADV 2A FC S7

Need Ship Date:00/00/0000
Original Required Delivery Date:11/19/2014
