REQUEST FOR QUOTATIONS		THIS RFQ IS IS NOT A SMALL BUSINESS SET-ASIDE		PAGE OF	PAGES 9			
1. REQUEST NO.	2. DATE ISSUED	3. REQUISITION/PURCHASE	4. CERT.FOR		RATING	•		
SPE4A7-15-T-3209	2014 NOV 24	0055609274		UNDER BD: AND/OR DN		DC)-A1	
5. ISSUED BY					6. DELIVER BY (Date)			
DLA AVIATION					139 DAYS ADO			
ASC SUPPLIER OPER AE AND AF DIV 8000 JEFFERSON DAVIS HWY			7. DELIVERY					
RICHMOND VA 23297				FOB DESTINATION (See Schedule)				
USA Name: Florence Breedlove Buyer Code:PARFH18 Tel: 804-279-3758			9. DESTINATION					
Email: Florence.Breedlove@dla.mil			a. NAME OF CONSIGNEE					
8. TO:			See Schedule					
				b. STREET ADDRESS				
	C.		c. CITY					
				d. STATE	e. ZIP CODE			
10. PLEASE FURNISH QUOTATIONS T ISSUING OFFICE IN BLOCK 5 ON C BEFORE CLOSE OF BUSINESS (Da	indicate on the incurred in origin unless	NT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so in this form and return it to the address in Block 5. This request does not commit the Government to pay any costs in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic assortherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must				any costs of domestic		
2014 DEC 01	be completed	ed by the quoter.						
		11. SCHEDULE (See Cont	tinuation Sheets)					

POC INFORMATION:

WHEN TECHNICAL DATA IS PROVIDED IT MUST BE OBTAINED AThttps://pcf1.bsm.dla.mil/cfolders. DISCREPANCIES FOUND IN TECHNICAL DATAPROVIDED, SUBMIT REQUEST TO THE DLA CUSTOMER SERVICE WEBSITE:https://www.pdmd.dla.mil/cs/

 $\textbf{ALL OTHER QUESTIONS} \ (\textbf{SOLICITATION REQUIREMENTS}, \textbf{ITEM DESCRIPTION}, \textbf{AWARD CHOICE}, \textbf{ETC.}), \textbf{PLEASE CONTACT THE BUYER SHOWN ABOVE}.$

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dla.mil

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT: https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm OR PHONE 1-855-DLA-0001 (1-855-352-0001).

MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT: http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx

a. 10 CALENDAR DAYS (%)			b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS			
12. DISCOUNT FOR PROMPT PAYMENT							NUMBER	PERCENTAGE
NOTE: Additional provisions and representations are are not attached.								
13. NAME AND ADDRESS OF QUOTER			14. SIGNATURE OF PERSON AUTHORIZED TO SIGN		15. Date of Quotation			
a. NAME OF QUOTER CA	GE				- QUOTATION			
					1			
b. STREET ADDRESS			16. SIGNER					
				a. NAME (Type or Print)		b. TELEPHONE		
c. COUNTY					AREA COD)E		
d. CITY	e. STATE	f. ZIP CO	IP CODE		C. TITLE (Type or Print)		NUMBER	

SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT https://www.dibbs.bsm.dla.mil.MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 336413 SEE http://www.sba.gov/content/table-small-business-size-standards FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

ORIGIN INSPECTION REQUIRED - FAR 52.246-2 APPLIES

THE CONTRACTOR SHALL COMPLY WITH THE ISO 9001 HIGHER-LEVEL QUALITY STANDARD. FAR 52.246-11 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT and DLAD 52.246-9043 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT (NON-MANUFACTURERS) APPLY.

MEASUREMENT AND TEST EQUIPMENT (M/TE) APPLIES (DLAD 52.246-9003).

THIS BUY IS NOT FAST PAY

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further

Reference No. of Document Being Continued: SPE4A7-15-T-3209

Page 3 of 9

SECTION A

solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

Procurement History for NSN/FSC:013209105/1560

CAGE	Contract Number	Quantity	Unit Cost	AWD Date
3Z260	SPM4A707MA879	100.000	95.00000	20070803

This solicitation is being issued under the First Destination Transportation (FDT) program. If this acquisition is for Foreign Military Sales (FMS) or has an APO/FPO ship-to address, FDT will not apply and normal procedures should be followed. For FDT program transportation requirements, see DLAD clauses 52.247-9059 F.O.B. Origin, Government Arranged Transportation and 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS). Additional information about FDT can be found on the FDT website (http://www.dla.mil/FDTPI/).

Reference No. of Document Being Continued: SPE4A7-15-T-3209

Page 4 of 9

SECTION B

```
PR: 0055609274
NSN/MATERIAL:1560013209105
ITEM DESCRIPTION
BALANCE WEIGHT, RUDD
BALANCE WEIGHT, RUDDER
52.246-11 Higher Level Contract Quality Requirement (Manufacturers)
FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008
(EXAMPLE SAE AS 9100), THE FOLLOWING TAILORED VERSION OF ISO 9001:2008;
OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008
(EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE
OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS
REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES
WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS
EXCLUSIONS TO THIS DOCUMENT.
DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008
4.1 General requirements, [excluding reference to 1.2 and excluding NOTE
3 c)]
4.2.1 General, [excluding subparagraph a)]
4.2.2 Quality manual, [excluding subparagraph a)]
4.2.3 Control of documents
4.2.4 Control of records
5.1 Management commitment
5.3 Quality policy
6.2.2 Competence, training and awareness
6.4 Work environment
7.1 Planning of product realization, [excluding NOTE 2]
7.2.1 Determination of requirements related to the product
7.2.2 Review of requirements related to the product
7.2.3 Customer communication
7.3.7 Control of design and development changes
7.4.1 Purchasing process
7.4.3 Verification of purchased product
7.5.1 Control of production and service provision
7.5.3 Identification and traceability
7.5.4 Customer property
7.5.5 Preservation of product
7.6 Control of monitoring and measuring equipment
8.1 General, [excluding subparagraph b) and subparagraph c)]
8.2.2 Internal audit
8.2.4 Monitoring and measurement of product
8.3 Control of nonconforming product
8.5.2 Corrective action
8.5.3 Preventive action
A BOEING RIGHTS GUARD TECHNICAL DATA PACKAGE
EXISTS FOR THIS ITEM. DATA NON-DISCLOSURE
CONDITIONS APPLY AND DATA DESTRUCTION
CONDITIONS APPLY AND VENDORS MUST COMPLETE AND
RETURN THE APPLICABLE CERTIFICATION FORMS WHICH
ARE LOCATED IN THE DLA CFOLDERS APPLICATION:
```

https://pcfl.bsm.dla.mil/cFolders

Reference No. of Document Being Continued: SPE4A7-15-T-3209

Page 5 of 9

SECTION B

EXCEPTIONS DATA:

1. PART MARKING PER MIL-STD-130, METHOD PER THE DRAWING REQUIREMENTS AND BAC 5307. MARKING MUST INCLUDE NATIONAL STOCK NUMBER, PART NUMBER, CURRENT DESIGN AUTHORITY CODE (98748), ACTUAL MANUFACTURER'S CAGE CODE (----), DATE OF MANUFACTURE,

AND "FOR MILITARY USE ONLY". PARTS WILL NOT BE MARKED WITH THE ORIGINAL DESIGN AUTHORITY (BOEING) CAGE CODE.

2. ALL SPECIAL PROCESSES INDENTIFIED BY 424 SCMS IN DRAWING 20145214 SHALL BE PERFORMED BY ORGANIZATIONS MAINTAINING NADCAP CERTIFICATION FOR THE RELEVANT SPECIAL PROCESS. ONLY THOSE PROCESSES HIGHLIGHTED IN YELLOW IN DRAWING 20145214 ARE

IDENTIFIED BY 424 SCMS AS REQUIRING NADCAP CERTIFIED PROCESSORS.

- 3. DELETE REFERENCE TO D2-5000 AND BAC 5005.
- 4. SURFACE TEXTURE PER ASME B46.1 IN LIEU OF BACD 2097.
- 5. DIMENSIONS AND TOLERANCES PER ASME Y14.5 I/L/O USAS Y14.5
- 6. OPTIONAL TO NICKEL PLATE PER SAE AMS-QQ-N-290 IN LIEU OF BAC 5746.
- 7. FINISH CODE F-15.01 DEFINED: CADMIUM-TITANIUM ALLOY PLATE AND APPLY CHROMATE TREATMENT IN ACCORDANCE WITH BAC 5804.
- 8. USE SAE AMS-QQ-P-416 FOR CADMIUM PLATING, IN LIEU OF QQ-A-416.END OF EXCEPTIONS......

MARK IAW MIL-STD-130N(1), DATED 16 NOV 2012. CONFIGURATION CONTROL APPLIES

- 1. SAMPLING FOR INSPECTION AND TESTING SHALL BE IAW ANSI/ASQ Z1.4-2003 (R2013). ANY ALTERNATE PLAN MUST BE APPROVED BY THE PCO. A SAMPLING PLAN THAT ACCEPTS ON ZERO DEFECTS IS REQUIRED
- 2. ANY DEFECTIVE ITEM DISCOVERED DURING INSPECTION MAY BE CAUSE FOR REJECTION OF THE ENTIRE CONTRACT QUANTITY.

THIS ITEM HAS TECHNICAL DATA SOME OR ALL OF WHICH IS SUBJECT TO EXPORT-CONTROL REGULATIONS. DISTRIBUTION OF THE TECHNICAL DATA AND ELIGIBILITY FOR AWARD ARE LIMITED TO THOSE SUPPLIERS QUALIFIED THROUGH JCP CERTIFICATION, OR TO THOSE LICENSED BY EITHER THE DEPARTMENTS OF STATE OR COMMERCE; OR TO FOREIGN SUPPLIERS PURSUANT TO INTERNATIONAL AGREEMENTS.

TO APPLY FOR JCP CERTIFICATION, COMPLETE DD FORM 2345, "MILITARY CRITICAL TECHNICAL DATA AGREEMENT," FORM IS AVAILABLE AT THE WORLD WIDE WEB ADDRESS HTTP://WWW.DLIS.DLA.MIL/JCP OR BY WRITING TO:

DLA LOGISTICS INFORMATION SERVICE FEDERAL CENTER 74 WASHINGTON AVE., NORTH BATTLE CREEK, MI 49037-3084

TO MANUFACTURE THIS ITEM, NON-JCP CERTIFIED SUPPLIERS MUST SUBMIT A

Reference No. of Document Being Continued: SPE4A7-15-T-3209

Page 6 of 9

SECTION B

CURRENT MANUFACTURING LICENSE AGREEMENT, TECHNICAL ASSISTANCE AGREEMENT, DISTRIBUTION AGREEMENT OR OFF-SHORE PROCUREMENT AGREEMENT APPROVED BY THE DIRECTORATE OF DEFENSE TRADE CONTROLS WITH THE OFFER, UNLESS AN EXEMPTION UNDER THE PROVISIONS OF ITAR SECTION, 125.4 "EXEMPTIONS OF GENERAL APPLICABILITY," AND/OR EAR PART 740 ARE APPLICABLE.

NON-JCP CERTIFIED SUPPLIERS SEEKING EXPORT CONTROLLED TECHNICAL DATA ARE REQUIRED TO PROVIDE THE CONTRACTING OFFICER WITH AN APPLICABLE AGREEMENT OR IDENTIFY WHICH ITAR/EAR EXEMPTION APPLIES TO RECEIVE A COPY OF THE EXPORT CONTROLLED TECHNICAL DATA.

NOTE: JCP CERTIFIED CONTRACTORS WHO RECEIVE TECHNICAL DATA PURSUANT TO THEIR DD FORM 2345 CERTIFICATION MAY NOT FURTHER DISSEMINATE SUCH DATA UNLESS FURTHER DISSEMINATION OF THE TECHNICAL DATA IS EXPRESSLY PERMITTED BY DODD 5230.25."

IAW BASIC DRAWING NR 81205 65-6346 REVISION NR G DTD 02/01/1978 PART PIECE NUMBER: 65-6346-26

IAW REFERENCE DRAWING NR 81205 BMS10-11AB REVISION NR DTD 03/19/2013 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5736 REVISION NR U DTD 02/06/2009 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5736 REVISION NR U DTD 02/20/2012 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BMS10-11AB REVISION NR AB DTD 03/19/2013 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5746 REVISION NR L DTD 07/18/1989 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5746 REVISION NR L DTD 11/07/2000 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 65-6346 REVISION NR G DTD 07/21/2006 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5804 REVISION NR AC DTD 04/06/1999 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5804 REVISION NR AC DTD 04/01/2004 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5300 REVISION NR M DTD 09/11/2011 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5300

Reference No. of Document Being Continued: SPE4A7-15-T-3209

Page 7 of 9

SECTION B

REVISION NR M DTD 10/31/1999 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5300-1 REVISION NR F DTD 04/09/2013 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5300-2 REVISION NR G DTD 10/09/2013 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5307 REVISION NR U DTD 11/27/2013 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5300-1 REVISION NR F DTD 09/01/2006 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81205 BAC5300-2 REVISION NR G DTD 09/01/2006 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 98748 20145214 REVISION NR DTD 02/03/2014 PART PIECE NUMBER:

<u>CLIN PR PRLI UI QUANTITY UNIT PRICE TOTAL PRICE</u> 0001 0055609274 0001 EA 6.000

NSN/MATERIAL:1560013209105

DELIVERY (IN DAYS):0139

DELIVER FOB: ORIGIN

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: ORIGIN ACCEPTANCE POINT: ORIGIN

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A);

Reference No. of Document Being Continued: SPE4A7-15-T-3209

Page 8 of 9

SECTION B

PR: 0055609274 PRLI: 0001 CONT'D

CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALLY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply: •,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.

- •,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- $\, \cdot \,$,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

PARCEL POST ADDRESS:

SW3211
DLA DISTRIBUTION DEPOT OKLAHOMA
3301 F AVE CEN REC BLDG 506 DR 22
TINKER AFB OK 73145-8000
US

FOR TRANSPORTATION ASSISTANCE SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT) AWARDS SEE DLAD 52.247-9059 AND CONTRACT INSTRUCTIONS INSTEAD.

Continuation Sheet	Reference No. of Document Being Continued:	Page 9 of 9	
	SPE4A7-15-T-3209		

SECTION B

PR: 0055609274 PRLI: 0001 CONT'D

FREIGHT SHIPPING ADDRESS:

SW3211
DLA DISTRIBUTION DEPOT OKLAHOMA
3301 F AVE CEN REC BLDG 506 DR 22
TINKER AFB OK 73145-8000
US