

<b>REQUEST FOR QUOTATIONS</b>		THIS RFQ <input type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE		PAGE 1 OF 8 PAGES
1. REQUEST NO. SPE7M0-15-T-2082	2. DATE ISSUED 2014 NOV 19	3. REQUISITION/PURCHASE REQUEST NO. 0055999260	4. CERT.FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING DO-C9
5. ISSUED BY DLA LAND AND MARITIME MARITIME SUPPLY CHAIN ESOC BUYS PO BOX 3990 COLUMBUS OH 43218-3990 USA Name: Kenneth Flaute Buyer Code:PMCMSC7 Tel: 614-692-6072 Fax: 614-693-1551 Email: Kenneth.Flaute@dla.mil			6. DELIVER BY (Date) 5 DAYS ADO	
8. TO:			7. DELIVERY <input type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)	
			9. DESTINATION	
			a. NAME OF CONSIGNEE See Schedule	
			b. STREET ADDRESS	
			c. CITY	
			d. STATE	e. ZIP CODE
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5 ON OR BEFORE CLOSE OF BUSINESS (Date)  2014 DEC 01		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.		
11. SCHEDULE (See Continuation Sheets)				

## POC INFORMATION:

DRAWINGS MAY BE OBTAINED AT <https://pcf1.bsm.dla.mil/cfolders>  
DISCREPANCIES FOUND IN BIDSETS SHOULD BE E-MAILED TO [Dscr.PdmdDistribution@dla.mil](mailto:Dscr.PdmdDistribution@dla.mil)

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to [DibbsBSM@dla.mil](mailto:DibbsBSM@dla.mil)

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT:  
<https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm> OR PHONE 1-855-DLA-0001 (1-855-352-0001).

## MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT:  
[http://www.dla.mil/Acquisition/Documents/EProcurement\\_DLA\\_Automated\\_Master\\_Solicitation\\_REV25OCT2014.docx](http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx)

12. DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS (%)		b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS	
					NUMBER	PERCENTAGE
NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.						
13. NAME AND ADDRESS OF QUOTER				14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. Date of Quotation
a. NAME OF QUOTER CAGE				16. SIGNER		b. TELEPHONE
b. STREET ADDRESS						
c. COUNTY						
d. CITY	e. STATE	f. ZIP CODE	c. TITLE (Type or Print)		AREA CODE	
					NUMBER	

**SECTION A**

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>. MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 324191 SEE <http://www.sba.gov/content/table-small-business-size-standards> FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DESTINATION INSPECTION REQUIRED - FAR 52.246-1 APPLIES.

THIS BUY IS FAST PAY

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no

**CONTINUED ON NEXT PAGE**

**SECTION A**

quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

Procurement History for NSN/FSC:001556444/8030

CAGE	Contract Number	Quantity	Unit Cost	AWD Date
4X136	SPE8E514V2000	66.000	8.50000	20140730

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE7M0-15-T-2082	Page 4 of 8
--------------------	--	-------------

## SECTION B

PR: 0055999260  
NSN/MATERIAL:8030001556444

ITEM DESCRIPTION  
ANTISEIZE COMPOUND

ANTISEIZE COMPOUND

MERCURY OR MERCURY CONTAINING COMPOUNDS SHALL NOT BE INTENTIONALLY ADDED TO,OR COME IN DIRECT CONTACT WITH,ANY HARDWARE OR SUPPLIES FURNISHED UNDER THIS CONTRACT. EXCEPTION: FUNCTIONAL MERCURY USED IN BATTERIES, FLUORESCENT LIGHTS, REQUIRED INSTRUMENTS; SENSORS OR CONTROLS; WEAPON SYSTEMS; AND CHEMICAL ANALYSIS REAGENTS SPECIFIED BY NAVSEA. PORTABLE FLUORESCENT LAMPS AND PORTABLE INSTRUMENTS CONTAINING MERCURY SHALL BE SHOCK PROOF AND CONTAIN A SECOND BOUNDARY OF CONTAINMENT OF THE MERCURY OR MERCURY COMPOUND. (IAW NAVSEA 5100-003D).

U/I CN  
Size: an 8.0 to 16 net wt oz aerosol can.

THIS NSN HAS A SHELF-LIFE OF 24 MONTHS ( 2 YEARS) AND IS A TYPE II SHELF-LIFE ITEM. PRODUCTS DELIVERED UNDER THIS CONTRACT SHALL BE MANUFACTURED TO ENSURE THAT A MINIMUM OF 85% SHELF LIFE IS REMAINING AT TIME OF RECEIPT BY THE FIRST GOVERNMENT ACTIVITY. SHELF LIFE MARKINGS SHALL BE IN ACCORDANCE WITH THE LATEST REVISION OF MIL-STD-129, AND SHALL CLEARLY INDICATE THE MANUFACTURED DATE AND THE INSPECTION/TEST DATE.

MIL-STD-129 LABELS ARE REQUIRED, MIL-STD-129 LABEL WILL INCLUDE THE ADDITION OF LOT OR BATCH NUMBER.

THE CONTRACTOR SHALL PROVIDE A MATERIAL SAFETY DATA SHEET (MSDS) AS DIRECTED BY FAR 52.223-3, HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA (JAN 1997). A COPY OF THE APPLICABLE HAZARD WARNING LABEL(S) (HWL) SHALL BE SUBMITTED WITH THE MSDS AS DIRECTED BY DFARS 252.223-7001, HAZARD WARNING LABELS (DEC 1991). THE MSDS SHALL BE IAW FEDERAL STANDARD 313 (LATEST REVISION) AND CONFORM TO OSHA'S HAZARD COMMUNICATION STANDARD IN TITLE 29 CFR 1910.1200 (LATEST REVISION) AND SHALL BE SUBMITTED BY THE APPARENTLY SUCCESSFUL OFFEROR PRIOR TO CONTRACT AWARD AS DIRECTED BY DLAD 52.223-9000, MATERIAL SAFETY DATA SHEETS AND HAZARD WARNING LABELS (NOV 2011). TO SATISFY THE FED-STD-313 REQUIREMENT, THE CONTRACTOR SHALL SUBMIT THE APPLICABLE MSDS AND HWL TO THE LOCAL ADMINISTERING AGENCY'S CONTRACTING OFFICE FOR PROCEDURAL REVIEW AND APPROVAL PRIOR TO CONTRACT AWARD. CONTRACTOR MUST EXERCISE A DUTY OF CARE THAT EACH MSDS BE REGULARLY UPDATED (USUALLY EVERY THREE TO FIVE YEARS) OR WITHIN 3 MONTHS OF ANY CHANGES PER U.S. CODE, TITLE 42, CHAPTER 116, SUBCHAPTER II, PARAGRAPH 11021(D).

WHEN THE PURCHASE ORDER TEXT (POT)  
DESCRIBES THE REQUIRED PRODUCT(S) BY NAME AND  
PART NUMBER OF A SPECIFIC ENTITY, BY THE NAMES

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE7M0-15-T-2082	Page 5 of 8
--------------------	--	-------------

## SECTION B

AND PART NUMBERS OF A NUMBER OF SPECIFIC ENTITIES, OR BY THE NAME(S) AND PART NUMBER(S) OF SPECIFIC ENTITY/ENTITIES AS MODIFIED BY ADDITIONAL REQUIREMENTS SET FORTH IN THE POT, ONLY THAT/THOSE PRODUCT(S) HAVE BEEN DETERMINED TO MEET THE NEEDS OF THE GOVERNMENT AND ARE ACCEPTABLE. SUCH PRODUCT(S) ARE "EXACT PRODUCT(S)" AS DEFINED IN "DLAD 52.217-9002, CONDITIONS FOR EVALUATION AND ACCEPTANCE OF OFFERS FOR PART NUMBERED ITEMS."

A VENDOR OFFER/QUOTATION, "BID WITHOUT EXCEPTION," IS A CERTIFICATION THAT THE "EXACT PRODUCT," MANUFACTURED AND/OR SUPPLIED BY ONE OF THE ENTITIES CITED IN THE POT WILL BE FURNISHED UNDER THE CONTRACT OR ORDER. ANY PRODUCT NOT MANUFACTURED AND/OR SUPPLIED BY ONE OF THE ENTITIES CITED IN THE POT IS AN "ALTERNATE PRODUCT," EVEN THOUGH IT MIGHT BE MANUFACTURED IN ACCORDANCE WITH THE DRAWING(S) AND/OR SPECIFICATIONS OF ONE OF THE ENTITIES CITED IN THE POT.

IF AN ALTERNATE PRODUCT IS FURNISHED UNDER A CONTRACT OR ORDER FOR AN EXACT PRODUCT, THE ALTERNATE PRODUCT WILL BE AN UNAUTHORIZED SUBSTITUTION, AND MAY YIELD CRIMINAL PENALTIES IN ADDITION TO ANY CIVIL REMEDIES AVAILABLE TO THE GOVERNMENT.

THE CONTRACTOR SHALL PROVIDE A MATERIAL SAFETY DATA SHEET (MSDS) AS DIRECTED BY FAR 52.223-3, HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA (JAN 1997). A COPY OF THE APPLICABLE HAZARD WARNING LABEL(S) (HWL) SHALL BE SUBMITTED WITH THE MSDS AS DIRECTED BY DFARS 252.223-7001, HAZARD WARNING LABELS (DEC 1991). THE MSDS SHALL BE IAW FEDERAL STANDARD 313 (LATEST REVISION) AND CONFORM TO OSHA'S HAZARD COMMUNICATION STANDARD IN TITLE 29 CFR 1910.1200 (LATEST REVISION) AND SHALL BE SUBMITTED BY THE APPARENTLY SUCCESSFUL OFFEROR PRIOR TO CONTRACT AWARD AS DIRECTED BY DLAD 52.223-9000, MATERIAL SAFETY DATA SHEETS AND HAZARD WARNING LABELS (NOV 2011). TO SATISFY THE FED-STD-313 REQUIREMENT, THE CONTRACTOR SHALL SUBMIT THE APPLICABLE MSDS AND HWL TO THE LOCAL ADMINISTERING AGENCY'S CONTRACTING OFFICE FOR PROCEDURAL REVIEW AND APPROVAL PRIOR TO CONTRACT AWARD. CONTRACTOR MUST EXERCISE A DUTY OF CARE THAT EACH MSDS BE REGULARLY UPDATED (USUALLY EVERY THREE TO FIVE YEARS) OR WITHIN 3 MONTHS OF ANY CHANGES PER U.S. CODE, TITLE 42, CHAPTER 116, SUBCHAPTER II, PARAGRAPH 11021(D).

PACKAGING: The product shall be furnished in the specified quantity in the manufacturer's original, round, compound-lined, double-seamed end cans with pressure activated spray dispensers of the type normally used for this product, providing that there will be no interaction chemically or physically with the contents so as to damage the containers or alter the strength, quality or purity of the contents. Each can shall be provided with a removable/replaceable metal or full sized, double shell, plastic cap adequate to protect the dispenser in accordance with normal commercial practice. The filled cans shall be closed in a manner that will insure that the contents will not spill or leak from the container

CONTINUED ON NEXT PAGE

## SECTION B

during shipment, handling, storage and redistribution.

### SPECIAL PACKAGING CODES Z/ZZ:

Each item shall be marked with the following:

- (1) lot or batch number
- (2) shelf life monitoring data including dates of manufacture and reinspection or expiration.
- (3) manufacturer's name and part number
- (4) instructions for use, thinning, mixing, shaking, etc.
- (5) instructions for storage, i.e. do not freeze, requires refrigeration, etc.

**PACKAGING:** The product shall be furnished in the specified quantity in the manufacturer's original, round, compound-lined, double-seamed end cans with pressure activated spray dispensers of the type normally used for this product, providing that there will be no interaction chemically or physically with the contents so as to damage the containers or alter the strength, quality or purity of the contents. Each can shall be provided with a removable/replaceable metal or full sized, double shell, plastic cap adequate to protect the dispenser in accordance with normal commercial practice. The filled cans shall be closed in a manner that will insure that the contents will not spill or leak from the container during shipment, handling, storage and redistribution.

**PACKING:** Material packaged as specified above shall be packed in a close-fitting, corrugated, fiberboard box conforming to Section 6(a), Rule 41 of the Uniform Freight Classification and Item 222 of the National Motor Freight Classification (200 minimum burst). Closure of the boxes shall be in accordance with Section 7 of Rule 41 of the Uniform Freight Classification. Gross weight of the box and contents shall not exceed 65 pounds.

LOCTITE CORP 05972 P/N 76759  
 SPRAYON 6EXD9 P/N 620  
 BOSTIK, INC. 5W425 P/N NSA-16

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0001	0055999260	0001	CN	1.000		

NSN/MATERIAL:8030001556444

DELIVERY (IN DAYS):0005

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001  
 SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS  
 MATERIALS PACKAGING REQUIREMENTS.

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE7M0-15-T-2082	Page 7 of 8
--------------------	--	-------------

## SECTION B

PR: 0055999260 PRLI: 0001 CONT'D

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

SPECIAL PACKAGING CODES Z/ZZ:

Each item shall be marked with the following:

- (1) lot or batch number
- (2) shelf life monitoring data including dates of manufacture and reinspection or expiration.
- (3) manufacturer's name and part number
- (4) instructions for use, thinning, mixing, shaking, etc.
- (5) instructions for storage, i.e. do not freeze, requires refrigeration, etc.

PACKAGING: The product shall be furnished in the specified quantity in the manufacturer's original, round, compound-lined, double-seamed end

CONTINUED ON NEXT PAGE

SECTION B

PR: 0055999260 PRLI: 0001 CONT'D

cans with pressure activated spray dispensers of the type normally used for this product, providing that there will be no interaction chemically or physically with the contents so as to damage the containers or alter the strength, quality or purity of the contents. Each can shall be provided with a removable/replaceable metal or full sized, double shell, plastic cap adequate to protect the dispenser in accordance with normal commercial practice. The filled cans shall be closed in a manner that will insure that the contents will not spill or leak from the container during shipment, handling, storage and redistribution.

PACKING: Material packaged as specified above shall be packed in a close-fitting, corrugated, fiberboard box conforming to Section 6(a), Rule 41 of the Uniform Freight Classification and Item 222 of the National Motor Freight Classification (200 minimum burst). Closure of the boxes shall be in accordance with Section 7 of Rule 41 of the Uniform Freight Classification. Gross weight of the box and contents shall not exceed 65 pounds.

PARCEL POST ADDRESS:

N4523A  
PUGET SOUND NAVAL SHIPYARD IMF  
MAINT FAC REC OFFICER BLDG 514  
1400 FARRAGUT AVE  
BREMERTON WA 98314-5001  
US

RDD 999/NMCS SHIPMENT. SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

N4523A  
PUGET SOUND NAVAL SHIPYARD IMF  
MAINT FAC REC OFFICER BLDG 514  
1400 FARRAGUT AVE  
BREMERTON WA 98314-5001  
US

M/F:(TCN) N4523A42939610  
RDD: 999  
PROJ 6L3 TP 1  
SUP ADD Y997N SIG A

FOR GOVERNMENT USE ONLY:IPD 03

DIC A4A DIST ADV 24 FC GW

Need Ship Date:00/00/0000  
Original Required Delivery Date:10/23/2014

\*\*\*\*\*