

REQUEST FOR QUOTATIONS		THIS RFQ <input type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE		PAGE 1 OF 8 PAGES
1. REQUEST NO. SPE8E5-15-T-2146	2. DATE ISSUED 2014 DEC 02	3. REQUISITION/PURCHASE REQUEST NO. 0056149192	4. CERT.FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING
5. ISSUED BY DLA TROOP SUPPORT CONSTRUCTION & EQUIPMENT (MAT & ME) 700 ROBBINS AVENUE PHILADELPHIA PA 19111-5096 USA Name: Pamela Tull Buyer Code:PEPCFCZ Tel: 215-737-2695 Fax: 215-737-2151 Email: DLA-TS-FCFC@dla.mil			6. DELIVER BY (Date) 5 DAYS ADO	
8. TO:			7. DELIVERY <input type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)	
			9. DESTINATION	
			a. NAME OF CONSIGNEE See Schedule	
			b. STREET ADDRESS	
			c. CITY	
			d. STATE	e. ZIP CODE
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5 ON OR BEFORE CLOSE OF BUSINESS (Date) 2014 DEC 12		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.		
11. SCHEDULE (See Continuation Sheets)				

POC INFORMATION:

WHEN TECHNICAL DATA IS PROVIDED IT MUST BE OBTAINED AT <https://pcf1.bsm.dla.mil/cfolders>. DISCREPANCIES FOUND IN TECHNICAL DATA PROVIDED, SUBMIT REQUEST TO THE DLA CUSTOMER SERVICE WEBSITE: <https://www.pdmd.dla.mil/cs/>

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dla.mil

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT: <https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm> OR PHONE 1-855-DLA-0001 (1-855-352-0001).

MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT: http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx

12. DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS (%)		b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS	
					NUMBER	PERCENTAGE
NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.						
13. NAME AND ADDRESS OF QUOTER				14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. Date of Quotation
a. NAME OF QUOTER CAGE				16. SIGNER		b. TELEPHONE
b. STREET ADDRESS						
c. COUNTY						
d. CITY	e. STATE	f. ZIP CODE	c. TITLE (Type or Print)		AREA CODE	
					NUMBER	

SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>. MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 325510 SEE <http://www.sba.gov/content/table-small-business-size-standards> FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DESTINATION INSPECTION REQUIRED - FAR 52.246-2 APPLIES.

THIS BUY IS FAST PAY

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2146	Page 3 of 8
--------------------	--	-------------

SECTION A

quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

No History Available

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2146	Page 4 of 8
--------------------	--	-------------

SECTION B

PR: 0056149192
NSN/MATERIAL:8010006641913

ITEM DESCRIPTION
LACQUER

LACQUER

UI=GL (GALLON)

1 GL = 1 CAN

COLOR; YELLOW IN ACCORDANCE WITH LATEST VERSION OF FED-STD-595, COLOR NUMBER 33538

THIS NSN IS PROCURED AS FULLY COMPETITIVE IN ACCORDANCE WITH A MILITARY / FEDERAL SPECIFICATION/STANDARD. SEE SECTION L, CLAUSE 52.211-2 FOR ORDERING SUCH DATA.

TYPE II 24 MONTHS (2 YEAR) SHELF LIFE ITEM. SHELF LIFE MARKINGS (CURE AND EXPIRATION DATES) SHALL BE IAW MIL-STD-129, LATEST REVISION. AT THE TIME OF DELIVERY TO THE GOVERNMENT, THERE MUST BE AT LEAST 21 MONTHS OF SHELF LIFE REMAINING FOR THE MATERIAL. FOR RUBBER PRODUCTS, AGE CALCULATED FROM QUARTER/YEAR FOLLOWING CURE DATE TO QUARTER/YEAR OF RECEIPT.

THE CONTRACTOR SHALL PROVIDE A MATERIAL SAFETY DATA SHEET (MSDS) AS DIRECTED BY FAR 52.223-3, HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA (JAN 1997). A COPY OF THE APPLICABLE HAZARD WARNING LABEL(S) (HWL) SHALL BE SUBMITTED WITH THE MSDS AS DIRECTED BY DFARS 252.223-7001, HAZARD WARNING LABELS (DEC 1991). THE MSDS SHALL BE IAW FEDERAL STANDARD 313 (LATEST REVISION) AND CONFORM TO OSHA'S HAZARD COMMUNICATION STANDARD IN TITLE 29 CFR 1910.1200 (LATEST REVISION) AND SHALL BE SUBMITTED BY THE APPARENTLY SUCCESSFUL OFFEROR PRIOR TO CONTRACT AWARD AS DIRECTED BY DLAD 52.223-9000, MATERIAL SAFETY DATA SHEETS AND HAZARD WARNING LABELS (NOV 2011). TO SATISFY THE FED-STD-313 REQUIREMENT, THE CONTRACTOR SHALL SUBMIT THE APPLICABLE MSDS AND HWL TO THE LOCAL ADMINISTERING AGENCY'S CONTRACTING OFFICE FOR PROCEDURAL REVIEW AND APPROVAL PRIOR TO CONTRACT AWARD. CONTRACTOR MUST EXERCISE A DUTY OF CARE THAT EACH MSDS BE REGULARLY UPDATED (USUALLY EVERY THREE TO FIVE YEARS) OR WITHIN 3 MONTHS OF ANY CHANGES PER U.S. CODE, TITLE 42, CHAPTER 116, SUBCHAPTER II, PARAGRAPH 11021(D).

Shipbuilding National Emission Standards for Hazardous Air Pollutants (NESHAP) Compliant

The following Volatile Organic Compound (VOC) Certification is requested from suppliers with each product shipment. *Note to depots: A copy of this is to accompany each product shipment, similar to Material Safety Data Sheet (MSDS).

National Stock Number: _____
Manufacturer: _____

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2146	Page 5 of 8
--------------------	--	-------------

SECTION B

Commercial and Government Entity (CAGE): _____
 Part Number/ Product Name: _____

Check one:

☐ This coating does not contain any exempt compounds that are Hazardous Air Pollutants (HAPs). Any VOC content reported in the form of mass VOC per volume of coating is based on the volume of coating (less water and except compounds).

☐ The VOC content provided includes exempt compounds that are HAPs. Any VOC content reported in the form of mass VOC per volume of coating is based on the volume (less water and Non-Volatile Organic Hazardous Air Pollutants (Non-VOHAP) exempt compounds)).

Paper copies of the VOC certifications are to be provided with each product shipment. The certificate document is separate from the MSDS but will be included with all product shipments accompanying the MSDS. For items shipped to consignees identified by mailing address as agency depots, distribution centers or customer supply centers, the Contractor shall provide one copy of the NESHAP Shipbuilding Batch VOC Certificate in or on each shipping container. If affixed to the outside of each container, the NESHAP Batch Certificate must be placed in a weather resistant envelope.

ITEM MARKING

- (1) National Stock Number (NSN).
- (2) Specification number (Including type, class, and color number) as applicable.
- (3) Manufacturer's name and part number.
- (4) Lot and Batch Number.
- (5) Date of Manufacture and date of expiration or reinspection (month and year).
- (6) Instructions for use.
- (7) Storage Instructions.
- (8) Maximum Volatile Organic Compound (VOC) Content (less water and exempt solvents) in grams per liter and pounds per gallon.

If applicable, supplier will follow pre-arranged California South Coast labeling requirements.

PACKAGING

The product shall be furnished in the units indicated and Performance Oriented Packaged (POP) as follows:

GALLONS AND QUARTS: Material shall be furnished in round containers with multiple friction closure of the type normally used for the product. Filled containers shall be closed in a manner that will insure that the contents will not spill or leak from the container during shipment, handling, storage and redistribution.

PRODUCT CONFORMANCE: The products provided shall meet the salient characteristics of this description, conform to the producer's own specifications, standards, and quality assurance practices and be the same product offered for sale in the commercial market. The Government reserves the right to require proof of such conformance.

PREPARATION FOR DELIVERY: The item(s) shall be packaged and packed in

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2146	Page 6 of 8
--------------------	--	-------------

SECTION B

accordance with the latest revision of ASTM D 3951, Standard Practice for Commercial Packaging. Copies of ASTM standards are available from the American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959. Phone: 610-832-9585, Fax: 610-832-9555, Web site: www.astm.org, e-mail: service@astm.org.

All containers shall be constructed so that there will be no interaction chemically or physically with the contents that damages the container or alters the strength, quality or purity of the contents.

One gallon containers shall be provided with a bail type handle in accordance with current Good Manufacturing Practices.

Material packaged as specified above shall be packed in a close-fitting, corrugated, fiberboard box conforming to Section 6(a), Rule 41 of the Uniform Freight Classification, Item 222 of the National Motor Freight Classification (200 minimum burst). Closure of the boxes shall be in accordance with Section 7 of Rule 41 of the Uniform Freight Classification. Gross weight of the box and contents shall not exceed 65 pounds. Pails shall meet the minimum applicable requirements of the National Motor Freight Classification, Uniform Freight Classification, and the Department of Transportation (49 CFR). For oversea shipments by vessel, the commodity shall be packaged, packed, and marked in a manner to meet the applicable requirements of International Maritime Organization (IMO), International Maritime Dangerous Goods (IMDG) Code, latest revision.

PACKING

PREPARATION FOR DELIVERY: The item(s) shall be packaged and packed in accordance with the latest revision of ASTM D 3951, Standard Practice for Commercial Packaging. Copies of ASTM standards are available from the American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959. Phone: 610-832-9585, Fax: 610-832-9555, Web site: www.astm.org, e-mail: service@astm.org.

GALLONS AND QUARTS: Not more than four one-gallon-size units or 12 one-quart-size units packaged as specified above shall be further packaged in a close fitting corrugated fiberboard box conforming to Section 6(a), Rule 41 of the Uniform Freight Classification and Item 222 of the National Motor Freight Classification. Closure of the boxes shall be in accordance with Section 7 of Rule 41 of the Uniform Freight Classification. The units shall be protected within the box by individually packaging in paperboard boxes or with full height partitions or other suitable means to ensure that the containers are not damaged during shipment, handling, storage, and redistribution.

South Coast Air Quality Management District Provision: If the item is on an existing contract, the supplier shall follow the pre-arranged California South Coast Air Quality Management District labeling requirements.

MARKING

All unit, intermediate, transport packages and unit loads shall be marked and bar coded in accordance with the latest version of MIL-STD-129, "Military Marking For Shipment and Storage". "Latest version" is defined as the version in effect on the date of bid submittal. Federal Standards and Military Standards can be accessed on-line via the Defense Logistics Agency's "Assist" Quicksearch web site:

CONTINUED ON NEXT PAGE

SPE8E5-15-T-2146

SECTION B

[http://assist.daps.dla.mil/quicksearch/.](http://assist.daps.dla.mil/quicksearch/)

South Coast Air Quality Management District Provision: If the item is on an existing contract, the supplier shall follow the pre-arranged California South Coast Air Quality Management District labeling requirements.

IAW BASIC CID A-A-3164A
REVISION NR A DTD 10/03/2006
PART PIECE NUMBER: AA3164-001G-33538

IAW REFERENCE UNK FED-STD-595/33538
REVISION NR DTD 10/03/2006
PART PIECE NUMBER:

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0001	0056149192	0001	GL	2.000		

NSN/MATERIAL:8010006641913

DELIVERY (IN DAYS):0005

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001
SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS
MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS
SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E.,
TITLE 49 CODE OF FEDERAL REGULATIONS,
INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO)
TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4
OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME
DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG
COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS
ON TRANSPORT OF DANGEROUS GOODS. WHEN A);
CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES
SHIPMENT THROUGH A MILITARY AERIAL PORT FOR
TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL
COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS
MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR
CONTAINERS SHALL BE LABELED AND MARKED AS
SPECIFIED IN THE REFERENCED PRODUCT
SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D
OF THE CONTRACT OR ORDER. IN ADDITION, ALL
LABELING AND MARKING SHALL COMPLY WITH THE
REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR,

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056149192 PRLI: 0001 CONT'D

AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS,
IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST
REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES
AND REPORTS ATTESTING TO DATE OF TESTING AND
DATA RESULTS OBTAINED FROM TESTING. THE
CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE
CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE,
ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS,
SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL
INSPECTION AND RECEIVING REPORT), OR ANY
SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL
CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR
INSPECTION BY AUTHORIZED U. S. GOVERNMENT
REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3
YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS,
IN ACCORDANCE WITH FED-STD-313, THE MATERIAL
SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE
WITH "ASTM D3951."

PARCEL POST ADDRESS:

952202
HAZARDDOUS MATERIAL PHARMACY
2302 RADIN ROAD
MC GUIRE AFB NJ 08641
US

RDD 999/NMCS SHIPMENT. SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

952202
HAZARDDOUS MATERIAL PHARMACY
2302 RADIN ROAD
MC GUIRE AFB NJ 08641
US

M/F:(TCN) 9522024329003E
RDD: 999
PROJ 9GF TP 1
SUP ADD SIG A

FOR GOVERNMENT USE ONLY:IPD 02

DIC A0E DIST 4 ADV 27 FC A2

Need Ship Date:00/00/0000
Original Required Delivery Date:12/01/2014

* * * * *