

<b>REQUEST FOR QUOTATIONS</b>		THIS RFQ <input type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE		PAGE 1 OF 41 PAGES
1. REQUEST NO. SPE7L7-15-T-0993	2. DATE ISSUED 2014 NOV 19	3. REQUISITION/PURCHASE REQUEST NO. See Schedule	4. CERT.FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING DX-
5. ISSUED BY DLA LAND AND MARITIME LAND SUPPLIER OPNS BATTERIES/TIRES P O BOX 3990 COLUMBUS OH 43218-3990 USA Name: Lisa Kowalczyk Buyer Code:PLCLZZ7 Tel: 614-692-4183 Fax: 614-693-1603 Email: Lisa.Kowalczyk@dla.mil			6. DELIVER BY (Date) 20 DAYS ADO	
8. TO:			7. DELIVERY <input type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)	
			9. DESTINATION	
			a. NAME OF CONSIGNEE See Schedule	
			b. STREET ADDRESS	
			c. CITY	
			d. STATE	e. ZIP CODE
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5 ON OR BEFORE CLOSE OF BUSINESS (Date)  2014 DEC 01		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.		
11. SCHEDULE (See Continuation Sheets)				

## POC INFORMATION:

DRAWINGS MAY BE OBTAINED AT <https://pcf1.bsm.dla.mil/cfolders>  
DISCREPANCIES FOUND IN BIDSETS SHOULD BE E-MAILED TO Dscr.PdmdDistribution@dla.mil

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dla.mil

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT:  
<https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm> OR PHONE 1-855-DLA-0001 (1-855-352-0001).

## MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT:  
[http://www.dla.mil/Acquisition/Documents/EProcurement\\_DLA\\_Automated\\_Master\\_Solicitation\\_REV25OCT2014.docx](http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx)

12. DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS (%)		b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS	
					NUMBER	PERCENTAGE
NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.						
13. NAME AND ADDRESS OF QUOTER				14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. Date of Quotation
a. NAME OF QUOTER CAGE				16. SIGNER		b. TELEPHONE
b. STREET ADDRESS						
c. COUNTY						
d. CITY	e. STATE	f. ZIP CODE	c. TITLE (Type or Print)		AREA CODE	
					NUMBER	

Continuation Sheet	Reference No. of Document Being Continued: SPE7L7-15-T-0993	Page 2 of 41
--------------------	--	--------------

## SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>. MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 335911 SEE <http://www.sba.gov/content/table-small-business-size-standards> FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DFARS 252.225-7001, BUY AMERICAN AND BALANCE OF PAYMENTS PROGRAM, APPLIES TO ALL QUOTES ABOVE THE MICRO-PURCHASE THRESHOLD.

DESTINATION INSPECTION REQUIRED - FAR 52.246-2 APPLIES.

THIS BUY IS FAST PAY

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This

**CONTINUED ON NEXT PAGE**

SPE7L7-15-T-0993

**SECTION A**

does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

## Procurement History for NSN/FSC:012130199/6140

CAGE	Contract Number	Quantity	Unit Cost	AWD Date
0AG09	SPE7L715M0827	5.000	28.78000	20141114
079M9	SPE7L715M0798	2.000	31.15000	20141113
5VRN0	SPE7L715M0768	12.000	24.17000	20141112
0AG09	SPE7L015V1533	2.000	33.00000	20141112
0AG09	SPE7L015V1506	7.000	28.78000	20141110
5VRN0	SPE7L015V1355	19.000	23.82000	20141104
079M9	SPE7L015V0838	1.000	33.56000	20141020
079M9	SPE7L015V0815	1.000	31.95000	20141020
079M9	SPE7L715M0176	9.000	25.37000	20141006
079M9	SPE7L015V0362	9.000	26.03000	20141006
079M9	SPE7L715M0119	1.000	31.72000	20141002
0AG09	SPE7L715M0108	37.000	22.95000	20141002
0AG09	SPE7L714M5515	102.000	21.78000	20140925
079M9	SPE7L714M5492	1.000	29.86000	20140918
079M9	SPE7L714M5418	5.000	25.69000	20140917
1PVM2	SPE7L714M5032	56.000	19.87857	20140828
1PVM2	SPE7L714M5026	4.000	26.95000	20140827
079M9	SPE7L014V6384	2.000	30.27000	20140819
079M9	SPE7L014V6327	2.000	31.22000	20140818
079M9	SPE7L014V6323	10.000	23.04000	20140818

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE7L7-15-T-0993	Page 4 of 41
--------------------	--	--------------

## SECTION B

PR: 0056000195  
NSN/MATERIAL:6140012130199

ITEM DESCRIPTION  
BATTERY,STORAGE

BATTERY, STORAGE  
LEAD ACID, WET CHARGED, IMMOBILIZED ELECTROLYTE. BATTERY CHARGED EVERY 6 MONTHS AS RECOMMENDED BY THE OEM

SHELF LIFE; TYPE 1, 12 MONTHS

THIS SHELF LIFE ITEM IS NON-EXTENDABLE, CODE H, WITH A TOTAL SHELF LIFE OF TWELVE MONTHS. MATERIAL FURNISHED UNDER THIS CONTRACT/ORDER SHALL HAVE AT LEAST 85% (10 MONTHS) OF THE SHELF LIFE REMAINING AT TIME OF DELIVERY.

MSDS/PSDS REQUIRED PER FED-STD-313

1. SAMPLING FOR INSPECTION AND TESTING SHALL BE IAW ANSI/ASQ Z1.4-2003 (R2013). ANY ALTERNATE PLAN MUST BE APPROVED BY THE PCO. A SAMPLING PLAN THAT ACCEPTS ON ZERO DEFECTS IS REQUIRED

2. ANY DEFECTIVE ITEM DISCOVERED DURING INSPECTION MAY BE CAUSE FOR REJECTION OF THE ENTIRE CONTRACT QUANTITY.

NO DATA IS AVAILABLE. THE ALTERNATE OFFEROR IS REQUIRED TO PROVIDE A COMPLETE DATA PACKAGE INCLUDING DATA FOR THE APPROVED AND ALTERNATE PART FOR EVALUATION.

THE CONTRACTOR SHALL PROVIDE A MATERIAL SAFETY DATA SHEET (MSDS) AS DIRECTED BY FAR 52.223-3, HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA (JAN 1997). A COPY OF THE APPLICABLE HAZARD WARNING LABEL(S) (HWL) SHALL BE SUBMITTED WITH THE MSDS AS DIRECTED BY DFARS 252.223-7001, HAZARD WARNING LABELS (DEC 1991). THE MSDS SHALL BE IAW FEDERAL STANDARD 313 (LATEST REVISION) AND CONFORM TO OSHA'S HAZARD COMMUNICATION STANDARD IN TITLE 29 CFR 1910.1200 (LATEST REVISION) AND SHALL BE SUBMITTED BY THE APPARENTLY SUCCESSFUL OFFEROR PRIOR TO CONTRACT AWARD AS DIRECTED BY DLAD 52.223-9000, MATERIAL SAFETY DATA SHEETS AND HAZARD WARNING LABELS (NOV 2011). TO SATISFY THE FED-STD-313 REQUIREMENT, THE CONTRACTOR SHALL SUBMIT THE APPLICABLE MSDS AND HWL TO THE LOCAL ADMINISTERING AGENCY'S CONTRACTING OFFICE FOR PROCEDURAL REVIEW AND APPROVAL PRIOR TO CONTRACT AWARD. CONTRACTOR MUST EXERCISE A DUTY OF CARE THAT EACH MSDS BE REGULARLY UPDATED (USUALLY EVERY THREE TO FIVE YEARS) OR WITHIN 3 MONTHS OF ANY CHANGES PER U.S. CODE, TITLE 42, CHAPTER 116, SUBCHAPTER II, PARAGRAPH 11021(D).

MERCURY OR MERCURY CONTAINING COMPOUNDS SHALL NOT BE INTENTIONALLY ADDED TO,OR COME IN DIRECT CONTACT WITH,ANY HARDWARE OR SUPPLIES FURNISHED UNDER THIS CONTRACT. EXCEPTION: FUNCTIONAL MERCURY

CONTINUED ON NEXT PAGE

SECTION B

USED IN BATTERIES, FLUORESCENT LIGHTS, REQUIRED INSTRUMENTS; SENSORS OR CONTROLS; WEAPON SYSTEMS; AND CHEMICAL ANALYSIS REAGENTS SPECIFIED BY NAVSEA. PORTABLE FLUORESCENT LAMPS AND PORTABLE INSTRUMENTS CONTAINING MERCURY SHALL BE SHOCK PROOF AND CONTAIN A SECOND BOUNDARY OF CONTAINMENT OF THE MERCURY OR MERCURY COMPOUND. (IAW NAVSEA 5100-003D).

32 Type I, shelf life

Package IAW U.N. requirements according to the applicable mode of transportation.

POWER-SONIC CORPORATION 56309 P/N PS-1229

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0001	0056000195	0001	EA	8.000		

NSN/MATERIAL:6140012130199

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT

SPE7L7-15-T-0993

**SECTION B**

PR: 0056000195 PRLI: 0001 CONT'D

SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

**Markings Paragraph**

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

32 Type I, shelf life

Package IAW U.N. requirements according to the applicable mode of transportation.

**PARCEL POST ADDRESS:**

M20310  
DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

**FREIGHT SHIPPING ADDRESS:**

M20310

**CONTINUED ON NEXT PAGE**

SECTION B

PR: 0056000195 PRLI: 0001 CONT'D

DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

M/F:(TCN) M2031043210002  
RDD: 034  
PROJ TP 2  
SUP ADD YTECH SIG A

FOR GOVERNMENT USE ONLY:IPD 05

DIC A3A DIST ADV 2A FC LV

Need Ship Date:00/00/0000  
Original Required Delivery Date:11/20/2014

\*\*\*\*\*

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0002	0056005317	0001	EA	8.000		

NSN/MATERIAL:6140012130199

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS  
MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS  
SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E.,  
TITLE 49 CODE OF FEDERAL REGULATIONS,  
INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO)  
TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4  
OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME  
DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG  
COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS  
ON TRANSPORT OF DANGEROUS GOODS. WHEN A);  
CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES  
SHIPMENT THROUGH A MILITARY AERIAL PORT FOR  
TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL  
COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS  
MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR

Continuation Sheet	Reference No. of Document Being Continued: SPE7L7-15-T-0993	Page 8 of 41
--------------------	--	--------------

## SECTION B

PR: 0056005317 PRLI: 0001 CONT'D

CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

### Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

32 Type I, shelf life

Package IAW U.N. requirements according to the applicable mode of transportation.

### PARCEL POST ADDRESS:

M21640  
TRAFFIC MANAGEMENT OFFICER  
MF 8TH COMMUNICATION BN  
MARINE CORPS BASE BLDG 1011  
CAMP LEJEUNE NC 28542-5000  
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

### FREIGHT SHIPPING ADDRESS:

CONTINUED ON NEXT PAGE



SECTION B

PR: 0056005317 PRLI: 0001 CONT'D

M21640  
TRAFFIC MANAGEMENT OFFICER  
MF 8TH COMMUNICATION BN  
MARINE CORPS BASE BLDG 1011  
CAMP LEJEUNE NC 28542-5000  
US

M/F:(TCN) M2164043210011  
RDD: 007  
PROJ TP 2  
SUP ADD YEM00 SIG A

FOR GOVERNMENT USE ONLY:IPD 06

DIC A3A DIST ADV A FC LV

Need Ship Date:00/00/0000  
Original Required Delivery Date:11/20/2014  
\*\*\*\*\*

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0003	0056000196	0001	EA	8.000		

NSN/MATERIAL:6140012130199

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

SPE7L7-15-T-0993

**SECTION B**

PR: 0056000196 PRLI: 0001 CONT'D

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

**Markings Paragraph**

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

32 Type I, shelf life

Package IAW U.N. requirements according to the applicable mode of transportation.

**PARCEL POST ADDRESS:**

M20310  
DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

**CONTINUED ON NEXT PAGE**

SECTION B

PR: 0056000196 PRLI: 0001 CONT'D

FREIGHT SHIPPING ADDRESS:

M20310  
DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

M/F:(TCN) M2031043210004  
RDD: 034  
PROJ TP 2  
SUP ADD YTECH SIG A

FOR GOVERNMENT USE ONLY:IPD 05

DIC A3A DIST ADV 2A FC LV

Need Ship Date:00/00/0000  
Original Required Delivery Date:00/00/0000

\*\*\*\*\*

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0004	0056005250	0001	EA	12.000		

NSN/MATERIAL:6140012130199

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL

Continuation Sheet	Reference No. of Document Being Continued: SPE7L7-15-T-0993	Page 12 of 41
--------------------	--	---------------

## SECTION B

PR: 0056005250 PRLI: 0001 CONT'D

COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

### Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

32 Type I, shelf life

Package IAW U.N. requirements according to the applicable mode of transportation.

PARCEL POST ADDRESS:

M21640  
TRAFFIC MANAGEMENT OFFICER  
MF 8TH COMMUNICATION BN  
MARINE CORPS BASE BLDG 1011  
CAMP LEJEUNE NC 28542-5000  
US

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056005250 PRLI: 0001 CONT'D

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

M21640  
TRAFFIC MANAGEMENT OFFICER  
MF 8TH COMMUNICATION BN  
MARINE CORPS BASE BLDG 1011  
CAMP LEJEUNE NC 28542-5000  
US

M/F:(TCN) M2164043210012  
RDD: 001  
PROJ TP 2  
SUP ADD YEM00 SIG A

FOR GOVERNMENT USE ONLY:IPD 06

DIC A3A DIST ADV 2A FC LV

Need Ship Date:00/00/0000  
Original Required Delivery Date:11/20/2014

\*\*\*\*\*

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0005	0056000198	0001	EA	8.000		

NSN/MATERIAL:6140012130199

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES

Continuation Sheet	Reference No. of Document Being Continued: SPE7L7-15-T-0993	Page 14 of 41
--------------------	--	---------------

## SECTION B

PR: 0056000198 PRLI: 0001 CONT'D

SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

### Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

32 Type I, shelf life

Package IAW U.N. requirements according to the applicable mode of transportation.

PARCEL POST ADDRESS:

M20310  
DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056000198 PRLI: 0001 CONT'D

CAMP PENDLETON CA 92055  
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

M20310  
DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

M/F:(TCN) M2031043210006  
RDD: 034  
PROJ TP 2  
SUP ADD YTECH SIG A

FOR GOVERNMENT USE ONLY:IPD 05

DIC A3A DIST ADV 2A FC LV

Need Ship Date:00/00/0000  
Original Required Delivery Date:11/20/2014

\*\*\*\*\*

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0006	0056000163	0001	EA	8.000		

NSN/MATERIAL:6140012130199

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS  
MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS  
SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E.,  
TITLE 49 CODE OF FEDERAL REGULATIONS,  
INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO)  
TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4  
OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME  
DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG  
COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS

Continuation Sheet	Reference No. of Document Being Continued: SPE7L7-15-T-0993	Page 16 of 41
--------------------	--	---------------

## SECTION B

PR: 0056000163 PRLI: 0001 CONT'D

ON TRANSPORT OF DANGEROUS GOODS. WHEN A);  
CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES  
SHIPMENT THROUGH A MILITARY AERIAL PORT FOR  
TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL  
COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS  
MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR  
CONTAINERS SHALL BE LABELED AND MARKED AS  
SPECIFIED IN THE REFERENCED PRODUCT  
SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D  
OF THE CONTRACT OR ORDER. IN ADDITION, ALL  
LABELING AND MARKING SHALL COMPLY WITH THE  
REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR,  
AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS,  
IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST  
REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES  
AND REPORTS ATTESTING TO DATE OF TESTING AND  
DATA RESULTS OBTAINED FROM TESTING. THE  
CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE  
CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE,  
ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS,  
SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL  
INSPECTION AND RECEIVING REPORT), OR ANY  
SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL  
CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR  
INSPECTION BY AUTHORIZED U. S. GOVERNMENT  
REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3  
YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS,  
IN ACCORDANCE WITH FED-STD-313, THE MATERIAL  
SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE  
WITH "ASTM D3951."

### Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

32 Type I, shelf life

Package IAW U.N. requirements according to the applicable mode of transportation.

PARCEL POST ADDRESS:

M20310  
DISTRIBUTION MANAGEMENT OFFICER

CONTINUED ON NEXT PAGE



SECTION B

PR: 0056000163 PRLI: 0001 CONT'D

M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

M20310  
DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

M/F:(TCN) M2031043210009  
RDD: 034  
PROJ TP 2  
SUP ADD YTECH SIG A

FOR GOVERNMENT USE ONLY:IPD 05

DIC A3A DIST ADV 2A FC LV

Need Ship Date:00/00/0000  
Original Required Delivery Date:11/20/2014

\*\*\*\*\*

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0007	0056000193	0001	EA	8.000		

NSN/MATERIAL:6140012130199

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS  
MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS  
SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E.,  
TITLE 49 CODE OF FEDERAL REGULATIONS,  
INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO)  
TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4  
OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME

Continuation Sheet	Reference No. of Document Being Continued: SPE7L7-15-T-0993	Page 18 of 41
--------------------	--	---------------

## SECTION B

PR: 0056000193 PRLI: 0001 CONT'D

DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

### Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

32 Type I, shelf life

Package IAW U.N. requirements according to the applicable mode of transportation.

PARCEL POST ADDRESS:

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056000193 PRLI: 0001 CONT'D

M20310  
DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

M20310  
DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

M/F:(TCN) M2031043210005  
RDD: 034  
PROJ TP 2  
SUP ADD YTECH SIG A

FOR GOVERNMENT USE ONLY:IPD 05

DIC A3A DIST ADV 2A FC LV

Need Ship Date:00/00/0000  
Original Required Delivery Date:11/20/2014

\*\*\*\*\*

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0008	0056006637	0001	EA	8.000		

NSN/MATERIAL:6140012130199

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS  
MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS  
SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E.,  
TITLE 49 CODE OF FEDERAL REGULATIONS,  
INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO)

Continuation Sheet	Reference No. of Document Being Continued: SPE7L7-15-T-0993	Page 20 of 41
--------------------	--	---------------

## SECTION B

PR: 0056006637 PRLI: 0001 CONT'D

TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

### Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

32 Type I, shelf life

Package IAW U.N. requirements according to the applicable mode of transportation.

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056006637 PRLI: 0001 CONT'D

PARCEL POST ADDRESS:

M20310  
DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

M20310  
DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

M/F:(TCN) M2031043220002  
RDD: 351  
PROJ TP 2  
SUP ADD YTECH SIG A

FOR GOVERNMENT USE ONLY:IPD 05

DIC A3A DIST ADV 2A FC LV

Need Ship Date:00/00/0000  
Original Required Delivery Date:11/20/2014  
\*\*\*\*\*

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0009	0056005313	0001	EA	12.000		

NSN/MATERIAL:6140012130199

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS  
MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS  
SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E.,

Continuation Sheet	Reference No. of Document Being Continued: SPE7L7-15-T-0993	Page 22 of 41
--------------------	--	---------------

## SECTION B

PR: 0056005313 PRLI: 0001 CONT'D

TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

### Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

32 Type I, shelf life

Package IAW U.N. requirements according to the applicable mode of transportation.

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056005313 PRLI: 0001 CONT'D

PARCEL POST ADDRESS:

M21640  
TRAFFIC MANAGEMENT OFFICER  
MF 8TH COMMUNICATION BN  
MARINE CORPS BASE BLDG 1011  
CAMP LEJEUNE NC 28542-5000  
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

M21640  
TRAFFIC MANAGEMENT OFFICER  
MF 8TH COMMUNICATION BN  
MARINE CORPS BASE BLDG 1011  
CAMP LEJEUNE NC 28542-5000  
US

M/F:(TCN) M2164043210014  
RDD: 001  
PROJ TP 2  
SUP ADD YEM00 SIG A

FOR GOVERNMENT USE ONLY:IPD 06

DIC A3A DIST ADV 2A FC LV

Need Ship Date:00/00/0000  
Original Required Delivery Date:00/00/0000  
\*\*\*\*\*

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0010	0056005316	0001	EA	12.000		

NSN/MATERIAL:6140012130199

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS  
MATERIALS PACKAGING REQUIREMENTS.

Continuation Sheet	Reference No. of Document Being Continued: SPE7L7-15-T-0993	Page 24 of 41
--------------------	--	---------------

## SECTION B

PR: 0056005316 PRLI: 0001 CONT'D

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

### Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

32 Type I, shelf life

Package IAW U.N. requirements according to the applicable mode of transportation.

CONTINUED ON NEXT PAGE



SECTION B

PR: 0056005316 PRLI: 0001 CONT'D

PARCEL POST ADDRESS:

M21640  
TRAFFIC MANAGEMENT OFFICER  
MF 8TH COMMUNICATION BN  
MARINE CORPS BASE BLDG 1011  
CAMP LEJEUNE NC 28542-5000  
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

M21640  
TRAFFIC MANAGEMENT OFFICER  
MF 8TH COMMUNICATION BN  
MARINE CORPS BASE BLDG 1011  
CAMP LEJEUNE NC 28542-5000  
US

M/F:(TCN) M2164043210013  
RDD: 001  
PROJ TP 2  
SUP ADD YEM00 SIG A

FOR GOVERNMENT USE ONLY:IPD 06

DIC A3A DIST ADV 2A FC LV

Need Ship Date:00/00/0000  
Original Required Delivery Date:11/20/2014

\*\*\*\*\*

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0011	0056000165	0001	EA	8.000		

NSN/MATERIAL:6140012130199

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS

Continuation Sheet	Reference No. of Document Being Continued: SPE7L7-15-T-0993	Page 26 of 41
--------------------	--	---------------

## SECTION B

PR: 0056000165 PRLI: 0001 CONT'D

### MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

#### Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

32 Type I, shelf life

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056000165 PRLI: 0001 CONT'D

Package IAW U.N. requirements according to the applicable mode of transportation.

PARCEL POST ADDRESS:

M20310  
DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

M20310  
DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

M/F:(TCN) M2031043210008  
RDD: 034  
PROJ TP 2  
SUP ADD YTECH SIG A

FOR GOVERNMENT USE ONLY:IPD 05

DIC A3A DIST ADV 2A FC LV

Need Ship Date:00/00/0000  
Original Required Delivery Date:11/20/2014

\*\*\*\*\*

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0012	0056000194	0001	EA	8.000		

NSN/MATERIAL:6140012130199

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

Continuation Sheet	Reference No. of Document Being Continued: SPE7L7-15-T-0993	Page 28 of 41
--------------------	--	---------------

## SECTION B

PR: 0056000194 PRLI: 0001 CONT'D

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

### Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

CONTINUED ON NEXT PAGE

# SECTION B

PR: 0056000194 PRLI: 0001 CONT'D

32 Type I, shelf life

Package IAW U.N. requirements according to the applicable mode of transportation.

PARCEL POST ADDRESS:

M20310  
DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

M20310  
DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

M/F:(TCN) M2031043210001  
RDD: 034  
PROJ TP 2  
SUP ADD YTECH SIG A

FOR GOVERNMENT USE ONLY:IPD 05

DIC A3A DIST ADV 2A FC LV

Need Ship Date:00/00/0000  
Original Required Delivery Date:11/20/2014  
\*\*\*\*\*

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0013	0056000197	0001	EA	8.000		

NSN/MATERIAL:6140012130199

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

Continuation Sheet	Reference No. of Document Being Continued: SPE7L7-15-T-0993	Page 30 of 41
--------------------	--	---------------

## SECTION B

PR: 0056000197 PRLI: 0001 CONT'D

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

### Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056000197 PRLI: 0001 CONT'D  
in the contract take precedence over QUP in ASTM D3951.  
32 Type I, shelf life  
Package IAW U.N. requirements according to the applicable mode of transportation.

PARCEL POST ADDRESS:  
  
M20310  
DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:  
  
M20310  
DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

M/F:(TCN) M2031043210003  
RDD: 034  
PROJ TP 2  
SUP ADD YTECH SIG A

FOR GOVERNMENT USE ONLY:IPD 05  
  
DIC A3A DIST ADV 2A FC LV

Need Ship Date:00/00/0000  
Original Required Delivery Date:11/20/2014  
\*\*\*\*\*

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0014	0056005376	0001	EA	12.000		

NSN/MATERIAL:6140012130199  
  
DELIVERY (IN DAYS):0020  
  
DELIVER FOB: DESTINATION  
  
QTY VARIANCE: PLUS 0% MINUS 0%  
  
INSPECTION POINT: DESTINATION  
  
ACCEPTANCE POINT: DESTINATION

Continuation Sheet	Reference No. of Document Being Continued: SPE7L7-15-T-0993	Page 32 of 41
--------------------	--	---------------

## SECTION B

PR: 0056005376 PRLI: 0001 CONT'D

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

### Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP"

CONTINUED ON NEXT PAGE



SECTION B

PR: 0056005376 PRLI: 0001 CONT'D

Commercial Pack.  
•,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

32 Type I, shelf life

Package IAW U.N. requirements according to the applicable mode of transportation.

PARCEL POST ADDRESS:

M21640  
TRAFFIC MANAGEMENT OFFICER  
MF 8TH COMMUNICATION BN  
MARINE CORPS BASE BLDG 1011  
CAMP LEJEUNE NC 28542-5000  
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

M21640  
TRAFFIC MANAGEMENT OFFICER  
MF 8TH COMMUNICATION BN  
MARINE CORPS BASE BLDG 1011  
CAMP LEJEUNE NC 28542-5000  
US

M/F:(TCN) M2164043210006  
RDD: 001  
PROJ TP 2  
SUP ADD YEM00 SIG A

FOR GOVERNMENT USE ONLY:IPD 06

DIC A3A DIST ADV 2A FC LV

Need Ship Date:00/00/0000  
Original Required Delivery Date:11/20/2014  
\*\*\*\*\*

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0015	0055992165	0001	EA	3.000		

NSN/MATERIAL:6140012130199

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

SECTION B

PR: 0055992165 PRLI: 0001 CONT'D

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999  
QUP:001 PRES MTHD:HM CLNG/DRY:1 PRESV MAT:00  
WRAP MAT:XX CUSH/DUNN MAT:XX CUSH/DUNN THKNESS:X  
UNIT CONT:XX OPI:M  
INTRMDTE CONT:XX INTRMDTE CONT QTY:XXX  
PACK CODE:Q PACKING LEVEL: B  
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129.  
SPECIAL MARKING CODE:ZZ -

PALLETIZATION SHALL BE IN ACCORDANCE WITH MD00100452 REV B DATED JULY 01, 2008

32 Type I, shelf life

Package IAW U.N. requirements according to the applicable mode of transportation.

PARCEL POST ADDRESS:

FB5205  
FB5205 35 LRS LGRD  
CP 011 81 176 77 3166  
MISAWA AB BLDG 1334  
MISAWA CITY 033 0012  
JP

FOR TRANSPORTATION ASSISTANCE SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT) AWARDS SEE DLAD 52.247-9059 AND CONTRACT INSTRUCTIONS INSTEAD.

FREIGHT SHIPPING ADDRESS:

FB5205  
FB5205 35 LRS LGRD  
CP 011 81 176 77 3166  
MISAWA AB BLDG 1334  
MISAWA CITY 033 0012  
JP

M/F:(TCN) FB520543200071  
RDD:  
PROJ TP 3  
SUP ADD SIG A

FOR GOVERNMENT USE ONLY:IPD 12

DIC A01 DIST 01 ADV FC 6C

Need Ship Date:00/00/0000  
Original Required Delivery Date:11/20/2014

\*\*\*\*\*

**SECTION B**

PR: 0055992165 PRLI: 0001 CONT'D

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0016	0056000192	0001	EA	8.000		

NSN/MATERIAL:6140012130199

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL

Continuation Sheet	Reference No. of Document Being Continued: SPE7L7-15-T-0993	Page 36 of 41
--------------------	--	---------------

## SECTION B

PR: 0056000192 PRLI: 0001 CONT'D

CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR  
INSPECTION BY AUTHORIZED U. S. GOVERNMENT  
REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3  
YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS,  
IN ACCORDANCE WITH FED-STD-313, THE MATERIAL  
SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE  
WITH "ASTM D3951."

### Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

32 Type I, shelf life

Package IAW U.N. requirements according to the applicable mode of transportation.

### PARCEL POST ADDRESS:

M20310  
DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

### FREIGHT SHIPPING ADDRESS:

M20310  
DISTRIBUTION MANAGEMENT OFFICER  
M/F AAC-M20310 15TH MEU 7607638308  
BLDG 2262 MCB 760 725 3878  
CAMP PENDLETON CA 92055  
US

M/F:(TCN) M2031043210007  
RDD: 034  
PROJ TP 2  
SUP ADD YTECH SIG A

FOR GOVERNMENT USE ONLY:IPD 05

DIC A3A DIST ADV 2A FC LV

Need Ship Date:00/00/0000

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056000192 PRLI: 0001 CONT'D

Original Required Delivery Date:11/20/2014  
\*\*\*\*\*

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0017	0056005312	0001	EA	12.000		

NSN/MATERIAL:6140012130199

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL

Continuation Sheet	Reference No. of Document Being Continued: SPE7L7-15-T-0993	Page 38 of 41
--------------------	--	---------------

## SECTION B

PR: 0056005312 PRLI: 0001 CONT'D

INSPECTION AND RECEIVING REPORT), OR ANY  
SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL  
CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR  
INSPECTION BY AUTHORIZED U. S. GOVERNMENT  
REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3  
YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS,  
IN ACCORDANCE WITH FED-STD-313, THE MATERIAL  
SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE  
WITH "ASTM D3951."

### Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

32 Type I, shelf life

Package IAW U.N. requirements according to the applicable mode of transportation.

### PARCEL POST ADDRESS:

M21640  
TRAFFIC MANAGEMENT OFFICER  
MF 8TH COMMUNICATION BN  
MARINE CORPS BASE BLDG 1011  
CAMP LEJEUNE NC 28542-5000  
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

### FREIGHT SHIPPING ADDRESS:

M21640  
TRAFFIC MANAGEMENT OFFICER  
MF 8TH COMMUNICATION BN  
MARINE CORPS BASE BLDG 1011  
CAMP LEJEUNE NC 28542-5000  
US

M/F:(TCN) M2164043210016  
RDD: 001  
PROJ TP 2  
SUP ADD YEM00 SIG A

FOR GOVERNMENT USE ONLY:IPD 06

DIC A3A DIST ADV 2A FC LV

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056005312 PRLI: 0001 CONT'D

Need Ship Date:00/00/0000  
Original Required Delivery Date:11/20/2014  
\*\*\*\*\*

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0018	0056005311	0001	EA	12.000		

NSN/MATERIAL:6140012130199

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE,

Continuation Sheet	Reference No. of Document Being Continued: SPE7L7-15-T-0993	Page 40 of 41
--------------------	--	---------------

## SECTION B

PR: 0056005311 PRLI: 0001 CONT'D

ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

### Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

32 Type I, shelf life

Package IAW U.N. requirements according to the applicable mode of transportation.

### PARCEL POST ADDRESS:

M21640  
TRAFFIC MANAGEMENT OFFICER  
MF 8TH COMMUNICATION BN  
MARINE CORPS BASE BLDG 1011  
CAMP LEJEUNE NC 28542-5000  
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

### FREIGHT SHIPPING ADDRESS:

M21640  
TRAFFIC MANAGEMENT OFFICER  
MF 8TH COMMUNICATION BN  
MARINE CORPS BASE BLDG 1011  
CAMP LEJEUNE NC 28542-5000  
US

M/F:(TCN) M2164043210015  
RDD: 001  
PROJ TP 2  
SUP ADD SIG A

FOR GOVERNMENT USE ONLY:IPD 06

CONTINUED ON NEXT PAGE



**SECTION B**

PR: 0056005311 PRLI: 0001 CONT'D

DIC A3A DIST ADV 2A FC LV

Need Ship Date:00/00/0000  
Original Required Delivery Date:11/20/2014  
\*\*\*\*\*