

REQUEST FOR QUOTATIONS		THIS RFQ <input type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE		PAGE 1 OF 12 PAGES
1. REQUEST NO. SPE4A7-15-T-3530	2. DATE ISSUED 2014 DEC 02	3. REQUISITION/PURCHASE REQUEST NO. 0056139591	4. CERT.FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING DO-A1
5. ISSUED BY DLA AVIATION ASC SUPPLIER OPER AE AND AF DIV 8000 JEFFERSON DAVIS HWY RICHMOND VA 23297 USA Name: Florence Breedlove Buyer Code:PARFH18 Tel: 804-279-3758 Email: Florence.Breedlove@dla.mil			6. DELIVER BY (Date) SEE SCHEDULE	
8. TO:			7. DELIVERY <input type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)	
			9. DESTINATION	
			a. NAME OF CONSIGNEE See Schedule	
			b. STREET ADDRESS	
			c. CITY	
			d. STATE	e. ZIP CODE
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5 ON OR BEFORE CLOSE OF BUSINESS (Date) 2014 DEC 09		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.		
11. SCHEDULE (See Continuation Sheets)				

POC INFORMATION:

WHEN TECHNICAL DATA IS PROVIDED IT MUST BE OBTAINED AT <https://pcf1.bsm.dla.mil/cfolders>. DISCREPANCIES FOUND IN TECHNICAL DATA PROVIDED, SUBMIT REQUEST TO THE DLA CUSTOMER SERVICE WEBSITE: <https://www.pdmd.dla.mil/cs/>

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dla.mil

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT: <https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm> OR PHONE 1-855-DLA-0001 (1-855-352-0001).

MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT: http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx

12. DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS (%)		b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS	
					NUMBER	PERCENTAGE
NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.						
13. NAME AND ADDRESS OF QUOTER				14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. Date of Quotation
a. NAME OF QUOTER CAGE				16. SIGNER		b. TELEPHONE
b. STREET ADDRESS						
c. COUNTY						
d. CITY	e. STATE	f. ZIP CODE	c. TITLE (Type or Print)		AREA CODE	
					NUMBER	

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3530	Page 2 of 12
--------------------	--	--------------

SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>. MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 336412 SEE <http://www.sba.gov/content/table-small-business-size-standards> FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DFARS 252.225-7001, BUY AMERICAN AND BALANCE OF PAYMENTS PROGRAM, APPLIES TO ALL QUOTES ABOVE THE MICRO-PURCHASE THRESHOLD.

ORIGIN INSPECTION REQUIRED - FAR 52.246-2 APPLIES

THE CONTRACTOR SHALL COMPLY WITH THE ISO 9001 HIGHER-LEVEL QUALITY STANDARD. FAR 52.246-11 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT and DLAD 52.246-9043 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT (NON-MANUFACTURERS) APPLY.

MEASUREMENT AND TEST EQUIPMENT (M/TE) APPLIES (DLAD 52.246-9003).

CONTINUED ON NEXT PAGE

SECTION A

THIS BUY IS NOT FAST PAY

FIRST ARTICLE APPROVAL - GOVERNMENT TESTING REQUIRED (FAR 52.209-4)

THE CONTRACTOR SHALL DELIVER 000003 UNIT(S) OF LOT/ITEM

2840/11710867 WITHIN 000120 CALENDAR

DAYS FROM THE DATE OF THIS CONTRACT TO THE GOVERNMENT AT

FY2303 FOR FIRST ARTICLE TESTS.

WITHIN 000000 CALENDAR DAYS AFTER THE GOVERNMENT RECEIVES

THE FIRST ARTICLE, THE CONTRACTING OFFICER SHALL NOTIFY THE CONTRACTOR,

IN WRITING, OF THE CONDITIONAL APPROVAL, APPROVAL, OR DISAPPROVAL OF THE

FIRST ARTICLE.

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no quotes/sources. The submission of an anticipated quote date does not

CONTINUED ON NEXT PAGE

SPE4A7-15-T-3530

SECTION A

preclude DLA from making an award to another acceptable timely offer.

Procurement History for NSN/FSC:011710867/2840

CAGE	Contract Number	Quantity	Unit Cost	AWD Date
28884	SPE4A714M5704	378.000	305.00000	20140212
28884	SPM4A710C0508P00001	1816.000	268.00000	20100609
28884	SPM4A707M8151P00002	250.000	230.00000	20070531
28884	SP040705MK032	150.000	133.00000	20041130
28884	SP048003MB553	230.000	112.00000	20030604
28884	SP048003M9451	170.000	114.00000	20030317
28884	SP048003M9013	90.000	115.00000	20021015
24115	SP048000M8533	270.000	105.00000	20000328
28884	SP048000M8220	104.000	112.00000	19991217
28884	SP048098MPG95	807.000	88.28996	19980810
28884	F3460192D1306000200	690.000	56.00000	19921030
28884	F3460192D1306000100	230.000	56.00000	19920915
NOT FO	F3460192C0654	559.000	60.75000	19920513
NOT FO	F3460189C0572	430.000	57.45000	19890105
24115	F3460188C2633	170.000	74.00000	19881004

This solicitation is being issued under the First Destination Transportation (FDT) program. If this acquisition is for Foreign Military Sales (FMS) or has an APO/FPO ship-to address, FDT will not apply and normal procedures should be followed. For FDT program transportation requirements, see DLAD clauses 52.247-9059 F.O.B. Origin, Government Arranged Transportation and 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS). Additional information about FDT can be found on the FDT website (<http://www.dla.mil/FDTPI/>).

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3530	Page 5 of 12
--------------------	--	--------------

SECTION B

PR: 0056139591
NSN/MATERIAL:2840011710867

ITEM DESCRIPTION
SEAL,STATOR

<H> SEAL,STATOR</>

THIS ITEM HAS TECHNICAL DATA SOME OR ALL OF WHICH IS SUBJECT TO EXPORT-CONTROL REGULATIONS. DISTRIBUTION OF THE TECHNICAL DATA AND ELIGIBILITY FOR AWARD ARE LIMITED TO THOSE SUPPLIERS QUALIFIED THROUGH JCP CERTIFICATION, OR TO THOSE LICENSED BY EITHER THE DEPARTMENTS OF STATE OR COMMERCE; OR TO FOREIGN SUPPLIERS PURSUANT TO INTERNATIONAL AGREEMENTS.

TO APPLY FOR JCP CERTIFICATION, COMPLETE DD FORM 2345, "MILITARY CRITICAL TECHNICAL DATA AGREEMENT," FORM IS AVAILABLE AT THE WORLD WIDE WEB ADDRESS [HTTP://WWW.DLIS.DLA.MIL/JCP](http://WWW.DLIS.DLA.MIL/JCP) OR BY WRITING TO:

DLA LOGISTICS INFORMATION SERVICE
FEDERAL CENTER
74 WASHINGTON AVE., NORTH
BATTLE CREEK, MI 49037-3084

TO MANUFACTURE THIS ITEM, NON-JCP CERTIFIED SUPPLIERS MUST SUBMIT A CURRENT MANUFACTURING LICENSE AGREEMENT, TECHNICAL ASSISTANCE AGREEMENT, DISTRIBUTION AGREEMENT OR OFF-SHORE PROCUREMENT AGREEMENT APPROVED BY THE DIRECTORATE OF DEFENSE TRADE CONTROLS WITH THE OFFER, UNLESS AN EXEMPTION UNDER THE PROVISIONS OF ITAR SECTION, 125.4 "EXEMPTIONS OF GENERAL APPLICABILITY," AND/OR EAR PART 740 ARE APPLICABLE.

NON-JCP CERTIFIED SUPPLIERS SEEKING EXPORT CONTROLLED TECHNICAL DATA ARE REQUIRED TO PROVIDE THE CONTRACTING OFFICER WITH AN APPLICABLE AGREEMENT OR IDENTIFY WHICH ITAR/EAR EXEMPTION APPLIES TO RECEIVE A COPY OF THE EXPORT CONTROLLED TECHNICAL DATA.

NOTE: JCP CERTIFIED CONTRACTORS WHO RECEIVE TECHNICAL DATA PURSUANT TO THEIR DD FORM 2345 CERTIFICATION MAY NOT FURTHER DISSEMINATE SUCH DATA UNLESS FURTHER DISSEMINATION OF THE TECHNICAL DATA IS EXPRESSLY PERMITTED BY DODD 5230.25."

<H> GENERAL ELECTRIC COMPANY</>
<H>--</>

52.246-11 Higher Level Contract Quality Requirement (Manufacturers)

FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008 (EXAMPLE SAE AS 9100), THE FOLLOWING TAILORED VERSION OF ISO 9001:2008; OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008 (EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS EXCLUSIONS TO THIS DOCUMENT.
DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008

4.1 General requirements, [excluding reference to 1.2 and excluding NOTE 3 c)]

4.2.1 General, [excluding subparagraph a)]

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3530	Page 6 of 12
--------------------	--	--------------

SECTION B

4.2.2 Quality manual, [excluding subparagraph a)]
 4.2.3 Control of documents
 4.2.4 Control of records
 5.1 Management commitment
 5.3 Quality policy
 6.2.2 Competence, training and awareness
 6.4 Work environment
 7.1 Planning of product realization, [excluding NOTE 2]
 7.2.1 Determination of requirements related to the product
 7.2.2 Review of requirements related to the product
 7.2.3 Customer communication
 7.3.7 Control of design and development changes
 7.4.1 Purchasing process
 7.4.3 Verification of purchased product
 7.5.1 Control of production and service provision
 7.5.3 Identification and traceability
 7.5.4 Customer property
 7.5.5 Preservation of product
 7.6 Control of monitoring and measuring equipment
 8.1 General, [excluding subparagraph b) and subparagraph c)]
 8.2.2 Internal audit
 8.2.4 Monitoring and measurement of product
 8.3 Control of nonconforming product
 8.5.2 Corrective action
 8.5.3 Preventive action

--

Government First Article Preproduction approval required. Testing will be in accordance with applicable drawings, specifications and/or Engineering instructions. The first article offered shall be manufactured at the facilities in which production quantities are procured and produced under this contract. When submitting the first article(s) for government testing, a copy of the contract and all applicable drawings, specifications, engineering instructions, certifications, and inspection sheets shall be provided. Upon receipt and evaluation of the test report from the responsible government testing location, the contracting officer will provide final notification to the manufacturer. Any questions or concerns regarding the first article test requirements must be submitted through the contracting officer.

Additional Wide Area Workflow (WAWF) instructions for government first article test CLIN: The contractor shall code the receiving report for government first article test CLIN in WAWF as Follows:
 A: Inspection at origin (Source) - Enter the DCMA office DODAAC listed on page 1 of the contract.
 B: Acceptance by other - Enter the issue by office DODAAC listed on page 1 of the contract.
 C: Ship to code - Enter the DODAAC of the test facility listed for the government first article test CLIN in the contract (See FAR Clause 52.209-4).

FIRST ARTICLE TEST MARKING INSTRUCTIONS:
 FAT sample(s) packaging shall be clearly marked "FIRST ARTICLE TEST EXHIBIT(S) DO NOT POST TO STOCK!!!" in largest font possible with contrasting color to the packaging. Marking shall be located adjacent to the Package Shipping Label side and on at least one additional side of the package.

--

<H>EXCEPTION DATA:</>

CONTINUED ON NEXT PAGE

SECTION B

USE AMS-STD-2175 IN LIEU OF MIL-C-6021
USE DWG 8311253 IN LIEU OF DWG 102A161

DELIVER GOVERNMENT FIRST ARTICLES TO:
DDOO-SOP (FIRST ARTICLES
BLDG 18 DOOR 16 (EXT 739-7667)
8080 PERIMETER RD
TINKER AFB, OK 73145-8000
DODAAC:FY2303

MARK FOR:
FIRST ARTICLES
ATTN:DDOO-SOP
DO NOT POST: NON-ACCOUNTABLE
DO NOT PUT IN SUPPLY
DODAAC:FY2303

<H>NOTE: Please insure that the words "FIRST ARTICLE" are clearly and
conspicuously marked on the outside of the shipping container/package.
</>

IDENTIFY TO:

CONFIGURATION CONTROL APPLIES
FURNISHED ITEM MUST CONFORM TO THE CITED
REQUIREMENTS/REVISION. VARIATIONS MUST BE
IDENTIFIED AND APPROVAL OBTAINED IN ACCORDANCE
WITH MIL-STD-973 DATED 17 APR 92 AND INTERIM
NOTICE 3 DATED 13 JAN 95. PARAGRAPH 5.4.2
REQUIREMENTS FOR ENGINEERING CHANGE PROPOSALS
AND APPENDIX D INSTRUCTIONS FOR THE PREPARATION
OF AN ECP UTILIZING DD FORMS 1692 THRU 1692-7.
PARAGARAPH 5.4.3 REQUIREMENTS FOR REQUESTS FOR
DEVIATION (RFD), 5.4.4 REQUIREMENTS FOR REQUESTS
FOR WAIVER (RFW) AND APPENDIX E INSTRUCTIONS FOR
THE PREPARATION OF REQUESTS FOR DEVIATION/WAIVER
UTILIZING DD FORM 1694.
PARAGRAPH 5.4.6 REQUIREMENTS FOR SPECIFICATION
CHANGE NOTICES (SCNS), 5.4.7 REQUIREMENTS FOR
NOTICES OF REVISION (NORS), APPENDIX F
INSTRUCTIONS FOR PREPARATION OF SPECIFICATION
CHANGE NOTICE UTILIZING DD FORM 1696 AND
APPENDIX G INSTRUCTIONS FOR PREPARATION OF
NOTICE OF REVISION UTILIZING DD FROM 1695.
PARAGRAPH 5.4.8 CONFIGURATION CONTROL (SHORT
FORM PROCEDURE.)

.
ITEM SHALL BE MARKED IN ACCORDANCE WITH
MIL-STD-130N DATED 17 DEC 2007.

.
OFFERORS REQUESTING SOURCE APPROVAL ON THE BASIS
OF PREVIOUS MANUFACTURE OF PRODUCTION QUANTITIES
OF SIMILAR AEROSPACE ITEM(S) FOR THE GOVERNMENT,
OEM OR OTHER AEROSPACE USERS, MUST SUBMIT THE
FOLLOWING ADDITIONAL DOCUMENTATION OR
CERTIFICATIONS:

SPE4A7-15-T-3530

SECTION B

1. COMPLETE TECHNICAL DATA PACKAGE TO INCLUDE ALL ASSOCIATED DRAWINGS AND DRAWINGS OF SIMILAR PART(S) MANUFACTURED, INCLUDING RELEVANT PROCESS SPECIFICATIONS AND ACTUAL PROCESS SHEETS.
2. IDENTIFICATION OF MAJOR DIFFERENCES BETWEEN THE SIMILAR ITEM AND APPROVED PART.
3. EVIDENCE OF TESTING CONDUCTED ON THE MATERIALS USED IN THE PRODUCTION OF THE SIMILAR ITEM AND ASSURANCE MATERIALS ARE IN CONFORMANCE WITH REQUIRED SPECIFICATION.
4. DESCRIPTION OF VALUE ADDED BY OEM INCLUDING ANY FABRICATION, ON SITE INSPECTIONS, QUALITY ASSURANCE SURVEILLANCE ON SUBVENDERS, TOOLING, MANUFACTURING PROCESS SHEETS OR PROCESS DATA FOR USE IN THE FABRICATION OF THE SIMILAR ITEM.
5. EVIDENCE OR CERTIFICATION(S) THAT THE CONTRACTOR WAS RESPONSIBLE FOR ENTIRE MANUFACTURING PROCESS OF OF THE SIMILAR ITEM. EVIDENCE SHOULD INCLUDE ALL MATERIAL, IN-PROCESS INSPECTIONS AND CERTIFICATIONS.
6. EVIDENCE THAT THE ITEM WAS PRODUCED IN PRODUCTION QUANTITIES AND THE END ITEM(S) MET ALL REQUIREMENTS AND WERE ACCEPTABLE TO THE CUSTOMER, I.E., CONTRACT AND SHIPPING DOCUMENTS SHOWING PART NUMBER, STOCK NUMBER (IF APPLICABLE), WITH QUANTITIES DELIVERED AND ACCEPTED.
7. COMPARISON OF MANUFACTURING AND INSPECTION PROCESSES SHOW THAT THE SIMILAR PART INCLUDES THE FULL SCOPE OF PROCESSES, INCLUDING INSPECTIONS REQUIRED TO MANUFACTURE THE SUBJECT ITEM AND THE PROCESSES ARE OF EQUAL OR GREATER COMPLEXITY.

DIGITAL MYLAR DATA EXISTS FOR THIS NSN, AND WILL BE INCLUDED IN THE TECHNICAL DATA PACKAGE PROVIDED BY DLA. IF UNABLE TO USE THE DATA IN THE DIGITAL FORMAT PROVIDED, THE CONTRACTOR WILL BE RESPONSIBLE FOR HAVING THE DATA CONVERTED TO THE NECESSARY FORMAT (I.E. MYLAR FILM), THROUGH A THIRD PARTY AND BEAR THE ASSOCIATED COSTS WHEN CONVERTING FROM DIGITAL TO STABLE BASED FORMAT, THE DIGITAL MYLAR SHALL BE PLOTTED ON STABLE BASE MATERIAL, WHILE MAINTAINING THE DIMENSIONAL ACCURACY DEMANDS OF THE UNDIMENSIONED DRAWING.

THIS INCLUDES BUT IS NOT LIMITED TO: VERIFY THE PLOT OF THE MYLAR(S) FOR DIMENSIONAL ACCURACY AS OUTLINED IN ASME Y14.31. ACCURACY SHALL BE DETERMINED VERTICALLY, HORIZONTALLY AND DIAGONALLY. ENSURE THAT THE INDIVIDUAL GRID UNITS ARE WITHIN THE TOLERANCE OF (+,-) 0.005 INCHES AND (+,-) 0.007 INCHES DIAGONALLY. TOTAL GRID TOLERANCE SHALL BE (+,-) 0.010 INCHES AND (+,-) 0.014 INCHES DIAGONALLY. DRAWINGS WITH DIMENSIONAL ACCURACY POINTS SUCH AS TRAMMEL POINTS SHALL BE MEASURED TO WITHIN CENTERLINE (+,-) 0.010 INCHES AND (+,-) 0.014 INCHES DIAGONALLY. REGISTRATION MARKS SUCH AS THOSE USED ON CIRCUIT CARDS SHALL BE MEASURED TO WITHIN (+,-) 0.005 INCHES AND (+,-) 0.007 INCHES DIAGONALLY.

CASTING/FORGING:

NOTICE TO CONTRACTOR:

THE PROCUREMENT ITEM DESCRIPTION EXCEEDS THE ANSI STANDARD FOR EDI TRANSACTIONS (840 REQUEST FOR QUOTE AND 850 PURCHASE ORDER); VENDORS THAT ARE RECEIVING THIS INFORMATION VIA AN EDI 840

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3530	Page 9 of 12
--------------------	--	--------------

SECTION B

OR 850 CAN OBTAIN THE COMPLETE ITEM DESCRIPTION
BY ACCESSING THE SOLICITATION/AWARD FROM THE
DLA INTERNET BID BOARD SYSTEM (DIBBS) AT:
(<https://www.dibbs.bsm.dla.mil>)

Casting/forging may be required to manufacture this NSN. If a casting/forging is required, tooling is typically involved. The government may not have this special tooling. For sourcing, tooling, materials or other information, please contact the appropriate assistance team: (Aviation, C&E Supply Chains) DSCR.AFCAT@dlam.mil; (Land & Maritime Supply Chains) DSCC.cast.forge@dlam.mil

Government First Article Preproduction approval required. Testing will be in accordance with applicable drawings, specifications and/or Engineering instructions. The first article offered shall be manufactured at the facilities in which production quantities are procured and produced under this contract. When submitting the first article(s) for government testing, a copy of the contract and all applicable drawings, specifications, engineering instructions, certifications, and inspection sheets shall be provided. Upon receipt and evaluation of the test report from the responsible government testing location, the contracting officer will provide final notification to the manufacturer. Any questions or concerns regarding the first article test requirements must be submitted through the contracting officer.

Additional Wide Area Workflow (WAWF) instructions for government first article test CLIN: The contractor shall code the receiving report for government first article test CLIN in WAWF as Follows:
A: Inspection at origin (Source) - Enter the DCMA office DODAAC listed on page 1 of the contract.
B: Acceptance by other - Enter the issue by office DODAAC listed on page 1 of the contract.
C: Ship to code - Enter the DODAAC of the test facility listed for the government first article test CLIN in the contract (See FAR Clause 52.209-4).

FIRST ARTICLE TEST MARKING INSTRUCTIONS:
FAT sample(s) packaging shall be clearly marked "FIRST ARTICLE TEST EXHIBIT(S) DO NOT POST TO STOCK!!!" in largest font possible with contrasting color to the packaging. Marking shall be located adjacent to the Package Shipping Label side and on at least one additional side of the package.

MARK IAW MIL-STD-130N(1), DATED 16 NOV 2012.
CONFIGURATION CONTROL APPLIES

THIS ITEM HAS TECHNICAL DATA SOME OR ALL OF WHICH IS SUBJECT TO EXPORT-CONTROL REGULATIONS. DISTRIBUTION OF THE TECHNICAL DATA AND ELIGIBILITY FOR AWARD ARE LIMITED TO THOSE SUPPLIERS QUALIFIED THROUGH JCP CERTIFICATION, OR TO THOSE LICENSED BY EITHER THE DEPARTMENTS OF STATE OR COMMERCE; OR TO FOREIGN SUPPLIERS PURSUANT TO INTERNATIONAL AGREEMENTS.

CONTINUED ON NEXT PAGE

SPE4A7-15-T-3530

SECTION B

TO APPLY FOR JCP CERTIFICATION, COMPLETE DD FORM 2345, "MILITARY CRITICAL TECHNICAL DATA AGREEMENT," FORM IS AVAILABLE AT THE WORLD WIDE WEB ADDRESS [HTTP://WWW.DLIS.DLA.MIL/JCP](http://WWW.DLIS.DLA.MIL/JCP) OR BY WRITING TO:

DLA LOGISTICS INFORMATION SERVICE
FEDERAL CENTER
74 WASHINGTON AVE., NORTH
BATTLE CREEK, MI 49037-3084

TO MANUFACTURE THIS ITEM, NON-JCP CERTIFIED SUPPLIERS MUST SUBMIT A CURRENT MANUFACTURING LICENSE AGREEMENT, TECHNICAL ASSISTANCE AGREEMENT, DISTRIBUTION AGREEMENT OR OFF-SHORE PROCUREMENT AGREEMENT APPROVED BY THE DIRECTORATE OF DEFENSE TRADE CONTROLS WITH THE OFFER, UNLESS AN EXEMPTION UNDER THE PROVISIONS OF ITAR SECTION, 125.4 "EXEMPTIONS OF GENERAL APPLICABILITY," AND/OR EAR PART 740 ARE APPLICABLE.

NON-JCP CERTIFIED SUPPLIERS SEEKING EXPORT CONTROLLED TECHNICAL DATA ARE REQUIRED TO PROVIDE THE CONTRACTING OFFICER WITH AN APPLICABLE AGREEMENT OR IDENTIFY WHICH ITAR/EAR EXEMPTION APPLIES TO RECEIVE A COPY OF THE EXPORT CONTROLLED TECHNICAL DATA.

NOTE: JCP CERTIFIED CONTRACTORS WHO RECEIVE TECHNICAL DATA PURSUANT TO THEIR DD FORM 2345 CERTIFICATION MAY NOT FURTHER DISSEMINATE SUCH DATA UNLESS FURTHER DISSEMINATION OF THE TECHNICAL DATA IS EXPRESSLY PERMITTED BY DODD 5230.25."

1. SAMPLING FOR INSPECTION AND TESTING SHALL BE IAW ANSI/ASQ Z1.4-2003 (R2013). ANY ALTERNATE PLAN MUST BE APPROVED BY THE PCO. A SAMPLING PLAN THAT ACCEPTS ON ZERO DEFECTS IS REQUIRED

2. ANY DEFECTIVE ITEM DISCOVERED DURING INSPECTION MAY BE CAUSE FOR REJECTION OF THE ENTIRE CONTRACT QUANTITY.

GENERAL ELECTRIC COMPANY 07482 P/N 9524M15P02
PALMER MANUFACTURING CO., LLC DBA 24115 P/N 9524M15P02
GENERAL ELECTRIC COMPANY 03350 P/N 9524M15P02
A B A INDUSTRIES INC 26795 P/N 9524M15P02
TSS TECHNOLOGIES, INC. DBA TSS 28884 P/N 9524M15P02

IAW REFERENCE DRAWING NR 07482 P1TF11
REVISION NR S6 DTD 07/31/1995
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 07482 P3TF2
REVISION NR S2 DTD 02/11/2004
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 07482 P4TF4
REVISION NR 13 DTD 03/03/1994
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 07482 P23TF3
REVISION NR S3 DTD 06/04/2003
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 07482 8311253
REVISION NR B DTD 11/20/1992
PART PIECE NUMBER:

CONTINUED ON NEXT PAGE

SECTION B

IAW REFERENCE DRAWING NR 07482 P4TF2
 REVISION NR S1 DTD 02/12/2004
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 07482 P1TF9
 REVISION NR S1 DTD 05/09/2006
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 07482 C50TF15
 REVISION NR S1 DTD 10/01/2001
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 07482 9524M15
 REVISION NR R DTD 02/28/2006
 PART PIECE NUMBER: 9524M15P02

IAW REFERENCE DRAWING NR 07482 P1TF3
 REVISION NR 33 DTD 06/29/2007
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 13783 011710867-10085
 REVISION NR DTD 03/26/2010
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 07482 8311253/1
 REVISION NR DTD 05/11/2010
 PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 07482 P23TF1
 REVISION NR S6 DTD 08/12/2011
 PART PIECE NUMBER:

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0001	0056139591	0001	EA	105.000		

NSN/MATERIAL:2840011710867

DELIVERY (IN DAYS):0406

DELIVER FOB: ORIGIN

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: ORIGIN

ACCEPTANCE POINT: ORIGIN

PREP FOR DELIVERY:

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999
 QUP:001 PRES MTHD:41 CLNG/DRY:1 PRESV MAT:XX
 WRAP MAT:XX CUSH/DUNN MAT:XX CUSH/DUNN THKNES:X
 UNIT CONT:XX OPI:M
 INTRMDTE CONT:E5 INTRMDTE CONT QTY:AAA
 PACK CODE:U
 MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129.
 SPECIAL MARKING CODE:00 -

SECTION B

PR: 0056139591 PRLI: 0001 CONT'D

PALLETIZATION SHALL BE IN ACCORDANCE WITH MD00100452 REV B DATED JULY 01, 2008

PARCEL POST ADDRESS:

W62G2T
W1BG DLA DISTRIBUTION
25600 S CHRISMAN ROAD
REC WHSE 57
TRACY CA 95304-5000
US

FOR TRANSPORTATION ASSISTANCE SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT)
AWARDS SEE DLAD 52.247-9059 AND
CONTRACT INSTRUCTIONS INSTEAD.

FREIGHT SHIPPING ADDRESS:

W62G2T
W1BG DLA DISTRIBUTION
25600 S CHRISMAN ROAD
REC WHSE 57
TRACY CA 95304-5000
US

Need Ship Date:01/20/2016
Original Required Delivery Date:01/22/2016

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0002	0000000000		EA	1.000		

NSN/MATERIAL:0001S00000052

DELIVERY (IN DAYS):0000

DELIVER FOB: ORIGIN

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: ORIGIN

ACCEPTANCE POINT: ORIGIN

Need Ship Date:00/00/0000
Original Required Delivery Date:00/00/0000
