

REQUEST FOR QUOTATIONS		THIS RFQ <input type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE		PAGE 1 OF 13 PAGES
1. REQUEST NO. SPE8E5-15-T-2158	2. DATE ISSUED 2014 DEC 02	3. REQUISITION/PURCHASE REQUEST NO. See Schedule	4. CERT.FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING
5. ISSUED BY DLA TROOP SUPPORT CONSTRUCTION & EQUIPMENT (MAT & ME) 700 ROBBINS AVENUE PHILADELPHIA PA 19111-5096 USA Name: Pamela Tull Buyer Code:PEPCFCZ Tel: 215-737-2695 Fax: 215-737-2151 Email: DLA-TS-FCFC@dla.mil			6. DELIVER BY (Date) 5 DAYS ADO	
8. TO:			7. DELIVERY <input type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)	
			9. DESTINATION	
			a. NAME OF CONSIGNEE See Schedule	
			b. STREET ADDRESS	
			c. CITY	
			d. STATE	e. ZIP CODE
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5 ON OR BEFORE CLOSE OF BUSINESS (Date) 2014 DEC 12		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.		
11. SCHEDULE (See Continuation Sheets)				

POC INFORMATION:

WHEN TECHNICAL DATA IS PROVIDED IT MUST BE OBTAINED AT <https://pcf1.bsm.dla.mil/cfolders>. DISCREPANCIES FOUND IN TECHNICAL DATA PROVIDED, SUBMIT REQUEST TO THE DLA CUSTOMER SERVICE WEBSITE: <https://www.pdmd.dla.mil/cs/>

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dla.mil

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT: <https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm> OR PHONE 1-855-DLA-0001 (1-855-352-0001).

MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT: http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx

12. DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS (%)		b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS	
					NUMBER	PERCENTAGE
NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.						
13. NAME AND ADDRESS OF QUOTER				14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. Date of Quotation
a. NAME OF QUOTER CAGE				16. SIGNER		b. TELEPHONE
b. STREET ADDRESS						
c. COUNTY						
d. CITY	e. STATE	f. ZIP CODE	c. TITLE (Type or Print)		AREA CODE	
					NUMBER	

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2158	Page 2 of 13
--------------------	--	--------------

SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>. MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 325510 SEE <http://www.sba.gov/content/table-small-business-size-standards> FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DESTINATION INSPECTION REQUIRED - FAR 52.246-1 APPLIES.

THIS BUY IS FAST PAY

QUALIFIED PRODUCTS LIST ITEM-CITE MFG. AND TEST NUMBER.

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

CONTINUED ON NEXT PAGE

SECTION A

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

Procurement History for NSN/FSC:016032127/8010

CAGE	Contract Number	Quantity	Unit Cost	AWD Date
54636	SPE8EB15MQ018	374.000	48.19000	20141124
09225	SPE8E515M0249	80.000	62.50000	20141025
54636	SPE8E614MQ071	70.000	66.97000	20140828

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2158	Page 4 of 13
--------------------	--	--------------

SECTION B

PR: 0056155523
NSN/MATERIAL:8010016032127

ITEM DESCRIPTION
EPOXY PRIMER COATIN

EPOXY PRIMER COATING KIT

UI: KT
Size: Kit consists of parts A and B to produce 4.74 liters (1.25 gallon).

In accordance with Military Specification MIL-DTL-53030D, "Primer Coating, Epoxy, Water Based, Lead and Chromate Free", dated December 14, 2011.

Type 2: Enhanced corrosion performance, water dispersible technology.

Color: Light Gray, not darker than FED-STD-595, color number 27722.

THIS NSN HAS A SHELF-LIFE OF 12 MONTHS (1 YEARS) AND IS A TYPE II SHELF-LIFE ITEM. PRODUCTS DELIVERED UNDER THIS CONTRACT SHALL BE MANUFACTURED TO ENSURE THAT A MINIMUM OF 85% SHELF LIFE IS REMAINING AT TIME OF RECEIPT BY THE FIRST GOVERNMENT ACTIVITY. SHELF LIFE MARKINGS SHALL BE IN ACCORDANCE WITH THE LATEST REVISION OF MIL-STD-129, AND SHALL CLEARLY INDICATE THE MANUFACTURED DATE AND THE INSPECTION/TEST DATE.

MIL-STD-129 LABELS ARE REQUIRED, MIL-STD-129 LABEL WILL INCLUDE THE ADDITION OF LOT OR BATCH NUMBER.

PACKAGING

The components of each kit shall be packaged in multiple friction closure cans in accordance with the supplier's normal commercial practice, provided that there will be no interaction chemically or physically with the contents so as to damage the container or alter the strength, quality, or purity of the contents.

THIS NSN HAS QUALIFIED PRODUCTS LIST (QPL) REQUIREMENTS.

THE MANUFACTURER FOR THE QPL ITEM MUST BE QPL APPROVED AT THE TIME OF THE CONTRACT AWARD.

COMPONENTS OF A KIT, AS IDENTIFIED BY A SINGLE NSN, SHALL BE PACKAGED IN ACCORDANCE WITH NSN PACKAGING REQUIREMENTS, AND THEN MARKED I/A/W MIL-STD-129.

PLACE CONTENTS OF THE KIT IN ONE (1) BOX, ENSURING THE BOX IS SUFFICIENT TO PREVENT DAMAGE TO CONTENTS OF KIT. IF ONE BOX IS INSUFFICIENT, ENSURE

CONTINUED ON NEXT PAGE

SECTION B

THAT EACH BOX IS MARKED APPROPRIATELY AS TO IDENTIFY IT AS PART OF A KIT (THAT IS, 1 OF 2, 2 OF 2, ETC.)

CONTENTS MUST BE CUSHIONED AS NECESSARY TO PREVENT MOVEMENT AND DAMAGE OF CONTENTS. EACH BOXED KIT MUST CONTAIN A LIST OF CONTENTS FOR ITEMS WITHIN THE KIT.

THE CONTRACTOR SHALL PROVIDE A MATERIAL SAFETY DATA SHEET (MSDS) AS DIRECTED BY FAR 52.223-3, HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA (JAN 1997). A COPY OF THE APPLICABLE HAZARD WARNING LABEL(S) (HWL) SHALL BE SUBMITTED WITH THE MSDS AS DIRECTED BY DFARS 252.223-7001, HAZARD WARNING LABELS (DEC 1991). THE MSDS SHALL BE IAW FEDERAL STANDARD 313 (LATEST REVISION) AND CONFORM TO OSHA'S HAZARD COMMUNICATION STANDARD IN TITLE 29 CFR 1910.1200 (LATEST REVISION) AND SHALL BE SUBMITTED BY THE APPARENTLY SUCCESSFUL OFFEROR PRIOR TO CONTRACT AWARD AS DIRECTED BY DLAD 52.223-9000, MATERIAL SAFETY DATA SHEETS AND HAZARD WARNING LABELS (NOV 2011). TO SATISFY THE FED-STD-313 REQUIREMENT, THE CONTRACTOR SHALL SUBMIT THE APPLICABLE MSDS AND HWL TO THE LOCAL ADMINISTERING AGENCY'S CONTRACTING OFFICE FOR PROCEDURAL REVIEW AND APPROVAL PRIOR TO CONTRACT AWARD. CONTRACTOR MUST EXERCISE A DUTY OF CARE THAT EACH MSDS BE REGULARLY UPDATED (USUALLY EVERY THREE TO FIVE YEARS) OR WITHIN 3 MONTHS OF ANY CHANGES PER U.S. CODE, TITLE 42, CHAPTER 116, SUBCHAPTER II, PARAGRAPH 11021(D).

IAW BASIC SPEC NR MIL-DTL-53030D
REVISION NR 2 DTD 10/03/2006
PART PIECE NUMBER: P/N MIL-DTL-53030 TY2

IAW REFERENCE STD NR MIL-STD-129R
REVISION NR R DTD 10/03/2006
PART PIECE NUMBER:

IAW REFERENCE UNK FED-STD-313E
REVISION NR E DTD 10/03/2006
PART PIECE NUMBER:

IAW REFERENCE UNK FED-STD-595/27722
REVISION NR DTD 10/03/2006
PART PIECE NUMBER:

IAW REFERENCE UNK QPL-53030-7 NOT 1
REVISION NR 7 DTD 10/03/2006
PART PIECE NUMBER:

CLIN	PR	PLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0001	0056155523	0001	KT	10.000		

NSN/MATERIAL:8010016032127

DELIVERY (IN DAYS):0005

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2158	Page 6 of 13
--------------------	--	--------------

SECTION B

PR: 0056155523 PRLI: 0001 CONT'D

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056155523 PRLI: 0001 CONT'D

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

BULK BREAK POINT:

W90WPT
W6KG ECS 66 FT LEONARD WOOD MO
ACTPO WHS 2563
FORT LEONARD WOOD MO 65473-5000
US

SHIP BY TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

W9088C
W6KG ECS 66
3420 IOWA AVE
BLDG 5137
FORT LEONARD WOOD MO 65473-8961
US

M/F:(TCN) W9088C43234001
RDD: 323
PROJ TP 3
SUP ADD W57KFP SIG A

FOR GOVERNMENT USE ONLY:IPD 13

DIC A3A DIST ADV FC 5A

Need Ship Date:00/00/0000
Original Required Delivery Date:11/26/2014

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0002	0056160957	0001	KT	26.000		

NSN/MATERIAL:8010016032127

DELIVERY (IN DAYS):0005

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2158	Page 8 of 13
--------------------	--	--------------

SECTION B

PR: 0056160957 PRLI: 0001 CONT'D

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056160957 PRLI: 0001 CONT'D

•,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

PARCEL POST ADDRESS:

FB5270
FB5270 18 LRS LGRDDC
CP 011 81 98 961 7155
KADENA AB BLDG 792 DOUGLAS BLVD
KADENA AB OKINAWA 904 0203
JP

RDD 777 SHIPMENT. FOR TRANSPORTATION ASSISTANCE, SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT) AWARDS, SEE DLAD 52.247-9059 AND CONTRACT INSTRUCTIONS INSTEAD.

FREIGHT SHIPPING ADDRESS:

FB5270
FB5270 18 LRS LGRDDC
CP 011 81 98 961 7155
KADENA AB BLDG 792 DOUGLAS BLVD
KADENA AB OKINAWA 904 0203
JP

M/F:(TCN) FB527043280607
RDD: 777
PROJ TP 2
SUP ADD SIG A

FOR GOVERNMENT USE ONLY:IPD 06

DIC A01 DIST 01 ADV FC 6C

Need Ship Date:00/00/0000
Original Required Delivery Date:11/28/2014

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0003	0056155584	0001	KT	2.000		

NSN/MATERIAL:8010016032127

DELIVERY (IN DAYS):0005

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2158	Page 10 of 13
--------------------	--	---------------

SECTION B

PR: 0056155584 PRLI: 0001 CONT'D

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056155584 PRLI: 0001 CONT'D

BULK BREAK POINT:

W37LZS
W8WL SC ARNG CSMS 1
565 SOUTH CAROLINA ROAD
EASTOVER SC 29044-9801
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

W90Y6M
W8WL SC ARNG CSMS 1
565 SOUTH CAROLINA ROAD
EASTOVER SC 29044-9801
US

M/F:(TCN) W90Y6M43181002
RDD: 318
PROJ TP 1
SUP ADD W37U1D SIG A

FOR GOVERNMENT USE ONLY:IPD 03

DIC A3A DIST ADV FC 52

Need Ship Date:00/00/0000
Original Required Delivery Date:12/01/2014

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0004	0056155585	0001	KT	1.000		

NSN/MATERIAL:8010016032127

DELIVERY (IN DAYS):0005

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS
MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS
SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E.,

Continuation Sheet	Reference No. of Document Being Continued: SPE8E5-15-T-2158	Page 12 of 13
--------------------	--	---------------

SECTION B

PR: 0056155585 PRLI: 0001 CONT'D

TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

BULK BREAK POINT:

W37LZS
W8WL SC ARNG CSMS 1

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056155585 PRLI: 0001 CONT'D

565 SOUTH CAROLINA ROAD
EASTOVER SC 29044-9801
US

SHIP BY FASTEST TRACEABLE MEANS. DO NOT USE PARCEL POST.

FREIGHT SHIPPING ADDRESS:

W90Y6M
W8WL SC ARNG CSMS 1
565 SOUTH CAROLINA ROAD
EASTOVER SC 29044-9801
US

M/F:(TCN) W90Y6M43181003
RDD: 318
PROJ TP 1
SUP ADD W37U1D SIG A

FOR GOVERNMENT USE ONLY:IPD 03

DIC A3A DIST ADV FC 52

Need Ship Date:00/00/0000
Original Required Delivery Date:12/01/2014
