

REQUEST FOR QUOTATIONS		THIS RFQ <input type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE		PAGE 1 OF 10 PAGES
1. REQUEST NO. SPE2DH-15-T-0791	2. DATE ISSUED 2014 DEC 02	3. REQUISITION/PURCHASE REQUEST NO. 0056156559	4. CERT.FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING
5. ISSUED BY DLA TROOP SUPPORT MEDICAL SUPPLY CHAIIN FSH 700 ROBBINS AVENUE PHILADELPHIA PA 19111 USA Name: Tina Vu Buyer Code:PDPSHB7 Tel: 215-737-2139 Fax: 215-737-5752 Email: Tina.Vu@dla.mil			6. DELIVER BY (Date) 20 DAYS ADO	
8. TO:			7. DELIVERY <input type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)	
			9. DESTINATION	
			a. NAME OF CONSIGNEE See Schedule	
			b. STREET ADDRESS	
			c. CITY	
			d. STATE	e. ZIP CODE
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5 ON OR BEFORE CLOSE OF BUSINESS (Date) 2014 DEC 09		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.		
11. SCHEDULE (See Continuation Sheets)				

POC INFORMATION:

WHEN TECHNICAL DATA IS PROVIDED IT MUST BE OBTAINED AT <https://pcf1.bsm.dla.mil/cfolders>. DISCREPANCIES FOUND IN TECHNICAL DATA PROVIDED, SUBMIT REQUEST TO THE DLA CUSTOMER SERVICE WEBSITE: <https://www.pdmd.dla.mil/cs/>

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dlamail

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT: <https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm> OR PHONE 1-855-DLA-0001 (1-855-352-0001).

MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT: http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx

12. DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS (%)		b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS	
					NUMBER	PERCENTAGE
NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.						
13. NAME AND ADDRESS OF QUOTER				14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. Date of Quotation
a. NAME OF QUOTER CAGE				16. SIGNER		b. TELEPHONE
b. STREET ADDRESS						
c. COUNTY						
d. CITY	e. STATE	f. ZIP CODE	c. TITLE (Type or Print)		AREA CODE	
					NUMBER	

Continuation Sheet	Reference No. of Document Being Continued: SPE2DH-15-T-0791	Page 2 of 10
--------------------	--	--------------

SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>. MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 331312 SEE <http://www.sba.gov/content/table-small-business-size-standards> FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

DESTINATION INSPECTION REQUIRED - FAR 52.246-2 APPLIES.

THIS BUY IS FAST PAY

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no

CONTINUED ON NEXT PAGE

SECTION A

quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

Procurement History for NSN/FSC:015667413/6530

CAGE	Contract Number	Quantity	Unit Cost	AWD Date
70558	SPE2DH14V3290	1.000	85.00000	20140929
70558	SPE2DH14V3256	1.000	85.00000	20140929
70558	SPE2DH14V2872	1.000	85.00000	20140905
70558	SPE2DS14V0541	3.000	85.00000	20140324
70558	SPE2DS14MD367	2.000	85.00000	20140323
3EG46	SPM2DH13M2681	1.000	87.35000	20130927
3EG46	SPM2DH13M1843	2.000	87.35000	20130507
6T4W3	SPM2DH13M1252	2.000	80.00000	20130314
3EG46	SPM2DH12M1100	1.000	87.35000	20120316
3EG46	SPM2DH12M0795	15.000	87.35000	20120127
3EG46	SPM2DH11M2272	5.000	87.35000	20110815
3EG46	SPM2DH11M1150	3.000	87.35000	20110207
3EG46	SPM2DH11M0569	1.000	87.35000	20101130
3EG46	SPM2DH11M0568	1.000	87.35000	20101130
3EG46	SPM2DH11M0567	3.000	87.35000	20101130
3EG46	SPM2DH11M0566	2.000	87.35000	20101130
3EG46	SPM2DH11M0558	2.000	87.35000	20101130
3EG46	SPM2DH10M1168P00001	2.000	87.35000	20100505
3EG46	SPM2DH10M1167	1.000	87.35000	20100505
3EG46	SPM2DH10M0560	1.000	87.35000	20100310

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE2DH-15-T-0791	Page 4 of 10
<p style="text-align: center;">SECTION B</p> <p>PR: 0056156559 NSN/MATERIAL:6530015667413</p> <p>ITEM DESCRIPTION BULB,HALOGEN,SURGIC</p> <p>BULB, SURGICAL CEILING LIGHT, FEDMEDICAL HALOGEN</p> <p>. UNIT OF ISSUE - EACH (EA)</p> <p>. SHALL MEET THE FOLLOWING CHARACTERISTICS: SHALL BE A QUARTZ HALOGEN BULB, 12 VAC, 90 WATT, COLOR TEMP: 3000 DEGREES KELVIN, APPROX. 2000-HOUR AVERAGE LIFE, 2200 LUMENS (+/-10 PERCENT), FILAMENT TYPE C-8 OR C-8, BASE TYPE GY-6.35. SHALL BE SUITABLE FOR USE ON THE FEDMEDICAL FMI-301CNX AND FMI-302CNX CEILING LIGHTS (6530-01-561-0746 AND 6530-01-564-0744).</p> <p>THIS ITEM IS NOT REGULATED BY THE FDA</p> <p>.</p> <p>MERCURY OR MERCURY CONTAINING COMPOUNDS SHALL NOT BE INTENTIONALLY ADDED TO,OR COME IN DIRECT CONTACT WITH,ANY HARDWARE OR SUPPLIES FURNISHED UNDER THIS CONTRACT. EXCEPTION: FUNCTIONAL MERCURY USED IN BATTERIES, FLUORESCENT LIGHTS, REQUIRED INSTRUMENTS; SENSORS OR CONTROLS; WEAPON SYSTEMS; AND CHEMICAL ANALYSIS REAGENTS SPECIFIED BY NAVSEA. PORTABLE FLUORESCENT LAMPS AND PORTABLE INSTRUMENTS CONTAINING MERCURY SHALL BE SHOCK PROOF AND CONTAIN A SECOND BOUNDARY OF CONTAINMENT OF THE MERCURY OR MERCURY COMPOUND. (IAW NAVSEA 5100-003D).</p> <p>. P/N - 0001256 CAGE - 3EG46</p> <p>. . . </p> <p>WHEN THE PURCHASE ORDER TEXT (POT) DESCRIBES THE REQUIRED PRODUCT(S) BY NAME AND PART NUMBER OF A SPECIFIC ENTITY, BY THE NAMES AND PART NUMBERS OF A NUMBER OF SPECIFIC ENTITIES, OR BY THE NAME(S) AND PART NUMBER(S) OF SPECIFIC ENTITY/ENTITIES AS MODIFIED BY ADDITIONAL REQUIREMENTS SET FORTH IN THE POT, ONLY THAT/THOSE PRODUCT(S) HAVE BEEN DETERMINED TO MEET THE NEEDS OF THE GOVERNMENT AND ARE ACCEPTABLE. SUCH PRODUCT(S) ARE "EXACT PRODUCT(S)" AS DEFINED IN "DLAD 52.217-9002, CONDITIONS FOR EVALUATION AND ACCEPTANCE OF OFFERS FOR PART NUMBERED ITEMS."</p> <p>A VENDOR OFFER/QUOTATION, "BID WITHOUT EXCEPTION," IS A CERTIFICATION THAT THE "EXACT PRODUCT," MANUFACTURED AND/OR SUPPLIED BY ONE OF THE ENTITIES CITED IN THE POT WILL BE FURNISHED UNDER THE CONTRACT OR ORDER. ANY PRODUCT NOT MANUFACTURED AND/OR SUPPLIED</p>		
CONTINUED ON NEXT PAGE		

Continuation Sheet	Reference No. of Document Being Continued: SPE2DH-15-T-0791	Page 5 of 10
--------------------	--	--------------

SECTION B

BY ONE OF THE ENTITIES CITED IN THE POT IS AN "ALTERNATE PRODUCT," EVEN THOUGH IT MIGHT BE MANUFACTURED IN ACCORDANCE WITH THE DRAWING(S) AND/OR SPECIFICATIONS OF ONE OF THE ENTITIES CITED IN THE POT.

IF AN ALTERNATE PRODUCT IS FURNISHED UNDER A CONTRACT OR ORDER FOR AN EXACT PRODUCT, THE ALTERNATE PRODUCT WILL BE AN UNAUTHORIZED SUBSTITUTION, AND MAY YIELD CRIMINAL PENALTIES IN ADDITION TO ANY CIVIL REMEDIES AVAILABLE TO THE GOVERNMENT.

.
.
.

CLAUSE 52.247-9012 (REQUIREMENTS FOR TREATMENT OF WOOD PACKAGING MATERIAL (WPM)) SHALL BE MANDATORY FOR ALL SHIPMENTS PACKED IN WOODEN BOXES, CRATES, ETC., AND/OR UNITIZED ON WOODEN PALLETS. HEAT TREATMENT OR KILN-DRIED HEAT TREATMENT OF WPM SHALL BE THE ONLY METHODS AUTHORIZED FOR SHIPMENT TO DOD LOCATIONS. ADDITIONAL INFORMATION REGARDING DOD'S WPM REQUIREMENT IS AVAILABLE ON THE DLA PACKAGING WEBSITE: [HTTP://WWW.LANDANDMARITIME.DLA.MIL/OFFICES/PACKAGING/PALLETIZATION_WPMNOTICE.ASP](http://www.landandmaritime.dla.mil/offices/packaging/palletization_wpmnotice.asp).

PACKAGING AND PACKING SHALL BE COMMERCIAL, AS SPECIFIED HEREIN.

.
EACH COMPLETE UNIT SHALL BE PROPERLY PACKAGED IN A SUITABLE SEALED UNIT CONTAINER. WHEN REQUIRED, UNIT CONTAINER SHALL CONTAIN INTERNAL FITTINGS, WRAPPING, CUSHIONING, ETC., CAPABLE OF PROTECTING THE CONTENTS FROM DAMAGE AND/OR BREAKAGE.

.
UNITS SHALL BE PACKED IN SUITABLE COMMERCIAL EXTERIOR (SHIPPING) CONTAINERS (EXPORT WHEN NECESSARY) WHICH SHALL INSURE ACCEPTANCE AND SAFE DELIVERY BY COMMON OR OTHER CARRIER, AT THE LOWEST RATE, TO POINT OF DELIVERY CALLED FOR IN THE CONTRACT OR ORDER.

.
PALLETIZATION SHALL BE IN ACCORDANCE WITH MIL-STD-147. UNITIZED LOADS SHALL BE USED WHENEVER TOTAL QUANTITY FOR SHIPMENT TO ONE DESTINATION EXCEEDS 250 LBS (EXCLUDING THE PALLET) OR 20 CU FT. LOADS SHALL BE UNITIZED ON TYPE IV OR TYPE V 4-WAY ENTRY PALLETS. PALLET SHALL HAVE A LENGTH OF 40 INCHES AND A WIDTH OF 48 INCHES. PALLET LOAD, INCLUDING THE PALLET, SHALL NOT EXCEED 54 INCHES IN HEIGHT, 43 INCHES IN LENGTH AND 52 INCHES IN WIDTH.

.
QUANTITY FOR SHIPMENT TO ONE DESTINATION OF LESS THAN 250 LBS OR 20 CUBIC FEET NEED NOT BE PALLETIZED.

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE2DH-15-T-0791	Page 6 of 10
--------------------	--	--------------

SECTION B

.
IF A PROPERLY PALLETIZED LOAD OF A SINGLE
ITEM (EQUIPMENT ITEM AND PALLET) EXCEEDS 54
INCHES IN HEIGHT, HEIGHT LIMITATION NEED NOT
BE ADHERED TO.

.
IF A SINGLE ITEM EXCEEDS THE MAXIMUM PALLET
LOAD DIMENSIONS, LENGTH AND WIDTH NEED NOT BE
ADHERED TO. CONTACT THE CONTRACTING OFFICER
FOR ADDITIONAL GUIDANCE.

.
AS AN ALTERNATE, COMMERCIAL UNITIZATION MAY
BE SUPPLIED.

.
IN ADDITION TO ALL MARKING REQUIREMENTS
SPECIFIED HEREIN AND IN THE APPLICABLE
SPECIFICATION DOCUMENT, ALL SHIPMENTS TO DLA
DISTRIBUTION LOCATIONS SHALL ALSO REQUIRE
PASSIVE RFID TAGS IN ACCORDANCE WITH DFARS
CLAUSE 252.211-7006.
HOWEVER, EXCEPTIONS ARE CURRENTLY APPLICABLE
TO NSNS IN FSCS 6505/6508/6509/6550.

.
LABELING AND MARKING. MATERIAL SHALL BE
LABELED AND MARKED IN ACCORDANCE WITH
COMMERCIAL PRACTICE AND AS SPECIFIED HEREIN.

.
MARKING ON EACH UNIT SHALL INCLUDE THE NSN
AND GOVERNMENT QUANTITY AND UNIT OF ISSUE.

.
MARKING ON EACH SHIPPING CONTAINER AND/OR
UNITIZED LOAD SHALL BE AS SPECIFIED IN MEDICAL
MARKING STANDARD NO. 1A (MMS NO. 1A) DATED
4 FEBRUARY 2013.

.
ADDITIONAL MARKINGS SHALL BE SUPPLIED IN
ACCORDANCE WITH ALL APPLICABLE REGULATORY
REQUIREMENTS, FOR ALL ITEMS REQUIRING SPECIAL
HANDLING, I.E., CONTROLLED, PERISHABLE AND
HAZARDOUS ITEMS.

.
APPLICABLE TO ALL SHIPMENTS, EXCEPT
SHIPMENTS TO DLA DISTRIBUTION LOCATIONS:
AS AN ALTERNATE, FOR SHIPMENTS DIRECTLY TO
MEDICAL FACILITIES OF ALL ITEMS EXCEPT
PERISHABLE ITEMS AND HAZARDOUS MATERIAL,
REQUIRED MARKINGS MAY BE SUPPLIED ON THE
DD FORM 250 OR PACKING LIST ACCOMPANYING THE
SHIPMENT.

.
MIL-STD-147 IS AVAILABLE ONLINE AT
[HTTP://QUICKSEARCH.DLA.MIL/](http://QUICKSEARCH.DLA.MIL/)

.
MMS NO. 1A MAY BE OBTAINED BY CONTACTING
DLA TROOP SUPPORT, ATTN: MEDICAL SUPPLIER
OPERATIONS, FSFB (PACKAGING), VIA EMAIL:
DSCP.PACKAGING@DLA.MIL. MMS NO. 1A IS ALSO
AVAILABLE ONLINE AT
[HTTP://WWW.LANDANDMARITIME.DLA.MIL/](http://WWW.LANDANDMARITIME.DLA.MIL/DOWNLOADS/PACKAGING/MMS1.PDF)
[DOWNLOADS/PACKAGING/MMS1.PDF](http://WWW.LANDANDMARITIME.DLA.MIL/DOWNLOADS/PACKAGING/MMS1.PDF)

CONTINUED ON NEXT PAGE

SECTION B

APPLICABLE TO ALL MEDICAL ACQUISITIONS:

.
PRESERVATION, PACKAGING, PACKING, UNITIZATION, LABELING, AND MARKING SHALL BE AS SPECIFIED IN THE APPLICABLE PROCUREMENT DOCUMENT REFERENCED IN THE "ITEM DESCRIPTION" SECTION, AND/OR AS SPECIFIED IN-THE-CLEAR IN THE "ITEM DESCRIPTION" AND "PACKAGING DATA" SECTIONS OF THE ACQUISITION.

.
THE FOLLOWING CHANGES/DELETIONS ARE APPLICABLE TO THE SECTION HEADED "PACKAGING DATA":

.
DISREGARD ALL REFERENCE TO MIL-STD-2073. UNDER THE HEADING "PREPARATION FOR DELIVERY", DELETE THE SECTION BEGINNING WITH "PKGING DATA -" AND ENDING WITH "DATED 88090" IN ITS ENTIRETY.

.
DISREGARD ALL REFERENCES TO SPECIAL PACKAGING INSTRUCTION (SPI). SPI'S ARE NOT PREPARED FOR MEDICAL ITEMS. ALL APPLICABLE PACKAGING REQUIREMENTS ARE SPECIFIED IN THE ACQUISITION.

.
DELETE "MIL-STD-129" WHEREVER IT APPEARS AND SUBSTITUTE "MEDICAL MARKING STANDARD NO. 1A".

.
DELETE THE PARAGRAPH BEGINNING WITH "FOR ALL SHIPMENTS OF PACKAGED MATERIEL TO THE GOVERNMENT" AND ENDING WITH "THE SCHEDULE TAKES PRECEDENCE." IN ITS ENTIRETY.

AMGLO KEMLITE LABORATORIES, INC. 70558 P/N AHQ4H12V90WN00LL
FEDMEDICAL, INC. DBA 3EG46 P/N 41-2010X

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0001	0056156559	0001	EA	1.000		

NSN/MATERIAL:6530015667413

DELIVERY (IN DAYS):0020

DELIVER FOB: DESTINATION

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

PREP FOR DELIVERY:

PKGING DATA-QUP:001
SHALL BE PACKAGED STANDARD COMMERCIAL IN ACCORDANCE WITH ASTM D 3951.

CLAUSE 52.247-9012 (REQUIREMENTS FOR TREATMENT OF WOOD PACKAGING MATERIAL (WPM)) SHALL BE MANDATORY FOR ALL SHIPMENTS PACKED IN WOODEN

Continuation Sheet	Reference No. of Document Being Continued: SPE2DH-15-T-0791	Page 8 of 10
--------------------	--	--------------

SECTION B

PR: 0056156559 PRLI: 0001 CONT'D

BOXES, CRATES, ETC., AND/OR UNITIZED ON WOODEN PALLETS. HEAT TREATMENT OR KILN-DRIED HEAT TREATMENT OF WPM SHALL BE THE ONLY METHODS AUTHORIZED FOR SHIPMENT TO DOD LOCATIONS. ADDITIONAL INFORMATION REGARDING DOD'S WPM REQUIREMENT IS AVAILABLE ON THE DLA PACKAGING WEBSITE: [HTTP://WWW.LANDANDMARITIME.DLA.MIL/OFFICES/PACKAGING/PALLETIZATION_WPMNOTICE.ASP](http://www.landandmaritime.dla.mil/offices/packaging/palletization_wpmnotice.asp).

PACKAGING AND PACKING SHALL BE COMMERCIAL, AS SPECIFIED HEREIN.

EACH COMPLETE UNIT SHALL BE PROPERLY PACKAGED IN A SUITABLE SEALED UNIT CONTAINER. WHEN REQUIRED, UNIT CONTAINER SHALL CONTAIN INTERNAL FITTINGS, WRAPPING, CUSHIONING, ETC., CAPABLE OF PROTECTING THE CONTENTS FROM DAMAGE AND/OR BREAKAGE.

UNITS SHALL BE PACKED IN SUITABLE COMMERCIAL EXTERIOR (SHIPPING) CONTAINERS (EXPORT WHEN NECESSARY) WHICH SHALL INSURE ACCEPTANCE AND SAFE DELIVERY BY COMMON OR OTHER CARRIER, AT THE LOWEST RATE, TO POINT OF DELIVERY CALLED FOR IN THE CONTRACT OR ORDER.

PALLETIZATION SHALL BE IN ACCORDANCE WITH MIL-STD-147. UNITIZED LOADS SHALL BE USED WHENEVER TOTAL QUANTITY FOR SHIPMENT TO ONE DESTINATION EXCEEDS 250 LBS (EXCLUDING THE PALLET) OR 20 CU FT. LOADS SHALL BE UNITIZED ON TYPE IV OR TYPE V 4-WAY ENTRY PALLETS. PALLET SHALL HAVE A LENGTH OF 40 INCHES AND A WIDTH OF 48 INCHES. PALLET LOAD, INCLUDING THE PALLET, SHALL NOT EXCEED 54 INCHES IN HEIGHT, 43 INCHES IN LENGTH AND 52 INCHES IN WIDTH.

QUANTITY FOR SHIPMENT TO ONE DESTINATION OF LESS THAN 250 LBS OR 20 CUBIC FEET NEED NOT BE PALLETIZED.

IF A PROPERLY PALLETIZED LOAD OF A SINGLE ITEM (EQUIPMENT ITEM AND PALLET) EXCEEDS 54 INCHES IN HEIGHT, HEIGHT LIMITATION NEED NOT BE ADHERED TO.

IF A SINGLE ITEM EXCEEDS THE MAXIMUM PALLET LOAD DIMENSIONS, LENGTH AND WIDTH NEED NOT BE ADHERED TO. CONTACT THE CONTRACTING OFFICER FOR ADDITIONAL GUIDANCE.

AS AN ALTERNATE, COMMERCIAL UNITIZATION MAY BE SUPPLIED.

IN ADDITION TO ALL MARKING REQUIREMENTS SPECIFIED HEREIN AND IN THE APPLICABLE SPECIFICATION DOCUMENT, ALL SHIPMENTS TO DLA DISTRIBUTION LOCATIONS SHALL ALSO REQUIRE

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE2DH-15-T-0791	Page 9 of 10
--------------------	--	--------------

SECTION B

PR: 0056156559 PRLI: 0001 CONT'D

PASSIVE RFID TAGS IN ACCORDANCE WITH DFARS
CLAUSE 252.211-7006.
HOWEVER, EXCEPTIONS ARE CURRENTLY APPLICABLE
TO NSNS IN FSCS 6505/6508/6509/6550.

.
LABELING AND MARKING. MATERIAL SHALL BE
LABELED AND MARKED IN ACCORDANCE WITH
COMMERCIAL PRACTICE AND AS SPECIFIED HEREIN.

.
MARKING ON EACH UNIT SHALL INCLUDE THE NSN
AND GOVERNMENT QUANTITY AND UNIT OF ISSUE.

.
MARKING ON EACH SHIPPING CONTAINER AND/OR
UNITIZED LOAD SHALL BE AS SPECIFIED IN MEDICAL
MARKING STANDARD NO. 1A (MMS NO. 1A) DATED
4 FEBRUARY 2013.

.
ADDITIONAL MARKINGS SHALL BE SUPPLIED IN
ACCORDANCE WITH ALL APPLICABLE REGULATORY
REQUIREMENTS, FOR ALL ITEMS REQUIRING SPECIAL
HANDLING, I.E., CONTROLLED, PERISHABLE AND
HAZARDOUS ITEMS.

.
APPLICABLE TO ALL SHIPMENTS, EXCEPT
SHIPMENTS TO DLA DISTRIBUTION LOCATIONS:
AS AN ALTERNATE, FOR SHIPMENTS DIRECTLY TO
MEDICAL FACILITIES OF ALL ITEMS EXCEPT
PERISHABLE ITEMS AND HAZARDOUS MATERIAL,
REQUIRED MARKINGS MAY BE SUPPLIED ON THE
DD FORM 250 OR PACKING LIST ACCOMPANYING THE
SHIPMENT.

.
MIL-STD-147 IS AVAILABLE ONLINE AT
[HTTP://QUICKSEARCH.DLA.MIL/](http://QUICKSEARCH.DLA.MIL/)

.
MMS NO. 1A MAY BE OBTAINED BY CONTACTING
DLA TROOP SUPPORT, ATTN: MEDICAL SUPPLIER
OPERATIONS, FSFB (PACKAGING), VIA EMAIL:
DSCP.PACKAGING@DLA.MIL. MMS NO. 1A IS ALSO
AVAILABLE ONLINE AT
[HTTP://WWW.LANDANDMARITIME.DLA.MIL/](http://WWW.LANDANDMARITIME.DLA.MIL/DOWNLOADS/PACKAGING/MMS1.PDF)
[DOWNLOADS/PACKAGING/MMS1.PDF](http://WWW.LANDANDMARITIME.DLA.MIL/DOWNLOADS/PACKAGING/MMS1.PDF)

.
APPLICABLE TO ALL MEDICAL ACQUISITIONS:

.
PRESERVATION, PACKAGING, PACKING, UNITIZATION,
LABELING, AND MARKING SHALL BE AS SPECIFIED IN
THE APPLICABLE PROCUREMENT DOCUMENT REFERENCED
IN THE "ITEM DESCRIPTION" SECTION, AND/OR AS
SPECIFIED IN-THE-CLEAR IN THE "ITEM
DESCRIPTION" AND "PACKAGING DATA" SECTIONS OF
THE ACQUISITION.

.
THE FOLLOWING CHANGES/DELETIONS ARE APPLICABLE
TO THE SECTION HEADED "PACKAGING DATA":

.
DISREGARD ALL REFERENCE TO MIL-STD-2073. UNDER
THE HEADING "PREPARATION FOR DELIVERY", DELETE

CONTINUED ON NEXT PAGE

SECTION B

PR: 0056156559 PRLI: 0001 CONT'D

THE SECTION BEGINNING WITH "PKGING DATA -" AND
ENDING WITH "DATED 88090" IN ITS ENTIRETY.

.
DISREGARD ALL REFERENCES TO SPECIAL PACKAGING
INSTRUCTION (SPI). SPI'S ARE NOT PREPARED FOR
MEDICAL ITEMS. ALL APPLICABLE PACKAGING
REQUIREMENTS ARE SPECIFIED IN THE ACQUISITION.

.
DELETE "MIL-STD-129" WHEREVER IT APPEARS AND
SUBSTITUTE "MEDICAL MARKING STANDARD NO. 1A".

.
DELETE THE PARAGRAPH BEGINNING WITH "FOR ALL
SHIPMENTS OF PACKAGED MATERIEL TO THE
GOVERNMENT" AND ENDING WITH "THE SCHEDULE TAKES
PRECEDENCE." IN ITS ENTIRETY.

R05840
USS BLUE RIDGE LCC 19
CALL NAVSUP WSS T&D 757 443 5434
NORFOLK VA 23511-2806
US

M/F:(TCN) R0584043320207
RDD: 777
PROJ LE5 TP 2
SUP ADD YSTOCK SIG A

FOR GOVERNMENT USE ONLY:IPD 05

DIC A41 DIST 9B ADV 2A FC NR

Need Ship Date:00/00/0000
Original Required Delivery Date:12/03/2014
