

REQUEST FOR QUOTATIONS		THIS RFQ <input type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE		PAGE 1 OF 10 PAGES
1. REQUEST NO. SPE4A7-15-T-3515	2. DATE ISSUED 2014 DEC 02	3. REQUISITION/PURCHASE REQUEST NO. 0055055807	4. CERT.FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING DO-A1
5. ISSUED BY DLA AVIATION ASC SUPPLIER OPER AE AND AF DIV 8000 JEFFERSON DAVIS HWY RICHMOND VA 23297 USA Name: GARLAND PEAY Buyer Code:PARDA3 Tel: 804-279-2508 Fax: 804-279-6157 Email: ROY.PEAY@DLA.MIL			6. DELIVER BY (Date) SEE SCHEDULE	
8. TO:			7. DELIVERY <input type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)	
			9. DESTINATION	
			a. NAME OF CONSIGNEE See Schedule	
			b. STREET ADDRESS	
			c. CITY	
			d. STATE	e. ZIP CODE
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5 ON OR BEFORE CLOSE OF BUSINESS (Date) 2014 DEC 12		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.		
11. SCHEDULE (See Continuation Sheets)				

POC INFORMATION:

WHEN TECHNICAL DATA IS PROVIDED IT MUST BE OBTAINED AT <https://pcf1.bsm.dla.mil/cfolders>. DISCREPANCIES FOUND IN TECHNICAL DATA PROVIDED, SUBMIT REQUEST TO THE DLA CUSTOMER SERVICE WEBSITE: <https://www.pdmd.dla.mil/cs/>

ALL OTHER QUESTIONS (SOLICITATION REQUIREMENTS, ITEM DESCRIPTION, AWARD CHOICE, ETC.), PLEASE CONTACT THE BUYER SHOWN ABOVE.

QUESTIONS REGARDING OPERATION OF THE DLA-BSM INTERNET BID BOARD SYSTEM SHOULD BE E-MAILED to DibbsBSM@dlamail

FOR IMMEDIATE ASSISTANCE, PLEASE REFER TO THE FREQUENTLY ASKED QUESTIONS (FAQS) ON BSM DIBBS AT: <https://www.dibbs.bsm.dla.mil/Refs/help/DIBBSHelp.htm> OR PHONE 1-855-DLA-0001 (1-855-352-0001).

MASTER SOLICITATION

THIS SOLICITATION INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) REVISION 25 (OCTOBER 14, 2014) WHICH CAN BE FOUND ON THE WEB AT: http://www.dla.mil/Acquisition/Documents/EProcurement_DLA_Automated_Master_Solicitation_REV25OCT2014.docx

12. DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS (%)		b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS	
					NUMBER	PERCENTAGE
NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.						
13. NAME AND ADDRESS OF QUOTER				14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. Date of Quotation
a. NAME OF QUOTER CAGE				16. SIGNER		b. TELEPHONE
b. STREET ADDRESS						
c. COUNTY						
d. CITY	e. STATE	f. ZIP CODE	c. TITLE (Type or Print)		AREA CODE	
					NUMBER	

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3515	Page 2 of 10
--------------------	--	--------------

SECTION A

THIS BUY MAY BE A CANDIDATE FOR AUTOMATED AWARD. HOWEVER, AUTOMATED SOLICITATIONS CONTAINING FIRST ARTICLE TEST REQUIREMENTS ARE NOT CANDIDATES FOR AN AUTOMATED AWARD. ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>. MICRO-PURCHASE QUOTES MAY BE AWARDED PRIOR TO RETURN DATE.

ALL QUOTES MUST BE SUBMITTED VIA THE DLA INTERNET BID BOARD SYSTEM (DIBBS) AT <https://www.dibbs.bsm.dla.mil>.

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM 336413 SEE <http://www.sba.gov/content/table-small-business-size-standards> FOR THE CORRESPONDING SMALL BUSINESS SIZE STANDARD.

ORIGIN INSPECTION REQUIRED - FAR 52.246-2 APPLIES

THE CONTRACTOR SHALL COMPLY WITH THE ISO 9001 HIGHER-LEVEL QUALITY STANDARD. FAR 52.246-11 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT and DLAD 52.246-9043 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT (NON-MANUFACTURERS) APPLY.

MEASUREMENT AND TEST EQUIPMENT (M/TE) APPLIES (DLAD 52.246-9003).

THIS BUY IS NOT FAST PAY

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3515	Page 3 of 10
--------------------	--	--------------

SECTION A

FIRST ARTICLE APPROVAL - GOVERNMENT TESTING REQUIRED (FAR 52.209-4)

THE CONTRACTOR SHALL DELIVER 000001 UNIT(S) OF LOT/ITEM

1560/12729634 WITHIN 000120 CALENDAR

DAYS FROM THE DATE OF THIS CONTRACT TO THE GOVERNMENT AT

FB2029 FOR FIRST ARTICLE TESTS.

WITHIN 000000 CALENDAR DAYS AFTER THE GOVERNMENT RECEIVES

THE FIRST ARTICLE, THE CONTRACTING OFFICER SHALL NOTIFY THE CONTRACTOR,

IN WRITING, OF THE CONDITIONAL APPROVAL, APPROVAL, OR DISAPPROVAL OF THE

FIRST ARTICLE.

Offerors are encouraged to submit price break information with their quotes. Solicitations which are manually evaluated and awarded at increased quantities may be awarded based on the price break information submitted with the offeror's original quotation without further solicitation or discussion.

If you anticipate quoting on a solicitation after the closing date, please submit a DIBBS quote with a bid type of "No Bid" and place an anticipated quote date or the reason you are not willing to quote. This does not prevent you from submitting an actual quote on DIBBS at a later date. It will overlay your previous no quote. This informs buyers of your intention to quote and prevents multiple calls for updates and cancelling of requirements assumed to be non-procurable due to no quotes/sources. The submission of an anticipated quote date does not preclude DLA from making an award to another acceptable timely offer.

CONTINUED ON NEXT PAGE

SPE4A7-15-T-3515

SECTION A

Procurement History for NSN/FSC:012729634/1560

CAGE	Contract Number	Quantity	Unit Cost	AWD Date
26354	SP047504MBC26	54.000	263.88889	20031114
26354	SP047503MJQ25	5.000	295.00000	20030529
7N843	SP047501MWC70	6.000	360.00000	20010604
81755	F4260096G0001TY3J	8.000	371.50000	19981113
8Z052	F4260096G0001TYJT	1.000	332.09000	19980114
8Z052	F4260091G7544TYR1	1.000	337.42000	19941108
8Z052	F4260091G7544070300	5.000	347.62000	19940815
81755	F4260084A6666315400	21.000	229.84000	19890607
8Z052	F4260083C4010	5.000	178.53000	19821109

This solicitation is being issued under the First Destination Transportation (FDT) program. If this acquisition is for Foreign Military Sales (FMS) or has an APO/FPO ship-to address, FDT will not apply and normal procedures should be followed. For FDT program transportation requirements, see DLAD clauses 52.247-9059 F.O.B. Origin, Government Arranged Transportation and 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS). Additional information about FDT can be found on the FDT website (<http://www.dla.mil/FDTPI/>).

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3515	Page 5 of 10
--------------------	--	--------------

SECTION B

PR: 0055055807
NSN/MATERIAL:1560012729634

ITEM DESCRIPTION
PLATE,STRUCTURAL,AI

PLATE,STRUCTURAL, AIRCRAFT

52.246-11 Higher Level Contract Quality Requirement (Manufacturers)

FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008 (EXAMPLE SAE AS 9100), THE FOLLOWING TAILORED VERSION OF ISO 9001:2008; OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008 (EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS EXCLUSIONS TO THIS DOCUMENT.
DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008

- 4.1 General requirements, [excluding reference to 1.2 and excluding NOTE 3 c)]
- 4.2.1 General, [excluding subparagraph a)]
- 4.2.2 Quality manual, [excluding subparagraph a)]
- 4.2.3 Control of documents
- 4.2.4 Control of records
- 5.1 Management commitment
- 5.3 Quality policy
- 6.2.2 Competence, training and awareness
- 6.4 Work environment
- 7.1 Planning of product realization, [excluding NOTE 2]
- 7.2.1 Determination of requirements related to the product
- 7.2.2 Review of requirements related to the product
- 7.2.3 Customer communication
- 7.3.7 Control of design and development changes
- 7.4.1 Purchasing process
- 7.4.3 Verification of purchased product
- 7.5.1 Control of production and service provision
- 7.5.3 Identification and traceability
- 7.5.4 Customer property
- 7.5.5 Preservation of product
- 7.6 Control of monitoring and measuring equipment
- 8.1 General, [excluding subparagraph b) and subparagraph c)]
- 8.2.2 Internal audit
- 8.2.4 Monitoring and measurement of product
- 8.3 Control of nonconforming product
- 8.5.2 Corrective action
- 8.5.3 Preventive action

ENGINEERING DATA REQUIREMENTS:

- ''
1. THE FOLLOWING SPECIFICATIONS/STANDARDS, ETC., WILL BE USED IN LIEU OF THE DATA INDICATED. THE SUPERSEDED DATA WILL NOT BE FURNISHED UNLESS SO INDICATED.
 2. THE SOURCES/MATERIALS IF LISTED ON THE STANDARDS, SPECIFICATIONS AND DRAWINGS ARE THE ONLY SOURCES/MATERIALS FOR THOSE ITEMS. SUBSTITUTIONS SHALL HAVE PRIOR APPROVAL BY THE COGNIZANT ENGINEERING ACTIVITY.

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3515	Page 6 of 10
--------------------	--	--------------

SECTION B

3. DEVIATIONS FROM SPECIFICATIONS IDENTIFIED IN CONTROL DRAWINGS ARE NOT AUTHORIZED WITHOUT PRIOR APPROVAL BY THE COGNIZANT ENGINEERING ACTIVITY.
4. USE MIL-STD-130 IN LIEU OF FPS-3008.
5. MANUFACTURE PART USING THE FOLLOWING EFFECTIVITY FLAGS:
OPEN: C CLOSED: DA, CS

FAT APPLIES: GOVERNMENT

Government First Article Preproduction approval required. Testing will be in accordance with applicable drawings, specifications and/or Engineering instructions. The first article offered shall be manufactured at the facilities in which production quantities are procured and produced under this contract. When submitting the first article(s) for government testing, a copy of the contract and all applicable drawings, specifications, engineering instructions, certifications, and inspection sheets shall be provided. Upon receipt and evaluation of the test report from the responsible government testing location, the contracting officer will provide final notification to the manufacturer. Any questions or concerns regarding the first article test requirements must be submitted through the contracting officer.

Additional Wide Area Workflow (WAWF) instructions for government first article test CLIN: The contractor shall code the receiving report for government first article test CLIN in WAWF as Follows:

A: Inspection at origin (Source) - Enter the DCMA office DODAAC listed on page 1 of the contract.

B: Acceptance by other - Enter the issue by office DODAAC listed on page 1 of the contract.

C: Ship to code - Enter the DODAAC of the test facility listed for the government first article test CLIN in the contract (See FAR Clause 52.209-4).

FIRST ARTICLE TEST MARKING INSTRUCTIONS:

FAT sample(s) packaging shall be clearly marked "FIRST ARTICLE TEST EXHIBIT(S) DO NOT POST TO STOCK!!!" in largest font possible with contrasting color to the packaging. Marking shall be located adjacent to the Package Shipping Label side and on at least one additional side of the package.

FIRST ARTICLE EXHIBIT AND MATERIAL CERTIFICATIONS SHALL BE SENT TO:

809 MXSS/MXDEB (DODAAC: FB2029)
BLDG 849

DEAR JOHN BAY

HILL AFB, UT 84056-5713

MARK FOR: FIRST ARTICLE INSPECTION AND TEST DO NOT POST

IDENTIFY TO:

MARK IAW MIL-STD-130N(1), DATED 16 NOV 2012.
CONFIGURATION CONTROL APPLIES

SAMPLING:

1. SAMPLING FOR INSPECTION AND TESTING SHALL BE IAW ANSI/ASQ Z1.4-2003 (R2013). ANY ALTERNATE PLAN MUST BE APPROVED BY THE PCO. A SAMPLING PLAN THAT ACCEPTS ON ZERO DEFECTS IS REQUIRED

CONTINUED ON NEXT PAGE

SPE4A7-15-T-3515

SECTION B

2. ANY DEFECTIVE ITEM DISCOVERED DURING INSPECTION MAY BE CAUSE FOR REJECTION OF THE ENTIRE CONTRACT QUANTITY.

EXPORT CONTROL:

THIS ITEM HAS TECHNICAL DATA SOME OR ALL OF WHICH IS SUBJECT TO EXPORT-CONTROL REGULATIONS. DISTRIBUTION OF THE TECHNICAL DATA AND ELIGIBILITY FOR AWARD ARE LIMITED TO THOSE SUPPLIERS QUALIFIED THROUGH JCP CERTIFICATION, OR TO THOSE LICENSED BY EITHER THE DEPARTMENTS OF STATE OR COMMERCE; OR TO FOREIGN SUPPLIERS PURSUANT TO INTERNATIONAL AGREEMENTS.

TO APPLY FOR JCP CERTIFICATION, COMPLETE DD FORM 2345, "MILITARY CRITICAL TECHNICAL DATA AGREEMENT," FORM IS AVAILABLE AT THE WORLD WIDE WEB ADDRESS [HTTP://WWW.DLIS.DLA.MIL/JCP](http://WWW.DLIS.DLA.MIL/JCP) OR BY WRITING TO:

DLA LOGISTICS INFORMATION SERVICE
FEDERAL CENTER
74 WASHINGTON AVE., NORTH
BATTLE CREEK, MI 49037-3084

TO MANUFACTURE THIS ITEM, NON-JCP CERTIFIED SUPPLIERS MUST SUBMIT A CURRENT MANUFACTURING LICENSE AGREEMENT, TECHNICAL ASSISTANCE AGREEMENT, DISTRIBUTION AGREEMENT OR OFF-SHORE PROCUREMENT AGREEMENT APPROVED BY THE DIRECTORATE OF DEFENSE TRADE CONTROLS WITH THE OFFER, UNLESS AN EXEMPTION UNDER THE PROVISIONS OF ITAR SECTION, 125.4 "EXEMPTIONS OF GENERAL APPLICABILITY," AND/OR EAR PART 740 ARE APPLICABLE.

NON-JCP CERTIFIED SUPPLIERS SEEKING EXPORT CONTROLLED TECHNICAL DATA ARE REQUIRED TO PROVIDE THE CONTRACTING OFFICER WITH AN APPLICABLE AGREEMENT OR IDENTIFY WHICH ITAR/EAR EXEMPTION APPLIES TO RECEIVE A COPY OF THE EXPORT CONTROLLED TECHNICAL DATA.

NOTE: JCP CERTIFIED CONTRACTORS WHO RECEIVE TECHNICAL DATA PURSUANT TO THEIR DD FORM 2345 CERTIFICATION MAY NOT FURTHER DISSEMINATE SUCH DATA UNLESS FURTHER DISSEMINATION OF THE TECHNICAL DATA IS EXPRESSLY PERMITTED BY DODD 5230.25."

CRITICAL APPLICATION ITEM

IAW BASIC DRAWING NR 81755 16B6312
REVISION NR GU DTD 02/24/2009
PART PIECE NUMBER: 16B312-133

IAW REFERENCE DRAWING NR 81755 16Z001
REVISION NR AK DTD 03/11/2009
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81755 16PR070
REVISION NR S DTD 05/21/2003
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81755 FPS-3001
REVISION NR G DTD 07/21/2010
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81755 NDTs-1500
REVISION NR K DTD 08/18/2004
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81755 NDTs-1502

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3515	Page 8 of 10
--------------------	--	--------------

SECTION B

REVISION NR M DTD 07/17/2009
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81755 FQPL-3017-10
REVISION NR 10 DTD 11/29/1995
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81755 16Z001ISS204
REVISION NR FZ DTD 12/21/2011
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81755 NDTs-1501
REVISION NR K DTD 08/18/2004
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81755 FPS-3001
REVISION NR G DTD 02/03/2003
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81755 NDTs-1501
REVISION NR K1 DTD 11/10/2004
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81755 NDTs-1500
REVISION NR K1 DTD 01/10/2005
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81755 16Z001ISS204
REVISION NR FZ DTD 12/21/2011
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81755 FPS-3017
REVISION NR F DTD 09/13/2007
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81755 16B6312
REVISION NR GU DTD 06/16/2011
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81755 16B6312ISS342
REVISION NR HP DTD 01/13/2014
PART PIECE NUMBER:

IAW REFERENCE DRAWING NR 81755 16Z001-401M7
REVISION NR AK DTD 03/11/2009
PART PIECE NUMBER:

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0001	0055055807	0001	EA	7.000		

NSN/MATERIAL:1560012729634

DELIVERY (IN DAYS):0087

DELIVER FOB: ORIGIN

QTY VARIANCE: PLUS 0% MINUS 0%

CONTINUED ON NEXT PAGE

Continuation Sheet	Reference No. of Document Being Continued: SPE4A7-15-T-3515	Page 9 of 10
--------------------	--	--------------

SECTION B

PR: 0055055807 PRLI: 0001 CONT'D

INSPECTION POINT: ORIGIN

ACCEPTANCE POINT: ORIGIN

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTRUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over

CONTINUED ON NEXT PAGE

SECTION B

PR: 0055055807 PRLI: 0001 CONT'D

ASTM D3951.
•,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
•,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

PARCEL POST ADDRESS:

W25G1U
W1BG DLA DISTRIBUTION
DDSP NEW CUMBERLAND FACILITY
2001 NORMANDY DRIVE DOOR 113 TO 134
NEW CUMBERLAND PA 17070-5002
US

FOR TRANSPORTATION ASSISTANCE SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT) AWARDS SEE DLAD 52.247-9059 AND CONTRACT INSTRUCTIONS INSTEAD.

FREIGHT SHIPPING ADDRESS:

W25G1U
W1BG DLA DISTRIBUTION
DDSP NEW CUMBERLAND FACILITY
2001 NORMANDY DRIVE DOOR 113 TO 134
NEW CUMBERLAND PA 17070-5002
US

Need Ship Date:03/10/2015
Original Required Delivery Date:11/10/2015

CLIN	PR	PRLI	UI	QUANTITY	UNIT PRICE	TOTAL PRICE
0002	0000000000		EA	1.000		

NSN/MATERIAL:0001S000000052

DELIVERY (IN DAYS):0000

DELIVER FOB: ORIGIN

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: ORIGIN

ACCEPTANCE POINT: ORIGIN

Need Ship Date:00/00/0000
Original Required Delivery Date:00/00/0000
