ruby-typ

rinmyo

Introduction

A library to implement ruby just like this:

```
レールガンページ きょう てんき 超電磁砲、頁、今日もいい天気
```

Usage

To use ruby-typ, you should import the get_ruby from ruby.typ at first.

```
#import "ruby.typ": get_ruby
```

get_ruby is a higher-order function which be used to configure ruby-typ. and it will return a funtion for ruby. and its function signature is

to get a ruby function with default setting

```
#let ruby = get ruby()
```

and the ruby() function will receive two arguments, the first one for ruby text and the second one for ruby body. for example, if you'd like to use a start alignment.

```
#let ruby = get_ruby(alignment: "start")
#ruby("しずく", "雫")
```

which the result will be



ruby for content

Besides the string, it's also allowed to pass a content except sequence as ruby()'s ruby body just like how other element functions do.

```
#ruby("したた")[滴]るwill produce
```



Moreover, almost all kinds of content excluding sequence can be passed, which is convient for some styled text.

```
#ruby("エックス|せん")[#underline[_*X|ray*_]] will output X = X + X = X + X = X
```

mono/group ruby

ruby-typ supports mono-ruby and group-ruby automatically, which depends on wether the inputs are seperated by a delimiter.

```
#ruby("とうきょうこうぎょうだいがく")[東京工業大学] #ruby("とう|きょう|こう|ぎょう|だい|がく")[東|京|工|業|大|学]
```

will generate respectively

とうきょうこうぎょうだいがく 東京工業大学とうきょうこうぎょうだいがく 東京工業大学

As you see, ruby-typ is able to adjust the spaces of the body texts automatically in mono-ruby mode.

Thanks

this project is based on Saito Atsush's great idea and the original source codes posted on their blog

Changelog

- [20230425a] Release the initial version.
- [20230426a] a newer implement
- [20230426b] add pos option to specify the position of ruby texts