
#### **Connectors**



#### **Arc connectors**



# Matching math arrows

Compare to  $\rightarrow$ ,  $\Rightarrow$   $\Rightarrow$   $\rightarrow$ ,  $\hookrightarrow$ ,  $\mapsto$ .

Compare our output to the reference symbol in default math font.



# Double and triple lines


Diagram  $A \xrightarrow{f} B$  and equation  $A \to B$ .

Diagram  $A \stackrel{f}{\Longrightarrow} B$  and equation  $A \Rightarrow B$ .


Diagram  $A \stackrel{f}{\Longrightarrow} B$  and equation  $A \Rightarrow B$ .

#### Arrow head shorthands

# Bending arrows




# Fine mark angle corrections






# Automatic label placement


Default placement above the line.



#### Reversed *y*-axis:




# **Crossing connectors**



#### edge() argument shorthands

```
double f crossing
```

# **Diagram-level options**




# **CeTZ** integration




### Node bounds, inset, and outset

```
o hello ← there
```

# Corner edges



#### Double node strokes




Relative and absolute extrusion lengths



#### Custom node sizes

Make sure provided dimensions are exact, not affected by node inset.




width

height


both

#### **Example**

Make sure node or edge labels don't pick up equation numbers!



# Axes configuration



# Implicit from and to points

$$\xrightarrow{label} \xrightarrow{label} \xrightarrow{label}$$
prev

next

#### Edge positional arguments

Explicit named arguments versus implicit positional arguments.

Each row should be the same thing repeated.

# Symbol arrow aliases

	İ	i	i
Math	Unicode	Mark	Diagram
$\rightarrow$	$\rightarrow$	->	$\longrightarrow$
$\longrightarrow$	?	->	$\longrightarrow$
$\leftarrow$	<b>←</b>	<-	<del></del>
$\leftrightarrow$	$\leftrightarrow$	<->	$\longleftrightarrow$
$\longleftrightarrow$	?	<->	$\longleftrightarrow$
<b>→</b>	?	->>	<del>*************************************</del>
<del>«</del>	?	<<-	*
$\rightarrow$	?	>->	$\longrightarrow$
$\leftarrow$	?	<-<	<del></del>
$\Rightarrow$	$\Rightarrow$	=>	$\Longrightarrow$
$\Rightarrow$	?	=>	$\Longrightarrow$
$\leftarrow$	?	<=	<del></del>
$\Leftrightarrow$	$\Leftrightarrow$	<=>	$\iff$
$\Leftrightarrow$	?	<=>	$\longleftrightarrow$
$\mapsto$	$\mapsto$	->	$\longmapsto$
⊨	?	=>	$\Longrightarrow$
^>	?	none!	none!
₩	?	none!	none!
$\hookrightarrow$		hook->	$\hookrightarrow$
$\leftarrow$		<-hook'	<del></del>

#### Math-mode diagrams

The following diagrams should be identical:

$$G \xrightarrow{f} \operatorname{im}(f)$$

$$\downarrow^{\pi} \qquad \tilde{f} \qquad \tilde{f}$$

$$G/\ker(f)$$

$$G \xrightarrow{\tilde{f}} \operatorname{im}(f)$$

$$\downarrow^{\pi} \qquad \tilde{f} \qquad \tilde{f}$$

$$G/\ker(f)$$