

- 1/83 -

Group	Series, Type	Part No.	Property	S-parameter	Equivalent Circuit Model			
					Simple Model		Precise Model	DC Bias Model
				Touchstone	PDF	SPICE	SPICE	HSPICE, LTspice, PSpice
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1E221M030BA	C=220pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1E331K030BA	C=330pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1E331M030BA	C=330pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1E471K030BA	C=470pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1E471M030BA	C=470pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1E681K030BA	C=680pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1E681M030BA	C=680pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1E102K030BA	C=1nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1E102M030BA	C=1nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1E152K030BA	C=1.5nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1E152M030BA	C=1.5nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1E222K030BA	C=2.2nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1E222M030BA	C=2.2nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1E332K030BA	C=3.3nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1E332M030BA	C=3.3nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1H101K030BA	C=100pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1H101M030BA	C=100pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1H151K030BA	C=150pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1H151M030BA	C=150pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1H221K030BA	C=220pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1H221M030BA	C=220pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1H331K030BA	C=330pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1H331M030BA	C=330pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1H471K030BA	C=470pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A2X7R1H471M030BA	C=470pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A3X7S1A104K030BB	C=100nF	-	-	-	-	-
Automotive Grade General (Up to 75V)	CGA1	CGA1A1X7S1C104K030BC	C=100nF	-	-	-	-	-
Automotive Grade General (Up to 75V)	CGA1	CGA1A3X7T0E224M030BB	C=0.22uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A1X7T0G104M030BC	C=100nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA1	CGA1A1X7T0G224M030BC	C=0.22uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H01C050BA	C=1pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H1R5C050BA	C=1.5pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H020C050BA	C=2pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H2R2C050BA	C=2.2pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H030C050BA	C=3pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H3R3C050BA	C=3.3pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H040C050BA	C=4pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H4R7C050BA	C=4.7pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H050C050BA	C=5pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H060D050BA	C=6pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H6R8D050BA	C=6.8pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H070D050BA	C=7pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H080D050BA	C=8pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H090D050BA	C=9pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H100D050BA	C=10pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H120J050BA	C=12pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H150J050BA	C=15pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H180J050BA	C=18pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H220J050BA	C=22pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H270J050BA	C=27pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H330J050BA	C=33pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H390J050BA	C=39pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H470J050BA	C=47pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H560J050BA	C=56pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H680J050BA	C=68pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H820J050BA	C=82pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H101J050BA	C=100pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H121J050BA	C=120pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H151J050BA	C=150pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H181J050BA	C=180pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H221J050BA	C=220pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H271J050BA	C=270pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H331J050BA	C=330pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H391J050BA	C=390pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H471J050BA	C=470pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H561J050BA	C=560pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H681J050BA	C=680pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H821J050BA	C=820pF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2C0G1H102J050BA	C=1nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2X5R1A104K050BA	C=100nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2X5R1A104M050BA	C=100nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B3X5R1A154K050BB	C=150nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B3X5R1A154M050BB	C=150nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B3X5R1A224K050BB	C=220nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B3X5R1A224M050BB	C=220nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2X5R1C333K050BA	C=33nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2X5R1C333M050BA	C=33nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2X5R1C473K050BA	C=47nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2X5R1C473M050BA	C=47nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2X5R1C683K050BA	C=68nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2X5R1C683M050BA	C=68nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2X5R1C104K050BA	C=100nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B2X5R1C104M050BA	C=100nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B1X5R1C154K050BC	C=150nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B1X5R1C154M050BC	C=150nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B1X5R1C224K050BC	C=220nF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA2	CGA2B1X5R1C224M050BC	C=220nF	✓	✓	✓	✓	✓

- 3/83 -

- 4/83 -

- 5/83 -

- 6/83 -

- 7/83 -

- 8/83 -

- 9/83 -

- 10/83 -

Group	Series, Type	Part No.	Property	S-parameter	Equivalent Circuit Model			
					Simple Model		Precise Model	DC Bias Model
				Touchstone	PDF	SPICE	SPICE	HSPICE, LTspice, PSpice
Automotive Grade General (Up to 75V)	CGA6	CGA6P3X7R1H335K250AB	C=3.3uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA6	CGA6P3X7R1H335M250AB	C=3.3uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA6	CGA6P3X7R1H475K250AB	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA6	CGA6P3X7R1H475M250AB	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA6	CGA6P1X7R1N106K250AC	C=10uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA6	CGA6P1X7R1N106M250AC	C=10uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA6	CGA6P1X7S0J336M250AC	C=33uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA6	CGA6P1X7S0J476M250AC	C=47uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA6	CGA6M1X7S1A336M200AC	C=33uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA6	CGA6P1X7S1A476M250AC	C=47uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA6	CGA6N3X7S1H475K230AB	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA6	CGA6P3X7S1H685K250AB	C=6.8uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA6	CGA6P3X7S1H685M250AB	C=6.8uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA6	CGA6P3X7S1H106K250AB	C=10uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA6	CGA6P3X7S1H106M250AB	C=10uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA6	CGA6P3X7T0E107M250AB	C=100uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA6	CGA6P1X7T0G107M250AC	C=100uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA8	CGA8L2C0G1H473J160KA	C=47nF	✓	✓	✓	✓	-
Automotive Grade General (Up to 75V)	CGA8	CGA8L2C0G1H683J160KA	C=68nF	✓	✓	✓	✓	-
Automotive Grade General (Up to 75V)	CGA8	CGA8M2C0G1H104J200KA	C=100nF	✓	✓	✓	✓	-
Automotive Grade General (Up to 75V)	CGA8	CGA8P2C0G1H154J250KA	C=150nF	✓	✓	✓	✓	-
Automotive Grade General (Up to 75V)	CGA8	CGA8R2C0G1H224J320KA	C=220nF	✓	✓	✓	✓	-
Automotive Grade General (Up to 75V)	CGA8	CGA8N3X7R1C226M230KB	C=22uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA8	CGA8P1X7R1C336M250KC	C=33uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA8	CGA8L2X7R1E475K160KA	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA8	CGA8L2X7R1E475M160KA	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA8	CGA8P2X7R1E106K250KA	C=10uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA8	CGA8Q3X7R1E156M280KB	C=15uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA8	CGA8P1X7R1E226M250KC	C=22uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA8	CGA8L2X7R1H155K160KA	C=1.5uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA8	CGA8L2X7R1H225K160KA	C=2.2uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA8	CGA8M2X7R1H335K200KA	C=3.3uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA8	CGA8M3X7R1H475K200KB	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA8	CGA8P3X7R1H685K250KB	C=6.8uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA9	CGA9N3X7R1C476M230KB	C=47uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA9	CGA9M2X7R1E106M200KA	C=10uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA9	CGA9N2X7R1E156M230KA	C=15uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA9	CGA9P2X7R1E226M250KA	C=22uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA9	CGA9N3X7R1E476M230KB	C=47uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA9	CGA9N1X7R1V476M230KC	C=47uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA9	CGA9M2X7R1H475K200KA	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA9	CGA9P2X7R1H685K250KA	C=6.8uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA9	CGA9N3X7R1H106K230KB	C=10uF	✓	✓	✓	✓	✓
Automotive Grade General (Up to 75V)	CGA9	CGA9P3X7R1H226M250KB	C=22uF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B2C0G2A101J050BA	C=100pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B2C0G2A151J050BA	C=150pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B2C0G2A221J050BA	C=220pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B2C0G2A331J050BA	C=330pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B2C0G2A471J050BA	C=470pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B1C0G2A681J050BC	C=680pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B1C0G2A102J050BC	C=1nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B3X7S2A102K050BB	C=1nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B3X7S2A102M050BB	C=1nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B3X7S2A152K050BB	C=1.5nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B3X7S2A152M050BB	C=1.5nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B3X7S2A222K050BB	C=2.2nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B3X7S2A222M050BB	C=2.2nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B3X7S2A332K050BB	C=3.3nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B3X7S2A332M050BB	C=3.3nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B3X7S2A472K050BB	C=4.7nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B3X7S2A472M050BB	C=4.7nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B3X7S2A682K050BB	C=6.8nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B3X7S2A682M050BB	C=6.8nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B3X7S2A103K050BB	C=10nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA2	CGA2B3X7S2A103M050BB	C=10nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A010C080AA	C=1pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A020C080AA	C=2pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A030C080AA	C=3pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A040C080AA	C=4pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A050C080AA	C=5pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A060D080AA	C=6pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A070D080AA	C=7pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A080D080AA	C=8pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A090D080AA	C=9pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A100D080AA	C=10pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A150J080AA	C=15pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A220J080AA	C=22pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A330J080AA	C=33pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A470J080AA	C=47pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A680J080AA	C=68pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A101J080AA	C=100pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A151J080AA	C=150pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A221J080AA	C=220pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A331J080AA	C=330pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A471J080AA	C=470pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A681J080AA	C=680pF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA3	CGA3E2C0G2A102J080AA	C=1nF	✓	✓	✓	✓	-

- 12/83 -

- 13/83 -

- 14/83 -

Group	Series, Type	Part No.	Property	S-parameter	Equivalent Circuit Model			
					Simple Model		Precise Model	DC Bias Model
				Touchstone	PDF	SPICE	SPICE	HSPICE, LTspice, PSpice
Automotive Grade Mid Voltage (100 to 630V)	CGA5	CGA5K3X7T2E154M130AA	C=150nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA5	CGA5L3X7T2E224K160AA	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA5	CGA5L3X7T2E224M160AA	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA5	CGA5K4X7T2W683K130AA	C=68nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA5	CGA5K4X7T2W683M130AA	C=68nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA5	CGA5L4X7T2W104K160AA	C=100nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA5	CGA5L4X7T2W104M160AA	C=100nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA5	CGA5H1X7T2J223K115AC	C=22nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA5	CGA5H1X7T2J223M115AC	C=22nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA5	CGA5H1X7T2J333K115AC	C=33nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA5	CGA5H1X7T2J333M115AC	C=33nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA5	CGA5L1X7T2J473K160AC	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA5	CGA5L1X7T2J473M160AC	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6J2C0G2A153J125AA	C=15nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6L2C0G2A223J160AA	C=22nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M2C0G2A333J200AA	C=33nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6N2C0G2A473J230AA	C=47nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6N2C0G2A683J230AA	C=68nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6L3C0G2E103J160AA	C=10nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M3C0G2E153J200AA	C=15nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6L3C0G2E223J160AA	C=22nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6N3C0G2E333J230AA	C=33nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6P3C0G2E473J250AA	C=47nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6N4C0G2W223J230AA	C=22nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6P4C0G2W333J250AA	C=33nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6J4C0G2J392G125AA	C=3.9nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6J4C0G2J392J125AA	C=3.9nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6L4C0G2J472G160AA	C=4.7nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6L4C0G2J472J160AA	C=4.7nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6L4C0G2J562G160AA	C=5.6nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6L4C0G2J562J160AA	C=5.6nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M4C0G2J682G200AA	C=6.8nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M4C0G2J682J200AA	C=6.8nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6J4C0G2J822G125AA	C=8.2nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6J4C0G2J822J125AA	C=8.2nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6J4C0G2J103G125AA	C=10nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6J4C0G2J103J125AA	C=10nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6L4C0G2J153G160AA	C=15nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6L4C0G2J153J160AA	C=15nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6N4C0G2J223G230AA	C=22nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6N4C0G2J223J230AA	C=22nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6P4C0G2J333G250AA	C=33nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6P4C0G2J333J250AA	C=33nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M2X7R2A334K200AA	C=330nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M2X7R2A334M200AA	C=330nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M2X7R2A474K200AA	C=470nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M2X7R2A474M200AA	C=470nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6L2X7R2A684K160AA	C=680nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6L2X7R2A684M160AA	C=680nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M2X7R2A105K200AA	C=1uF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M2X7R2A105M200AA	C=1uF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M3X7R2A155K200AB	C=1.5uF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M3X7R2A155M200AB	C=1.5uF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6N3X7R2A225K230AB	C=2.2uF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6N3X7R2A225M230AB	C=2.2uF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6P1X7R2A106K250AC	C=10uF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M3X7R2E104K200AA	C=100nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M3X7R2E104M200AA	C=100nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M3X7R2E154K200AA	C=150nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M3X7R2E154M200AA	C=150nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M3X7R2E224K200AA	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M3X7R2E224M200AA	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M4X7R2J473K200AA	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M4X7R2J473M200AA	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M4X7R2J683K200AA	C=68nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M4X7R2J683M200AA	C=68nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M3X7S2A335K200AB	C=3.3uF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M3X7S2A335M200AB	C=3.3uF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M3X7S2A475K200AB	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M3X7S2A475M200AB	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M3X7T2E334K200AA	C=330nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M3X7T2E334M200AA	C=330nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M4X7T2W224K200AA	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M4X7T2W224M200AA	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6L1X7T2J104K160AC	C=100nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6L1X7T2J104M160AC	C=100nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M1X7T2J154K200AC	C=150nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA6	CGA6M1X7T2J154M200AC	C=150nF	✓	✓	✓	✓	✓
Automotive Grade Mid Voltage (100 to 630V)	CGA8	CGA8M2C0G2A473J200KA	C=47nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA8	CGA8P2C0G2A683J250KA	C=68nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA8	CGA8R2C0G2A104J320KA	C=100nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA8	CGA8L3C0G2E223J160KA	C=22nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA8	CGA8M3C0G2E333J200KA	C=33nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA8	CGA8R3C0G2E473J320KA	C=47nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA8	CGA8N4C0G2E683J230KN	C=68nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA8	CGA8R4C0G2E104J320KN	C=100nF	✓	✓	✓	✓	-
Automotive Grade Mid Voltage (100 to 630V)	CGA8	CGA8N4C0G2W473J230KA	C=47nF	✓	✓	✓	✓	-

- 16/83 -

- 17/83 -

- 18/83 -

- 19/83 -

- 20/83 -

- 21/83 -

- 22/83 -

Group	Series, Type	Part No.	Property	S-parameter	Equivalent Circuit Model			
					Simple Model		Precise Model	DC Bias Model
				Touchstone	PDF	SPICE	SPICE	HSPICE, LTspice, PSpice
Automotive Grade High Temperature Application	CGA6	CGA6M3X8R2A474M200AB	C=470nF	✓	✓	✓	✓	✓
Automotive Grade High Temperature Application	CGA6	CGA6P3X8R2A684K250AB	C=680nF	✓	✓	✓	✓	✓
Automotive Grade High Temperature Application	CGA6	CGA6P3X8R2A684M250AB	C=680nF	✓	✓	✓	✓	✓
Automotive Grade High Temperature Application	CGA8	CGA8N4NP02E683J320KN	C=68nF	✓	✓	✓	✓	-
Automotive Grade High Temperature Application	CGA8	CGA8R4NP02E104J320KN	C=100nF	✓	✓	✓	✓	-
Automotive Grade High Temperature Application	CGA8	CGA8N4NP02W473J320KA	C=47nF	✓	✓	✓	✓	-
Automotive Grade High Temperature Application	CGA8	CGA8R4NP02W683J320KA	C=68nF	✓	✓	✓	✓	-
Automotive Grade High Temperature Application	CGA8	CGA8M4NP02J333J200KA	C=33nF	✓	✓	✓	✓	-
Automotive Grade High Temperature Application	CGA8	CGA8R4NP02J473J320KA	C=47nF	✓	✓	✓	✓	-
Automotive Grade High Temperature Application	CGA9	CGA9N2NP02A154J230KA	C=150nF	✓	✓	✓	✓	-
Automotive Grade High Temperature Application	CGA9	CGA9N4NP02E154J230KN	C=150nF	✓	✓	✓	✓	-
Automotive Grade High Temperature Application	CGA9	CGA9Q4NP02W104J280KA	C=100nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG32K	CKG32K0G02A683J335AJ	C=68nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG32K	CKG32K0G02E333J335AJ	C=33nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG32K	CKG32K0G02E473J335AJ	C=47nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG32K	CKG32K0G02W223J335AJ	C=22nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG32K	CKG32K0G02W333J335AJ	C=33nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG32K	CKG32K0G02J223J335AJ	C=22nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG32K	CKG32K0G02J333J335AJ	C=33nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG32K	CKG32K0G03A102J335AJ	C=1nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG32K	CKG32K0G03A152J335AJ	C=1.5nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG32K	CKG32K0G03A222J335AJ	C=2.2nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG32K	CKG32K0G03A332J335AJ	C=3.3nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG32K	CKG32K0G03A472J335AJ	C=4.7nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG32K	CKG32K0G03A682J335AJ	C=6.8nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG32K	CKG32K0G03A103J335AJ	C=10nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG32K	CKG32K0G03A153J335AJ	C=15nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG32K	CKG32K0G03A223J335AJ	C=22nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG45K	CKG45K0G02E683J290JJ	C=68nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG45K	CKG45K0G02W473J290JJ	C=47nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG45K	CKG45K0G02J333J290JJ	C=33nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG45N	CKG45N0G02E144K500JJ	C=140nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG45N	CKG45N0G02W943J500JJ	C=94nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG45N	CKG45N0G02J663J500JJ	C=66nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG57K	CKG57K0G02E154J335JJ	C=150nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG57K	CKG57K0G02J683J335JJ	C=68nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R1C156M335JJ	C=15uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R1E106K335JJ	C=10uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R1E106M335JJ	C=10uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R1E226M335JJ	C=22uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R1E476M335JJ	C=47uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R1V476M335JJ	C=47uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R1H475K335JJ	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R1H475M335JJ	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R1H226M335JJ	C=22uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R2A105K335JJ	C=1uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R2A105M335JJ	C=1uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R2A225K335JJ	C=2.2uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R2A225M335JJ	C=2.2uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R2A335K335JJ	C=3.3uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R2A335M335JJ	C=3.3uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R2A475K335JJ	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R2A475M335JJ	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R2E474K335JJ	C=470nF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R2E474M335JJ	C=470nF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R2E105K335JJ	C=1uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R2E105M335JJ	C=1uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R2J224K335JJ	C=220nF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7R2J224M335JJ	C=220nF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7S1C476M335JJ	C=47uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7S1H106K335JJ	C=10uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7S1H106M335JJ	C=10uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7S2A685K335JJ	C=6.8uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7S2A685M335JJ	C=6.8uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7S2A106K335JJ	C=10uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7S2A106M335JJ	C=10uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7S2A156M335JJ	C=15uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7T2E155K335JJ	C=1.5uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7T2E155M335JJ	C=1.5uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7T2E225K335JJ	C=2.2uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7T2E225M335JJ	C=2.2uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7T2W684K335JJ	C=680nF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7T2W684M335JJ	C=680nF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7T2W105K335JJ	C=1uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7T2W105M335JJ	C=1uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7T2J334K335JJ	C=330nF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7T2J334M335JJ	C=330nF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7T2J474K335JJ	C=470nF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57K	CKG57KX7T2J474M335JJ	C=470nF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57N0G02E304J500JJ	C=300nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG57N	CKG57N0G02J144K500JJ	C=140nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type	CKG57N	CKG57N5R1C107M500JJ	C=100uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57N5R1E476M500JJ	C=47uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57N5R1H226M500JJ	C=22uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57N5R2A106M500JJ	C=10uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57N7R1C336M500JJ	C=33uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57N7R1E226M500JJ	C=22uF	✓	✓	✓	✓	✓

Group	Series, Type	Part No.	Property	S-parameter	Equivalent Circuit Model			
					Simple Model		Precise Model	DC Bias Model
				Touchstone	PDF	SPICE	SPICE	HSPICE, LTspice, PSpice
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7R1E107M500JJ	C=100uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7R1V107M500JJ	C=100uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7R1H106M500JJ	C=10uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7R1H476M500JJ	C=47uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7R2A225M500JJ	C=2.2uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7R2A475M500JJ	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7R2A106M500JJ	C=10uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7R2E105M500JJ	C=1uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7R2E225M500JJ	C=2.2uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7R2J474M500JJ	C=470nF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7S1C107M500JJ	C=100uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7S1E476M500JJ	C=47uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7S1H226M500JJ	C=22uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7S2A226M500JJ	C=22uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7T2E335M500JJ	C=3.3uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7T2W155M500JJ	C=1.5uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7T2W225M500JJ	C=2.2uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7T2J684M500JJ	C=680nF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type	CKG57N	CKG57NX7T2J105M500JJ	C=1uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G2J204G640LJ	C=0.2uF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G2J204J640LJ	C=0.2uF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G3A203G640LJ	C=20nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G3A203J640LJ	C=20nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G3A303G640LJ	C=30nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G3A303J640LJ	C=30nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G3A443G640LJ	C=44nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G3A443J640LJ	C=44nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G3A663G640LJ	C=66nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G3A663J640LJ	C=66nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572X6T2W225M640LJ	C=2.2uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572X7R1E107M670LJ	C=100uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572X7R1V476M670LJ	C=47uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572X7R1V107M670LJ	C=100uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572X7R1H476M670LJ	C=47uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572X7S2A336M640LJ	C=33uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572X7T2V225M640LJ	C=2.2uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572X7T2J105M640LJ	C=1uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573C0G2J304J640LJ	C=0.3uF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573C0G3A993G640LJ	C=99nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573C0G3A993J640LJ	C=99nF	✓	✓	✓	✓	-
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573X6T2W335M640LJ	C=3.3uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573X7R1E157M670LJ	C=150uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573X7R1V686M670LJ	C=68uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573X7R1V157M670LJ	C=150uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573X7R1H686M670LJ	C=68uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573X7S2A476M640LJ	C=47uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573X7T2V335M640LJ	C=3.3uF	✓	✓	✓	✓	✓
Automotive Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573X7T2J155M640LJ	C=1.5uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B2C0G1H101J050BE	C=100pF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA2	CGA2B2C0G1H151J050BE	C=150pF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA2	CGA2B2C0G1H221J050BE	C=220pF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA2	CGA2B2C0G1H331J050BE	C=330pF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA2	CGA2B2C0G1H471J050BE	C=470pF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA2	CGA2B2C0G1H681J050BE	C=680pF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA2	CGA2B2C0G1H102J050BE	C=1nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA2	CGA2B2C0G2A101J050BE	C=100pF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA2	CGA2B2C0G2A151J050BE	C=150pF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA2	CGA2B2C0G2A221J050BE	C=220pF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA2	CGA2B2C0G2A331J050BE	C=330pF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA2	CGA2B1C0G2A471J050BE	C=470pF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA2	CGA2B2C0G2A471J050BE	C=470pF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA2	CGA2B1C0G2A681J050BE	C=680pF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA2	CGA2B1C0G2A102J050BE	C=1nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA2	CGA2B2X7R1C224K050BE	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B2X7R1C224M050BE	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B3X7R1E224K050BE	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B3X7R1E224M050BE	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B1X7R1V224K050BE	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B1X7R1V224M050BE	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B2X7R1H102K050BE	C=1nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B2X7R1H102M050BE	C=1nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B2X7R1H222K050BE	C=2.2nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B2X7R1H222M050BE	C=2.2nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B2X7R1H472K050BE	C=4.7nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B2X7R1H472M050BE	C=4.7nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B3X7R1H103K050BE	C=10nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B3X7R1H103M050BE	C=10nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B3X7R1H223K050BE	C=22nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B3X7R1H223M050BE	C=22nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B3X7R1H473K050BE	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B3X7R1H473M050BE	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B3X7R1H104K050BE	C=100nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B3X7R1H104M050BE	C=100nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B3X7S1A474K050BE	C=470nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B3X7S1A474M050BE	C=470nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA2	CGA2B1X7S1C474K050BE	C=470nF	✓	✓	✓	✓	✓

- 25/83 -

- 26/83 -

- 27/83 -

Group	Series, Type	Part No.	Property	S-parameter	Equivalent Circuit Model			
					Simple Model		Precise Model	DC Bias Model
				Touchstone	PDF	SPICE	SPICE	HSPICE, LTspice, PSpice
Automotive Grade Soft Termination	CGA4	CGA4J2X7R2A473K125AE	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J2X7R2A473M125AE	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J2X7R2A104K125AE	C=100nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J2X7R2A104M125AE	C=100nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4F3X7R2E102K085AE	C=1nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4F3X7R2E102M085AE	C=1nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4F3X7R2E222K085AE	C=2.2nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4F3X7R2E222M085AE	C=2.2nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4F3X7R2E472K085AE	C=4.7nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4F3X7R2E472M085AE	C=4.7nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X7R2E103K125AE	C=10nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X7R2E103M125AE	C=10nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X7R2E223K125AE	C=22nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X7R2E223M125AE	C=22nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X7S1A106K125AE	C=10uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X7S1A106M125AE	C=10uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J1X7S1C106K125AE	C=10uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J1X7S1C106M125AE	C=10uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J1X7S1E106K125AE	C=10uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J1X7S1N105K125AE	C=1uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4F3X7S2A224K085AE	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4F3X7S2A224M085AE	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X7S2A474K125AE	C=470nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X7S2A474M125AE	C=470nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X7S2A105K125AE	C=1uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X7S2A105M125AE	C=1uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X7T2E473K125AE	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X7T2E473M125AE	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X7T2E104K125AE	C=100nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X7T2E104M125AE	C=100nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4F4X7T2W103K085AE	C=10nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4F4X7T2W103M085AE	C=10nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J4X7T2W223K125AE	C=22nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J4X7T2W223M125AE	C=22nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J4X7T2W473K125AE	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J4X7T2W473M125AE	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J1X8L1A106K125AE	C=10uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J1X8L1E475K125AE	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J1X8L1V225K125AE	C=2.2uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J1X8L1H474K125AE	C=470nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J1X8L1H105K125AE	C=1uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X8R1C684K125AE	C=680nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X8R1C684M125AE	C=680nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X8R1C105K125AE	C=1uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X8R1C105M125AE	C=1uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4F2X8R1E154K085AE	C=150nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4F2X8R1E154M085AE	C=150nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J2X8R1E224K125AE	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J2X8R1E224M125AE	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J2X8R1E334K125AE	C=330nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J2X8R1E334M125AE	C=330nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X8R1E474K125AE	C=470nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X8R1E474M125AE	C=470nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J1X8R1E684K125AE	C=680nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J1X8R1E684M125AE	C=680nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J1X8R1E105K125AE	C=1uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J1X8R1E105M125AE	C=1uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J2X8R1H683K125AE	C=68nF	-	-	-	-	-
Automotive Grade Soft Termination	CGA4	CGA4J2X8R1H683M125AE	C=68nF	-	-	-	-	-
Automotive Grade Soft Termination	CGA4	CGA4J2X8R1H104K125AE	C=100nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J2X8R1H104M125AE	C=100nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X8R1H154K125AE	C=150nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X8R1H154M125AE	C=150nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X8R1H224K125AE	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X8R1H224M125AE	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J2X8R2A223K125AE	C=22nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J2X8R2A223M125AE	C=22nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X8R2A333K125AE	C=33nF	-	-	-	-	-
Automotive Grade Soft Termination	CGA4	CGA4J3X8R2A333M125AE	C=33nF	-	-	-	-	-
Automotive Grade Soft Termination	CGA4	CGA4J3X8R2A473K125AE	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X8R2A473M125AE	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X8R2A683K125AE	C=68nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA4	CGA4J3X8R2A683M125AE	C=68nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA5	CGA5H2C0G1H473J115AE	C=47nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA5	CGA5L2C0G1H683J160AE	C=68nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA5	CGA5L2C0G1H104J160AE	C=100nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA5	CGA5H1C0G2A473J115AE	C=47nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA5	CGA5L1C0G2A683J160AE	C=68nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA5	CGA5L1C0G2A104J160AE	C=100nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA5	CGA5H3C0G2E103J115AE	C=10nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA5	CGA5L3C0G2E153J160AE	C=15nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA5	CGA5H4C0G2W682J115AE	C=6.8nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA5	CGA5H4C0G2W822J115AE	C=8.2nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA5	CGA5L4C0G2W103J160AE	C=10nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA5	CGA5F4C0G2J392G085AE	C=3.9nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA5	CGA5F4C0G2J392J085AE	C=3.9nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA5	CGA5H4C0G2J562G115AE	C=5.6nF	✓	✓	✓	✓	-

- 29/83 -

- 30/83 -

Group	Series, Type	Part No.	Property	S-parameter	Equivalent Circuit Model			
					Simple Model		Precise Model	DC Bias Model
				Touchstone	PDF	SPICE	SPICE	HSPICE, LTspice, PSpice
Automotive Grade Soft Termination	CGA7	CGA7K1X7R3D102K130KE	C=1nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA7	CGA7K1X7R3D102M130KE	C=1nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA8	CGA8M4C0G2J333J200KE	C=33nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA8	CGA8P1C0G3F331K250KE	C=330pF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA8	CGA8N3X7R2E474K230KE	C=470nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA8	CGA8N3X7R2E474M230KE	C=470nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA8	CGA8N4X7R2J104K230KE	C=100nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA8	CGA8N4X7R2J104M230KE	C=100nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA8	CGA8K1X7R3D222K130KE	C=2.2nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA8	CGA8K1X7R3D222M130KE	C=2.2nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA8	CGA8P3X7T2E105K250KE	C=1uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA8	CGA8P3X7T2E105M250KE	C=1uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA8	CGA8N4X7T2W474K230KE	C=470nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA8	CGA8N4X7T2W474M230KE	C=470nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA8	CGA8M1X7TJ224K200KE	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA8	CGA8M1X7TJ224M200KE	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA9	CGA9N2C0G2A154J230KE	C=150nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA9	CGA9N4C0G2E154J230KE	C=150nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA9	CGA9N1C0G2J683G230KE	C=68nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA9	CGA9N1C0G2J683J230KE	C=68nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination	CGA9	CGA9N3X7R2E105K230KE	C=1uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA9	CGA9N3X7R2E105M230KE	C=1uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA9	CGA9N4X7R2J224K230KE	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA9	CGA9N4X7R2J224M230KE	C=220nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA9	CGA9N3X7S2A106K230KE	C=10uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA9	CGA9N3X7S2A106M230KE	C=10uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA9	CGA9P3X7T2E225K250KE	C=2.2uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA9	CGA9P3X7T2E225M250KE	C=2.2uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA9	CGA9P4X7T2W105K250KE	C=1uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA9	CGA9P4X7T2W105M250KE	C=1uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA9	CGA9P1X7TJ474K250KE	C=470nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGA9	CGA9P1X7TJ474M250KE	C=470nF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination	CGAD	CGADN3X7R1E476M230LE	C=47uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination Low Resistance	CNA5	CNA5L1X7R1C106K160AE	C=10uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination Low Resistance	CNA5	CNA5L1X7R1E106K160AE	C=10uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination Low Resistance	CNA5	CNA5L1X7R1H225K160AE	C=2.2uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination Low Resistance	CNA5	CNA5L1X7R1H475K160AE	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination Low Resistance	CNA5	CNA5L1X7R1H106K160AE	C=10uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination Low Resistance	CNA5	CNA5L1X7R1N225K160AE	C=2.2uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination Low Resistance	CNA5	CNA5L1X7S1A226M160AE	C=22uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P4C0G2J333G250AE	C=33nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P4C0G2J333J250AE	C=33nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1C0G3A103G250AE	C=10nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1C0G3A103J250AE	C=10nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1C0G3A123G250AE	C=12nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1C0G3A123J250AE	C=12nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1C0G3A153G250AE	C=15nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1C0G3A153J250AE	C=15nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1C0G3A183G250AE	C=18nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1C0G3A183J250AE	C=18nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1C0G3A223G250AE	C=22nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1C0G3A223J250AE	C=22nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1C0G3B822G250AE	C=8.2nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1C0G3B822J250AE	C=8.2nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1C0G3B103G250AE	C=10nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1C0G3B103J250AE	C=10nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P4NP02J333G250AE	C=33nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P4NP02J333J250AE	C=33nF	✓	✓	✓	✓	-
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1X7R1E226M250AE	C=22uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1X7R1H475K250AE	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1X7R1H106K250AE	C=10uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1X7R2A475K250AE	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade Soft Termination Low Resistance	CNA6	CNA6P1X7S1A476M250AE	C=47uF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R1H472K080AE	C=4.7nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R1H472M080AE	C=4.7nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R1H682K080AE	C=6.8nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R1H682M080AE	C=6.8nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R1H103K080AE	C=10nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R1H103M080AE	C=10nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R1H153K080AE	C=15nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R1H153M080AE	C=15nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R1H223K080AE	C=22nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R1H223M080AE	C=22nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R1H333K080AE	C=33nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R1H333M080AE	C=33nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R1H473K080AE	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R1H473M080AE	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R2A102K080AE	C=1nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R2A102M080AE	C=1nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R2A152K080AE	C=1.5nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R2A152M080AE	C=1.5nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R2A222K080AE	C=2.2nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R2A222M080AE	C=2.2nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R2A332K080AE	C=3.3nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU3	CEU3E2X7R2A332M080AE	C=3.3nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU4	CEU4J2X7R1H223K125AE	C=22nF	✓	✓	✓	✓	✓
Automotive Grade Serial Design	CEU4	CEU4J2X7R1H223M125AE	C=22nF	✓	✓	✓	✓	✓

- 32/83 -

- 33/83 -

- 34/83 -

- 35/83 -

- 36/83 -

Group	Series, Type	Part No.	Property	S-parameter	Equivalent Circuit Model			
					Simple Model		Precise Model	DC Bias Model
				Touchstone	PDF	SPICE	SPICE	HSPICE, LTspice, PSpice
Automotive Grade Conductive Epoxy Application	CGA6	CGA6P2X8R1E335M250AD	C=3.3uF	✓	✓	✓	✓	✓
Automotive Grade Conductive Epoxy Application	CGA6	CGA6P3X8R1E475K250AD	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade Conductive Epoxy Application	CGA6	CGA6P3X8R1E475M250AD	C=4.7uF	✓	✓	✓	✓	✓
Automotive Grade Conductive Epoxy Application	CGA6	CGA6M1X8R1E685K200AD	C=6.8uF	✓	✓	✓	✓	✓
Automotive Grade Conductive Epoxy Application	CGA6	CGA6M1X8R1E685M200AD	C=6.8uF	✓	✓	✓	✓	✓
Automotive Grade Conductive Epoxy Application	CGA6	CGA6P1X8R1E106K250AD	C=10uF	✓	✓	✓	✓	✓
Automotive Grade Conductive Epoxy Application	CGA6	CGA6P1X8R1E106M250AD	C=10uF	✓	✓	✓	✓	✓
Automotive Grade Conductive Epoxy Application	CGA6	CGA6M3X8R2A474K200AD	C=470nF	✓	✓	✓	✓	✓
Automotive Grade Conductive Epoxy Application	CGA6	CGA6M3X8R2A474M200AD	C=470nF	✓	✓	✓	✓	✓
Automotive Grade Conductive Epoxy Application	CGA6	CGA6P3X8R2A684K250AD	C=680nF	✓	✓	✓	✓	✓
Automotive Grade Conductive Epoxy Application	CGA6	CGA6P3X8R2A684M250AD	C=680nF	✓	✓	✓	✓	✓
Automotive Grade Open Mode	CGA4	CGA4J2X8R1H473K125AM	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Open Mode	CGA4	CGA4J2X8R1H683K125AM	C=68nF	✓	✓	✓	✓	✓
Automotive Grade Low ESL Reverse Geometry	CGAE	CGAEA2X7R1E473M030BA	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Low ESL Reverse Geometry	CGAE	CGAEA1X7R1H473M030BC	C=47nF	✓	✓	✓	✓	✓
Automotive Grade Low ESL Reverse Geometry	CGAE	CGAEW1X7T0G104M020BC	C=100nF	✓	✓	✓	✓	✓
Automotive Grade Low ESL Reverse Geometry	CGAE	CGAEA3X7T0G104M030BB	C=100nF	✓	✓	✓	✓	✓
Automotive Grade Low ESL Reverse Geometry	CGAE	CGAEB1X7T0G105M050BC	C=1uF	✓	✓	✓	✓	✓
Automotive Grade Low ESL Reverse Geometry	CGAE	CGAEA1X7T0J104M030BC	C=100nF	✓	✓	✓	✓	✓
Automotive Grade ESD Protection	CGA3EA	CGA3EAC0G2A102J080AA	C=1nF	✓	✓	✓	✓	-
Automotive Grade ESD Protection	CGA3EA	CGA3EAC0G2A152J080AC	C=1.5nF	✓	✓	✓	✓	-
Automotive Grade ESD Protection	CGA3EA	CGA3EAC0G2A222J080AC	C=2.2nF	✓	✓	✓	✓	-
Automotive Grade ESD Protection	CGA3EA	CGA3EAC0G2A332J080AC	C=3.3nF	✓	✓	✓	✓	-
Automotive Grade ESD Protection	CGA3EA	CGA3EAC0G2A472J080AC	C=4.7nF	✓	✓	✓	✓	-
Automotive Grade ESD Protection	CGA3EA	CGA3EAC0G2A682J080AC	C=6.8nF	✓	✓	✓	✓	-
Automotive Grade ESD Protection	CGA3EA	CGA3EAC0G2A103J080AC	C=10nF	✓	✓	✓	✓	-
Automotive Grade ESD Protection	CGA3EA	CGA3EANP02A102J080AA	C=1nF	✓	✓	✓	✓	-
Automotive Grade ESD Protection	CGA3EA	CGA3EANP02A152J080AC	C=1.5nF	✓	✓	✓	✓	-
Automotive Grade ESD Protection	CGA3EA	CGA3EANP02A222J080AC	C=2.2nF	✓	✓	✓	✓	-
Automotive Grade ESD Protection	CGA3EA	CGA3EANP02A332J080AC	C=3.3nF	✓	✓	✓	✓	-
Automotive Grade ESD Protection	CGA3EA	CGA3EANP02A472J080AC	C=4.7nF	✓	✓	✓	✓	-
Automotive Grade ESD Protection	CGA3EA	CGA3EANP02A682J080AC	C=6.8nF	✓	✓	✓	✓	-
Automotive Grade ESD Protection	CGA3EA	CGA3EANP02A103J080AC	C=10nF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C010C020BC	C=1pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C020C020BC	C=2pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C030C020BC	C=3pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C040C020BC	C=4pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C050C020BC	C=5pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C060D020BC	C=6pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C070D020BC	C=7pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C080D020BC	C=8pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C090D020BC	C=9pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C100D020BC	C=10pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C150J020BC	C=15pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C150K020BC	C=15pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C220J020BC	C=22pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C220K020BC	C=22pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C330J020BC	C=33pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C330K020BC	C=33pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C470J020BC	C=47pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C470K020BC	C=47pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C680J020BC	C=68pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C680K020BC	C=68pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C101J020BC	C=100pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402C0G1C101K020BC	C=100pF	✓	✓	✓	✓	-
Commercial Grade General (Up to 75V)	C0402	C0402X5R0G102K020BC	C=1nF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R0G102M020BC	C=1nF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R0G152K020BC	C=1.5nF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R0G152M020BC	C=1.5nF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R0G222K020BC	C=2.2nF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R0G222M020BC	C=2.2nF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R0J102K020BC	C=1nF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R0J102M020BC	C=1nF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R0J152K020BC	C=1.5nF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R0J152M020BC	C=1.5nF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R0J222K020BC	C=2.2nF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R0J222M020BC	C=2.2nF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R1A102K020BC	C=1nF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R1A102M020BC	C=1nF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R1A152K020BC	C=1.5nF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R1A152M020BC	C=1.5nF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R1A222K020BC	C=2.2nF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R1A222M020BC	C=2.2nF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R1C101K020BC	C=100pF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R1C101M020BC	C=100pF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R1C151K020BC	C=150pF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R1C151M020BC	C=150pF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R1C221K020BC	C=220pF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R1C221M020BC	C=220pF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R1C331K020BC	C=330pF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R1C331M020BC	C=330pF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R1C471K020BC	C=470pF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R1C471M020BC	C=470pF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R1C681K020BC	C=680pF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X5R1C681M020BC	C=680pF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X6S0G101K020BC	C=100pF	✓	✓	✓	✓	✓
Commercial Grade General (Up to 75V)	C0402	C0402X6S0G101M020BC	C=100pF	✓	✓	✓	✓	✓

- 38/83 -

- 39/83 -

- 40/83 -

- 41/83 -

- 42/83 -

- 43/83 -

- 44/83 -

- 45/83 -

- 46/83 -

- 47/83 -

- 48/83 -

- 49/83 -

- 50/83 -

- 51/83 -

- 52/83 -

- 53/83 -

- 54/83 -

- 55/83 -

- 56/83 -

- 57/83 -

- 58/83 -

- 59/83 -

- 60/83 -

- 61/83 -

- 62/83 -

- 63/83 -

- 64/83 -

- 65/83 -

- 66/83 -

- 67/83 -

- 68/83 -

- 69/83 -

- 70/83 -

- 71/83 -

- 72/83 -

- 73/83 -

Group	Series, Type	Part No.	Property	S-parameter	Equivalent Circuit Model				
					Simple Model		Precise Model	DC Bias Model	
				Touchstone	PDF	SPICE	SPICE	HSPICE, LTspice, PSpice	
Commercial Grade High Temperature Application	C3225	C3225X8R1E475M250AB	C=4.7uF	✓	✓	✓	✓	✓	✓
Commercial Grade High Temperature Application	C3225	C3225X8R1E685K200AC	C=6.8uF	✓	✓	✓	✓	✓	✓
Commercial Grade High Temperature Application	C3225	C3225X8R1E685M200AC	C=6.8uF	✓	✓	✓	✓	✓	✓
Commercial Grade High Temperature Application	C3225	C3225X8R1E106K250AC	C=10uF	✓	✓	✓	✓	✓	✓
Commercial Grade High Temperature Application	C3225	C3225X8R1E106M250AC	C=10uF	✓	✓	✓	✓	✓	✓
Commercial Grade High Temperature Application	C3225	C3225X8R2A474K200AB	C=470nF	✓	✓	✓	✓	✓	✓
Commercial Grade High Temperature Application	C3225	C3225X8R2A474M200AB	C=470nF	✓	✓	✓	✓	✓	✓
Commercial Grade High Temperature Application	C3225	C3225X8R2A684K250AB	C=680nF	✓	✓	✓	✓	✓	✓
Commercial Grade High Temperature Application	C3225	C3225X8R2A684M250AB	C=680nF	✓	✓	✓	✓	✓	✓
Commercial Grade High Temperature Application	C4532	C4532NP02E683J230KN	C=68nF	✓	✓	✓	✓	✓	-
Commercial Grade High Temperature Application	C4532	C4532NP02E104J320KN	C=100nF	✓	✓	✓	✓	✓	-
Commercial Grade High Temperature Application	C4532	C4532NP02W473J230KA	C=47nF	✓	✓	✓	✓	✓	-
Commercial Grade High Temperature Application	C4532	C4532NP02W683J230KA	C=68nF	✓	✓	✓	✓	✓	-
Commercial Grade High Temperature Application	C4532	C4532NP02J333J200KA	C=33nF	✓	✓	✓	✓	✓	-
Commercial Grade High Temperature Application	C4532	C4532NP02J473J200KA	C=47nF	✓	✓	✓	✓	✓	-
Commercial Grade High Temperature Application	C5750	C5750NP02A154J230KA	C=150nF	✓	-	-	-	-	-
Commercial Grade High Temperature Application	C5750	C5750NP02E154J230KN	C=150nF	✓	✓	✓	✓	✓	-
Commercial Grade High Temperature Application	C5750	C5750NP02W104J280KA	C=100nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG32K	CKG32KCOG2A683J335AH	C=68nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG32K	CKG32KCOG2E333J335AH	C=33nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG32K	CKG32KCOG2E473J335AH	C=47nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG32K	CKG32KCOG2W223J335AH	C=22nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG32K	CKG32KCOG2W333J335AH	C=33nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG32K	CKG32KCOG2J223J335AH	C=22nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG32K	CKG32KCOG2J333J335AH	C=33nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG32K	CKG32KCOG3A102J335AH	C=1nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG32K	CKG32KCOG3A152J335AH	C=1.5nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG32K	CKG32KCOG3A222J335AH	C=2.2nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG32K	CKG32KCOG3A332J335AH	C=3.3nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG32K	CKG32KCOG3A472J335AH	C=4.7nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG32K	CKG32KCOG3A682J335AH	C=6.8nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG32K	CKG32KCOG3A103J335AH	C=10nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG32K	CKG32KCOG3A153J335AH	C=15nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG32K	CKG32KCOG3A223J335AH	C=22nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG45K	CKG45KCOG2E683J290JH	C=68nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG45K	CKG45KCOG2W473J290JH	C=47nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG45K	CKG45KCOG2J333J290JH	C=33nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG45N	CKG45NCOG2E144K500JH	C=140nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG45N	CKG45NCOG2W943J500JH	C=94nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG45N	CKG45NCOG2J663J500JH	C=66nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG57K	CKG57KCOG2E154J335JH	C=150nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG57K	CKG57KCOG2J683J335JH	C=68nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R1C156M335JH	C=15uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R1E106K335JH	C=10uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R1E106M335JH	C=10uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R1E226M335JH	C=22uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R1E476M335JH	C=47uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R1V476M335JH	C=47uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R1H475K335JH	C=4.7uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R1H475M335JH	C=4.7uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R1H226M335JH	C=22uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R2A105K335JH	C=1uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R2A105M335JH	C=1uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R2A225K335JH	C=2.2uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R2A225M335JH	C=2.2uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R2A335K335JH	C=3.3uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R2A335M335JH	C=3.3uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R2A475K335JH	C=4.7uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R2A475M335JH	C=4.7uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R2E474K335JH	C=470nF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R2E474M335JH	C=470nF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R2E105K335JH	C=1uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R2E105M335JH	C=1uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R2J224K335JH	C=220nF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7R2J224M335JH	C=220nF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7S1C476M335JH	C=47uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7S1H106K335JH	C=10uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7S1H106M335JH	C=10uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7S2A685K335JH	C=6.8uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7S2A685M335JH	C=6.8uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7S2A106K335JH	C=10uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7S2A106M335JH	C=10uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7S2A156M335JH	C=15uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7T2E155K335JH	C=1.5uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7T2E155M335JH	C=1.5uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7T2E225K335JH	C=2.2uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7T2E225M335JH	C=2.2uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7T2W684K335JH	C=680nF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7T2W684M335JH	C=680nF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7T2W105K335JH	C=1uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7T2W105M335JH	C=1uF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7T2J334K335JH	C=330nF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7T2J334M335JH	C=330nF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7T2J474K335JH	C=470nF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57K	CKG57KX7T2J474M335JH	C=470nF	✓	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NCOG2E304J500JH	C=300nF	✓	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type	CKG57N	CKG57NCOG2J144K500JH	C=140nF	✓	✓	✓	✓	✓	-

Group	Series, Type	Part No.	Property	S-parameter	Equivalent Circuit Model			
					Simple Model		Precise Model	DC Bias Model
				Touchstone	PDF	SPICE	SPICE	HSPICE, LTspice, PSpice
Commercial Grade MEGACAP Type	CKG57N	CKG57NX5R1C107M500JH	C=100uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX5R1E476M500JH	C=47uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX5R1H226M500JH	C=22uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX5R2A106M500JH	C=10uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7R1C336M500JH	C=33uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7R1E226M500JH	C=22uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7R1E107M500JH	C=100uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7R1V107M500JH	C=100uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7R1H106M500JH	C=10uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7R1H476M500JH	C=47uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7R2A225M500JH	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7R2A475M500JH	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7R2A106M500JH	C=10uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7R2E105M500JH	C=1uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7R2E225M500JH	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7R2J474M500JH	C=470nF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7S1C107M500JH	C=100uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7S1E476M500JH	C=47uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7S1H226M500JH	C=22uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7S2A226M500JH	C=22uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7T2E335M500JH	C=3.3uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7T2W155M500JH	C=1.5uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7T2W225M500JH	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7T2J684M500JH	C=680nF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type	CKG57N	CKG57NX7T2J105M500JH	C=1uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G2J204G640LH	C=0.2uF	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G2J204J640LH	C=200nF	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G3A203G640LH	C=20nF	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G3A203J640LH	C=20nF	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G3A303G640LH	C=30nF	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G3A303J640LH	C=30nF	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G3A443G640LH	C=44nF	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G3A443J640LH	C=44nF	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G3A663G640LH	C=66nF	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572C0G3A663J640LH	C=66nF	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572X6T2W225M640LH	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572X7R1E107M670LH	C=100uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572X7R1V476M670LH	C=47uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572X7R1V107M670LH	C=100uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572X7R1H476M670LH	C=47uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572X7S2A336M640LH	C=33uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572X7T2V225M640LH	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA572	CAA572X7T2J105M640LH	C=1uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573C0G2J304G640LH	C=0.3uF	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573C0G2J304J640LH	C=300nF	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573C0G3A993G640LH	C=99nF	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573C0G3A993J640LH	C=99nF	✓	✓	✓	✓	-
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573X6T2W335M640LH	C=3.3uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573X7R1E157M670LH	C=150uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573X7R1V686M670LH	C=68uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573X7R1V157M670LH	C=150uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573X7R1H686M670LH	C=68uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573X7S2A476M640LH	C=47uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573X7T2V335M640LH	C=3.3uF	✓	✓	✓	✓	✓
Commercial Grade MEGACAP Type (Low resistance inline type)	CAA573	CAA573X7T2J155M640LH	C=1.5uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1005	C1005C0G1H101J050BE	C=100pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C1005	C1005C0G1H151J050BE	C=150pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C1005	C1005C0G1H221J050BE	C=220pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C1005	C1005C0G1H331J050BE	C=330pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C1005	C1005C0G1H471J050BE	C=470pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C1005	C1005C0G1H681J050BE	C=680pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C1005	C1005C0G1H102J050BE	C=1nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C1005	C1005C0G2A101J050BE	C=100pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C1005	C1005C0G2A151J050BE	C=150pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C1005	C1005C0G2A221J050BE	C=220pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C1005	C1005C0G2A331J050BE	C=330pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C1005	C1005C0G2A471J050BE	C=470pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C1005	C1005C0G2A681J050BE	C=680pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C1005	C1005C0G2A102J050BE	C=1nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C1005	C1005X5R0J475K050BE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1005	C1005X5R1A475K050BE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1005	C1005X5R1E474K050BE	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1005	C1005X5R1E105K050BE	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1005	C1005X5R1E225K050BE	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1005	C1005X5R1V474K050BE	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1005	C1005X5R1V105K050BE	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1005	C1005X5R1V225K050BE	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1005	C1005X7R1C224K050BE	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1005	C1005X7R1C224M050BE	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1005	C1005X7R1E224K050BE	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1005	C1005X7R1E224M050BE	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1005	C1005X7R1V224K050BE	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1005	C1005X7R1V224M050BE	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1005	C1005X7R1H102K050BE	C=1nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1005	C1005X7R1H102M050BE	C=1nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1005	C1005X7R1H222K050BE	C=2.2nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1005	C1005X7R1H222M050BE	C=2.2nF	✓	✓	✓	✓	✓

- 76/83 -

- 77/83 -

Group	Series, Type	Part No.	Property	S-parameter	Equivalent Circuit Model			
				Touchstone	Simple Model		Precise Model	DC Bias Model
					PDF	SPICE	SPICE	HSPICE, LTspice, PSpice
Commercial Grade Soft Termination	C1608	C1608X8R1H103M080AE	C=10nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1608	C1608X8R1H153K080AE	C=15nF	-	-	-	-	-
Commercial Grade Soft Termination	C1608	C1608X8R1H153M080AE	C=15nF	-	-	-	-	-
Commercial Grade Soft Termination	C1608	C1608X8R1H223K080AE	C=22nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1608	C1608X8R1H223M080AE	C=22nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1608	C1608X8R1H333K080AE	C=33nF	-	-	-	-	-
Commercial Grade Soft Termination	C1608	C1608X8R1H333M080AE	C=33nF	-	-	-	-	-
Commercial Grade Soft Termination	C1608	C1608X8R1H473K080AE	C=47nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1608	C1608X8R1H473M080AE	C=47nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1608	C1608X8R1H683K080AE	C=68nF	-	-	-	-	-
Commercial Grade Soft Termination	C1608	C1608X8R1H683M080AE	C=68nF	-	-	-	-	-
Commercial Grade Soft Termination	C1608	C1608X8R1H104K080AE	C=100nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1608	C1608X8R1H104M080AE	C=100nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1608	C1608X8R2A102K080AE	C=1nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1608	C1608X8R2A102M080AE	C=1nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1608	C1608X8R2A152K080AE	C=1.5nF	-	-	-	-	-
Commercial Grade Soft Termination	C1608	C1608X8R2A152M080AE	C=1.5nF	-	-	-	-	-
Commercial Grade Soft Termination	C1608	C1608X8R2A222K080AE	C=2.2nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1608	C1608X8R2A222M080AE	C=2.2nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1608	C1608X8R2A332K080AE	C=3.3nF	-	-	-	-	-
Commercial Grade Soft Termination	C1608	C1608X8R2A332M080AE	C=3.3nF	-	-	-	-	-
Commercial Grade Soft Termination	C1608	C1608X8R2A472K080AE	C=4.7nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1608	C1608X8R2A472M080AE	C=4.7nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1608	C1608X8R2A682K080AE	C=6.8nF	-	-	-	-	-
Commercial Grade Soft Termination	C1608	C1608X8R2A682M080AE	C=6.8nF	-	-	-	-	-
Commercial Grade Soft Termination	C1608	C1608X8R2A103K080AE	C=10nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1608	C1608X8R2A103M080AE	C=10nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1608	C1608X8R2A153K080AE	C=15nF	-	-	-	-	-
Commercial Grade Soft Termination	C1608	C1608X8R2A153M080AE	C=15nF	-	-	-	-	-
Commercial Grade Soft Termination	C1608	C1608X8R2A223K080AE	C=22nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C1608	C1608X8R2A223M080AE	C=22nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012C0G1H153J085AE	C=15nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012C0G1H223J125AE	C=22nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G1H333J125AE	C=33nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2A153J085AE	C=15nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2A223J125AE	C=22nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2A333J125AE	C=33nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2E332J085AE	C=3.3nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2E472J125AE	C=4.7nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2E562J125AE	C=5.6nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2E682J125AE	C=6.8nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2W101J060AE	C=100pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2W151J060AE	C=150pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2W221J060AE	C=220pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2W331J060AE	C=330pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2W471J060AE	C=470pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2W681J060AE	C=680pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2W102J060AE	C=1nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2W122J060AE	C=1.2nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2W152J085AE	C=1.5nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2W182J085AE	C=1.8nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2W222J085AE	C=2.2nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2W272J125AE	C=2.7nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2W332J125AE	C=3.3nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012C0G2W392J125AE	C=3.9nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012X5R1A226M125AE	C=22uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R1A106K125AE	C=10uF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012X7R1A106M125AE	C=10uF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012X7R1C475K125AE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R1C475M125AE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R1E225K125AE	C=2.2uF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012X7R1E225M125AE	C=2.2uF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012X7R1E475K125AE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R1E475M125AE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R1V105K125AE	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R1V105M125AE	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R1V225K125AE	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R1V225M125AE	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R1V475K125AE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R1V475M125AE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R1H224K125AE	C=220nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012X7R1H224M125AE	C=220nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012X7R1H474K125AE	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R1H474M125AE	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R1H105K125AE	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R1H105M125AE	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R1H225K125AE	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R1H225M125AE	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R1H475K125AE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R2A102K085AE	C=1nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R2A102M085AE	C=1nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R2A222K085AE	C=2.2nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R2A222M085AE	C=2.2nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R2A472K085AE	C=4.7nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R2A472M085AE	C=4.7nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R2A103K085AE	C=10nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012X7R2A103M085AE	C=10nF	✓	✓	✓	✓	-

Group	Series, Type	Part No.	Property	S-parameter	Equivalent Circuit Model			
					Simple Model		Precise Model	DC Bias Model
				Touchstone	PDF	SPICE	SPICE	HSPICE, LTspice, PSpice
Commercial Grade Soft Termination	C2012	C2012X7R2A223K125AE	C=22nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012X7R2A223M125AE	C=22nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012X7R2A473K125AE	C=47nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012X7R2A473M125AE	C=47nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012X7R2A104K125AE	C=100nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R2A104M125AE	C=100nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R2E102K085AE	C=1nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R2E102M085AE	C=1nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R2E222K085AE	C=2.2nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R2E222M085AE	C=2.2nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R2E472K085AE	C=4.7nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R2E472M085AE	C=4.7nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R2E103K125AE	C=10nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R2E103M125AE	C=10nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R2E223K125AE	C=22nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7R2E223M125AE	C=22nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7S1E106K125AE	C=10uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7S2A224K085AE	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7S2A224M085AE	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7S2A474K125AE	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7S2A474M125AE	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7S2A105K125AE	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7S2A105M125AE	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7T2E473K125AE	C=47nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7T2E473M125AE	C=47nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7T2E104K125AE	C=100nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7T2E104M125AE	C=100nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7T2W103K085AE	C=10nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7T2W103M085AE	C=10nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7T2W223K125AE	C=22nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7T2W223M125AE	C=22nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7T2W473K125AE	C=47nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X7T2W473M125AE	C=47nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8L1A106K125AE	C=10uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8L1E475K125AE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1C684K125AE	C=680nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1C684M125AE	C=680nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1C105K125AE	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1C105M125AE	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1E154K085AE	C=150nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1E154M085AE	C=150nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1E224K125AE	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1E224M125AE	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1E334K125AE	C=330nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1E334M125AE	C=330nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1E474K125AE	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1E474M125AE	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1E684K125AE	C=680nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1E684M125AE	C=680nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1E105K125AE	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1E105M125AE	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1H683K125AE	C=68nF	-	-	-	-	-
Commercial Grade Soft Termination	C2012	C2012X8R1H683M125AE	C=68nF	-	-	-	-	-
Commercial Grade Soft Termination	C2012	C2012X8R1H104K125AE	C=100nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012X8R1H104M125AE	C=100nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012X8R1H154K125AE	C=150nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1H154M125AE	C=150nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R1H224K125AE	C=220nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012X8R1H224M125AE	C=220nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C2012	C2012X8R2A223K125AE	C=22nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R2A223M125AE	C=22nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R2A333K125AE	C=33nF	-	-	-	-	-
Commercial Grade Soft Termination	C2012	C2012X8R2A333M125AE	C=33nF	-	-	-	-	-
Commercial Grade Soft Termination	C2012	C2012X8R2A473K125AE	C=47nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R2A473M125AE	C=47nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R2A683K125AE	C=68nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C2012	C2012X8R2A683M125AE	C=68nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3216	C3216C0G1H473J115AE	C=47nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G1H683J160AE	C=68nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G1H104J160AE	C=100nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G2A473J115AE	C=47nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G2A683J160AE	C=68nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G2A104J160AE	C=100nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G2E103J115AE	C=10nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G2E153J160AE	C=15nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G2W682J115AE	C=6.8nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G2W822J115AE	C=8.2nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G2W103J160AE	C=10nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G2J392G085AE	C=3.9nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G2J392J085AE	C=3.9nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G2J562G115AE	C=5.6nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G2J562J115AE	C=5.6nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G2J682G115AE	C=6.8nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G2J682J115AE	C=6.8nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G2J822G160AE	C=8.2nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G2J822J160AE	C=8.2nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3216	C3216C0G2J103G160AE	C=10nF	✓	✓	✓	✓	-

- 80/83 -

Group	Series, Type	Part No.	Property	S-parameter	Equivalent Circuit Model			
					Simple Model		Precise Model	DC Bias Model
				Touchstone	PDF	SPICE	SPICE	HSPICE, LTspice, PSpice
Commercial Grade Soft Termination	C3216	C3216X8R2A334K160AE	C=330nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3216	C3216X8R2A334M160AE	C=330nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225C0G2A683J230AE	C=68nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G2E223J160AE	C=22nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G2W333J250AE	C=33nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G2J153G160AE	C=15nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G2J153J160AE	C=15nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G2J333G250AE	C=33nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G2J333J250AE	C=33nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A102G200AE	C=1nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A102J200AE	C=1nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A122G200AE	C=1.2nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A122J200AE	C=1.2nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A152G200AE	C=1.5nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A152J200AE	C=1.5nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A182G200AE	C=1.8nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A182J200AE	C=1.8nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A222G200AE	C=2.2nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A222J200AE	C=2.2nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A272G200AE	C=2.7nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A272J200AE	C=2.7nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A332G200AE	C=3.3nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A332J200AE	C=3.3nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A392G200AE	C=3.9nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A392J200AE	C=3.9nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A472G200AE	C=4.7nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A472J200AE	C=4.7nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A562G200AE	C=5.6nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A562J200AE	C=5.6nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A682G200AE	C=6.8nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A682J200AE	C=6.8nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A822G230AE	C=8.2nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225C0G3A822J230AE	C=8.2nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225X7R1H225K200AE	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7R1H225M200AE	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7R1H475K250AE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7R2A474K200AE	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7R2A474M200AE	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7R2A105K200AE	C=1uF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225X7R2A105M200AE	C=1uF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225X7R2A225K230AE	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7R2A225M230AE	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7R2E104K200AE	C=100nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7R2E104M200AE	C=100nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7R2E224K200AE	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7R2E224M200AE	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7R2J473K200AE	C=47nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7R2J473M200AE	C=47nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7R2J683K200AE	C=68nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225X7R2J683M200AE	C=68nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225X7S1H475K230AE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7S1H475M230AE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7S1H106K250AE	C=10uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7S1H106M250AE	C=10uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7S2A335K200AE	C=3.3uF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225X7S2A335M200AE	C=3.3uF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225X7S2A475K200AE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7S2A475M200AE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7T2E334K200AE	C=330nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7T2E334M200AE	C=330nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7T2W224K200AE	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7T2W224M200AE	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7T2J104K160AE	C=100nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7T2J104M160AE	C=100nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X7T2J154K200AE	C=150nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225X7T2J154M200AE	C=150nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C3225	C3225X8R1C106K250AE	C=10uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X8R1C106M250AE	C=10uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X8R1E335K250AE	C=3.3uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X8R1E335M250AE	C=3.3uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X8R1E475K250AE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X8R1E475M250AE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X8R1E106K250AE	C=10uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X8R1E106M250AE	C=10uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X8R2A474K200AE	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X8R2A474M200AE	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X8R2A684K250AE	C=680nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C3225	C3225X8R2A684M250AE	C=680nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C4520	C4520X7R3D102K130KE	C=1nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C4520	C4520X7R3D102M130KE	C=1nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C4532	C4532C0G2J333J200KE	C=33nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C4532	C4532C0G3F331K250KE	C=330pF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C4532	C4532X7R2E474K230KE	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C4532	C4532X7R2E474M230KE	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C4532	C4532X7R2J104K230KE	C=100nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C4532	C4532X7R2J104M230KE	C=100nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C4532	C4532X7R3D222K130KE	C=2.2nF	✓	✓	✓	✓	-

Group	Series, Type	Part No.	Property	S-parameter	Equivalent Circuit Model			
					Simple Model		Precise Model	DC Bias Model
				Touchstone	PDF	SPICE	SPICE	HSPICE, LTspice, PSpice
Commercial Grade Soft Termination	C4532	C4532X7R3D222M130KE	C=2.2nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C4532	C4532X7T2E105K250KE	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C4532	C4532X7T2E105M250KE	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C4532	C4532X7T2W474K230KE	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C4532	C4532X7T2W474M230KE	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C4532	C4532X7T2J224K200KE	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C4532	C4532X7T2J224M200KE	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C5750	C5750C0G2A154J230KE	C=150nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C5750	C5750C0G2E154J230KE	C=150nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C5750	C5750C0G2J683G230KE	C=68nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C5750	C5750C0G2J683J230KE	C=68nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination	C5750	C5750X7R2E105K250KE	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C5750	C5750X7R2E105M230KE	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C5750	C5750X7R2J224K230KE	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C5750	C5750X7R2J224M230KE	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C5750	C5750X7S2A106K230KE	C=10uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C5750	C5750X7S2A106M230KE	C=10uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C5750	C5750X7T2E225K250KE	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C5750	C5750X7T2E225M250KE	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C5750	C5750X7T2W105K250KE	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C5750	C5750X7T2W105M250KE	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C5750	C5750X7T2J474K250KE	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C5750	C5750X7T2J474M250KE	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C7563	C7563X7R1E476M230LE	C=47uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C7563	C7563X7S1C107M280LE	C=100uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination	C7563	C7563X7S1H226M230LE	C=22uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination Low Resistance	CNC5	CNC5L1X7R1C106K160AE	C=10uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination Low Resistance	CNC5	CNC5L1X7R1E106K160AE	C=10uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination Low Resistance	CNC5	CNC5L1X7R1H225K160AE	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination Low Resistance	CNC5	CNC5L1X7R1H475K160AE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination Low Resistance	CNC5	CNC5L1X7R1H106K160AE	C=10uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination Low Resistance	CNC5	CNC5L1X7R1N225K160AE	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination Low Resistance	CNC5	CNC5L1X7S1A226M160AE	C=22uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P4C0G2J333G250AE	C=33nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P4C0G2J333J250AE	C=33nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1C0G3A103G250AE	C=10nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1C0G3A103J250AE	C=10nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1C0G3A123G250AE	C=12nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1C0G3A123J250AE	C=12nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1C0G3A153G250AE	C=15nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1C0G3A153J250AE	C=15nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1C0G3A183G250AE	C=18nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1C0G3A183J250AE	C=18nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1C0G3A223G250AE	C=22nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1C0G3A223J250AE	C=22nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1C0G3B822G250AE	C=8.2nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1C0G3B822J250AE	C=8.2nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1C0G3B103G250AE	C=10nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1C0G3B103J250AE	C=10nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P4NP02J333G250AE	C=33nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P4NP02J333J250AE	C=33nF	✓	✓	✓	✓	-
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1X7R1E226M250AE	C=22uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1X7R1H475K250AE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1X7R1H106K250AE	C=10uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1X7R2A475K250AE	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Soft Termination Low Resistance	CNC6	CNC6P1X7S1A476M250AE	C=47uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C2012	C2012X7R2A102K085AM	C=1nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C2012	C2012X7R2A152K085AM	C=1.5nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C2012	C2012X7R2A222K085AM	C=2.2nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C2012	C2012X7R2A332K085AM	C=3.3nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C2012	C2012X7R2A472K085AM	C=4.7nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C2012	C2012X7R2A682K085AM	C=6.8nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C2012	C2012X7R2A103K085AM	C=10nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C2012	C2012X7R2A153K125AM	C=15nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C2012	C2012X7R2A223K125AM	C=22nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C2012	C2012X7R2E102K085AM	C=1nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C2012	C2012X7R2E152K085AM	C=1.5nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C2012	C2012X7R2E222K085AM	C=2.2nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C2012	C2012X7R2E332K085AM	C=3.3nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C2012	C2012X7R2E472K085AM	C=4.7nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C2012	C2012X7R2E682K125AM	C=6.8nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C2012	C2012X7R2E103K125AM	C=10nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C2012	C2012X7R2E153K125AM	C=15nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R1C475M160AM	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2A333K115AM	C=33nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2A473K115AM	C=47nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2A683K160AM	C=68nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2A104K160AM	C=100nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2A154K160AM	C=150nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2A105K160AM	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2E153K115AM	C=15nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2E223K115AM	C=22nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2E333K160AM	C=33nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2E473K160AM	C=47nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2E683K160AM	C=68nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2E104K160AM	C=100nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2J102K115AM	C=1nF	✓	✓	✓	✓	✓

Group	Series, Type	Part No.	Property	S-parameter	Equivalent Circuit Model			
					Simple Model		Precise Model	DC Bias Model
				Touchstone	PDF	SPICE	SPICE	HSPICE, LTspice, PSpice
Commercial Grade Open Mode	C3216	C3216X7R2J152K115AM	C=1.5nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2J222K115AM	C=2.2nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2J332K115AM	C=3.3nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2J472K115AM	C=4.7nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2J682K115AM	C=6.8nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2J103K115AM	C=10nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2J153K130AM	C=15nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2J223K130AM	C=22nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3216	C3216X7R2J333K160AM	C=33nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3225	C3225X7R1C335K200AM	C=3.3uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3225	C3225X7R1C475K250AM	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3225	C3225X7R1E105K115AM	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3225	C3225X7R1E155K160AM	C=1.5uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3225	C3225X7R1E225K200AM	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3225	C3225X7R1H474K160AM	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3225	C3225X7R1H684K200AM	C=680nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3225	C3225X7R2A334K200AM	C=330nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3225	C3225X7R2A105K200AM	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3225	C3225X7R2A225K230AM	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3225	C3225X7R2E104K200AM	C=100nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3225	C3225X7R2E154K200AM	C=150nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3225	C3225X7R2E224K200AM	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3225	C3225X7R2J473K200AM	C=47nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C3225	C3225X7R2J683K200AM	C=68nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C4532	C4532X7R1C685K200KM	C=6.8uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C4532	C4532X7R1C106K230KM	C=10uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C4532	C4532X7R1E335K160KM	C=3.3uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C4532	C4532X7R1E475K200KM	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C4532	C4532X7R1H105K160KM	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C4532	C4532X7R1H155K230KM	C=1.5uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C4532	C4532X7R2A684K230KM	C=680nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C4532	C4532X7R2E154K160KM	C=150nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C4532	C4532X7R2E224K230KM	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C4532	C4532X7R2E334K230KM	C=330nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C4532	C4532X7R2E474K230KM	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C4532	C4532X7R2J683K160KM	C=68nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C4532	C4532X7R2J104K230KM	C=100nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C5750	C5750X7R1C226M280KM	C=22uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C5750	C5750X7R1E685K160KM	C=6.8uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C5750	C5750X7R1E106K200KM	C=10uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C5750	C5750X7R1E156M280KM	C=15uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C5750	C5750X7R1H225K160KM	C=2.2uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C5750	C5750X7R1H335K230KM	C=3.3uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C5750	C5750X7R1H475K280KM	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C5750	C5750X7R2A684K160KM	C=680nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C5750	C5750X7R2A105K230KM	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C5750	C5750X7R2A155K230KM	C=1.5uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C5750	C5750X7R2E334K160KM	C=330nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C5750	C5750X7R2E474K230KM	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C5750	C5750X7R2E684K230KM	C=680nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C5750	C5750X7R2E105K230KM	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C5750	C5750X7R2J154K160KM	C=150nF	✓	✓	✓	✓	✓
Commercial Grade Open Mode	C5750	C5750X7R2J224K230KM	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Low ESL Reverse Geometry	C0510	C0510X5R0J105M030BC	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Low ESL Reverse Geometry	C0510	C0510X5R1A474M030BC	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Low ESL Reverse Geometry	C0510	C0510X5R1C104M030BC	C=100nF	✓	✓	✓	✓	✓
Commercial Grade Low ESL Reverse Geometry	C0510	C0510X5R1C474M030BC	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Low ESL Reverse Geometry	C0510	C0510X6S0G104M030BC	C=100nF	✓	✓	✓	✓	✓
Commercial Grade Low ESL Reverse Geometry	C0510	C0510X6S0G224M030BC	C=220nF	✓	✓	✓	✓	✓
Commercial Grade Low ESL Reverse Geometry	C0510	C0510X6S0G474M030BC	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Low ESL Reverse Geometry	C0510	C0510X6S0G105M030BC	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Low ESL Reverse Geometry	C0510	C0510X6S0J474M030BC	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Low ESL Reverse Geometry	C0510	C0510X7R1E473M030BA	C=47nF	✓	✓	✓	✓	✓
Commercial Grade Low ESL Reverse Geometry	C0510	C0510X7R1H473M030BC	C=47nF	✓	✓	✓	✓	✓
Commercial Grade Low ESL Reverse Geometry	C0510	C0510X7S0E105M030BC	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Low ESL Reverse Geometry	C0510	C0510X7S0G474M030BC	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Low ESL Reverse Geometry	CGBD	CGBDT1X5R0G105M022BC	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Low ESL Reverse Geometry	CGBD	CGBDT1X6S0G105M022BC	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Low ESL Reverse Geometry	CGBD	CGBDT1X7T0E105M022BC	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Ultra Low Inductance	CLLC1A	CLLC1AX6S0G475M050AC	C=4.7uF	✓	✓	✓	✓	✓
Commercial Grade Ultra Low Inductance	CLLC1A	CLLC1AX7R0G104M050AC	C=100nF	✓	✓	✓	✓	✓
Commercial Grade Ultra Low Inductance	CLLC1A	CLLC1AX7S0G473M050AC	C=47nF	-	-	-	-	-
Commercial Grade Ultra Low Inductance	CLLC1A	CLLC1AX7S0G104M050AC	C=100nF	-	-	-	-	-
Commercial Grade Ultra Low Inductance	CLLC1A	CLLC1AX7S0G334M050AC	C=330nF	✓	✓	✓	✓	✓
Commercial Grade Ultra Low Inductance	CLLC1A	CLLC1AX7S0G474M050AC	C=470nF	✓	✓	✓	✓	✓
Commercial Grade Ultra Low Inductance	CLLC1A	CLLC1AX7S0G684M050AC	C=680nF	✓	✓	✓	✓	✓
Commercial Grade Ultra Low Inductance	CLLC1A	CLLC1AX7S0G105M050AC	C=1uF	✓	✓	✓	✓	✓
Commercial Grade Ultra Low Inductance	CLLC1A	CLLC1AX7S0G225M050AC	C=2.2uF	✓	✓	✓	✓	✓