


More Kotlin fundamentals


Let's do a quick test! You must answer at least 7 questions correctly to pass this quiz.

[Return to pathway_](https://developer.android.com/courses/pathways/android-basics-compose) (https://developer.android.com/courses/pathways/android-basics-compose)

1. Which of the following is a valid way to define a data class in Kotlin?

- ☒ `data class Person(val name: String, val age: Int)`  Correct!
- ☐ `class Person(val name: String, val age: Int): data`
- ☐ `class Person(val name: String, val age: Int)`
- ☐ `data class Person{val name: String, val age: Int}`

2. When using a sealed class, all direct subclasses must be in the same package.

- ☒ true  Correct!
- ☐ false

3. When using generics, the generic data type goes inside ____.

- ☐ `[]`
- ☐ `{}`
- ☐ `()`



Correct!

4. A(n) ___ class is useful when you have a fixed set of values.

☒ enum

Correct!

☐ sealed

☐ data

☐ inherited

5. To create a list object that has the ability to change its size, you would call ___.

☐ modifiableListOf()

☐ immutableListOf()

☐ listOf()

☒ mutableListOf()

Correct!

6. Which of the following are higher-order functions?

Choose as many answers as you see fit.

☒ map

Correct!

☐ arrangeBy

☒ filter

Correct!

☒ `forEach` ☒ Correct!

7. Given the following line of code, which of the following commands will print `Blue`? (Hint: If you are not sure, try running the code in the Kotlin Playground.)

```
val colors = listOf("Red", "Green", "Blue")
```

Choose as many answers as you see fit.

☒ `println(colors[2])` ☒ Correct!

☒ `println(colors.get(2))` ☒ Correct!

☐ `println(colors.contains(2))`

☐ `println(colors.getOrElse(index = 2, defaultValue = 10))`

8. The programming concept of a class that has only one instance is called a ____.

☐ Uniqueness

☒ Singleton ☒ Correct!

☐ Mono-object


☐ Lambda

9. Which of the following statements is true regarding sets and maps?

☒ A set must contain distinct values and a map's keys must be distinct. ☒ Correct!

- ☐ A set must contain distinct values and a map's keys can contain duplicates.
- ☐ A set can contain duplicate values and a map's values can contain duplicate values.
- ☐ A set can contain duplicate values and a map's keys must be distinct.

10. If you have a variable named `records`, which is a collection, to determine the number of items it contains, you can call ____.

- ☐ `records.length`
- ☐ `records.quantity`
- ☐ `len(records)`
- ☒ `records.size`  Correct!

Results


You scored **10 out of 10**. Congratulations! You have passed this quiz.

[Return to pathway](https://developer.android.com/courses/pathways/android-basics-compose) (https://developer.android.com/courses/pathways/android-basics-compose)

[Next pathway](https://developer.android.com/courses/pathways/android-basics-compose-u) (https://developer.android.com/courses/pathways/android-basics-compose-u)

You earned the **More Kotlin fundamentals badge!**

Sign in to claim your badge.



Share



(https://
/develo
per.and
roid.co
m/cours
es/quizz
es/andr
oid-ba
sics-co
mpos
e-unit-
3-pa
thwa
y-1/
androi
d-ba
sics-co
mpos
e-unit-
3-pa
thwa
y-1?
continu
e=https
%3A%2
F%2Fde
veloper.
android.
com%2
Fcourse

Return to pathway (https://developer.android.com/courses/pathways/android-ba

Sign in (#)