Architecture Components

Let's do a quick test! You must answer at least 7 questions correctly to pass this quiz.

Return to pathway (https://developer.android.com/courses/pathways/android-basics-compos

1. Which method is first called when the app no longer has focus?
onPause()
OnStart()
OnCreate()
OnStop()
2. After, the app is no longer visible on screen.
OnPause()
OnStart()
OnCreate()
onStop() Orrect!
3. Use to write a debug message. This method takes two arguments: the
log tag and the log message.
O Log.i()

■ Log.d() Correct!
Cog.e()
Log.w()
4. To save a value that needs to survive a configuration change, declare its
variables with
MutableState{}
<pre>PrememberSaveable{}</pre> <pre></pre>
<pre>remember{}</pre>
State Hoisting
5. The separation of concerns design principle states that the app should be
divided into classes, each with separate responsibilities.
True
O False
6. The UI is what the user sees, while the UI state is what the app says they
should see.
True
○ False

7. According to the recommended app architecture, each application should have at least the following two layers:
The domain layer and the data layer
The UI layer and the data layer Correct!
Repository layer and the UI layer
The domain layer and the UI layer
8. StateFlow is a data-holder observable flow that emits the current and new state updates.
True Correct!
○ False
9. Which of the following configurations should be added to the build.gradle file to add dependencies for the unit test source code?
implementation
testImplementation
<pre>debugImplementation</pre>
<pre>androidTestImplementation</pre>
10. Unit tests are executed on an Android device or emulator.
○ True





Correct!

Results

You scored 10 out of 10. Congratulations! You have passed this quiz.

Return to pathway (https://developer.android.com/courses/pathways/android-basics-compos

Next pathway (https://developer.android.com/courses/pathways/android-basics-compose-u

You earned the Architecture Components badge!

Sign in to claim your badge.



Share



