

Chat App

localhost:3000

Login

userone

.....

Login

Don't have an account? [Sign up](#)

101418564_lab_test1_chat_app — node ↵ npm run dev TERM_PROGRAM=Apple_Ter...

```
Server running on port 3000
^C
(base) andrewstewart@Mac 101418564_lab_test1_chat_app % npm run dev

> 101418564_lab_test1_chat_app@1.0.0 dev
> nodemon server.js

[nodemon] 3.1.9
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): ***!
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node server.js`
(node:39650) [MONGODB DRIVER] Warning: useNewUrlParser is a deprecated option: useNewUrlParser has no effect since Node.js Driver version 4.0.0 and will be removed in the next major version
(Use `node --trace-warnings ...` to show where the warning was created)
(node:39650) [MONGODB DRIVER] Warning: useUnifiedTopology is a deprecated option: useUnifiedTopology has no effect since Node.js Driver version 4.0.0 and will be removed in the next major version
Server running on port 3000
New client connected
User userone joined room: devops
User userone left room: devops

```


JS server.js

```
44 users[room].push(username)
45 console.log(`User ${username} joined room: ${room}`);
46 io.to(room).emit('update');
47 }
48
49 socket.on('leave room', (data) => {
50   const { username, room } = data;
51   socket.leave(room);
52   if (users[room]) {
53     users[room] = users[room].filter((user) => user !== username);
54   }
55   console.log(`User ${username} left room: ${room}`);
56   io.to(room).emit('update');
57 });
58
59 socket.on('chat message', (data) => {
60   const newMessage = new Message(data);
61   await newMessage.save();
62   io.to(room).emit('chat message', newMessage);
63 });
64
65 socket.on('typing', ({ user, room }) => {
66   socket.to(room).emit('typing', user);
67 });

Ln 41, Col 12  Spaces: 2  UTF-8  LF  {} JavaScript
```

< > 0 △ 0 ⌂ 0

> OUTLINE
> TIMELINE



Quiz At Class

Take Quiz

5BNA8A

Start  

Questions

Quiz: Intro

Time Left: 00:09:40 1 / 5

Security is concerned with two main principals of an entity. They are:

- Inner & Outer
- States & Behaviors**
- Status & Welfare
- Checks & Balances

Next

Contact Me - XLIST Win | Mail - Andrew Stewart - ChatGPT

chatgpt.com/c/678ecda9-44fc-8012-9a3f-d123a375653f

ChatGPT  GR

ChatGPT Explore GPTs

Today

Cybersecurity MCQs Assistance..

Yesterday

MCQ Assistance Request

Nil in Swift Types

Tensor in ML

xCode Swift Playground Lab

Previous 7 Days

Flattened image dimension explan

Node.js CSV Filtering

Previous 30 Days

Fullstack Development MCQs Help

Upgrade plan
More access to the best models

The correct answer is: **States & Behaviors**

In the context of cybersecurity, security is often associated with maintaining the proper **states** (conditions or configurations) and **behaviors** (actions or operations) of an entity to ensure its safety, integrity, and reliability.

i For the most complete and up-to-date information about the U.S. Election, please visit news sources like [The Associated Press](#), [Reuters](#), or check with your state or local election authority.

Message ChatGPT

ChatGPT can make mistakes. Check important info.

Chat App

localhost:3000

Chat Room

DevOps

Leave Room

userone: hello

userone: hello again

Type a message...

Send

Logout

101418564_lab_test1_chat_app — node - npm run dev TERM_PROGRAM=Apple_Ter...

```
t major version
Server running on port 3000
^C
(base) andrewstewart@Mac 101418564_lab_test1_chat_app % npm run dev

> 101418564_lab_test1_chat_app@1.0.0 dev
> nodemon server.js

[nodemon] 3.1.9
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): ***!
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node server.js`
(node:39650) [MONGODB DRIVER] Warning: useNewUrlParser is a deprecated option: useNewUrlParser has no effect since Node.js Driver version 4.0.0 and will be removed in the next major version
(Use `node --trace-warnings ...` to show where the warning was created)
(node:39650) [MONGODB DRIVER] Warning: useUnifiedTopology is a deprecated option: useUnifiedTopology has no effect since Node.js Driver version 4.0.0 and will be removed in the next major version
Server running on port 3000
New client connected
User userone joined room: devops

```

JS server.js

```
44 users[room].push(username)
45 console.log(`User ${username} joined room: ${room}`);
46 io.to(room).emit('update');
47 }

48
49 socket.on('leave room', (data) => {
50   const { username, room } = data;
51   socket.leave(room);
52   if (users[room]) {
53     users[room] = users[room].filter((user) => user !== username);
54   }
55   console.log(`User ${username} left room: ${room}`);
56   io.to(room).emit('update');
57 }


58
59 socket.on('chat message', async (data) => {
60   const newMessage = new GetMessage();
61   await newMessage.save();
62   io.to(data.room).emit('chat message', newMessage);
63 }

64
65 socket.on('typing', ({ user, room }) => {
66   socket.to(room).emit('typing', { user });
67 });

68
69 
```

> OUTLINE
> TIMELINE

Ln 41, Col 12 Spaces: 2 UTF-8 LF {} JavaScript



Chat App

localhost:3000/#

localhost:3000 says

Signup successful. Please login.

OK

Three

.....

Sign Up

Already have an account? [Login](#)

101418564_lab_test1_chat_app — node - npm run dev TERM_PROGRAM=Apple_Ter...

```
Server running on port 3000
^C
(base) andrewstewart@Mac 101418564_lab_test1_chat_app % npm run dev

> 101418564_lab_test1_chat_app@1.0.0 dev
> nodemon server.js

[nodemon] 3.1.9
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): ***!
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node server.js`
(node:39650) [MONGODB DRIVER] Warning: useNewUrlParser is a deprecated option: useNewUrlParser has no effect since Node.js Driver version 4.0.0 and will be removed in the next major version
(Use `node --trace-warnings ...` to show where the warning was created)
(node:39650) [MONGODB DRIVER] Warning: useUnifiedTopology is a deprecated option: useUnifiedTopology has no effect since Node.js Driver version 4.0.0 and will be removed in the next major version
Server running on port 3000
New client connected
User userone joined room: devops
User userone left room: devops
```


JS server.js


```
44 users[room].push(username)
45 console.log(`User ${username} joined room: ${room}`);
46 io.to(room).emit('update');
47 );
48
49 socket.on('leave room', (data) => {
50   const { username, room } = data;
51   socket.leave(room);
52   if (users[room]) {
53     users[room] = users[room].filter((user) => user !== username);
54   }
55   console.log(`User ${username} left room: ${room}`);
56   io.to(room).emit('update');
57 );
58
59 socket.on('chat message', async (data) => {
60   const newMessage = new GetMessage();
61   await newMessage.save();
62   io.to(data.room).emit('chat message', newMessage);
63 );
64
65 socket.on('typing', ({ user, room }) => {
66   socket.to(room).emit('typing', { user, room });
```

> OUTLINE

> TIMELINE

Ln 41, Col 12 Spaces: 2 UTF-8 LF {} JavaScript





```
chat_app — node < npm run dev TERM_PROGRAM=Apple_Ter...  
64_lab_test1_chat_app % npm run dev  
.0.0 dev  
  
, enter `rs`  
  
s,mjs,cjs,json  
js`  
rning: useNewUrlParser is a deprecated option: useNewUrlParser  
Driver version 4.0.0 and will be removed in the next majo  
to show where the warning was created)  
rning: useUnifiedTopology is a deprecated option: useUnifi  
ode.js Driver version 4.0.0 and will be removed in the nex  
  
44 | users[room].push(username)  
45 | console.log(`User ${username} joined room ${room}`);  
46 | io.to(room).emit('update-users');  
47 | };  
48 |  
49 | socket.on('leave room', (data) => {  
50 |   const { username, room } = data;  
51 |   socket.leave(room);  
52 |   if (users[room]) {  
53 |     users[room] = users[room].filter((user) =>  
54 |       user.username !== username);  
55 |     console.log(`User ${username} left room ${room}`);  
56 |     io.to(room).emit('update-users');  
57 |   }  
58 | };  
59 | socket.on('chat message', (data) => {  
60 |   const newMessage = new Message(data);  
61 |   await newMessage.save();  
62 |   io.to(data.room).emit('chat message', newMessage);  
63 | });  
64 |  
65 | socket.on('typing', ({ user, room }) => {  
66 |   socket.to(room).emit('typing', { user, room });  
});
```

Chat App

localhost:3000

Chat Room

DevOps

101418564_lab_test1_chat_app — node - npm run dev TERM_PROGRAM=Apple_Ter...

```
Server running on port 3000
^C
(base) andrewstewart@Mac 101418564_lab_test1_chat_app % npm run dev

> 101418564_lab_test1_chat_app@1.0.0 dev
> nodemon server.js

[nodemon] 3.1.9
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): ***!
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node server.js`
(node:39650) [MONGODB DRIVER] Warning: useNewUrlParser is a deprecated option: useNewUrlParser has no effect since Node.js Driver version 4.0.0 and will be removed in the next major version
(Use `node --trace-warnings ...` to show where the warning was created)
(node:39650) [MONGODB DRIVER] Warning: useUnifiedTopology is a deprecated option: useUnifiedTopology has no effect since Node.js Driver version 4.0.0 and will be removed in the next major version
Server running on port 3000
New client connected
User userone joined room: devops
User userone left room: devops
```

JS server.js

```
44 users[room].push(username)
45 console.log(`User ${username} joined room: ${room}`);
46 io.to(room).emit('update');
47 }
48
49 socket.on('leave room', (data) => {
50   const { username, room } = data;
51   socket.leave(room);
52   if (users[room]) {
53     users[room] = users[room].filter((user) => user !== username);
54   }
55   console.log(`User ${username} left room: ${room}`);
56   io.to(room).emit('update');
57 });
58
59 socket.on('chat message', async (data) => {
60   const newMessage = new GetMessage();
61   await newMessage.save();
62   io.to(room).emit('chat message', newMessage);
63 });
64
65 socket.on('typing', ({ user, room }) => {
66   socket.to(room).emit('typing', { user, room });
```

> OUTLINE
> TIMELINE

