



SQL control audit evidence report

Target: No database evidence supplied

Benchmark: SQLIQ NIST SP 800-52 Rev. 2 SQL TLS review profile / 1.0

SHA-256: 9fd53415a11a8c6ec4aab1cd85324fda65f6d40c2859f6e652db35587f71e68e

Coverage: all 18 selected register entries included.

Assessment coverage: 18 section-level review items covering server sections 3.1-3.8, client sections 4.1-4.8 and applicability of appendices C and D. Not an exhaustive clause register, official NIST control catalog, automated scan or certification. Review all applicable source clauses before assigning any item PASS.

Provenance: SQLIQ-authored assessment aid; reviewed against NIST and Microsoft sources on 2026-10-06. SQLIQ IDs are not official NIST control IDs. NIST publication page has a review notice; verify the adopted revision at assessment time.

PASS: 0 | FAIL: 0 | NOT_APPLICABLE: 0 | NOT_ASSESSED: 18

Offline evidence review. No database connection or automated checks performed. Results are operator assertions, not independently verified audit conclusions. Missing evidence is NOT_ASSESSED. Verify official benchmark origin, product applicability, evidence freshness and reviewer authority. No overall pass issued.

Framework boundaries

DISA publishes SQL STIG benchmarks. NIST SP 800-52 Rev. 2 addresses TLS; this report does not claim full NIST or financial framework assessment. TLS section-level review results appear below. Review all applicable source clauses before accepting an item result; these SQLIQ items are not an exhaustive clause register or overall conformance determination.

NIST source: <https://csrc.nist.gov/pubs/sp/800/52/r2/final>

Azure inheritance remains UNDETERMINED per rule. Provider responsibility does not establish a pass. Obtain service-specific assurance and customer configuration evidence. Finance owners must approve applicable obligations.

Microsoft source: <https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility>

Recommendations are proposals. Validate fixes in staging with recovery plans. Live reads and writes each require exact externally signed approval.



SQLIQ-TLS-SERVER-PROTOCOLS

Server protocol support

Rule version

1.0

Severity

Not ranked; SQLIQ review item

Reported status

NOT_ASSESSED

Requirement

SQLIQ review task: map all applicable clauses of NIST SP 800-52 Rev. 2 3.1 to the exact SQL service and client implementation. The publication is authoritative; this task is not a substitute for its clauses.

References

NIST SP 800-52 Rev. 2 source section: 3.1;
<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r2.pdf> NIST SP 800-52 Rev. 2 3.1;
<https://learn.microsoft.com/en-us/azure/azure-sql/database/connectivity-settings?view=azuresql-db> Microsoft Azure SQL Database connectivity; confirm applicability to the selected service;
<https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility> Microsoft shared responsibility; no automatic inherited pass

Check instructions

Record the SQL service, region, endpoint, minimum TLS setting, supported protocols and dated TDS-aware connection evidence for each application path. Distinguish supported, permitted and negotiated protocols. Retain clause-by-clause applicability, evidence IDs and timestamps, accountable owner, reviewer and recommendation in the private evidence package. Unresolved clauses prevent a PASS for this review item.

Evidence

Missing

Observed at

Unknown

Reviewer

Unassigned

Rationale

Determine applicability; collect current evidence

Responsibility



UNDETERMINED; validate Azure service and provider assurance per rule

Recommendation

Review applicability and source fix; collect evidence before assigning a result

Benchmark remediation guidance

Plan compatible service and driver upgrades; test TLS 1.3 support and enforce the approved protocol policy only through a separately approved change.

Responsibility starting point

For Azure SQL Database and Managed Instance, request service-specific provider assurance for managed endpoint behavior and customer evidence for exposed settings. For SQL Server on a VM, customer DB/OS owners must establish their configuration and cryptographic evidence. Confirm exact service/version support.



SQLIQ-TLS-SERVER-CERTIFICATES

Server keys and certificates

Rule version

1.0

Severity

Not ranked; SQLIQ review item

Reported status

NOT_ASSESSED

Requirement

SQLIQ review task: map all applicable clauses of NIST SP 800-52 Rev. 2 3.2 to the exact SQL service and client implementation. The publication is authoritative; this task is not a substitute for its clauses.

References

NIST SP 800-52 Rev. 2 source section: 3.2;
<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r2.pdf> NIST SP 800-52 Rev. 2 3.2;
<https://learn.microsoft.com/en-us/azure/azure-sql/database/connectivity-settings?view=azuresql-db> Microsoft Azure SQL Database connectivity; confirm applicability to the selected service;
<https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility> Microsoft shared responsibility; no automatic inherited pass

Check instructions

Obtain service-specific certificate lifecycle and key assurance; record certificate profile, chain, validity, signature and endpoint identity. Review all subsections, including client-certificate revocation applicability. Retain clause-by-clause applicability, evidence IDs and timestamps, accountable owner, reviewer and recommendation in the private evidence package. Unresolved clauses prevent a PASS for this review item.

Evidence

Missing

Observed at

Unknown

Reviewer

Unassigned

Rationale

Determine applicability; collect current evidence

Responsibility



UNDETERMINED; validate Azure service and provider assurance per rule

Recommendation

Review applicability and source fix; collect evidence before assigning a result

Benchmark remediation guidance

Assign provider certificate evidence gaps and renewal issues to the service owner; do not replace certificate validation with TrustServerCertificate.

Responsibility starting point

For Azure SQL Database and Managed Instance, request service-specific provider assurance for managed endpoint behavior and customer evidence for exposed settings. For SQL Server on a VM, customer DB/OS owners must establish their configuration and cryptographic evidence. Confirm exact service/version support.



SQLIQ-TLS-SERVER-CRYPTOGRAPHY

Server cryptography

Rule version

1.0

Severity

Not ranked; SQLIQ review item

Reported status

NOT_ASSESSED

Requirement

SQLIQ review task: map all applicable clauses of NIST SP 800-52 Rev. 2 3.3 to the exact SQL service and client implementation. The publication is authoritative; this task is not a substitute for its clauses.

References

NIST SP 800-52 Rev. 2 source section: 3.3;
<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r2.pdf> NIST SP 800-52 Rev. 2 3.3;
<https://learn.microsoft.com/en-us/azure/azure-sql/database/connectivity-settings?view=azuresql-db> Microsoft Azure SQL Database connectivity; confirm applicability to the selected service;
<https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility> Microsoft shared responsibility; no automatic inherited pass

Check instructions

Request negotiated cipher evidence and provider assurance for the exact cryptographic implementation. Match module certificate, version, operational environment and validation status; a generic Azure compliance claim is insufficient.

Retain clause-by-clause applicability, evidence IDs and timestamps, accountable owner, reviewer and recommendation in the private evidence package. Unresolved clauses prevent a PASS for this review item.

Evidence

Missing

Observed at

Unknown

Reviewer

Unassigned

Rationale

Determine applicability; collect current evidence



Responsibility

UNDETERMINED; validate Azure service and provider assurance per rule

Recommendation

Review applicability and source fix; collect evidence before assigning a result

Benchmark remediation guidance

Document unsupported cipher or validation requirements; escalate provider-controlled gaps and test approved configuration changes on customer-controlled SQL Server systems.

Responsibility starting point

For Azure SQL Database and Managed Instance, request service-specific provider assurance for managed endpoint behavior and customer evidence for exposed settings. For SQL Server on a VM, customer DB/OS owners must establish their configuration and cryptographic evidence. Confirm exact service/version support.



SQLIQ-TLS-SERVER-EXTENSIONS

Server extensions

Rule version

1.0

Severity

Not ranked; SQLIQ review item

Reported status

NOT_ASSESSED

Requirement

SQLIQ review task: map all applicable clauses of NIST SP 800-52 Rev. 2 3.4 to the exact SQL service and client implementation. The publication is authoritative; this task is not a substitute for its clauses.

References

NIST SP 800-52 Rev. 2 source section: 3.4;
<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r2.pdf> NIST SP 800-52 Rev. 2 3.4;
<https://learn.microsoft.com/en-us/azure/azure-sql/database/connectivity-settings?view=azuresql-db> Microsoft Azure SQL Database connectivity; confirm applicability to the selected service;
<https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility> Microsoft shared responsibility; no automatic inherited pass

Check instructions

Have the service owner map every applicable extension clause and conditional trigger to implementation assurance and SQL connection evidence. Record opaque provider behavior as an evidence gap. Retain clause-by-clause applicability, evidence IDs and timestamps, accountable owner, reviewer and recommendation in the private evidence package. Unresolved clauses prevent a PASS for this review item.

Evidence

Missing

Observed at

Unknown

Reviewer

Unassigned

Rationale

Determine applicability; collect current evidence

Responsibility



UNDETERMINED; validate Azure service and provider assurance per rule

Recommendation

Review applicability and source fix; collect evidence before assigning a result

Benchmark remediation guidance

Request missing provider evidence; track client compatibility and supported remediation before changing endpoint or network configuration.

Responsibility starting point

For Azure SQL Database and Managed Instance, request service-specific provider assurance for managed endpoint behavior and customer evidence for exposed settings. For SQL Server on a VM, customer DB/OS owners must establish their configuration and cryptographic evidence. Confirm exact service/version support.



SQLIQ-TLS-SERVER-CLIENT-AUTHENTICATION

TLS client authentication at the server

Rule version

1.0

Severity

Not ranked; SQLIQ review item

Reported status

NOT_ASSESSED

Requirement

SQLIQ review task: map all applicable clauses of NIST SP 800-52 Rev. 2 3.5 to the exact SQL service and client implementation. The publication is authoritative; this task is not a substitute for its clauses.

References

NIST SP 800-52 Rev. 2 source section: 3.5;
<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r2.pdf> NIST SP 800-52 Rev. 2 3.5;
<https://learn.microsoft.com/en-us/azure/azure-sql/database/connectivity-settings?view=azuresql-db> Microsoft Azure SQL Database connectivity; confirm applicability to the selected service;
<https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility> Microsoft shared responsibility; no automatic inherited pass

Check instructions

Determine whether TLS client-certificate authentication is applicable and supported for this SQL service. SQL login or Entra authentication alone is not evidence of TLS client-certificate validation. Review path validation, trust anchors and key-size handling where applicable.

Retain clause-by-clause applicability, evidence IDs and timestamps, accountable owner, reviewer and recommendation in the private evidence package. Unresolved clauses prevent a PASS for this review item.

Evidence

Missing

Observed at

Unknown

Reviewer

Unassigned

Rationale

Determine applicability; collect current evidence



Responsibility

UNDETERMINED; validate Azure service and provider assurance per rule

Recommendation

Review applicability and source fix; collect evidence before assigning a result

Benchmark remediation guidance

Document the architecture and reviewer-approved applicability rationale; remedy applicable trust or validation gaps without substituting database authentication evidence.

Responsibility starting point

For Azure SQL Database and Managed Instance, request service-specific provider assurance for managed endpoint behavior and customer evidence for exposed settings. For SQL Server on a VM, customer DB/OS owners must establish their configuration and cryptographic evidence. Confirm exact service/version support.



SQLIQ-TLS-SERVER-SESSION-RESUMPTION

Server session resumption and early data

Rule version

1.0

Severity

Not ranked; SQLIQ review item

Reported status

NOT_ASSESSED

Requirement

SQLIQ review task: map all applicable clauses of NIST SP 800-52 Rev. 2 3.6 to the exact SQL service and client implementation. The publication is authoritative; this task is not a substitute for its clauses.

References

NIST SP 800-52 Rev. 2 source section: 3.6;
<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r2.pdf> NIST SP 800-52 Rev. 2 3.6;
<https://learn.microsoft.com/en-us/azure/azure-sql/database/connectivity-settings?view=azuresql-db> Microsoft Azure SQL Database connectivity; confirm applicability to the selected service;
<https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility> Microsoft shared responsibility; no automatic inherited pass

Check instructions

Request provider or SQL host evidence for resumption, tickets and early-data behavior. Include connection pooling and reconnection paths in the approved test scope.

Retain clause-by-clause applicability, evidence IDs and timestamps, accountable owner, reviewer and recommendation in the private evidence package. Unresolved clauses prevent a PASS for this review item.

Evidence

Missing

Observed at

Unknown

Reviewer

Unassigned

Rationale

Determine applicability; collect current evidence

Responsibility



UNDETERMINED; validate Azure service and provider assurance per rule

Recommendation

Review applicability and source fix; collect evidence before assigning a result

Benchmark remediation guidance

Resolve undocumented session behavior with provider support; assess replay-sensitive financial operations and stage supported mitigations.

Responsibility starting point

For Azure SQL Database and Managed Instance, request service-specific provider assurance for managed endpoint behavior and customer evidence for exposed settings. For SQL Server on a VM, customer DB/OS owners must establish their configuration and cryptographic evidence. Confirm exact service/version support.



SQLIQ-TLS-SERVER-COMPRESSION

Server TLS compression

Rule version

1.0

Severity

Not ranked; SQLIQ review item

Reported status

NOT_ASSESSED

Requirement

SQLIQ review task: map all applicable clauses of NIST SP 800-52 Rev. 2 3.7 to the exact SQL service and client implementation. The publication is authoritative; this task is not a substitute for its clauses.

References

NIST SP 800-52 Rev. 2 source section: 3.7;
<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r2.pdf> NIST SP 800-52 Rev. 2 3.7;
<https://learn.microsoft.com/en-us/azure/azure-sql/database/connectivity-settings?view=azuresql-db> Microsoft Azure SQL Database connectivity; confirm applicability to the selected service;
<https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility> Microsoft shared responsibility; no automatic inherited pass

Check instructions

Obtain implementation or negotiation evidence for TLS compression behavior on SQL endpoints. Do not substitute SQL page, backup or network application compression settings.
Retain clause-by-clause applicability, evidence IDs and timestamps, accountable owner, reviewer and recommendation in the private evidence package. Unresolved clauses prevent a PASS for this review item.

Evidence

Missing

Observed at

Unknown

Reviewer

Unassigned

Rationale

Determine applicability; collect current evidence

Responsibility



UNDETERMINED; validate Azure service and provider assurance per rule

Recommendation

Review applicability and source fix; collect evidence before assigning a result

Benchmark remediation guidance

Remediate incompatible TLS compression behavior through the endpoint owner and validate with approved SQL connections.

Responsibility starting point

For Azure SQL Database and Managed Instance, request service-specific provider assurance for managed endpoint behavior and customer evidence for exposed settings. For SQL Server on a VM, customer DB/OS owners must establish their configuration and cryptographic evidence. Confirm exact service/version support.



SQLIQ-TLS-SERVER-OPERATIONS

Server operational considerations

Rule version

1.0

Severity

Not ranked; SQLIQ review item

Reported status

NOT_ASSESSED

Requirement

SQLIQ review task: map all applicable clauses of NIST SP 800-52 Rev. 2 3.8 to the exact SQL service and client implementation. The publication is authoritative; this task is not a substitute for its clauses.

References

NIST SP 800-52 Rev. 2 source section: 3.8;
<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r2.pdf> NIST SP 800-52 Rev. 2 3.8;
<https://learn.microsoft.com/en-us/azure/azure-sql/database/connectivity-settings?view=azuresql-db> Microsoft Azure SQL Database connectivity; confirm applicability to the selected service;
<https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility> Microsoft shared responsibility; no automatic inherited pass

Check instructions

Map all operational clauses to service ownership, configuration baselines and current evidence; include endpoint changes, key lifecycle and drift review appropriate to the SQL deployment.
Retain clause-by-clause applicability, evidence IDs and timestamps, accountable owner, reviewer and recommendation in the private evidence package. Unresolved clauses prevent a PASS for this review item.

Evidence

Missing

Observed at

Unknown

Reviewer

Unassigned

Rationale

Determine applicability; collect current evidence

Responsibility



UNDETERMINED; validate Azure service and provider assurance per rule

Recommendation

Review applicability and source fix; collect evidence before assigning a result

Benchmark remediation guidance

Assign unresolved operational clauses to named owners, with evidence deadlines, staging validation and recovery plans.

Responsibility starting point

For Azure SQL Database and Managed Instance, request service-specific provider assurance for managed endpoint behavior and customer evidence for exposed settings. For SQL Server on a VM, customer DB/OS owners must establish their configuration and cryptographic evidence. Confirm exact service/version support.



SQLIQ-TLS-CLIENT-PROTOCOLS

SQL client protocol support

Rule version

1.0

Severity

Not ranked; SQLIQ review item

Reported status

NOT_ASSESSED

Requirement

SQLIQ review task: map all applicable clauses of NIST SP 800-52 Rev. 2 4.1 to the exact SQL service and client implementation. The publication is authoritative; this task is not a substitute for its clauses.

References

NIST SP 800-52 Rev. 2 source section: 4.1;
<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r2.pdf> NIST SP 800-52 Rev. 2 4.1;
<https://learn.microsoft.com/en-us/azure/azure-sql/database/connectivity-settings?view=azuresql-db> Microsoft Azure SQL Database connectivity; confirm applicability to the selected service;
<https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility> Microsoft shared responsibility; no automatic inherited pass

Check instructions

Inventory application, ETL, BI, accounting connector and administration clients with driver and OS versions. Collect approved connection-test evidence for each distinct path; a successful connection does not identify its protocol. Retain clause-by-clause applicability, evidence IDs and timestamps, accountable owner, reviewer and recommendation in the private evidence package. Unresolved clauses prevent a PASS for this review item.

Evidence

Missing

Observed at

Unknown

Reviewer

Unassigned

Rationale

Determine applicability; collect current evidence

Responsibility



UNDETERMINED; validate Azure service and provider assurance per rule

Recommendation

Review applicability and source fix; collect evidence before assigning a result

Benchmark remediation guidance

Upgrade incompatible drivers and operating systems; test reconnect, pooling and accounting batch workloads before tightening TLS settings.

Responsibility starting point

Customer application/platform owners usually supply client configuration and driver evidence, including clients connecting to PaaS. Validate any provider-managed client separately.



SQLIQ-TLS-CLIENT-CERTIFICATES

Client keys and certificates

Rule version

1.0

Severity

Not ranked; SQLIQ review item

Reported status

NOT_ASSESSED

Requirement

SQLIQ review task: map all applicable clauses of NIST SP 800-52 Rev. 2 4.2 to the exact SQL service and client implementation. The publication is authoritative; this task is not a substitute for its clauses.

References

NIST SP 800-52 Rev. 2 source section: 4.2;
<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r2.pdf> NIST SP 800-52 Rev. 2 4.2;
<https://learn.microsoft.com/en-us/azure/azure-sql/database/connectivity-settings?view=azuresql-db> Microsoft Azure SQL Database connectivity; confirm applicability to the selected service;
<https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility> Microsoft shared responsibility; no automatic inherited pass

Check instructions

Review client certificate requirements and all subsections, including server-certificate revocation behavior. Record driver and OS configuration, applicable certificate/key protection and lifecycle evidence. Retain clause-by-clause applicability, evidence IDs and timestamps, accountable owner, reviewer and recommendation in the private evidence package. Unresolved clauses prevent a PASS for this review item.

Evidence

Missing

Observed at

Unknown

Reviewer

Unassigned

Rationale

Determine applicability; collect current evidence

Responsibility



UNDETERMINED; validate Azure service and provider assurance per rule

Recommendation

Review applicability and source fix; collect evidence before assigning a result

Benchmark remediation guidance

Repair applicable key lifecycle and revocation gaps using supported driver and platform behavior; document unsupported features and residual risk.

Responsibility starting point

Customer application/platform owners usually supply client configuration and driver evidence, including clients connecting to PaaS. Validate any provider-managed client separately.



SQLIQ-TLS-CLIENT-CRYPTOGRAPHY

Client cryptography

Rule version

1.0

Severity

Not ranked; SQLIQ review item

Reported status

NOT_ASSESSED

Requirement

SQLIQ review task: map all applicable clauses of NIST SP 800-52 Rev. 2 4.3 to the exact SQL service and client implementation. The publication is authoritative; this task is not a substitute for its clauses.

References

NIST SP 800-52 Rev. 2 source section: 4.3;
<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r2.pdf> NIST SP 800-52 Rev. 2 4.3;
<https://learn.microsoft.com/en-us/azure/azure-sql/database/connectivity-settings?view=azuresql-db> Microsoft Azure SQL Database connectivity; confirm applicability to the selected service;
<https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility> Microsoft shared responsibility; no automatic inherited pass

Check instructions

Identify the actual TLS library/module used by each SQL driver and platform. Map cipher behavior and validation scope to the relevant implementation, not merely the driver product name.

Retain clause-by-clause applicability, evidence IDs and timestamps, accountable owner, reviewer and recommendation in the private evidence package. Unresolved clauses prevent a PASS for this review item.

Evidence

Missing

Observed at

Unknown

Reviewer

Unassigned

Rationale

Determine applicability; collect current evidence

Responsibility



UNDETERMINED; validate Azure service and provider assurance per rule

Recommendation

Review applicability and source fix; collect evidence before assigning a result

Benchmark remediation guidance

Upgrade or reconfigure incompatible client crypto implementations in staging; retain module validation and negotiated connection evidence.

Responsibility starting point

Customer application/platform owners usually supply client configuration and driver evidence, including clients connecting to PaaS. Validate any provider-managed client separately.



SQLIQ-TLS-CLIENT-EXTENSIONS

Client extensions

Rule version

1.0

Severity

Not ranked; SQLIQ review item

Reported status

NOT_ASSESSED

Requirement

SQLIQ review task: map all applicable clauses of NIST SP 800-52 Rev. 2 4.4 to the exact SQL service and client implementation. The publication is authoritative; this task is not a substitute for its clauses.

References

NIST SP 800-52 Rev. 2 source section: 4.4;
<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r2.pdf> NIST SP 800-52 Rev. 2 4.4;
<https://learn.microsoft.com/en-us/azure/azure-sql/database/connectivity-settings?view=azuresql-db> Microsoft Azure SQL Database connectivity; confirm applicability to the selected service;
<https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility> Microsoft shared responsibility; no automatic inherited pass

Check instructions

Map applicable extension clauses to each SQL driver and underlying TLS stack. Include endpoint naming and connection routing used by applications, ETL and reporting services.
Retain clause-by-clause applicability, evidence IDs and timestamps, accountable owner, reviewer and recommendation in the private evidence package. Unresolved clauses prevent a PASS for this review item.

Evidence

Missing

Observed at

Unknown

Reviewer

Unassigned

Rationale

Determine applicability; collect current evidence

Responsibility



UNDETERMINED; validate Azure service and provider assurance per rule

Recommendation

Review applicability and source fix; collect evidence before assigning a result

Benchmark remediation guidance

Remediate extension incompatibilities through supported driver/platform releases and retest the actual SQL connection paths.

Responsibility starting point

Customer application/platform owners usually supply client configuration and driver evidence, including clients connecting to PaaS. Validate any provider-managed client separately.



SQLIQ-TLS-CLIENT-SERVER-AUTHENTICATION

Server identity validation by SQL clients

Rule version

1.0

Severity

Not ranked; SQLIQ review item

Reported status

NOT_ASSESSED

Requirement

SQLIQ review task: map all applicable clauses of NIST SP 800-52 Rev. 2 4.5 to the exact SQL service and client implementation. The publication is authoritative; this task is not a substitute for its clauses.

References

NIST SP 800-52 Rev. 2 source section: 4.5;
<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r2.pdf> NIST SP 800-52 Rev. 2 4.5;
<https://learn.microsoft.com/en-us/azure/azure-sql/database/connectivity-settings?view=azuresql-db> Microsoft Azure SQL Database connectivity; confirm applicability to the selected service;
<https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility> Microsoft shared responsibility; no automatic inherited pass

Check instructions

Inspect redacted connection configuration and approved positive/negative test evidence for chain and hostname validation, trust anchors and certificate errors. Record encryption mode, TrustServerCertificate and certificate-name overrides. Never weaken a production connection to gather evidence.

Retain clause-by-clause applicability, evidence IDs and timestamps, accountable owner, reviewer and recommendation in the private evidence package. Unresolved clauses prevent a PASS for this review item.

Evidence

Missing

Observed at

Unknown

Reviewer

Unassigned

Rationale

Determine applicability; collect current evidence



Responsibility

UNDETERMINED; validate Azure service and provider assurance per rule

Recommendation

Review applicability and source fix; collect evidence before assigning a result

Benchmark remediation guidance

Require validated encrypted connections under the approved policy; repair certificates, trust or endpoint names rather than suppressing validation errors. Test rejected invalid identities in an isolated approved environment.

Responsibility starting point

Customer application/platform owners usually supply client configuration and driver evidence, including clients connecting to PaaS. Validate any provider-managed client separately.



SQLIQ-TLS-CLIENT-SESSION-RESUMPTION

Client resumption and early data

Rule version

1.0

Severity

Not ranked; SQLIQ review item

Reported status

NOT_ASSESSED

Requirement

SQLIQ review task: map all applicable clauses of NIST SP 800-52 Rev. 2 4.6 to the exact SQL service and client implementation. The publication is authoritative; this task is not a substitute for its clauses.

References

NIST SP 800-52 Rev. 2 source section: 4.6;
<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r2.pdf> NIST SP 800-52 Rev. 2 4.6;
<https://learn.microsoft.com/en-us/azure/azure-sql/database/connectivity-settings?view=azuresql-db> Microsoft Azure SQL Database connectivity; confirm applicability to the selected service;
<https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility> Microsoft shared responsibility; no automatic inherited pass

Check instructions

Request driver/platform evidence for session resumption and early data, including pooled and retried connections. Map every applicable clause for each supported client stack. Retain clause-by-clause applicability, evidence IDs and timestamps, accountable owner, reviewer and recommendation in the private evidence package. Unresolved clauses prevent a PASS for this review item.

Evidence

Missing

Observed at

Unknown

Reviewer

Unassigned

Rationale

Determine applicability; collect current evidence

Responsibility



UNDETERMINED; validate Azure service and provider assurance per rule

Recommendation

Review applicability and source fix; collect evidence before assigning a result

Benchmark remediation guidance

Resolve client session and replay concerns with application owners; test transaction retry behavior and financial reconciliation before deployment.

Responsibility starting point

Customer application/platform owners usually supply client configuration and driver evidence, including clients connecting to PaaS. Validate any provider-managed client separately.



SQLIQ-TLS-CLIENT-COMPRESSION

Client TLS compression

Rule version

1.0

Severity

Not ranked; SQLIQ review item

Reported status

NOT_ASSESSED

Requirement

SQLIQ review task: map all applicable clauses of NIST SP 800-52 Rev. 2 4.7 to the exact SQL service and client implementation. The publication is authoritative; this task is not a substitute for its clauses.

References

NIST SP 800-52 Rev. 2 source section: 4.7;
<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r2.pdf> NIST SP 800-52 Rev. 2 4.7;
<https://learn.microsoft.com/en-us/azure/azure-sql/database/connectivity-settings?view=azuresql-db> Microsoft Azure SQL Database connectivity; confirm applicability to the selected service;
<https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility> Microsoft shared responsibility; no automatic inherited pass

Check instructions

Obtain evidence for TLS compression in each client TLS stack. Separate TLS compression from result-set, transport and application compression features.

Retain clause-by-clause applicability, evidence IDs and timestamps, accountable owner, reviewer and recommendation in the private evidence package. Unresolved clauses prevent a PASS for this review item.

Evidence

Missing

Observed at

Unknown

Reviewer

Unassigned

Rationale

Determine applicability; collect current evidence

Responsibility



UNDETERMINED; validate Azure service and provider assurance per rule

Recommendation

Review applicability and source fix; collect evidence before assigning a result

Benchmark remediation guidance

Update or configure affected client stacks under change control and verify the approved SQL connection behavior.

Responsibility starting point

Customer application/platform owners usually supply client configuration and driver evidence, including clients connecting to PaaS. Validate any provider-managed client separately.



SQLIQ-TLS-CLIENT-OPERATIONS

Client operational considerations

Rule version

1.0

Severity

Not ranked; SQLIQ review item

Reported status

NOT_ASSESSED

Requirement

SQLIQ review task: map all applicable clauses of NIST SP 800-52 Rev. 2 4.8 to the exact SQL service and client implementation. The publication is authoritative; this task is not a substitute for its clauses.

References

NIST SP 800-52 Rev. 2 source section: 4.8;
<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r2.pdf> NIST SP 800-52 Rev. 2 4.8;
<https://learn.microsoft.com/en-us/azure/azure-sql/database/connectivity-settings?view=azuresql-db> Microsoft Azure SQL Database connectivity; confirm applicability to the selected service;
<https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility> Microsoft shared responsibility; no automatic inherited pass

Check instructions

Map all client operational clauses to driver deployment, trust-store ownership, configuration distribution and ongoing evidence collection. Include unattended jobs and administration tools.
Retain clause-by-clause applicability, evidence IDs and timestamps, accountable owner, reviewer and recommendation in the private evidence package. Unresolved clauses prevent a PASS for this review item.

Evidence

Missing

Observed at

Unknown

Reviewer

Unassigned

Rationale

Determine applicability; collect current evidence

Responsibility



UNDETERMINED; validate Azure service and provider assurance per rule

Recommendation

Review applicability and source fix; collect evidence before assigning a result

Benchmark remediation guidance

Assign application and platform owners; stage driver/trust updates and monitor reconnection failures and accounting job outcomes.

Responsibility starting point

Customer application/platform owners usually supply client configuration and driver evidence, including clients connecting to PaaS. Validate any provider-managed client separately.



SQLIQ-TLS-PRE-SHARED-KEYS

Pre-shared key applicability

Rule version

1.0

Severity

Not ranked; SQLIQ review item

Reported status

NOT_ASSESSED

Requirement

SQLIQ review task: map all applicable clauses of NIST SP 800-52 Rev. 2 Appendix C to the exact SQL service and client implementation. The publication is authoritative; this task is not a substitute for its clauses.

References

NIST SP 800-52 Rev. 2 source section: Appendix C;
<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r2.pdf> NIST SP 800-52 Rev. 2 Appendix C;
<https://learn.microsoft.com/en-us/azure/azure-sql/database/connectivity-settings?view=azuresql-db> Microsoft Azure SQL Database connectivity; confirm applicability to the selected service;
<https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility> Microsoft shared responsibility; no automatic inherited pass

Check instructions

Determine whether TLS pre-shared keys are used and distinguish them from SQL passwords or Azure access tokens. Record the service/driver architecture and applicable appendix clauses.
Retain clause-by-clause applicability, evidence IDs and timestamps, accountable owner, reviewer and recommendation in the private evidence package. Unresolved clauses prevent a PASS for this review item.

Evidence

Missing

Observed at

Unknown

Reviewer

Unassigned

Rationale

Determine applicability; collect current evidence

Responsibility



UNDETERMINED; validate Azure service and provider assurance per rule

Recommendation

Review applicability and source fix; collect evidence before assigning a result

Benchmark remediation guidance

If applicable, obtain key lifecycle and implementation evidence; otherwise document a technical rationale and independent applicability review.

Responsibility starting point

For Azure SQL Database and Managed Instance, request service-specific provider assurance for managed endpoint behavior and customer evidence for exposed settings. For SQL Server on a VM, customer DB/OS owners must establish their configuration and cryptographic evidence. Confirm exact service/version support.



SQLIQ-TLS-RSA-KEY-TRANSPORT

RSA key transport applicability

Rule version

1.0

Severity

Not ranked; SQLIQ review item

Reported status

NOT_ASSESSED

Requirement

SQLIQ review task: map all applicable clauses of NIST SP 800-52 Rev. 2 Appendix D to the exact SQL service and client implementation. The publication is authoritative; this task is not a substitute for its clauses.

References

NIST SP 800-52 Rev. 2 source section: Appendix D;
<https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-52r2.pdf> NIST SP 800-52 Rev. 2 Appendix D;
<https://learn.microsoft.com/en-us/azure/azure-sql/database/connectivity-settings?view=azuresql-db> Microsoft Azure SQL Database connectivity; confirm applicability to the selected service;
<https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility> Microsoft shared responsibility; no automatic inherited pass

Check instructions

Determine whether negotiated cipher suites use RSA key transport. An RSA certificate alone does not establish use of RSA key transport. Review applicable appendix guidance with cryptographic owners. Retain clause-by-clause applicability, evidence IDs and timestamps, accountable owner, reviewer and recommendation in the private evidence package. Unresolved clauses prevent a PASS for this review item.

Evidence

Missing

Observed at

Unknown

Reviewer

Unassigned

Rationale

Determine applicability; collect current evidence

Responsibility



UNDETERMINED; validate Azure service and provider assurance per rule

Recommendation

Review applicability and source fix; collect evidence before assigning a result

Benchmark remediation guidance

Record negotiation evidence, compatibility constraints and an approved transition proposal for unsuitable key transport.

Responsibility starting point

For Azure SQL Database and Managed Instance, request service-specific provider assurance for managed endpoint behavior and customer evidence for exposed settings. For SQL Server on a VM, customer DB/OS owners must establish their configuration and cryptographic evidence. Confirm exact service/version support.