Table 14.1.10 Shift Table from Baseline to End of period (Safety Population)

Parameter category	Parameter (Unit)	Baseline	Treatment end (N=86)		
			LOW	NORMAL	HIGH
CHEMISTRY	Alanine Aminotransferase (U/L)	HIGH	0	12(14.0)	18(20.9)
		MISSING	0	1 (1.2)	1(1.2)
		NORMAL	0	45 (52.3)	7 (8.1)
	Aspartate Aminotransferase (U/L)	HIGH	0	11(12.8)	8(9.3)
	-	MISSING	0	2 (2.3)	0
		NORMAL	0	60 (69.8)	3 (3.5)
	Creatinine (umol/L)	HIGH	0	1(1.2)	0
		LOW	0	1 (1.2)	0
		MISSING	0	2 (2.3)	0
		NORMAL	1(1.2)	77(89.5)	2 (2.3)
	C Reactive Protein (mg/L)	HIGH	0	18 (20.9)	11(12.8)
	-	MISSING	0	2 (2.3)	0
		NORMAL	0	49 (57.0)	4 (4.7)
	Urea Nitrogen (mmol/L)	HIGH	0	1(1.2)	2(2.3)
	-	LOW	4 (4.7)	5 (5.8)	0

Table 14.1.10 Shift Table from Baseline to End of period (Safety Population)

Parameter category	Parameter (Unit)	Baseline	Treatment end (N=86)		
			LOW	NORMAL	HIGH
CHEMISTRY	Urea Nitrogen (mmol/L)	MISSING NORMAL	0 2(2.3)	2(2.3) 66(76.7)	0 2(2.3)
F F	Glucose-6-Phosphate Dehydrogenase $(x10/L)$	NORMAL	0	86(100.0)	0
	Hematocrit (L/L)	HIGH LOW MISSING NORMAL	0 3(3.5) 0 4(4.7)	1 (1.2) 0 4 (4.7) 71 (82.6)	0 0 0 1(1.2)
	Hemoglobin (g/L)	HIGH LOW MISSING NORMAL	0 2(2.3) 0 2(2.3)	0 1 (1.2) 4 (4.7) 73 (84.9)	1(1.2) 0 0 1(1.2)
	Neutrophils (10/L)	HIGH LOW MISSING NORMAL	0 3(3.5) 0	1 (1.2) 11 (12.8) 4 (4.7) 64 (74.4)	0 0 0 1(1.2)

Table 14.1.10 Shift Table from Baseline to End of period (Safety Population)

Parameter category	Parameter (Unit)	Baseline	Treatment end (N=86)		
			LOW	NORMAL	HIGH
HEMATOLOGY	Platelets (10/L)	HIGH	0	2(2.3)	0
		LOW	0	2 (2.3)	0
		MISSING	0	4 (4.7)	0
		NORMAL	0	68 (79.1)	8 (9.3)
	Erythrocytes (10/L)	HIGH	0	5(5.8)	4(4.7)
		LOW	0	3 (3.5)	0
		MISSING	0	3 (3.5)	1(1.2)
		NORMAL	3 (3.5)	62 (72.1)	3(3.5)
	Leukocytes (10/L)	HIGH	0	1(1.2)	0
	-	LOW	7 (8.1)	20 (23.3)	1(1.2)
		MISSING	1 (1.2)	3 (3.5)	0
		NORMAL	1 (1.2)	49 (57.0)	1(1.2)