

COVID-19 AA  
Protocol: 043

## 16.2.1.5 Abnormal Biochemistry Values

Subject Number	Parameter	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-104001	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-44		30MAR2021:11:30:00	64	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-39		30MAR2021:11:30:00	42	HIGH
AA-2020-06-104002	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		05APR2021:17:03:00	45.00	HIGH
AA-2020-06-104003	Urea Nitrogen (mmol/L)	Screening/Day -4 to -13.2-8.2		20APR2021:18:49:00	2.9	LOW
AA-2020-06-104004	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-33		03MAY2021:18:49:00	44	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-33	18MAY2021:17:15:00	37	HIGH
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	18MAY2021:17:15:00	2.5	LOW
AA-2020-06-104005	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		13JUL2021:12:02:00	16.00	HIGH
AA-2020-06-104006	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-44		03AUG2021:14:54:00	51	HIGH
	C Reactive Protein (mg/L)	Day 14	0-9	17AUG2021:13:16:00	16.00	HIGH
AA-2020-06-104007	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		18AUG2021:12:45:00	18.00	HIGH
AA-2020-06-104008	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-33		18AUG2021:15:00:00	34	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-34		18AUG2021:15:00:00	36	HIGH
AA-2020-06-105001	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-33		10MAR2021:12:25:00	53	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-33	25MAR2021:11:10:00	40	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-34		10MAR2021:12:25:00	37	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		10MAR2021:12:25:00	33.00	HIGH
	C Reactive Protein (mg/L)	Day 14	0-9	25MAR2021:11:10:00	23.00	HIGH
AA-2020-06-105002	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-44		30MAR2021:12:32:00	67	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-39		30MAR2021:12:32:00	45	HIGH

COVID-19 AA  
Protocol: 043

## 16.2.1.5 Abnormal Biochemistry Values

Subject Number	Parameter	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-105003	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-33		30MAR2021:12:44:00	38	HIGH
AA-2020-06-105004	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-44		04MAY2021:11:00:00	61	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-44	20MAY2021:14:07:00	54	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		04MAY2021:11:00:00	17.00	HIGH
AA-2020-06-105006	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		22JUL2021:10:35:00	28.00	HIGH
AA-2020-06-105007	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-33		29JUL2021:09:30:00	48	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-33	20AUG2021:11:35:00	47	HIGH
AA-2020-06-105008	Alanine Aminotransferase (U/L)	Day 14	0-44	16AUG2021:10:50:00	95	HIGH
AA-2020-06-105011	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-44		19AUG2021:15:47:00	100	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-44	07SEP2021:09:45:00	107	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-39		19AUG2021:15:47:00	85	HIGH
	Aspartate Aminotransferase (U/L)	Day 14	14-39	07SEP2021:09:45:00	71	HIGH
	Creatinine (umol/L)	Day 14	62-115	07SEP2021:09:45:00	116	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		19AUG2021:15:47:00	21.00	HIGH
	C Reactive Protein (mg/L)	Day 14	0-9	07SEP2021:09:45:00	10.00	HIGH
AA-2020-06-105014	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		07SEP2021:11:40:00	10.00	HIGH
	Urea Nitrogen (mmol/L)	Screening/Day -4 to -13.2-8.2		07SEP2021:11:40:00	2.5	LOW
AA-2020-06-108001	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-33		06MAY2021:15:05:00	55	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-34		06MAY2021:15:05:00	37	HIGH
AA-2020-06-109001	Alanine Aminotransferase (U/L)	Day 14	0-44	26APR2021:15:17:00	70	HIGH

COVID-19 AA  
Protocol: 043

## 16.2.1.5 Abnormal Biochemistry Values

Subject Number	Parameter	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-109002	C Reactive Protein (mg/L)	Screening/Day -4 to	-10-9	12MAY2021:13:20:00	31.00	HIGH
AA-2020-06-109003	Alanine Aminotransferase (U/L)	Day 14	0-33	09SEP2021:11:10:00	64	HIGH
	Aspartate Aminotransferase (U/L)	Day 14	14-34	09SEP2021:11:10:00	46	HIGH
AA-2020-06-110001	Alanine Aminotransferase (U/L)	Screening/Day -4 to	-10-33	05AUG2021:12:25:00	50	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to	-10-9	05AUG2021:12:25:00	26.00	HIGH
AA-2020-06-110002	Urea Nitrogen (mmol/L)	Screening/Day -4 to	-13.2-8.2	01SEP2021:11:25:00	2.5	LOW
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	17SEP2021:08:03:00	2.9	LOW
AA-2020-06-114001	Alanine Aminotransferase (U/L)	Screening/Day -4 to	-10-33	24JUL2021:11:36:00	58	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-33	14AUG2021:12:15:00	60	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to	-114-34	24JUL2021:11:36:00	46	HIGH
	Aspartate Aminotransferase (U/L)	Day 14	14-34	14AUG2021:12:15:00	37	HIGH
AA-2020-06-114002	Aspartate Aminotransferase (U/L)	Screening/Day -4 to	-114-34	03AUG2021:11:46:00	35	HIGH
AA-2020-06-114005	Alanine Aminotransferase (U/L)	Screening/Day -4 to	-10-33	19AUG2021:12:13:00	38	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-33	07SEP2021:18:13:00	45	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to	-10-9	19AUG2021:12:13:00	17.00	HIGH
	C Reactive Protein (mg/L)	Day 14	0-9	07SEP2021:18:13:00	13.00	HIGH
AA-2020-06-114006	Creatinine (umol/L)	Screening/Day -4 to	-162-115	20AUG2021:11:53:00	116	HIGH
AA-2020-06-115001	Urea Nitrogen (mmol/L)	Screening/Day -4 to	-13.2-8.2	12AUG2021:12:45:00	2.9	LOW
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	30AUG2021:11:40:00	2.9	LOW
AA-2020-06-115002	C Reactive Protein (mg/L)	Screening/Day -4 to	-10-9	16AUG2021:12:00:00	10.00	HIGH

COVID-19 AA  
Protocol: 043

## 16.2.1.5 Abnormal Biochemistry Values

Subject Number	Parameter	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-115002	C Reactive Protein (mg/L)	Day 14	0-9	03SEP2021:11:00:00	14.00	HIGH
AA-2020-06-115003	C Reactive Protein (mg/L)	Screening/Day -4 to	-10-9	18AUG2021:11:10:00	59.00	HIGH
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	06SEP2021:10:08:00	8.6	HIGH
AA-2020-06-115004	Alanine Aminotransferase (U/L)	Screening/Day -4 to	-10-33	19AUG2021:12:52:00	36	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-33	06SEP2021:09:30:00	46	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to	-10-9	19AUG2021:12:52:00	39.00	HIGH
AA-2020-06-115007	Alanine Aminotransferase (U/L)	Day 14	0-33	13SEP2021:08:05:00	35	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to	-114-34	25AUG2021:11:32:00	37	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to	-10-9	25AUG2021:11:32:00	26.00	HIGH
AA-2020-06-115008	C Reactive Protein (mg/L)	Screening/Day -4 to	-10-9	26AUG2021:13:25:00	10.00	HIGH
AA-2020-06-115009	Alanine Aminotransferase (U/L)	Screening/Day -4 to	-10-44	27AUG2021:11:06:00	57	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to	-114-39	27AUG2021:11:06:00	40	HIGH
AA-2020-06-115011	Alanine Aminotransferase (U/L)	Screening/Day -4 to	-10-44	02SEP2021:11:11:00	72	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-44	21SEP2021:09:33:00	47	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to	-114-39	02SEP2021:11:11:00	76	HIGH
AA-2020-06-115012	Alanine Aminotransferase (U/L)	Screening/Day -4 to	-10-33	03SEP2021:10:33:00	277	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-33	20SEP2021:10:22:00	77	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to	-114-34	03SEP2021:10:33:00	220	HIGH
	Aspartate Aminotransferase (U/L)	Day 14	14-34	20SEP2021:10:22:00	43	HIGH
AA-2020-06-115013	Alanine Aminotransferase (U/L)	Screening/Day -4 to	-10-44	03SEP2021:10:55:00	67	HIGH

COVID-19 AA  
Protocol: 043

## 16.2.1.5 Abnormal Biochemistry Values

Subject Number	Parameter	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-115013	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-39		03SEP2021:10:55:00	74	HIGH
	Creatinine (umol/L)	Screening/Day -4 to -162-115		03SEP2021:10:55:00	125	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		03SEP2021:10:55:00	21.00	HIGH
AA-2020-06-117003	Alanine Aminotransferase (U/L)	UNSCHEDULED	0-33	28JUL2021:09:30:00	37	HIGH
	C Reactive Protein (mg/L)	Day 14	0-9	09AUG2021:15:00:00	11.00	HIGH
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	09AUG2021:15:00:00	9.3	HIGH
AA-2020-06-117005	Alanine Aminotransferase (U/L)	Day 14	0-33	20AUG2021:14:58:00	44	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		03AUG2021:12:01:00	26.00	HIGH
AA-2020-06-117006	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-39		04AUG2021:09:55:00	47	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		04AUG2021:09:55:00	43.00	HIGH
AA-2020-06-117007	Creatinine (umol/L)	Screening/Day -4 to -162-115		05AUG2021:11:10:00	55	LOW
AA-2020-06-117008	Alanine Aminotransferase (U/L)	Day 14	0-44	24AUG2021:09:00:00	47	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		06AUG2021:12:40:00	40.00	HIGH
	C Reactive Protein (mg/L)	Day 14	0-9	24AUG2021:09:00:00	27.00	HIGH
AA-2020-06-117009	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	24AUG2021:09:30:00	2.9	LOW
AA-2020-06-117010	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		11AUG2021:11:00:00	21.00	HIGH
	C Reactive Protein (mg/L)	Day 14	0-9	26AUG2021:10:28:00	12.00	HIGH
AA-2020-06-117011	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-33		11AUG2021:13:30:00	46	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		11AUG2021:13:30:00	10.00	HIGH
AA-2020-06-117012	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-33		11AUG2021:17:07:00	58	HIGH

COVID-19 AA  
Protocol: 043

## 16.2.1.5 Abnormal Biochemistry Values

Subject Number	Parameter	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-117012	Alanine Aminotransferase (U/L)	Day 14	0-33	30AUG2021:16:12:00	49	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-34		11AUG2021:17:07:00	43	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		11AUG2021:17:07:00	21.00	HIGH
AA-2020-06-117014	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-33		12AUG2021:11:20:00	37	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-34		12AUG2021:11:20:00	37	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		12AUG2021:11:20:00	14.00	HIGH
AA-2020-06-117015	Urea Nitrogen (mmol/L)	Screening/Day -4 to -13.2-8.2		13AUG2021:14:40:00	2.9	LOW
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	30AUG2021:12:45:00	2.9	LOW
AA-2020-06-117017	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-33		16AUG2021:12:30:00	36	HIGH
	Creatinine (umol/L)	Day 14	44-97	02SEP2021:10:23:00	39	LOW
	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		16AUG2021:12:30:00	14.00	HIGH
	C Reactive Protein (mg/L)	Day 14	0-9	02SEP2021:10:23:00	18.00	HIGH
AA-2020-06-117018	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-33		17AUG2021:15:00:00	68	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-34		17AUG2021:15:00:00	46	HIGH
AA-2020-06-117019	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-33		17AUG2021:17:00:00	36	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-34		17AUG2021:17:00:00	40	HIGH
AA-2020-06-117020	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-33		17AUG2021:16:45:00	39	HIGH
AA-2020-06-117021	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-33		18AUG2021:14:20:00	38	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-34		18AUG2021:14:20:00	48	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		18AUG2021:14:20:00	15.00	HIGH

COVID-19 AA  
Protocol: 043

## 16.2.1.5 Abnormal Biochemistry Values

Subject Number	Parameter	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-117022	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-44		18AUG2021:14:03:00	93	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-44	02SEP2021:08:00:00	51	HIGH
	Alanine Aminotransferase (U/L)	UNSCHEDULED	0-44	24AUG2021:10:30:00	47	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-39		18AUG2021:14:03:00	48	HIGH
	C Reactive Protein (mg/L)	UNSCHEDULED	0-9	24AUG2021:10:30:00	38.00	HIGH
AA-2020-06-117023	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		20AUG2021:10:45:00	19.00	HIGH
AA-2020-06-117024	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-44		20AUG2021:15:30:00	133	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-39		20AUG2021:15:30:00	72	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		20AUG2021:15:30:00	11.00	HIGH
AA-2020-06-117025	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-33		20AUG2021:15:40:00	43	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-34		20AUG2021:15:40:00	40	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		20AUG2021:15:40:00	11.00	HIGH
AA-2020-06-117026	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		24AUG2021:09:55:00	13.00	HIGH
	Urea Nitrogen (mmol/L)	Screening/Day -4 to -13.2-8.2		24AUG2021:09:55:00	2.1	LOW
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	09SEP2021:11:20:00	2.9	LOW
AA-2020-06-117029	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-44		08SEP2021:10:20:00	52	HIGH
AA-2020-06-117030	Alanine Aminotransferase (U/L)	Day 14	0-44	23SEP2021:11:35:00	51	HIGH
AA-2020-06-119001	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		25MAY2021:13:05:00	11.00	HIGH
AA-2020-06-119002	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-33		01JUN2021:13:49:00	40	HIGH
AA-2020-06-119003	Creatinine (umol/L)	Screening/Day -4 to -162-115		12JUN2021:12:45:00	140	HIGH

COVID-19 AA  
Protocol: 043

## 16.2.1.5 Abnormal Biochemistry Values

Subject Number	Parameter	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-119004	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		23JUL2021:17:05:00	14.00	HIGH
AA-2020-06-119005	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-33		23JUL2021:17:15:00	42	HIGH
AA-2020-06-119006	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-44		23JUL2021:17:22:00	57	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-39		23JUL2021:17:22:00	48	HIGH
AA-2020-06-119007	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-44		23JUL2021:17:38:00	66	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-39		23JUL2021:17:38:00	47	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		23JUL2021:17:38:00	133.00	HIGH
AA-2020-06-119008	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-44		26JUL2021:15:15:00	127	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-44	12AUG2021:10:06:00	123	HIGH
	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-39		26JUL2021:15:15:00	56	HIGH
	Aspartate Aminotransferase (U/L)	Day 14	14-39	12AUG2021:10:06:00	45	HIGH
AA-2020-06-119012	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		09AUG2021:10:09:00	14.00	HIGH
AA-2020-06-119015	Aspartate Aminotransferase (U/L)	Screening/Day -4 to -114-39		11AUG2021:13:15:00	42	HIGH
	Creatinine (umol/L)	Screening/Day -4 to -162-115		11AUG2021:13:15:00	61	LOW
	C Reactive Protein (mg/L)	Day 14	0-9	29AUG2021:11:45:00	10.00	HIGH
AA-2020-06-119016	C Reactive Protein (mg/L)	Screening/Day -4 to -10-9		11AUG2021:13:29:00	33.00	HIGH
	C Reactive Protein (mg/L)	Day 14	0-9	29AUG2021:12:06:00	15.00	HIGH
	Urea Nitrogen (mmol/L)	Screening/Day -4 to -13.2-8.2		11AUG2021:13:29:00	2.5	LOW
AA-2020-06-119017	Urea Nitrogen (mmol/L)	Screening/Day -4 to -13.2-8.2		12AUG2021:08:59:00	2.1	LOW
AA-2020-06-119018	Alanine Aminotransferase (U/L)	Screening/Day -4 to -10-33		13AUG2021:08:45:00	37	HIGH



COVID-19 AA  
Protocol: 043

## 16.2.1.5 Abnormal Biochemistry Values

Subject Number	Parameter	Visit	Normal Range	Date/Time of Measurement	Result	Flag
AA-2020-06-119019	Alanine Aminotransferase (U/L)	Day 14	0-33	31AUG2021:09:49:00	35	HIGH
	Urea Nitrogen (mmol/L)	Screening/Day -4 to	-13.2-8.2	13AUG2021:08:57:00	2.5	LOW
AA-2020-06-119020	Alanine Aminotransferase (U/L)	Screening/Day -4 to	-10-44	13AUG2021:09:53:00	49	HIGH
AA-2020-06-119021	C Reactive Protein (mg/L)	Day 14	0-9	31AUG2021:10:03:00	13.00	HIGH
	Urea Nitrogen (mmol/L)	Screening/Day -4 to	-13.2-8.2	13AUG2021:10:03:00	10.7	HIGH
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	31AUG2021:10:03:00	10.4	HIGH
AA-2020-06-119022	Urea Nitrogen (mmol/L)	Screening/Day -4 to	-13.2-8.2	13AUG2021:11:05:00	9.6	HIGH
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	31AUG2021:10:37:00	9.3	HIGH
AA-2020-06-119023	Urea Nitrogen (mmol/L)	Screening/Day -4 to	-13.2-8.2	13AUG2021:11:16:00	8.6	HIGH
AA-2020-06-119025	Aspartate Aminotransferase (U/L)	Day 14	14-39	01SEP2021:09:17:00	40	HIGH
	Urea Nitrogen (mmol/L)	Day 14	3.2-8.2	01SEP2021:09:17:00	9.6	HIGH
AA-2020-06-119026	Alanine Aminotransferase (U/L)	Screening/Day -4 to	-10-33	16AUG2021:10:19:00	39	HIGH
	C Reactive Protein (mg/L)	Screening/Day -4 to	-10-9	16AUG2021:10:19:00	10.00	HIGH
AA-2020-06-119028	Creatinine (umol/L)	Day 14	44-97	03SEP2021:09:30:00	111	HIGH
AA-2020-06-119029	Alanine Aminotransferase (U/L)	Screening/Day -4 to	-10-33	18AUG2021:09:49:00	59	HIGH
	Alanine Aminotransferase (U/L)	Day 14	0-33	06SEP2021:10:17:00	76	HIGH
	Aspartate Aminotransferase (U/L)	Day 14	14-34	06SEP2021:10:17:00	45	HIGH
AA-2020-06-119033	C Reactive Protein (mg/L)	Screening/Day -4 to	-10-9	31AUG2021:12:39:00	29.00	HIGH