



Archived PPO, TRPO, DPO and GP auxiliary supervision | All assays




● Auxiliary GP + DPO ● Auxiliary GP warm start ● Original GP + PPO
● Auxiliary GP + EI ● Earlier PPO ● Original GP + TRPO
● Auxiliary GP + PPO ● Original GP + DPO ● Original GP warm start
● Auxiliary GP + TRPO ● Original GP + EI ● Random expectation


Archived PPO, TRPO, DPO and GP auxiliary supervision | Cellular clearance




Archived PPO, TRPO, DPO and GP auxiliary supervision | Efflux ratio



Archived PPO, TRPO, DPO and GP auxiliary supervision | In vivo clearance




Archived PPO, TRPO, DPO and GP auxiliary supervision | Microsomal clearance



- Auxiliary GP + DPO
- Auxiliary GP + EI
- Auxiliary GP + PPO
- Auxiliary GP + TRPO
- Auxiliary GP warm start
- Earlier PPO
- Original GP + PPO
- Original GP + TRPO
- Original GP + DPO
- Original GP + EI
- Original GP warm start
- Random expectation

Archived PPO, TRPO, DPO and GP auxiliary supervision | Permeability



Archived PPO, TRPO, DPO and GP auxiliary supervision | Plasma protein binding

