


```
#include <stdio.h>
```

```
int main() {  
    for(int i = 1; i <= 5; i++) {  
        printf("%d\n", i);  
    }  
    return 0;  
}
```



The image shows a code editor window with a dark background. The code is written in C and is as follows:


```
1  #include <stdio.h>  
2  
3  int main() {  
4      for(int i = 1; i <= 5; i++) {  
5          printf("%d\n", i);  
6      }  
7      return 0;  
8  }  
9
```

Below the code editor is a terminal window. It shows the output of the program, which is the numbers 1 through 5, each on a new line. The terminal text is:

```
1  
2  
3  
4  
5  
  
...Program finished with exit code 0  
Press ENTER to exit console.
```

```
#include <stdio.h>
```

```
int main() {  
    for(int i = 5; i >= 1; i--) {  
        printf("%d\n", i);  
    }  
    return 0;  
}
```




The image shows a code editor window with a dark background and a terminal window below it. The code editor displays the following C code:

```
1  #include <stdio.h>  
2  
3  int main() {  
4      for(int i = 5; i >= 1; i--) {  
5          printf("%d\n", i);  
6      }  
7      return 0;  
8  }
```

The terminal window shows the output of the program, which is the numbers 5, 4, 3, 2, and 1, each on a new line. Below the output, the terminal displays the message "...Program finished with exit code 0" and "Press ENTER to exit console." with a cursor.

```
#include <stdio.h>
```

```
int main() {  
    for(int i = 10; i <= 20; i++) {  
        printf("%d\n", i);  
    }  
    return 0;  
}
```



The image shows a code editor with a dark theme. The top pane contains C code for a program that prints numbers from 10 to 20. The code is as follows:

```
1  #include <stdio.h>  
2  
3  int main() {  
4      for(int i = 10; i <= 20; i++) {  
5          printf("%d\n", i);  
6      }  
7      return 0;  
8  }
```

The bottom pane shows the console output of the program. It displays the numbers 10 through 20, each on a new line. At the bottom of the console, it says "...Program finished with exit code 0" and "Press ENTER to exit console." followed by a cursor.

```
#include <stdio.h>
```

```
int main() {  
    for(int i = 20; i >= 1; i--) {  
        printf("%d\n", i);  
    }  
    return 0;  
}
```

```
1  #include <stdio.h>  
2  
3  int main() {  
4      for(int i = 20; i >= 1; i--) {  
5          printf("%d\n", i);  
6      }  
7      return 0;  
8  }  
9
```

input

```
20  
19  
18  
17  
16  
15  
14  
13  
12  
11  
10  
9  
8  
7  
6  
5  
4  
3  
2  
1  
  
...Program finished with exit code 0  
Press ENTER to exit console.
```