Convex Optimization in Python with CVXPY

Steven Diamond Stephen Boyd Stanford University

SciPy 2018

Convex optimization

CVXPY

Parallelism

Portfolio optimization

Dynamic energy management

Convex optimization problem

minimize
$$f_0(x)$$

subject to $f_i(x) \le 0$, $i = 1, ..., m$
 $Ax = b$,

with variable $x \in \mathbf{R}^n$

▶ objective and inequality constraints f_0, \ldots, f_m are convex for all x, y, $\theta \in [0, 1]$,

$$f_i(\theta x + (1-\theta)y) \le \theta f_i(x) + (1-\theta)f_i(y)$$

i.e., graphs of f_i curve upward

equality constraints are linear

Why convex optimization?

- beautiful, fairly complete, and useful theory
- solution algorithms that work well in theory and practice
- ► many applications in
 - machine learning, statistics
 - control
 - signal, image processing
 - networking
 - engineering design
 - finance

...and many more

How do you solve a convex problem?

- ▶ use someone else's ('standard') solver (LP, QP, SOCP, ...)
 - easy, but your problem must be in a standard form
 - cost of solver development amortized across many users
- write your own (custom) solver
 - lots of work, but can take advantage of special structure
- use a convex modeling language
 - transforms user-friendly format into solver-friendly standard form
 - extends reach of problems solvable by standard solvers

Convex modeling languages

- long tradition of modeling languages for optimization
 - ► AMPL, GAMS
- modeling languages for convex optimization
 - CVX, YALMIP, CVXGEN, CVXPY, Convex.jl, RCVX
- function of a convex modeling language:
 - check/verify problem convexity
 - convert to standard form

Disciplined convex programming (DCP)

- system for constructing expressions with known curvature
 - constant, affine, convex, concave
- expressions formed from
 - variables
 - constants and parameters
 - library of functions with known curvature, monotonicity, sign
- basis of all convex modeling systems
- more at dcp.stanford.edu

Convex optimization

CVXPY

Parallelism

Portfolio optimization

Dynamic energy management

CVXPY

a modeling language in Python for convex optimization

- ▶ developed by Diamond & Boyd, 2014-
- uses signed DCP to verify convexity
- open source all the way to the solvers
- supports parameters
- mixes easily with general Python code, other libraries
- used in many research projects, classes, companies
- thousands of users

Solvers

- ► ECOS (Domahidi)
 - cone solver
 - interior-point method
 - ► compact, library-free C code
- SCS (O'Donoghue)
 - cone solver
 - first-order method
 - parallelism with OpenMP
 - ► GPU support
- ► OSQP (Stellato, Banjac, Goulart)
 - ▶ first-order method
 - targets QPs and LPs
 - code generation support
- ▶ others: CVXOPT, GLPK, MOSEK, GUROBI, Cbc, ...

CVXPY example

(constrained LASSO)

```
minimize \|Ax - b\|_2^2 + \gamma \|x\|_1
subject to \mathbf{1}^T x = 0, \quad \|x\|_{\infty} \le 1
```

with variable $x \in \mathbf{R}^n$

```
from cvxpy import *
x = Variable(n)
cost = sum_squares(A*x-b) + gamma*norm(x,1)
obj = Minimize(cost)
constr = [sum_entries(x) == 0, norm(x,"inf") <= 1]
prob = Problem(obj, constr)
opt_val = prob.solve()
solution = x.value</pre>
```

CVXPY

Convex optimization

CVXPY

Parallelism

Portfolio optimization

Dynamic energy management

Summary

Parallelism 12

Parameters in CVXPY

- symbolic representations of constants
- can specify sign (for use in DCP analysis)
- change value of constant without re-parsing problem

for-loop style trade-off curve:

```
x_values = []
for val in numpy.logspace(-4, 2, 100):
    gamma.value = val
    prob.solve()
    x_values.append(x.value)
```

Parallelism 13

Parallel style trade-off curve

```
# Use tools for parallelism in standard library.
from multiprocessing import Pool
# Function maps gamma value to optimal x.
def get_x(gamma_value):
    gamma.value = gamma_value
    result = prob.solve()
    return x.value
# Parallel computation with N processes.
pool = Pool(processes = N)
x_values = pool.map(get_x, numpy.logspace(-4, 2, 100))
```

Parallelism 14

Performance

minimize
$$||Ax - b||_2^2 + \gamma ||x||_1$$

with variable $x \in \mathbf{R}^n$

- $ightharpoonup A \in \mathbf{R}^{1000 imes 500}$, 100 values γ
- ▶ single thread time for one LASSO: 1.6 seconds (OSQP)

	for-loop	4 proc.	32 proc.	warm-start
4 core MacBook Pro				
32 cores, Intel Xeon	285 sec	89 sec	31 sec	48 sec

Convex optimization

CVXPY

Parallelism

Portfolio optimization

Dynamic energy management

Portfolio optimization


maximize
$$\mu^T w - \gamma w^T \Sigma w$$

subject to $\mathbf{1}^T w = 1, \quad w \in \mathcal{W}$

- ▶ variable $w \in \mathbf{R}^n$ is portfolio allocation vector
- $ightharpoonup \mathcal{W}$ is set of allowed portfolios
- ightharpoonup common case: $\mathcal{W}=\mathbf{R}^n_+$ (long only portfolio)
- $ightharpoonup \gamma > 0$ is the *risk aversion parameter*
- $\blacktriangleright \mu^T w \gamma w^T \Sigma w$ is risk-adjusted return
- ightharpoonup varying γ gives optimal *risk-return trade-off*

Example


optimal risk-return trade-off for 10 assets, long only portfolio



Portfolio optimization

Example

return distributions for two risk aversion values



Portfolio optimization

Convex optimization

CVXPY

Parallelism


Portfolio optimization

Dynamic energy management

Dynamic energy management

- devices interchange power at nets over multiple periods
 - generators
 - loads (fixed, deferrable, curtailable, . . .)
 - ▶ storage systems (battery, pumped hydro, ...)
 - ► thermal/HVAC
 - transmission lines
- each device has objective function and constraints
- power conserved at nets
- minimize total system cost to get optimal power schedules
- net conservation dual variables are locational marginal prices (LMPs)

Dynamic energy management example



Dynamic energy management package

 CVXPY extension for dynamic energy management (Wytock, Diamond, Boyd, 2016)

```
from dem import *
load = FixedLoad(power=p_load) # pre-specified load
gen = Generator(power_max=2, alpha=30, beta=1)
battery = Storage(discharge_max=0.1, charge_max=0.1,
                  energy_max=1.6)
net = Net([load.terminals[0], gen.terminals[0],
           battery.terminals[0]])
network = Group([load, gen, battery], [net])
network.optimize()
plot(net.price) # plot LMP at net
```

Convex optimization

CVXPY

Parallelism

Portfolio optimization

Dynamic energy management

Summary

Summary

- convex optimization in Python is easy with CVXPY
 - code follows the math
 - simple rules for verifying convexity
- CVXPY mixes well with high level Python
 - parallelism
 - object oriented design
- CVXPY is building block for
 - nonconvex optimization (DCCP, NCVX)
 - ▶ domain-specific application packages (CVXPortfolio)
- Installation instructions at cvxpy.org
- Projects at github.com/cvxgrp/

Summary 2!