AZURE AI / EXAM PRACTICE

# AI-103 Practice Set B

## Questions only

Developing AI Apps and Agents on Azure
100 original questions · 8 October 2026

| Coverage | Questions |
|---|---|
| Plan and manage an Azure AI solution | 28 |
| Generative AI and agentic solutions | 33 |
| Computer vision | 13 |
| Text analysis and speech | 13 |
| Information extraction | 13 |

**How to use this booklet**

Answer the questions before opening the companion practice edition. This booklet contains no solutions or answer key.

Choose one answer unless the question says to select two. For sequences, arrange the lettered steps. For matching, use the provided choice bank; one choice is unused.

64 single-answer items, including case studies and exhibits; 18 multiple-select; 10 sequences; 8 matching. Case-scenario links connect the relevant questions.

Objectives effective 16 April 2026. Difficulty labels are author estimates. This is independent practice material, not an official exam or a prediction of your exam score.

## Q1 Domain A: Plan and manage an Azure AI solution | Single choice | medium

A regulated assistant uses Data Zone Standard in the EU. A proposed switch to Global Standard keeps the resource in the same EU region. What must the architecture review flag?

**A.** Keeping the resource in an EU region also keeps the Global Standard deployment's inference processing inside the same EU boundary.

**B.** Requests must move to an asynchronous batch submission interface.

**C.** Inference processing can extend beyond the EU despite keeping the resource in its existing EU region.

**D.** The model begins billing against a reserved throughput commitment.

Your answer: _____

## Q2 Domain A: Plan and manage an Azure AI solution | Single choice | easy

A nightly classification job can wait for asynchronous completion. It has no interactive users and wants the batch charging model. Which deployment family should the team assess first?

**A.** Provisioned deployment with continuously reserved inference capacity.

**B.** Developer deployment used as the long-running production job endpoint.

**C.** Standard deployment with synchronous inference.

**D.** Batch deployment for asynchronous inference jobs.

Your answer: _____

## Q3 Domain A: Plan and manage an Azure AI solution | Single choice | medium

A team migrated a tool service to Entra authentication. Its identity is assigned a narrow role on the wrong Foundry resource, and requests are denied. Which correction addresses the authorization scope?

**A.** Copy the deployment operator role onto a developer account used for manual checks.

**B.** Change the application's trusted origins.

**C.** Grant the same role to the identity on the build pipeline resource group.

**D.** Assign the required role on the resource the service actually calls.

Your answer: _____

## Q4

Domain A: Plan and manage an Azure AI solution | Single choice | medium

An agent resolves Search to its private address and establishes a network connection, but the runtime receives an authorization denial. A developer can query the index. Which evidence is most useful next?

**A.** The developer's successful query together with the developer's subscription permissions.

**B.** The private DNS zone records already confirmed by the agent's connection trace.

**C.** The runtime connection principal and its role assignments on Search.

**D.** The model's token allocation and the embedding model's vector dimensions.

Your answer: _____

## Q5

Domain A: Plan and manage an Azure AI solution | Single choice | easy

Managed-compute quota was approved for accelerator SKU X in region R1. A deployment of SKU X in region R2 still fails for capacity quota. What is the relevant check?

**A.** Check the managed-compute accelerator-SKU quota in R2; the R1 approval is scoped to its own region.

**B.** Check the Azure VM quota for the matching GPU family in R2 and count that unused allocation toward the managed-compute accelerator requirement.

**C.** Whether the deployment's API key was issued by a resource in R2.

**D.** Whether the serverless endpoint in R1 has unused model token throughput.

Your answer: _____

## Q6

Domain A: Plan and manage an Azure AI solution | Single choice | medium

A hosted agent repeatedly returns regional_session_quota_exceeded despite appropriate backoff. Moving regions is prohibited, and model token capacity is available. Which escalation fits?

**A.** Increase the underlying model token allocation in the current region.

**B.** Open an Azure support request for the persistent regional limit.

**C.** Retry the same request with a shorter delay.

**D.** Delete retained conversation records to reduce the size of the Search index.

Your answer: _____

## Q7 Domain A: Plan and manage an Azure AI solution | Single choice | easy

A deployment workflow can obtain an Entra token through OIDC, but deploying the hosted agent is denied. Project endpoint variables are correct. What should be checked first?

**A.** The environment variable names used to display the workflow's build number.

**B.** The runtime agent's Search query filters for the target index.

**C.** The prompt token limit of the model called by the deployed agent.

**D.** Deployment permissions of the federated workflow identity.

Your answer: _____

## Q8 Domain A: Plan and manage an Azure AI solution | Single choice | medium

A dashboard shows a low evaluation score, but engineers cannot locate the request trace that produced it. Trace spans already include operation timings. Which addition closes the gap?

**A.** Increase the number of unrelated aggregate latency samples collected each hour.

**B.** Correlate evaluation run identifiers with request trace identifiers.

**C.** Record the evaluator's display name as the identifier for all evaluated requests.

**D.** Rename each tool operation to include its service's public hostname.

Your answer: _____

## Q9 Domain A: Plan and manage an Azure AI solution | Single choice | medium

A team redacts span content but exports traces to an unrestricted analytics workspace with indefinite retention. Which remaining control is most relevant?

**A.** Increase sampling so the unrestricted telemetry workspace contains a representative trace for each request category and evaluation outcome.

**B.** Apply operational log access restrictions and retention periods to the redacted trace storage.

**C.** Replace the trace identifiers with the model deployment name for easier grouping.

**D.** Move the redaction stage from the exporter into a scheduled cleanup task.

Your answer: _____

## Q10 Domain A: Plan and manage an Azure AI solution | Single choice | medium

Search requests intermittently slow down and some are throttled during traffic bursts. Which alert pair directly targets these symptoms?

**A.** Model answer-quality alerts.

**B.** Search latency and throttled-request alerts.

**C.** Speech recognition accuracy and audio-duration alerts.

**D.** Indexer field-confidence and document-page-count alerts.

Your answer: _____

## Q11 Domain A: Plan and manage an Azure AI solution | Single choice | easy

A caller supplies a receipt for one support interaction. The agent already has persistent user preferences and a maintained policy knowledge base. Which capability best supports lookup in this receipt?

**A.** Persistent memory extraction used as the receipt's full document retrieval layer.

**B.** File search over the user-provided document.

**C.** The policy knowledge base populated with permanent copies of each temporary receipt.

**D.** The model router configured to select a larger context window.

Your answer: _____

## Q12 Domain A: Plan and manage an Azure AI solution | Single choice | easy

A migration mixes azure-ai-projects 1.0.0 examples with a Foundry (new) project endpoint and 2.x code snippets. What is the most useful first correction?

**A.** Align the package version, endpoint and examples to the 2.x client.

**B.** Change the Search index vector dimensions to match the project identifier.

**C.** Keep the mixed examples and increase the endpoint request timeout.

**D.** Replace the Entra credential with a resource key for the mixed client code.

Your answer: _____

## Q13 Domain A: Plan and manage an Azure AI solution | Single choice | easy

An agent obtains the requested result but violates the instruction to use a read-only workflow. Which evaluator most directly addresses that policy failure?

**A.** Task Adherence (preview), assessing compliance with the instruction to use a read-only workflow.

**B.** Tool Call Success, assessing whether an invoked tool completes successfully.

**C.** Tool Output Utilization, assessing use of returned tool information.

**D.** Task Completion (preview), treating successful delivery of the requested result as evidence that the read-only workflow instruction was obeyed.

Your answer: _____

## Q14 Domain A: Plan and manage an Azure AI solution | Single choice | easy

Two RAG systems retrieve the same passages. One produces a useful answer but adds a claim absent from those passages. Which evaluation best isolates that defect?

**A.** Response Completeness (preview) against the reference answer coverage.

**B.** Relevance against the wording of the user question.

**C.** Groundedness against the supplied passages, which tests the unsupported claim in the generated answer.

**D.** Document Retrieval, using the identical retrieved passages to conclude that any later difference in generated claims must already be context-supported.

Your answer: _____

## Q15 Domain A: Plan and manage an Azure AI solution | Single choice | medium

An agent can call a purchasing tool. The team wants a guardrail to inspect the proposed action before execution. Which intervention point best fits the preview agent controls?

**A.** The tool-call intervention point, configured to inspect the proposed purchasing action before execution.

**B.** The tool-response intervention that scans returned purchase receipts.

**C.** The final-output intervention, configured to inspect the purchase receipt and ask for human approval before displaying the already completed action.

**D.** The user-input scan performed before the model proposes an action.

Your answer: _____

## Q16 Domain A: Plan and manage an Azure AI solution | Single choice | easy

A security design requires the memory store to integrate with a virtual network. The team proposes the documented preview memory service. What must the design record?

**A.** That using Entra authentication enables the memory store private network interface.

**B.** That the documented preview lacks memory-store VNet integration.

**C.** That placing the caller in a subnet gives the memory store the same network boundary.

**D.** That assigning the project owner role enables preview private network features.

Your answer: _____

## Q17 Domain A: Plan and manage an Azure AI solution | Single choice | easy

A team changes its model deployment to Provisioned but leaves the agent on basic setup. It expects agent state to move into its subscription. Which assessment is correct?

**A.** Adding a private DNS record migrates the existing state into customer-managed storage.

**B.** A Search role assignment on the model endpoint changes the state storage provider.

**C.** Provisioned model throughput also provisions the agent state resources in the subscription.

**D.** Agent setup must change to standard for customer-managed state resources.

Your answer: _____

## Q18 Domain A: Plan and manage an Azure AI solution | Single choice | easy

A routing evaluation looks acceptable, but governance approves just two underlying models. The router currently has a broader eligible pool. What should change before deployment?

**A.** Increase the routing evaluation sample until both approved models appear frequently.

**B.** Restrict the routed model subset to the approved models.

**C.** Keep the pool and add the approved model names to the user-facing system prompt.

**D.** Filter final answers whose text mentions an unapproved model name.

Your answer: _____

# Case study 1

Questions 19, 20, 21, 22.

## Case study - Atlas service assistant

Answer each question using the shared scenario. Your answers do not change the scenario.

### Service context

Atlas sells replacement equipment and operates an internal assistant. Inventory lookups, reservations and shipment or account changes are implemented by host application functions.

### Operating rules

Business systems are authoritative for inventory and action outcomes. Tool inputs must be validated against business rules and the caller's account access. Actions requiring approval must be approved before execution. Each question describes a separate observation or proposed implementation.

## Q19 Domain B: Implement generative AI and agentic solutions Case study medium

> Use case study 1: Atlas service assistant.

An agent proposes reserve_part, and the host application returns 'success' before contacting the inventory service. A later check finds no reservation. What is the design defect?

**A.** The host should first send the success result back to the model, then execute the reservation if the model confirms that the JSON was valid.

**B.** The function declaration needed to include the reservation result as a default argument.

**C.** The host reported a tool result before executing the requested operation.

**D.** A missing result default in the tool schema.

Your answer: _____

## Q20 Domain B: Implement generative AI and agentic solutions Case study medium

> Use case study 1: Atlas service assistant.

A Responses application executes three tool calls concurrently. Results finish in a different order from the requests. Which rule makes result association reliable?

**A.** Identify outputs using the common tool function name.

**B.** Assign an output identifier based on a sorted combination of the function name and arguments, and retain call_id in application logs.

**C.** Assign outputs to requests by completion order.

**D.** Preserve each originating call_id when constructing its function_call_output.

Your answer: _____

## Q21 Domain B: Implement generative AI and agentic solutions Case study medium

> Use case study 1: Atlas service assistant.

A schema validates a tool's JSON arguments, but the operation would modify an account the caller cannot access. Which control is missing?

**A.** Expand the JSON Schema with a description naming the permitted accounts and accept any generated arguments that satisfy its declared types.

**B.** Application authorization for the requested account and action.

**C.** A tool output stating that the requested account exists.

**D.** A schema example with the desired account and a successful result.

Your answer: _____

## Q22 Domain B: Implement generative AI and agentic solutions Case study hard

> Use case study 1: Atlas service assistant.

A user approves shipping two replacement units. Before execution, the proposed tool arguments change to twenty units. What should the host do?

**A.** Use the earlier approval token with the new argument payload.

**B.** Execute and include the changed quantity in the completion notice.

**C.** Execute because the function name still matches the approved tool.

**D.** Validate the changed proposal and obtain approval for the revised quantity.

Your answer: _____

# Case study 2

Questions 23, 24, 25, 26.

## Case study - Meridian knowledge assistant

Answer each question using the shared scenario. Your answers do not change the scenario.

### Knowledge workflow

Meridian maintains equipment manuals and policy documents in Azure AI Search. Its assistant retrieves evidence, drafts an answer and may call a business lookup tool.

### Review scope

Engineers assess retrieval, generation and tool behavior separately. The following questions describe independent observations and proposed changes; one answer does not change the configuration stated in another question.

## Q23 Domain B: Implement generative AI and agentic solutions Case study medium

> Use case study 2: Meridian knowledge assistant.

An engineer says enabling semantic reranking creates embeddings and replaces the vectorization stage. Which correction is accurate?

**A.** The semantic reranker creates a numerical representation from the merged scores that can replace the stored document vectors on later queries.

**B.** Reranking adjusts retrieved rankings; an embedding model still creates vectors.

**C.** Reranking converts keyword scores into index-time embeddings.

**D.** Reranking requires the client to sort results by document identifier.

Your answer: _____

## Q24 Domain B: Implement generative AI and agentic solutions Case study medium

> Use case study 2: Meridian knowledge assistant.

A team replaces its embedding model with one using a different representation. It updates the query vectorizer but leaves existing index vectors unchanged. Which migration step is needed?

**A.** Rename the vector field to match the new model deployment name.

**B.** Retain the old vectors and increase the query retry limit.

**C.** Re-embed the indexed content with the compatible model and align index configuration.

**D.** Keep the stored vectors and add the old model name to the query metadata so the service can reinterpret the new model vectors in the old space.

Your answer: _____

## Q25 Domain B: Implement generative AI and agentic solutions Case study medium

> Use case study 2: Meridian knowledge assistant.

A RAG answer accurately quotes the supplied warranty text but answers a question about delivery lead times. What should be evaluated to capture the mismatch?

**A.** Response relevance to the user's delivery question.

**B.** The count of citations included in the final answer.

**C.** Groundedness as proof of answering the requested topic.

**D.** Embedding-model quota as the measure of answer usefulness.

Your answer: _____

## Q26 Domain B: Implement generative AI and agentic solutions Case study medium

> Use case study 2: Meridian knowledge assistant.

The stock lookup tool returns 12 units, but the agent's answer reports 30. The chosen tool and its input arguments were correct. Which evaluator most directly targets the failure?

**A.** Tool Selection for choosing the inventory lookup tool.

**B.** Tool Output Utilization for use of the returned stock information.

**C.** Tool Call Success, using the successful inventory response as evidence that the final answer faithfully represents its returned quantity.

**D.** Tool Input Accuracy for the arguments passed to the tool.

Your answer: _____

## Q27 Domain B: Implement generative AI and agentic solutions Single choice easy

AIProjectClient is authenticated and connected to a Foundry (new) project. The application next needs that project's OpenAI client for Responses operations. Which method fits?

**A.** Call responses.create() directly on the project connection manager.

**B.** Use the project's storage client as the Responses transport.

**C.** Construct an OpenAI client using the Search connection endpoint.

**D.** Call get_openai_client() on the project client.

Your answer: _____

## Q28 Domain B: Implement generative AI and agentic solutions Configuration easy

A service migrates a strict JSON-output request from Responses to Chat Completions. It retains text.format and gets a request-shape error. Which field should carry the format setting in the destination API?

**Migrated request fragment**

```
POST .../chat/completions
{"text":{"format":{"type":"json_schema", "...":"..."}}}
```

**A.** response_format, with the supported JSON Schema configuration.

**B.** metadata.format, alongside application tracking labels.

**C.** input.format, wrapping the original input message.

**D.** Keep the format configuration inside text.format and select the Chat Completions endpoint, relying on the identical schema to make the request portable.

Your answer: _____

## Q29 Domain B: Implement generative AI and agentic solutions Single choice easy

A model must return exactly the defined object fields under the documented strict structured-output subset. Which schema setting rejects additional properties?

**A.** Set additionalProperties to false on the object schema.

**B.** Set additionalProperties to true.

**C.** Rename the schema title to the list of permitted property names.

**D.** Set required to the known names and leave extra properties unrestricted.

Your answer: _____

## Q30 Domain B: Implement generative AI and agentic solutions Single choice easy

A strict structured-output client assumes every response contains a business object. A safety refusal arrives, and its parser crashes. Which handling is needed?

**A.** Treat the refusal string as the value of the first required business field.

**B.** Retry with a longer property description and parse the same response again.

**C.** Remove additionalProperties: false from the business schema.

**D.** Detect refusal outcomes before parsing a successful structured result.

Your answer: _____

## Q31 Domain B: Implement generative AI and agentic solutions Single choice easy

A strict tool schema requires customer_id and permits no extra fields. The client also enables parallel tool calls. Which configuration should be reconciled with the documented structured-output guidance?

**A.** Remove customer_id from required and retain parallel calls.

**B.** Rename customer_id to make the function name unique.

**C.** Change additionalProperties to true for simultaneous arguments.

**D.** Disable parallel_tool_calls while preserving the strict tool schema.

Your answer: _____

## Q32 Domain B: Implement generative AI and agentic solutions Single choice medium

An engineer wants to diagnose tool latency and is given a model reasoning summary. Which additional evidence directly supports timing analysis?

**A.** A longer reasoning summary described as a full execution trace.

**B.** A list of tool names sorted alphabetically in the prompt.

**C.** Request traces with timed spans for the actual tool operations.

**D.** A paraphrase of the final answer in a second language.

Your answer: _____

## Q33 Domain B: Implement generative AI and agentic solutions | Single choice | easy

After switching to a reasoning model, a request rejects a generation parameter used by the previous model. What is the best first step?

**A.** Increase the unsupported parameter until the API accepts its value.

**B.** Set the unsupported control through the old model's deployment metadata.

**C.** Rename the parameter in a prompt while sending the old request field.

**D.** Check the new model's supported parameters and adapt the request contract.

Your answer: _____

## Q34 Domain B: Implement generative AI and agentic solutions | Single choice | medium

A system scans user inputs and tool responses, but the model's final answer may still contain harmful generated content. Which additional intervention covers that output boundary?

**A.** A final-output guardrail before the answer reaches the user.

**B.** A quota check on the model deployment after generation.

**C.** A second scan of the original input message alone.

**D.** A tool-call scan applied to requests with no tool invocation.

Your answer: _____

## Q35 Domain B: Implement generative AI and agentic solutions | Single choice | medium

A Responses-based agent wants to enable Spotlighting using the documented preview. The team assumes a configuration flag will provide feature parity with Chat Completions. What should be checked?

**A.** Whether citations in the final answer demonstrate that Spotlighting was applied.

**B.** The feature's API support boundary before choosing that integration.

**C.** Whether enabling structured outputs activates the Spotlighting feature.

**D.** Whether shortening encoded documents removes the API support restriction.

Your answer: _____

## Q36 Domain B: Implement generative AI and agentic solutions | Single choice | medium

A Search tool must retrieve documents from a particular department in the configured index. Which capability most directly narrows the returned content?

**A.** Keep retrieval unfiltered and place a department instruction in the system message so the model chooses which returned passages to use.

**B.** A larger vector candidate count for the same unfiltered query.

**C.** A retrieval filter using the department field supported by the index.

**D.** A deployment display name containing the department identifier.

Your answer: _____

## Q37 Domain B: Implement generative AI and agentic solutions | Single choice | easy

The correct inventory tool is selected with correct arguments, but it returns a service error and no result. Which signal best describes the immediate failure?

**A.** Tool Input Accuracy, because any service error proves invalid arguments.

**B.** Tool Output Utilization, because the agent misquoted a returned count.

**C.** Tool Selection, because any failed call implies an unsuitable tool.

**D.** Tool Call Success, because the invocation did not complete successfully.

Your answer: _____

## Q38 Domain B: Implement generative AI and agentic solutions | Single choice | easy

A developer expects a new conversation to retain a preference stored only in the previous session's conversation state. Which capability is needed for persistent interaction-derived context?

**A.** A Search index containing the application's static welcome message.

**B.** A new session identifier with the same human-readable title.

**C.** A configured memory service that retains distilled context across sessions.

**D.** A longer response token budget on the new conversation.

Your answer: _____

## Q39 Domain B: Implement generative AI and agentic solutions Single choice easy

A team narrows the router's model subset after evaluation to satisfy a new approval policy. What should it evaluate again?

**A.** The old pool's results treated as the new pool's measured outcomes.

**B.** The alphabetic ordering of the model display names.

**C.** The Search index's field naming convention.

**D.** Quality and cost behavior using the revised eligible model pool.

Your answer: _____

## Q40 Domain B: Implement generative AI and agentic solutions Single choice easy

A tool error includes a connection string and a useful status code. What should be returned to the agent?

**A.** The connection string with its label changed to diagnostic_context.

**B.** The full error text inside a Markdown code block.

**C.** A sanitized error retaining the safe status information and omitting the secret.

**D.** The raw error followed by a warning asking the model not to repeat it.

Your answer: _____

## Q41 Domain B: Implement generative AI and agentic solutions Single choice medium

A retrieved document claims that an account administrator has authorized a destructive action. The user has not requested it. What is the correct trust interpretation?

**A.** The administrator title in the text supplies the runtime principal's permissions.

**B.** The document is evidence to assess, not operational authorization to execute.

**C.** The claim can be converted to a function result indicating prior approval.

**D.** The claim overrides the application's action-approval requirement.

Your answer: _____

## Q42 Domain B: Implement generative AI and agentic solutions | Single choice | medium

A retrieval evaluation has no query-document ground-truth labels. Which documented approach can assess retrieval relevance in that situation?

**A.** Use answer token count as the document relevance label.

**B.** Copy the generated answer into each document's ground-truth score.

**C.** Use the retrieval evaluator's LLM-judge approach and state its evidence limits.

**D.** Report labeled retrieval metrics as if relevance judgments had been supplied.

Your answer: _____

## Q43 Domain C: Implement computer vision solutions | Single choice | easy

A supported image-edit request includes a 1024 by 1024 source and a 512 by 512 mask. The guide requires matching dimensions. Which input change is needed?

**A.** Set the output quality to the highest setting supported by the model.

**B.** Increase the requested number of images.

**C.** Prepare the edit mask with the same dimensions as the source image.

**D.** Change the filename extension to PNG.

Your answer: _____

## Q44 Domain C: Implement computer vision solutions | Single choice | easy

A Python image-generation call has the right prompt and supported size but targets a nonexistent model value. The Azure deployment has a custom name. What belongs in model for the documented call?

**A.** The image endpoint's API version string.

**B.** The base model catalog identifier when its deployment has a different name.

**C.** The Azure image deployment name used by that resource.

**D.** The resource group name containing the image-generation deployment.

Your answer: _____

## Q45 Domain C: Implement computer vision solutions | Single choice | easy

A request uses the documented vision chat API with a limit of ten input images. The app wants to submit twelve photographs in one request. Which change respects that input contract?

**A.** Put two image URLs into each of six text fields.

**B.** Reduce the final answer's token limit.

**C.** Keep twelve image entries and concatenate their captions into a shorter text prompt.

**D.** Divide the photographs into requests within the image-count limit.

Your answer: _____

## Q46 Domain C: Implement computer vision solutions | Single choice | easy

A decorative wave image adds no information and is not a link or control. How should its HTML alt attribute be set?

**A.** Use alt="" to identify the image as decorative.

**B.** Omit the alt attribute.

**C.** Use alt="wave-header.png".

**D.** Use alt="Decorative blue wave across the entire top of the page".

Your answer: _____

## Q47 Domain C: Implement computer vision solutions | Configuration | medium

Image analysis returns Hate 0, SelfHarm 2, Sexual 0 and Violence 4. The app rejects any Medium or High category. What is the correct decision?

**Returned severity values**

```
{"Hate":0,"SelfHarm":2,"Sexual":0,"Violence":4}
```

**A.** Reject because SelfHarm 2 is High.

**B.** Allow because the API request returned a successful HTTP status.

**C.** Reject because Violence reaches the policy's Medium threshold.

**D.** Allow because the average score is below 4.

Your answer: _____

## Q48 Domain C: Implement computer vision solutions | Single choice | medium

A client asks the image harm endpoint to provide a groundedness judgment for a generated textual answer. What is the API selection problem?

**A.** Groundedness detection is a text capability, not image harm classification.

**B.** The client needs a larger image rather than a different capability.

**C.** The response becomes grounded when each image harm category has severity zero.

**D.** The image endpoint's HTTP status supplies the groundedness result.

Your answer: _____

## Q49 Domain C: Implement computer vision solutions | Single choice | medium

A video analyzer misses small text on a distant label. The documented preview resizes sampled frames to 512 by 512 pixels. Which explanation should guide follow-up?

**A.** The field schema's title determines the video's original pixel resolution.

**B.** Increasing segment count necessarily restores the lost text pixels.

**C.** A confidence value can reconstruct text absent from the analyzed frame.

**D.** Resizing can remove small details needed to read the label.

Your answer: _____

## Q50 Domain C: Implement computer vision solutions | Single choice | easy

A sample uses Content Understanding Python SDK 1.1.0, tied to the 2025-11-01 API. A developer copies a preview-only analyzer feature into it. What should be resolved first?

**A.** Compatibility between the SDK, API version and analyzer feature.

**B.** The ordering of imports in the Python source file.

**C.** The output PDF filename used after analysis.

**D.** The model's natural-language explanation of the preview feature.

Your answer: _____

## Q51 Domain D: Implement text analysis solutions | Single choice | easy

An application must label organizations and locations in a paragraph. It does not need identity redaction or language routing. Which prebuilt capability fits?

**A.** Language detection to select a translated version of the paragraph.

**B.** PII detection focused on personal identifiers.

**C.** Named entity recognition using predefined entity categories.

**D.** Abstractive summarization of the paragraph into a single sentence.

Your answer: _____

## Q52 Domain D: Implement text analysis solutions | Single choice | easy

A product needs a short paraphrased summary that combines related ideas across a document. Which summarization method targets that output?

**A.** Abstractive summarization that generates a compact rewording.

**B.** PII detection followed by concatenation of the found spans.

**C.** Extractive summarization limited to selected source sentences.

**D.** Language detection applied separately to each paragraph.

Your answer: _____

## Q53 Domain D: Implement text analysis solutions | Single choice | easy

A team needs to translate a collection of documents as a document workflow rather than individual chat messages. Which service surface is the most appropriate starting point?

**A.** Detect each document language and save that label as its translated output.

**B.** Translator document translation, choosing a supported synchronous or asynchronous mode.

**C.** Generate a summary in the target language and return it as the translated document.

**D.** Translate extracted filenames through the text translation endpoint.

Your answer: _____

## Q54 Domain D: Implement text analysis solutions | Single choice | easy

A custom recognition model performs well in evaluation, but the app still calls the base recognizer endpoint. Which step makes the selected custom model available to the application?

**A.** Deploy the model to a custom endpoint and configure the app to use it.

**B.** Set the model ID as the synthesis voice name.

**C.** Upload the evaluation report as the next recognition audio input.

**D.** Rename the training dataset to the application's endpoint hostname.

Your answer: _____

## Q55 Domain D: Implement text analysis solutions | Single choice | easy

An Italian-to-German Speech translation call succeeds. The app needs the German text for a later synthesis step. Which result entry should it read?

**A.** The audio output of a SpeechSynthesizer that has not yet been called.

**B.** The translations entry keyed by de, the configured target language.

**C.** The translations entry keyed by it-IT.

**D.** The recognition language field from the request configuration.

Your answer: _____

## Q56 Domain D: Implement text analysis solutions | Configuration | easy

A prototype works with one Voice Live model in one region. The team plans a new regional deployment with a different model and assumes all voice features transfer. What should be checked?

**Deployment change**

```
Prototype: model M1, region R1
Proposed:  model M2, region R2
```

**A.** The chosen model, feature and regional compatibility for Voice Live.

**B.** Use a common endpoint hostname as the basis for regional feature compatibility.

**C.** Whether using the previous model's name as an alias enables its old features.

**D.** Whether client-side voice labels can override model compatibility limits.

Your answer: _____

## Q57 Domain D: Implement text analysis solutions | Single choice | medium

A team can connect to a realtime audio endpoint but users experience overlapping speech and inconsistent turn endings. What is the most relevant next design review?

**A.** The connection URL after a successful transport handshake.

**B.** The complete-session transcript formatting.

**C.** Session turn detection and how interruption affects input and output audio.

**D.** The static voice chosen for synthesized speech.

Your answer: _____

## Q58 Domain E: Implement information extraction solutions | Single choice | easy

A source contains a field named legacy_title and the index calls it title. No skill creates or transforms this value. Which mapping is appropriate?

**A.** A semantic reranking query requesting the missing title.

**B.** A vectorizer setting using title as the model deployment name.

**C.** An outputFieldMappings entry pointing at a nonexistent skill output.

**D.** A fieldMappings entry from legacy_title to title.

Your answer: _____

## Q59 Domain E: Implement information extraction solutions | Single choice | medium

OCR receives normalized images and produces text, but the index's ocr_text field remains empty. Which remaining configuration should be inspected?

**A.** The output mapping from the enriched OCR text node to ocr_text.

**B.** The Speech translation target language.

**C.** The maximum response length used by the chat application.

**D.** The imageAction setting already producing normalized images.

Your answer: _____

## Q60 Domain E: Implement information extraction solutions | Single choice | medium

An integrated vectorization run repeatedly fails when the embedding deployment's quota is exhausted. Retries are configured correctly. What should be addressed?

**A.** The answer generation temperature used after retrieval.

**B.** Embedding capacity or ingestion demand relative to that quota.

**C.** Increase the retry budget and keep the current ingestion concurrency so the queued workload can eventually consume more tokens than the assigned quota.

**D.** The order of fields displayed in the Search portal.

Your answer: _____

## Q61 Domain E: Implement information extraction solutions | Single choice | easy

A Search enrichment pipeline needs section structure and Markdown from document layout, with image-location metadata available for downstream use. Which skill is designed for this?

**A.** A semantic reranker operating after documents are indexed.

**B.** A text-splitting skill over the raw document text alone.

**C.** A query-time vectorizer configured on the document title.

**D.** The Document Layout skill using Document Intelligence layout analysis.

Your answer: _____

## Q62 Domain E: Implement information extraction solutions | Single choice | easy

An analysis operation is queued. A worker must index the extracted content after successful completion. Which item should it retain while waiting?

**A.** The operation handle needed to poll that submitted analysis.

**B.** The final index document count as a substitute for operation state.

**C.** A fabricated empty content result to mark the document as processed.

**D.** Submit the document as a new analysis on each polling interval and select whichever operation first returns a completed content object.

Your answer: _____

## Q63 Domain E: Implement information extraction solutions | Single choice | medium

A team enables estimateFieldSourceAndConfidence for document fields. It receives a high-confidence amount and wants to describe it as independently verified. Which statement is accurate?

**A.** The score replaces page and bounding-box references for evidence retrieval.

**B.** The score proves that the downstream payment was authorized.

**C.** The score estimates analyzer confidence; source review can still verify the value.

**D.** The score is a guarantee that the amount matches the original document.

Your answer: _____

## Q64 Domain E: Implement information extraction solutions | Single choice | easy

A document analyzer performs well on established suppliers but misreads amounts on a new invoice layout. What input can help improve it after schema definitions are reviewed?

**A.** Duplicate the established suppliers' training invoices and change their filenames to the new supplier, preserving the existing verified field labels.

**B.** Representative labeled invoices showing the correct values for the new layout.

**C.** A longer generated explanation appended to each wrong extraction.

**D.** The wrong model outputs relabeled as ground-truth amounts.

Your answer: _____

## Q65 Domain A: Plan and manage an Azure AI solution | Multiple select | hard

A developer can query Search privately, but an agent is denied. The team wants to establish whether the agent has equivalent access. Which TWO observations are directly relevant? Select TWO answers.

**A.** The final answer style requested in the agent's instructions.

**B.** The roles assigned to the developer's interactive account.

**C.** The address and route used from the agent's runtime network.

**D.** The connection principal and its role scope on the Search resource.

**E.** The private endpoint resource ID and subnet assignment, evaluated from the developer's successful network connection to the same service.

Your answer: _____

## Q66 Domain A: Plan and manage an Azure AI solution | Multiple select | hard

A job can wait for asynchronous results, but its data-processing policy still restricts geography. Which TWO considerations belong in its deployment decision? Select TWO answers.

**A.** Use a resource name containing EU as proof of EU processing.

**B.** Select a supported Batch deployment for the deferred workload.

**C.** Choose Provisioned solely because it supports multiple requests.

**D.** Choose a deployment boundary consistent with the processing policy.

**E.** Use Global Batch because asynchronous completion removes geographic restrictions.

Your answer: _____

## Q67 Domain A: Plan and manage an Azure AI solution | Multiple select | hard

A trace has operation timing and redacted content, but evaluation IDs are missing and access is broader than the logging policy permits. Which TWO changes address these gaps? Select TWO answers.

**A.** Add evaluation-to-request correlation identifiers.

**B.** Create one new trace ID per span to avoid shared identifiers.

**C.** Remove operation timings because content is already redacted.

**D.** Record raw tool credentials to make correlation easier.

**E.** Apply the required trace-storage access and retention controls.

Your answer: _____

## Q68 Domain A: Plan and manage an Azure AI solution | Multiple select | hard

Two failures occur: session_quota_exceeded with unneeded active sessions, and model-token throttling on sustained traffic. Which TWO diagnoses are correctly scoped? Select TWO answers.

**A.** Review active sessions when addressing the session limit.

**B.** Treat both errors as evidence of invalid Entra credentials.

**C.** Review underlying model throughput for the token throttling.

**D.** Use Search storage expansion as the remedy for both failures.

**E.** Stop sessions as proof that model token throughput has increased.

Your answer: _____

## Q69 Domain A: Plan and manage an Azure AI solution | Multiple select | hard

An agent obeys policy but omits requested deliverables and invents one fact absent from retrieved context. Which TWO evaluations directly target the described quality defects? Select TWO answers.

**A.** Tool Input Accuracy as proof of the invented final claim.

**B.** Search latency as the completeness measure.

**C.** Task Adherence as the direct measure of missing deliverables.

**D.** Task Completion (preview) for the missing deliverables.

**E.** Groundedness for contextual support of the generated fact.

Your answer: _____

## Q70 Domain B: Implement generative AI and agentic solutions | Multiple select | hard

Two tool calls finish concurrently and one result contains a secret in an error message. Which TWO output-handling rules apply? Select TWO answers.

**A.** Use result completion order as the identifier contract.

**B.** Keep the error intact because it came from an internal service.

**C.** Return each result with its originating call_id.

**D.** Associate both outputs with the common function name.

**E.** Sanitize sensitive error content before returning it to the model.

Your answer: _____

## Q71 Domain B: Implement generative AI and agentic solutions Multiple select hard

A client moves strict structured output from Chat Completions to Responses. Which TWO implementation details need to be handled correctly? Select TWO answers.

**A.** Remove required nullable fields to reduce the request size.

**B.** Treat JSON parsing success as full compliance with the business schema.

**C.** Place the response format in Responses text.format.

**D.** Handle refusal outcomes separately from successful structured results.

**E.** Keep response_format in the same top-level position as Chat Completions.

Your answer: _____

## Q72 Domain B: Implement generative AI and agentic solutions Multiple select hard

A RAG evaluation needs to distinguish search quality from unsupported generation. Labeled query-document judgments and generated answers with context are available. Which TWO assessments fit? Select TWO answers.

**A.** Use answer relevance as proof that all claims are context-supported.

**B.** Evaluate document retrieval against the relevance judgments.

**C.** Use retrieval latency as a replacement for relevance judgments.

**D.** Use token count as the amount of ground-truth support.

**E.** Evaluate groundedness against each answer's supplied context.

Your answer: _____

## Q73 Domain B: Implement generative AI and agentic solutions | Multiple select | hard

A purchase agent needs to prevent unsafe actions and inspect receipts returned by the vendor tool. Which TWO intervention points correspond to those requirements? Select TWO answers.

**A.** User-input scanning used as inspection of the later vendor receipt.

**B.** Tool-call inspection before the proposed purchase executes.

**C.** Tool-response inspection before returned vendor content is used.

**D.** Deployment-time validation used as approval for each future purchase.

**E.** Final-output inspection used as prior approval of the purchase.

Your answer: _____

## Q74 Domain B: Implement generative AI and agentic solutions | Multiple select | medium

A new Foundry Python app uses azure-ai-projects 2.8.0 and needs Responses plus project operations. Which TWO setup choices follow the documented client pattern? Select TWO answers.

**A.** Use a resource key as the AIProjectClient credential.

**B.** Mix classic 1.0.0 project examples into the 2.x request builder unchanged.

**C.** Initialize AIProjectClient with the Foundry project endpoint and Entra credentials.

**D.** Use the Azure OpenAI inference endpoint as the project-management endpoint.

**E.** Obtain its OpenAI client through get_openai_client().

Your answer: _____

## Q75 Domain C: Implement computer vision solutions | Multiple select | medium

A site has an image-only download button and a decorative border. Which TWO accessibility choices fit their functions? Select TWO answers.

**A.** Give the button an alternative naming its download action.

**B.** Describe the button's color, outline and position in the header.

**C.** Use the same 'image' label for both elements.

**D.** Omit alt from the decorative border and rely on its filename.

**E.** Use an empty alt attribute for the decorative border.

Your answer: _____

## Q76 Domain C: Implement computer vision solutions | Multiple select | medium

A product offers photograph descriptions and image edits. Which TWO API-design distinctions should it preserve? Select TWO answers.

**A.** All image deployments accept the same mask and quality settings.

**B.** Vision chat receives supported image content alongside text instructions.

**C.** A captioning response is itself the edited image asset.

**D.** Image editing uses the selected image model's supported edit inputs.

**E.** A photograph filename in plain text supplies the image pixels to a remote model.

Your answer: _____

## Q77 Domain C: Implement computer vision solutions | Multiple select | medium

An analyzer uses enableSegment and natural-language contentCategories for customized video analysis. Which TWO planning statements follow the documented behavior? Select TWO answers.

**A.** Segmentation controls the granularity of video analysis.

**B.** Disable segmentation to make sampling include every source frame.

**C.** Segmentation can consume model tokens even when no fields are defined.

**D.** A content category is a command to preserve all original frames.

**E.** Removing all fields makes segmentation token-free.

Your answer: _____

## Q78 Domain D: Implement text analysis solutions | Multiple select | medium

A team compares extractive and abstractive summaries for an evidence-sensitive workflow. Which TWO statements are accurate? Select TWO answers.

**A.** Extractive summarization selects sentences from the source.

**B.** Abstractive summarization creates a compact rewording of the content.

**C.** A summarization API converts a source citation into independent verification.

**D.** An abstractive summary's fluent style establishes its factual support.

**E.** An extractive summary necessarily covers every important source point.

Your answer: _____

## Q79 Domain D: Implement text analysis solutions | Multiple select | medium

A routing pipeline must choose the language-specific queue and locate personal identifiers for redaction. Which TWO Language capabilities directly fit? Select TWO answers.

**A.** Abstractive summarization used as the source language label.

**B.** Language detection for identifying the text's language.

**C.** PII detection for locating personal information.

**D.** General NER used as proof that all personal information was redacted.

**E.** Sentiment analysis used as the language identifier.

Your answer: _____

## Q80 Domain E: Implement information extraction solutions | Multiple select | medium

An invoice workflow must route uncertain values to reviewers and let them locate the supporting text. Which TWO retained outputs meet those needs? Select TWO answers.

**A.** A model deployment name used as the evidence location.

**B.** The formatted amount stripped of all source metadata.

**C.** A high confidence score treated as an authorization to pay.

**D.** The estimated field confidence for review routing.

**E.** Source page, coordinate or span references for evidence lookup.

Your answer: _____

## Q81 Domain E: Implement information extraction solutions | Multiple select | hard

Long source documents and persistent embedding throttling block a Search vectorization pipeline. Which TWO adjustments directly address these separate constraints? Select TWO answers.

**A.** Chunk content to fit the embedding model's input limits.

**B.** Replace query vectors with unrelated same-length numerical arrays.

**C.** Increase chat response length to enlarge embedding input capacity.

**D.** Align ingestion demand with available embedding-model quota.

**E.** Retry the unchanged workload indefinitely to create more quota.

Your answer: _____

## Q82 Domain E: Implement information extraction solutions | Multiple select | hard

A Search solution must index skill-generated text and then combine exact-term and semantic retrieval. Which TWO configurations belong at the appropriate stages? Select TWO answers.

**A.** Use outputFieldMappings for the enriched text's index field.

**B.** Use hybrid search to combine keyword and vector result lists.

**C.** Use a query filter to generate document embeddings during ingestion.

**D.** Use semantic reranking as the source-to-index field mapper.

**E.** Use fieldMappings to read an enrichment node as an original source field.

Your answer: _____

## Q83 Domain A: Plan and manage an Azure AI solution | Sequence | medium

A support run has already been evaluated and its score is low. Arrange the prescribed investigation: start from the evaluation record, locate its trace, inspect the slow child operation, then record the diagnosis.

Arrange these steps in order:

**A.** Locate the corresponding request trace.

**B.** Inspect the timed child spans to identify the slow operation.

**C.** Read the evaluation run identifier and linked request identifier.

**D.** Record the operation-level diagnosis with its correlation references.

Your answer: _____

## Q84 Domain A: Plan and manage an Azure AI solution | Sequence | medium

A private endpoint exists. Troubleshooting policy requires confirming DNS, then network reachability, then checking authorization after an actual denial. Arrange this investigation.

Arrange these steps in order:

**A.** Inspect the denied request to identify its runtime connection principal.

**B.** Check that principal's required role assignments on the target resource.

**C.** Confirm connectivity to the resulting private endpoint address.

**D.** Resolve the service hostname from the agent runtime network.

Your answer: _____

## Q85 Domain A: Plan and manage an Azure AI solution | Sequence | medium

A deployment decision follows the company checklist in this order: geography, completion mode, billing, then supported model availability. Arrange the checks for a deferred document-classification job.

Arrange these steps in order:

**A.** Check that the required model and capacity are available for that choice.

**B.** Confirm that asynchronous batch completion fits the job.

**C.** Select the compatible batch charging and deployment choice.

**D.** Identify the permitted inference processing boundary.

Your answer: _____

## Q86 Domain B: Implement generative AI and agentic solutions | Sequence | medium

A read-only function call has been returned by Responses. Arrange this continuation path: execute validated input, sanitize the result, return it with its identifier, then continue generation.

Arrange these steps in order:

**A.** Continue the model response using the correlated function output.

**B.** Submit function_call_output with the originating call_id.

**C.** Validate the arguments and execute the authorized read-only function.

**D.** Remove sensitive fields from the returned tool data.

Your answer: _____

## Q87 Domain B: Implement generative AI and agentic solutions | Sequence | medium

A receipt assistant follows this prescribed request flow: receive an uploaded receipt, retrieve its evidence, draft a proposed refund, then obtain approval before execution. Arrange the stages.

Arrange these steps in order:

**A.** Use file search to retrieve relevant receipt evidence.

**B.** Prepare and validate a refund proposal using that evidence.

**C.** Obtain approval before executing the proposed refund.

**D.** Receive the user-provided receipt for the interaction.

Your answer: _____

## Q88 Domain C: Implement computer vision solutions Sequence medium

An image deployment already supports the requested edit. Arrange this preparation workflow: load the source, build a matching mask, submit the edit, then inspect its result.

Arrange these steps in order:

**A.** Submit the source, mask and edit prompt to the supported deployment.

**B.** Prepare the edit mask with the required matching dimensions.

**C.** Load the source image and determine its dimensions.

**D.** Inspect the returned image against the requested edit and preserved region.

Your answer: _____

## Q89 Domain D: Implement text analysis solutions Sequence medium

A successful speech translation result is available for German. Arrange the client's prescribed playback path: choose target text, submit it to synthesis, obtain audio, then play it.

Arrange these steps in order:

**A.** Play the produced audio through the client output device.

**B.** Select the de entry from the translation result.

**C.** Submit that German text to the configured SpeechSynthesizer.

**D.** Receive the successful synthesis audio result.

Your answer: _____

## Q90 Domain D: Implement text analysis solutions Sequence medium

Company policy requires language routing, then redaction, then translation of the redacted text. Arrange this text-processing workflow.

Arrange these steps in order:

**A.** Apply the required redactions using those detected spans.

**B.** Detect personal-information spans in the routed text.

**C.** Translate the approved redacted text into the target language.

**D.** Detect the submitted text's language for routing.

Your answer: _____

## Q91 Domain E: Implement information extraction solutions Sequence medium

The OCR skill and index schema are configured. Arrange the document data path from normalized images through searchable enriched text.

Arrange these steps in order:

**A.** Pass those image inputs through the OCR skill.

**B.** Obtain the OCR text in the enriched document tree.

**C.** Map the enriched OCR text into the searchable index field.

**D.** Produce normalized images through the blob indexer imageAction setting.

Your answer: _____

## Q92 Domain E: Implement information extraction solutions Sequence medium

An invoice field has low confidence. Company policy requires evidence inspection and confirmation before posting. Arrange that review workflow.

Arrange these steps in order:

**A.** Open the field's referenced source page and region.

**B.** Route the uncertain field to a human review queue.

**C.** Confirm or correct the value using the source evidence.

**D.** Post the approved value to the downstream system.

Your answer: _____

## Q93 Domain A: Plan and manage an Azure AI solution Matching medium

Match each observed agent limit to the next listed response. Retained session state must be preserved; regional moves are prohibited. Use each selected choice once; one choice is unused.

Match each row to a choice.

**A.** Unneeded active sessions cause session_quota_exceeded
Match: _____

**B.** Transient regional_session_quota_exceeded
Match: _____

**C.** Regional session failure persists after suitable retries
Match: _____

### Choice bank

- Increase Search storage
- Use exponential backoff with jitter
- Stop the unneeded active sessions
- Open an Azure support request

Your answer: _____

## Q94 Domain A: Plan and manage an Azure AI solution Matching medium

Match each design requirement to the configuration area that controls it. Use each selected choice once; one choice is unused.

Match each row to a choice.

**A.** Agent state stored in customer-managed resources
Match: _____

**B.** Private service hostname resolution from the agent network
Match: _____

**C.** Scoped permissions enforced for service calls
Match: _____

### Choice bank

- Model output temperature
- Private DNS and network configuration
- Entra authentication with RBAC
- Standard agent setup

Your answer: _____

## Q95 Domain B: Implement generative AI and agentic solutions Matching medium

Match each evaluation question to the most directly relevant measure. Use each selected choice once; one choice is unused.

Match each row to a choice.

**A.** Are the answer's claims supported by its supplied passages?
Match: _____

**B.** Does the answer address the user's question?
Match: _____

**C.** Did the agent deliver the requested overall outcome?
Match: _____

### Choice bank

- Task Completion (preview)
- Search latency
- Relevance
- Groundedness

Your answer: _____

## Q96 Domain B: Implement generative AI and agentic solutions Matching medium

Match each content boundary to its agent guardrail intervention point. Use each selected choice once; one choice is unused.

Match each row to a choice.

**A.** A proposed purchase action before execution
Match: _____

**B.** Data returned by the vendor service before agent use
Match: _____

**C.** The completed answer before user delivery
Match: _____

### Choice bank

- Tool response
- Tool call
- Final output
- User input

Your answer: _____

## Q97 Domain C: Implement computer vision solutions | Matching | medium

Match each visual-content requirement to the relevant capability. Use each selected choice once; one choice is unused.

Match each row to a choice.

**A.** Assess visual harm categories in an uploaded image
Match: _____

**B.** Describe objects in a supplied photograph
Match: _____

**C.** Assess malicious instructions in extracted poster text
Match: _____

### Choice bank

- Vision-enabled chat
- Custom Speech recognition
- Text Prompt Shields
- Image Content Safety analysis

Your answer: _____

## Q98 Domain D: Implement text analysis solutions | Matching | medium

Match each requested output to the relevant text-processing approach. Use each selected choice once; one choice is unused.

Match each row to a choice.

**A.** A summary made from selected source sentences
Match: _____

**B.** A concise reworded synthesis of document ideas
Match: _____

**C.** The document's content in another language
Match: _____

### Choice bank

- Extractive summarization
- Document translation
- Abstractive summarization
- Language detection

Your answer: _____

## Q99 Domain D: Implement text analysis solutions | Matching | medium

Match each Italian-to-German speech workflow setting or value to its purpose. Use each selected choice once; one choice is unused.

Match each row to a choice.

**A.** it-IT on speech_recognition_language
Match: _____

**B.** de added as the translation target
Match: _____

**C.** The successful de translation string sent to SpeechSynthesizer
Match: _____

### Choice bank

- Requested output language
- Text input for synthesis
- Spoken source language
- Recognition endpoint credential

Your answer: _____

## Q100 Domain E: Implement information extraction solutions | Matching | medium

Match each extraction task to its most direct mechanism. Use each selected choice once; one choice is unused.

Match each row to a choice.

**A.** Rename an original source field during ingestion
Match: _____

**B.** Route an uncertain extracted value for review
Match: _____

**C.** Track an analysis request until results are ready
Match: _____

### Choice bank

- Long-running operation poller
- fieldMappings
- Estimated field confidence
- Semantic reranking

Your answer: _____