



Lab1. Oracle installation and connection

- Oracle DB installation


1. Run setup.exe and click Next




2. Accept the license agreement and click Next




3. Choose the location for installing Oracle DB and click Next




4. Save the summary. These are the details for connecting with the database.



5. Database installation is successful. Now, the database is ready to use.



6. Start Database



Oracle Database XE 11.2

Home Storage Sessions Parameters Application Express

Storage
View currently used storage. [Storage >](#)

Sessions
View current database sessions. [Sessions >](#)

Parameters
View initialization parameters. [Parameters >](#)

Application Express
Get started with Oracle Application Express. [Application Express >](#)

Links

- Online Help
- Learning Library
- Oracle Technology Network
- Oracle SQL Developer
- Oracle Express Edition
- Oracle Application Express
- Oracle JDeveloper 11g
- Pre-built Developer VMs

News **OTN News**

Language: **English**, Português (Brasil), 中文 (简体), 日本語

Oracle

- Connect to Oracle DB using SQL*Plus

Local database connection

```
Administrator: Start Database - sqlplus "/nolog"

SQL> Disconnected from Oracle Database 11g Express Edition Release 11.2.0.2.0 - 64bit Production
C:\oraclexe\app\oracle\product\11.2.0\server\bin>sqlplus "/nolog"

SQL*Plus: Release 11.2.0.2.0 Production on Fri Sep 6 08:15:06 2024

Copyright (c) 1982, 2014, Oracle. All rights reserved.

SQL> connect
Enter user-name: system
Enter password:
Connected.
SQL> Select SYSDATE from dual;

SYSDATE
-----
06-SEP-24

SQL> _
```

- Connect to a remote Oracle DB

1. Viewing the status of Oracle Net Listener

```
C:\oracle\app\oracle\product\11.2.0\server\bin\LSNRCTL.EXE
Message 850 not found; No message file for product=NETWORK, facility=NL
LSNRCTL> status
Connecting to (DESCRIPTION=(ADDRESS=(PROTOCOL=IPC)(KEY=EXTPROC)))
STATUS of the LISTENER
-----
Alias                LISTENER
Version              TNSLSNR for 64-bit Windows: Version 11.2.0.2.0 - Production
Start Date           06-SEP-2024 07:37:27
Uptime                0 days 0 hr. 36 min. 47 sec
Trace Level           off
Security              ON: Local OS Authentication
SNMP                 OFF
Default Service       XE
Listener Parameter File C:\oracle\app\oracle\product\11.2.0\server\network\admin\listener.ora
Listener Log File     C:\oracle\app\oracle\diag\tnslnr\P211M14\listener\alert\log.xml
Listening Endpoints Summary...
  (DESCRIPTION=(ADDRESS=(PROTOCOL=ipc)(PIPENAME=\\.\pipe\EXTPROC1ipc)))
  (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=P211M14)(PORT=1521)))
  (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=P211M14)(PORT=8080))(Presentation=HTTP)(Session=RAW))
Services Summary...
Service "CLRExtProc" has 1 instance(s).
  Instance "CLRExtProc", status UNKNOWN, has 1 handler(s) for this service...
Service "PLSExtProc" has 1 instance(s).
  Instance "PLSExtProc", status UNKNOWN, has 1 handler(s) for this service...
Service "XEXDB" has 1 instance(s).
  Instance "xe", status READY, has 1 handler(s) for this service...
Service "xe" has 1 instance(s).
  Instance "xe", status READY, has 1 handler(s) for this service...
The command completed successfully
LSNRCTL>
```

2. Remote database connections

```
Administrator: Start Database - sqlplus "/nolog"

SQL>
SQL>
SQL>
SQL>
SQL> connect system/123@P211M13:1521
Connected.
SQL> Select SYSDATE from dual;

SYSDATE
-----
06-SEP-24

SQL>
```

- Connect to Oracle DB using SQL Developer

