

Package ‘melviewr’

December 3, 2016

Type Package

Title View and Classify MELODIC Output for ICA+FIX

Version 0.0.0.9000

Description More about what it does (maybe more than one line)

Use four spaces when indenting paragraphs within the Description.

License GPL-3

Encoding UTF-8

LazyData true

Imports gtools, RColorBrewer, RNifti, grDevices, RGtk2, cairoDevice,
methods

Depends gWidgetsRGtk2, gWidgets

RoxygenNote 5.0.1

NeedsCompilation no

Author Andrew Poppe [aut, cre]

Maintainer Andrew Poppe <Poppe076@gmail.com>

R topics documented:

| | |
|----------------------------|---|
| melviewr-package | 1 |
| melviewr | 2 |

| | |
|--------------|----------|
| Index | 3 |
|--------------|----------|

| | |
|------------------|--------------------------------------------------------------------------|
| melviewr-package | <i>melviewr: A viewer for MELODIC output and ICA+FIX classification.</i> |
|------------------|--------------------------------------------------------------------------|

Description

The melviewr package allows the user to easily view and classify MELODIC output for the purposes of later running ICA+FIX. The user categorizes a component as signal or noise based on its spatial characteristics as well as its temporal profile. melviewr can then save a text file of these classifications in the format required by ICA+FIX.

melviewr functions

melviewr

`melviewr`*melviewr*

Description

View and Classify Components from a Melodic Analysis

Usage

```
melviewr(melodic_dir, standard_file = NULL, motion_file = NULL)
```

Arguments

| | |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>melodic_dir</code> | string Path to MELODIC output directory |
| <code>standard_file</code> | string Optional path to a 3-dimensional Nifti standard file of the same voxel dimensions as the melodic output |
| <code>motion_file</code> | string Optional path to a summary motion text file. This file should have one column and as many rows as there are volumes in the functional data |

Index

melviewr, [2](#)
melviewr-package, [1](#)