

TURNO 1 1° 2° 3° 21-01-2025

| _ | PRODOTTO | | | | | | | | | ORARI | _ | | | I | | - 3 | X | | | TOT. KG. | |
|---------------|-------------------------------------|---------------|-------------|-------------|---|--|----------|------------|--------------------|---------------|----------|--------------|--------------------|-------|--|-------------|--|------------|-----------------|----------------|--------|
| | DESCRIZIONE | SIGLA | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | | |
| | Contenitori di PET | CTC/M | REITP | 7.50 | 7.50 | 7.50 | 11.25 | 11.25 | 11.25 | REI | 13.40 | 13.40 | | | | | | | 100 | | |
| | colorato | 0.0, | 498 | 417 | STRAP | 331 | 517 | 507 | 381 | 314 | 451 | 469 | | 10.1 | | | | | | 3.890 | 4: |
| ١, | Contenitori di HDPE | CTE/M | 6.50 | 7.45 | 8.50' | 8.50 | 10.05 | 11.35 | 11.35 | | REI | 13.40 | | | | | | | | | |
| L. | | | 342 | 448 | 360 | 401 | 458 | 302 | 394 | | MAG | 368 | | | | 75 Jac 2010 | | | | 3.480 | 3 |
| 7. | | 51 20 | 6.15 | 6.15 | 6.15 | 7.20 | 7.20 | 7.20 | 7.20 | | | 8.20 | PARTICIPAL SECTION | | The Control of the Co | 7.7 | | 9.50 | 11.35 | | |
| | Film di imballaggio | FILM/C | 467 | 392 | 486 | 668 | 530 | 503 | 459 | 431 | 425 | 550 | 419 | 562 | 415 | 421 | 650 | 668 | 563 | 17.3 | |
| | colorato | | 11.35 | 11.35 | 13.25 | 13.25 | 13.25 | | | • | | | | | | | | 100 | | 11 200 | 5 |
| - | v v ja ja sa ka ka ka ka | | 560 | 382 | 666 | 633 | 453 | Septiment. | gar fatti | nature in | | | | | | | | | | 11.300 | 3 |
| iln | m di imballaggio neutr | FILM/N | 12.10 | -4- | 500 | | | | | | St. 123 | | | | | | | | | 1.460 | 4 |
| \vdash | Contenitori di PET | | 379 | 515 | *LOGERAL SERVICE | 0.25 | 0.25 | 0.25 | 0.25 | 12.25 | 12.35 | 12.25 | | | | | | | | 1.400 | |
| | incolore | CTL/M | 6.55 | 6.55 451 | 6.55 437 | 9.25 | 9.25 | 9.25 | 9.25 553 | 652 | 428 | | | | | | | | | 4.670 | 4 |
| H | incolore | | 578 7.05 | 7.05 | 7.05 | 8.50 | 8.50 | 8.50 | 11.20 | 5 C1341 K1975 | 11.20 | S150-2012-20 | 12.45 | 12.45 | 12.45 | 13.50 | 13.50 | | | 4.070 | |
| | Contenitori di Pet | | 429 | 401 | 100000000000000000000000000000000000000 | STRAP | | 368 | 407 | - | | 491 | 464 | 422 | 417 | 349 | 528 | | | | |
| | azzurrato | CTA/M | 423 | 401 | 301 | SINAF | 402 | 308 | 407 | 470 | 407 | 431 | 404 | 122 | | 3 13 | 320 | | | | 3 |
| | | | | | | | | | | | | NEW 2000 | | | | | | | | 5.980 | 4 |
| + | | | 6.30 | 6.30 | 7.05 | 7.05 | 7.55 | 7.55 | 7.55 | 7.55 | 9.35 | 9.35 | 10.20 | 10.20 | 11.25 | 11.25 | 12.15 | 12.15 | 12.15 | | |
| | .6., | | 610 | 562 | | | 427 | 537 | 531 | | | | | 378 | 498 | 491 | 487 | 523 | | 27 | |
| | | | 7.40 | 7.40 | 7.40 | 9.45 | 9.45 | 9.45 | 12.20 | | 12.20 | 12.20 | | | | | | | | | |
| | Flusso residuo | PLASMIX | 661 | 614 | | 555 | 500 | | 651 | 587 | 699 | 456 | | | | 1 | | Tag" | 1 | | |
| m | nateriale sottoposto a | TL | 13.00 | 13.00 | 13.30 | | | | | | | | | | | | | | | * | |
| vagliatura | | | 560 | 497 | | 1450 | 1336 | 1181 | | | | | | . 37 | | 1 | | | | 37.5 | 6 |
| | | | | | | | | | | | | | | | | | | | | | |
| | | 100 | | 3 1 2 | | | | | | | | | | | | | | | | 19.850 | #DIV/0 |
| | Plasmix Fine STV2 | FINE | | | 2.7 | | | \$17-20 kg | | | | | | | | | | | 1 | | |
| L | Plasifiix Fille 31 V2 | 11110 | | | | | | | | | Nav. | | | | | | | | | 0 | #DIV/C |
| ^ | | | 6.10 | 6.10 | 6.35 | 6.45 | 6.45 | 6.45 | 6.45 | 7.20 | 7.35 | 7.35 | 7.35 | 8.00 | 8.00 | 8.40 | 8.40 | 8.40 | 9.20 | | |
| | Altri imballaggi misti | RPO/M | 506 | 511 | 534 | 533 | 467 | 429 | 375 | 523 | 531 | 468 | SBALL | 435 | 527 | 567 | C. C | HEROMESTER | 636 | | |
| poliolefinici | 0/111 | 9.35 | 9.35 | 10.15 | 10.15 | 10.15 | 11.10 | 11.50 | 11.50 | 11.50 | 11.50 | 12.25 | 12.25 | 12.30 | 12.30 | 13.20 | 13.20 | 13.20 | | | |
| \perp | | g ukil u | 467 | 475 | 484 | 491 | 568 | 514 | 512 | 467 | 421 | SBALL | 479 | 458 | 512 | 499 | 590 | 485 | 467 | 15.850 | 4 |
| | Imballaggi rigidi di poliolefine | MPR/C | REI | 13.05 | | | | | | | | | | | | | | | 100 | | a land |
| \perp | | 3 | MAG | 412 | 2 | i i | 19502501 | | | | E Partie | | | | | | | | | 410 | |
| | | VPET/C | | | | | | | | | | | | | | | | | | | |
| + | | 1 | | la servicia | N. SERVICE STATE | | | | | 10550 | | 1000 | | | | | | | | 0 | |
| | | MCPL- PET1 | | | | | | | | | | | | | | | | | | 0 | |
| + | | , 1212 | 42.25 | | | | | | | | | | | | | | | 130 W | | 0 | |
| | Altri imballaggi misti | | 13.35 | | | | | | | | | | | | | | | | | 570 | |
| + | riciclabili | RPO/M | 569 | | | | | | | | | | | | | 98.3 | | | | 370 | |
| | | will. | | | | | | | | | | | | | | | | | | 0 | 5 |
| + | | , | | | | | | | | | | | | | | 119.1 | | | | 7,00 | |
| | Cassette di plastica | CAS/M | | | | | | | | | | | | | | | | 3 | | 0 | |
| + | Imballaggi misti di | 111,111 | 7.25 | 9.50 | 12.20 | | | | | | | | | | | | | | | 27 - 1 | |
| | Polipropilene | IPP/C | 432 | | | | | | | 1.2 | | | | 11 4 | | | | | 1 5.7 | 1.510 | 5 |
| + | Imballaggi rigidi di | 100/0 | | | | | | | | | | | | | | | | | | | |
| | Polistirene | IPS/C | | - | | | 1 | | | | | | | 11 | | - 4 % | | | | 0 | |
| | | FERRO | 1336 | 118 | 1 | | | | | | | | 19.5 | | | | | | | 2.517 | |
| | Ferro | | | | | | | | | 105 | 1 | 12.81 | | 14 | | | , .A. | | | 0 |) |
| 1 | Ferro Alluminio | ALLUM. | 1 214.5 | | | | | | SE 177 A 500 STORY | 10000000 | | | 12.05 | 12 50 | 12 10 | | | | TOWNS OF STREET | | 1 |
| | | 1 | 6.30 | 6.30 | 6.30 | 7.10 | 8.10 | 8.10 | 9.05 | 11.10 | 11.10 | 12.05 | 12.03 | 12.50 | 15.10 | 100 | | | | | |
| | | ALLUM. MDR | 6.30 | | | The same of the sa | - | | - | | | | 1.7 | | | | | | | 6.757 | , |
| | | 1 | | | 2 36 | - | - | 1 33 | 7 38 | 8 48 | 7 469 | | 512 | | | | | | | 6.757 | , |
| | Alluminio | MDR | 6.25 | 7.30 | 8.45 | 7 960 8.45 | 11.05 | 1 33 | 388 | 8 487 | 7 469 | 478 | 512 | | | | | | | 6.757 5.420 | |
| | Alluminio MATERIALE DA | 1 | 6.25 | 7.30 | 8.45 | 7 960 8.45 | 11.05 | 1 33 | 388 | 8 487 | 7 469 | 478 | 512 | | | | | | | | |

M33 rev. 0 del 22.05.2017



TURNO 2 2° 3° 21-01-2025

| | PRODOTTO | | | | | | | | | ORARI | O/KG. | BALLA | 1 | | | | | | | TOT. KG. | |
|-------|--|-----------------|--------------|----------------|---|--|--------------|-----------------|--------------|-------|---------|--------------|-------------|----------------|-----------------------|-------|---|---------|-------|-------------------|---------|
| ODICE | DESCRIZIONE | SIGLA | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18.7 ⁵ | |
| 22010 | Contenitori di PET | стс/м | 16.35 | 16.35 | 16.35 | 19.40 | 19.40 | 19.40 | 19.40 | 19.40 | | | | | | | | 34 | | | 7-13 |
| 22010 | colorato | CTC/IVI | 437 | 387 | 650 | 404 | 412 | 456 | 421 | 459 | | l les | | 30 | | 10.5 | | | 100 | 3.630 | 4 |
| 24010 | Contenitori di HDPE | СТЕ/М | 14.45 | 14.45 | 15.00 | 16.05 | 16.05 | 17.50 | 17.50 | 20.00 | 20.00 | 20.55 | | | | Mar M | | | | | |
| | Contention and | | 401 | 386 | 300 | 310 | 307 | 428 | 337 | 367 | 359 | 257 | K. Carlotte | | | | | | | 3.450 | 3 |
| | | 12E 115 | 15.35 | 15.35 | 15.35 | 15.35 | 17.00 | 17.00 | 17.00 | - | 19.05 | | | 20.35 | and the second second | | | | | | |
| 24612 | Film di imballaggio | FILM/C | 742 | 586 | 566 | 511 | 611 | 499 | 546 | 512 | 642 | 319 | 494 | 541 | SBALL. | | | CENTER. | | | |
| | colorato | 1.31 | | | | | | | | | | | | | | | | | | | |
| | | , in | N. A. | | | | | | | | | | 100 | | 1 (1) | | | | | 6.570 | 5 |
| 2B610 | ilm di imballaggio neutr | FILM/N | 19.00 | | | 24.2% | | | No. Here's | | | 10000 | North Act | | | | | | | 4 200 | |
| | Cantonitori di DET | | 395 | 488 | 503 | | | 10.00 | 40.05 | 20.45 | 20.45 | 20.45 | | | | | | | | 1.390 | |
| 25010 | Contenitori di PET incolore | CTL/M | | | 14.45 | | 18.05 | | 18.05 | | 20.15 | - | 61.50 | | | | | | | 4.000 | |
| | IIICOIOTE | | 480 | 410 | 356 | 531 | 470 | 324 | 310 17.45 | 401 | 445 | 333 | | | | | | | | 4.060 | |
| | Contenitori di Pet | | 15.20 356 | 15.20 400 | 15.20 401 | 15.20 367 | 17.45 530 | 17.45 346 | | 463 | 368 | 21.30 376 | | | | | | | | | |
| 26010 | azzurrato | CTA/M | 330 | 400 | 401 | 307 | 330 | 340 | 301 | 403 | 308 | 370 | | | | | | | | | |
| | | | | 711 | | | | | | | | | | | | | | | | 3.910 | 3 |
| | | | 14.05 | 14.05 | 14 30 | 14.30 | 14.55 | 15.10 | 15.10 | 15.50 | 15.50 | 16.25 | 156.30 | 17.05 | 17.25 | 18.15 | 8.15 | 19.30 | 19.30 | 3.310 | |
| | ter in ending | | 510 | 521 | 662 | 628 | 367 | 465 | 512 | 612 | 592 | 401 | 492 | 619 | 477 | 846 | 546 | 502 | 479 | | |
| | | | 114531020202 | 14.10 | 900000000000000000000000000000000000000 | ASSESSED BY | 16.15 | STANZINIS | 2000 | 16.15 | 552 | 102 | 1000 | 3113441 | | | | | | | |
| | Flusso residuo materiale sottoposto a | PLASMIX | 665 | 785 | 697 | 614 | 549 | T | | 542 | | | | | 5 2 2 | | | | | No. | |
| 27213 | | TL | 20.25 | 20.25 | 20.25 | 21.10 | 21.10 | 251.45 | | | | 1 | | | | | | | | 17 8 | |
| | vagliatura | | 587 | 575 | 406 | 574 | 451 | 752 | | 1110 | 985 | 11-1 | v | 7.17 | | - E | | h i E | | V 1 | (|
| | | 3.3 | 1000 | | | | | | | | | | | | | | | | | 1.2 | |
| | | | | | | Production of the control of the con | | 15 100 F-100 | | 1 | | | | | | 300 | | | o mai | 21.280 | #DIV/ |
| 27253 | - 4-16 | di san | 14.00 | 14.00 | 14.00 | 14.25 | 14.35 | 14.35 | 14.35 | 15.10 | 15.10 | 15.50 | 15.50 | 15.50 | 15.50 | 16.50 | 16.50 | 16.50 | 17.35 | | |
| | Altri imballaggi misti | RPO/M | 685 | 523 | 368 | 588 | 518 | 496 | 310 | 512 | 509 | 482 | 466 | 519 | 453 | 611 | 601 | 676 | 521 | | |
| | poliolefinici | KF O/ WI | 17.35 | 18.15 | 18.15 | 19.30 | 19.30 | 20.00 | 20.00 | 20.00 | 20.50 | 20.50 | | | 21.45 | | | | | | |
| | | | 515 | 486 | 312 | 550 | 452 | 493 | 529 | 338 | 520 | 541 | 466 | 438 | 518 | | | | | 15.000 | 5 |
| 27200 | Plasmix Fine STV2 FI | FINE | 16.15 | 19.15 | 19.15 | 19.15 | | | | | | | | | | | | | | | |
| | | | 415 | 568 | 554 | 650 | | | | | | | | | | | | | | 2.190 | 5 |
| 28411 | Imballaggi rigidi di | MPR/C | 15.05 | 15.05 | 17.25 | | | | | | | | 30 | | | | | | | | |
| | poliolefine | | 396 | 405 | 316 | | T CAN CALL | | | | | | | | lo jese jed | | 100000000000000000000000000000000000000 | | | 1.120 | |
| 21410 | | VPET/C | | | | | | | | | | | | | | | | | | 0 | |
| 22016 | | MCPL- | | | | | | | | | | | | | | | | | | 127 127 | |
| 5-5- | | PET1 | | | | 3 | | 31. | | | | | | | | | | | 4 4 | 0 | |
| | Altri imballaggi misti riciclabili | FLEX/S | 15.35 | 15.35 | | | | 21.15 | | | Z = 40° | | | | | | | | | | |
| 28612 | | | 371 | 402 | 458 | 415 | | 493 | | | | | | | | | CONTROL OF | | | 2.140 | |
| | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | 0 | 4 |
| 28710 | Cassette di plastica | CAS/M | 21.15 | | | | | | | | 5 5 5 | [6] MC (5) | | | | | | | | | |
| | luch allagai paigti di | | 346 | | | | 7 | | | | | | | | | | | | | 350 | 1 |
| 2A210 | Imballaggi misti di Polipropilene | IPP/C | 14.50 | | 21.40 | | | | | | | | | | | | | HSW TE | | 1 200 | |
| | Imballaggi rigidi di | | 390 | 445 | 544 | | | | | | | | | | | | | | | 1.380 | 4 |
| 29210 | Polistirene | IPS/C | 20.35 | | de la si | | | | | | | | | | | | 2000 | | | 410 | |
| 20050 | Ferro | FERRO | 412 1110 | | | | | | | | | | | | | | | | | 1.110 | |
| 20050 | Alluminio | ALLUM. | 985 | | | 1 | i x | | 77 77 | 7.54 | | | | | 7.7 | 1.8 | | | 1 | 985 | |
| 20030 | Allumino | | 14.25 | 1/1 25 | 16 30 | 16 30 | 17 FF | 17 FF | 19.50 | 19 50 | | 21 DE | 21.05 | | | | | | | 383 | |
| | | MDR | 445 | | | | - | | - | | | 402 | | | 321 | | | | | 5.661 | |
| | MATERIALE DA | | 14.00 | And the same | 15.25 | | Total ayes | | | | 100000 | | TO VOLUME | - N. W. | 321 | | | | | 3.001 | . 11 11 |
| | RILAVORARE | | 367 | 367 | | | 1.7 | | | | | | - | | 308 | | | | | 5.247 | |
| | | MDR PET | 307 | 307 | -132 | 348 | 307 | 343 | 730 | 7,53 | 338 | 337 | 172 | | 303 | | | | | 3.2-77 | |
| | | 7 30 4 | | CATE OF STREET | | | | | | | | | | AND CONTRACTOR | | | | | | 0 | - |
| | | Lancate Control | - | | | | - | | | | _ | | | | | | | | | | 7 1 |

M33 rev. 0 del 22.05.2017



TURNO 3 1° 2° 3° 21-01-2025

| | PRODOTTO | | | | | | | | | ORARI | O/KG. | BALLA | 1-1 | | | - | | | | TOT. KG | |
|-------|---|-------------|--------------|--------------|---------|---------------------|---------|--------------|--|-----------|-------------|-------|------------------------|-------|-------|------|------|----------|-----------|-------------|------|
| ODICE | DESCRIZIONE | SIGLA | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | | |
| 22010 | Contenitori di PET | CTC/NA | 23.35 | 23.35 | 1.00 | 1.00 | 1.00 | 3.25 | 3.25 | 4.35 | | | | 100 | | | | | | | |
| 22010 | colorato | CTC/M | 428 | 447 | 443 | 387 | 458 | 424 | 431 | 405 | | | 10.00 | | | | | | | 3.4 | |
| 24040 | C | CTE / 1.4 | 22.50 | 22.50 | 23.20 | 1.15 | 1.15 | 2.15 | 2.15 | 3.40 | 4.55 | 4.55 | | | | | | | | | |
| 24010 | Contenitori di HDPE | CTE/M | 359 | 367 | 408 | 420 | 323 | 359 | 362 | 401 | 378 | 413 | | 11. | | - 6 | | | | 3.7 | |
| | E | | 22.15 | 22.15 | 23.40 | 23.40 | 24.25 | 24.25 | 1.10 | 1.10 | 3.00 | 3.00 | 3.00 | 4.05 | 4.05 | 4.50 | 4.50 | 5.20 | | | |
| 24642 | Film di imballaggio | 511.4.40 | 648 | 568 | 597 | 520 | 611 | 465 | | 547 | 550 | 510 | 391 | 6058 | 464 | 542 | 584 | 20028200 | | h. 1 | |
| 24612 | colorato | FILM/C | | | | | | | | | | | | | | | | | | | |
| | 12" 2" 10" 1" UB T 100 1 | | | | | | | | | | | | | | | | | | | 13.5 | |
| | | | | | | | | | | | | | | | | | | | | | |
| 2B610 | ilm di imballaggio neutr | FILM/N | | | | | | | | | Salar Salar | | | | | | | | | | |
| 25040 | Contenitori di PET | o=: /: . | 22.50 | 22.50 | 22.50 | 23.00 | 24.50 | 24.50 | 24.50 | 1.55 | 1.55 | 1.55 | 3.55 | 3.55 | 3.55 | 4.40 | 5.50 | 5.50 | | | |
| 25010 | incolore | CTL/M | 428 | 363 | 429 | 308 | - | - | | - | 383 | 392 | 365 | 406 | | | | | 470 | 6.8 | |
| | atrus at us | | ALCOHOL: SER | 22.40 | | No. of the last | 24.05 | 25000000 | 100000000000000000000000000000000000000 | 2.05 | 4.00 | 4.00 | 4.45 | 5.40 | 5.40 | | | | | | |
| 1 | Contenitori di Pet | | 402 | 386 | 364 | 472 | 453 | NOW DE TRACT | | 353 | 368 | 341 | 426 | 441 | 387 | | | - 7 | | | |
| 26010 | azzurrato | CTA/M | .02 | 300 | 501 | 7 | 100 | 100 | 102 | 555 | 300 | 312 | 120 | | 307 | | | | | 100 | |
| | | | | | | | | | | | A-RECORD | | | | | -li | | | | 5.2 | |
| | 1 10 10 10 10 10 10 10 10 10 10 10 10 10 | | 22.25 | 22.25 | 23.05 | 23.05 | 24 50 | 24.50 | 24 50 | 24.50 | 24.50 | 1.40 | 1.40 | 1.40 | 2.20 | 2.20 | 3.25 | 3.25 | 4.15 | 5.2 | |
| 1 | | | 614 | 581 | 568 | 524 | | | | | 451 | 609 | Deliver of the last of | 431 | 587 | 566 | | | - | 100 | |
| | 3 3 3 3 3 | | 4.15 | 4.15 | 5.15 | 5.15 | 323 | 403 | 366 | 547 | 431 | 003 | 404 | 431 | 367 | 300 | 011 | 313 | 017 | | |
| | Flusso residuo | PLASMIX | 527 | 517 | 542 | 492 | 100 | | | | | | 7 5 7 | | | | | | | a | |
| 27213 | materiale sottoposto a | TL | 327 | 317 | 342 | 432 | | | | | | | | | | | 1000 | | | E | |
| | vagliatura | | | | | | | | | | | | | | | | | | 3 | 1.0 | |
| | | | 22.05 | 22.05 | 22.05 | 22.25 | 22.25 | 22.25 | 1 10 | 1 40 | 2.45 | 2.45 | 4.20 | 4.20 | | | | | | . 5 79 | |
| | | | 807 | 60 E | 22.05 | 23.25 | 23.25 | | | 1.40 | 3.15 | 3.15 | 4.30 | 4.30 | | | | | | 100 | |
| | | | | 764 | 781 | 648 | (0.000) | | Total Car | 815 | 665 | 916 | | 823 | | | | | 10 HA 2 1 | 19.9 | |
| | Altri imballaggi misti | | 22.30 | 22.30 | 22.30 | 23.10 | 23.10 | 100 | | 3.11 | 23.55 | 24.40 | 24.40 | 24.40 | 1.25 | 1.25 | 1.45 | 1.45 | 1.45 | | |
| 27253 | poliolefinici | RPO/M | 494 | 562 | 433 | 415 | | | No. of the last of | 473 | 583 | 478 | 100500000 | 409 | 447 | 518 | 530 | 580 | 501 | | |
| | ponoiemner | | 2.15 | 2.15 | 3.35 | 3.35 | 3.35 | 4.20 | 4.20 | 5.00 | 5.00 | 5.00 | 5.30 | 5.30 | | | | | | | |
| | | | 480 | 455 | 553 | 488 | 481 | 465 | 478 | 531 | 509 | 423 | 544 | 425 | | | | | | 13.9 | |
| 27200 | Plasmix Fine STV2 | FINE | | | | | | | | | | | | | | | | | | 8100 | |
| | Imballaggi rigidi di | | 2.20 | | | Sec. 14 | | | | | | | | | | 7 | | | | | |
| 28411 | poliolefine | MPR/C | 3.20 | | | | | | | | | | | | | | | | | | |
| | ponoienne | | 354 | | | | | | | | | | | | | | | | | 3: | |
| 21410 | | VPET/C | | | | | | | | | | | | | | | | | | 14.14 | |
| 77 | | MCPL- | 2440 | 2440 | 2110 | | 1.00 | | | | | | | | | | | | | | |
| 22016 | | PET1 | | 24.10 | | | | | | | | | | | | | | | | 1.4 | |
| | | | 475 | 415 | | Name and Address of | F 00 | | | 0.15 | | | | | | | | | | 1.3 | |
| | Altri imballaggi misti riciclabili Cassette di plastica | ti FLEX/S | 24.20 | 1.25 | 3.20 | 4.35 | 5.00 | | | | | | | | | | | | | | |
| 28612 | | | 729 | 540 | 581 | 542 | 630 | | | | | | 711 | | | | | | | 3.03 | |
| 1 | | riciciabili | | Transition (| | | | | | | 1111 | | | | | | | | | | 2.00 |
| | | 22.7 | | | | | 9.04 | | | 11 50 211 | | | | | | | | | | | |
| 28710 | | CAS/M | | | | | | | | | | | | | | | | | | 2.5 | |
| - | Imballaggi misti di | | 1.40 | 2.45 | 4.45 | | | | | | | | | | | | | | | | |
| 2A210 | Polipropilene | IPP/C | 1.10 | | 4.45 | 225 | | | | | | | | 10 | | | | | | | |
| | | | 426 | 385 | 546 | 335 | | | | | | | | | | | | | | 1.6 | |
| 29210 | Imballaggi rigidi di Polistirene | IPS/C | | | | | | | 100 | | | | | | | | | | | | |
| 20050 | | | | | | 139245 | | - | 1 - 11 | | 21 . 0 | | * (d v d | | 144.7 | - | 1.1 | 1 | | 1 | |
| 20050 | Ferro | FERRO | 1131 | 1031 | 812 | 968 | | | _ | | | | | | | | | | | 3.9 | |
| 20050 | Alluminio | ALLUM. | | | | | | | | | | | 9,500 | | | | | | | | |
| | | MDR | - | 23.20 | | | | - | | | 5.15 | | | | | | | | | 1.5 | |
| | | | 465 | 417 | 507 | 391 | 471 | 416 | | | | | | XI. X | d | L.V. | 3 | 1 | 18 | 3.6 | |
| | MATERIALE DA | | 23.00 | 23.00 | 23.55 | 23.55 | 1.00 | 1.00 | 1.00 | 1.55 | 1.55 | 3.10 | 3.10 | 3.45 | 3.45 | 4.40 | 4.40 | 5.10 | | | |
| | RILAVORARE | MDR PET | 421 | 376 | 408 | 401 | 448 | 432 | 416 | 482 | 386 | 336 | 382 | 415 | 398 | 382 | 370 | 421 | | 6.4 | |
| AF. 1 | | | | | | | | | | | | | | | | | | | | 1 11 2 2 | |
| | | 1,00 | 11 | er (*) | |) | | | | 1 | | j.,. | | | H | | 1 3 | | 1.3 | | |
| | | | 1 | | I° BALI | | | | 1 | | 1 | | | | | | | | | 6.3 | |