running_calculator/core/running_index.py

Killed 17 out of 26 mutants

Survived

Survived mutation testing. These mutants show holes in your test suite.

Mutant 41

```
--- running_calculator/core/running_index.py
+++ running_calculator/core/running_index.py
@@ -29,7 +29,7 @@
         return self.vdot.loc[self.vdot[distance] == row].index.item()

     def __print_results(self, ind):
-        print("YOUR VDOT IS: ", ind, "\n")
+        print("XXYOUR VDOT IS: XX", ind, "\n")
         print('{:~^20}'.format('PACES'))
         print(self.paces_tab.ix[ind].to_frame())
         print("")
```

Mutant 42

```
--- running_calculator/core/running_index.py
+++ running_calculator/core/running_index.py
@@ -29,7 +29,7 @@
         return self.vdot.loc[self.vdot[distance] == row].index.item()

     def __print_results(self, ind):
-        print("YOUR VDOT IS: ", ind, "\n")
+        print("YOUR VDOT IS: ", ind, "XX\nXX")
         print('{:~^20}'.format('PACES'))
         print(self.paces_tab.ix[ind].to_frame())
         print("")
```

Mutant 43

```
--- running_calculator/core/running_index.py
+++ running_calculator/core/running_index.py
@@ -30,7 +30,7 @@

     def __print_results(self, ind):
         print("YOUR VDOT IS: ", ind, "\n")
-        print('{:~^20}'.format('PACES'))
+        print('XX{:~^20}XX'.format('PACES'))
         print(self.paces_tab.ix[ind].to_frame())
         print("")
         print('{:~^20}'.format('RACING TIMES'))
```

Mutant 44

```
--- running_calculator/core/running_index.py
+++ running_calculator/core/running_index.py
@@ -30,7 +30,7 @@

     def __print_results(self, ind):
         print("YOUR VDOT IS: ", ind, "\n")
-        print('{:~^20}'.format('PACES'))
+        print('{:~^20}'.format('XXPACESXX'))
         print(self.paces_tab.ix[ind].to_frame())
```

```
         print("")
         print('{:~^20}'.format('RACING TIMES'))
```

Mutant 45

```
--- running_calculator/core/running_index.py
+++ running_calculator/core/running_index.py
@@ -32,7 +32,7 @@
         print("YOUR VDOT IS: ", ind, "\n")
         print('{:~^20}'.format('PACES'))
         print(self.paces_tab.ix[ind].to_frame())
-        print("")
+        print("XXXX")
         print('{:~^20}'.format('RACING TIMES'))
         print(self.vdot.ix[ind].to_frame().T)
         print("")
```

Mutant 46

```
--- running_calculator/core/running_index.py
+++ running_calculator/core/running_index.py
@@ -33,7 +33,7 @@
         print('{:~^20}'.format('PACES'))
         print(self.paces_tab.ix[ind].to_frame())
         print("")
-        print('{:~^20}'.format('RACING TIMES'))
+        print('XX{:~^20}XX'.format('RACING TIMES'))
         print(self.vdot.ix[ind].to_frame().T)
         print("")
```

Mutant 47

```
--- running_calculator/core/running_index.py
+++ running_calculator/core/running_index.py
@@ -33,7 +33,7 @@
         print('{:~^20}'.format('PACES'))
         print(self.paces_tab.ix[ind].to_frame())
         print("")
-        print('{:~^20}'.format('RACING TIMES'))
+        print('{:~^20}'.format('XXRACING TIMESXX'))
         print(self.vdot.ix[ind].to_frame().T)
         print("")
```

Mutant 48

```
--- running_calculator/core/running_index.py
+++ running_calculator/core/running_index.py
@@ -35,7 +35,7 @@
         print("")
         print('{:~^20}'.format('RACING TIMES'))
         print(self.vdot.ix[ind].to_frame().T)
-        print("")
+        print("XXXX")

     def calculate(self, distance, time):
         """Main method for running_index class
```

Mutant 49

```
--- running_calculator/core/running_index.py
+++ running_calculator/core/running_index.py
@@ -40,6 +40,6 @@
     def calculate(self, distance, time):
```

```
            """Main method for running_index class
            that print results from calculations"""
  -         coefficient = self.nearest(time, distance)
  +         coefficient = None
            self.__print_results(coefficient)
```