```
user1@eltex-practice2-pg1-v3:~$ ps -eLf | awk '$4 > 1 {print $2}' | sort -u | wc -l
116
```

```
user1@eltex-practice2-pg1-v3: ~
Fields Management for window 1:Def, whose current sort field is %CPU
  Navigate with Up/Dn, Right selects for move then <Enter> or Left commits,
  'd' or <Space> toggles display, 's' sets sort.  Use 'q' or <Esc> to end!

* PID      = Process Id            TIME     = CPU Time              RSan     = RES Anonymous (KiB)
* USER     = Effective User Name   SWAP     = Swapped Size (KiB)    RSfd     = RES File-based (KiB)
* PR       = Priority              CODE     = Code Size (KiB)       RSlk     = RES Locked (KiB)
* NI       = Nice Value            DATA     = Data+Stack (KiB)      RSsh     = RES Shared (KiB)
* VIRT     = Virtual Image (KiB)   nMaj     = Major Page Faults     CGNAME   = Control Group name
* RES      = Resident Size (KiB)   nMin     = Minor Page Faults     NU       = Last Used NUMA node
* SHR      = Shared Memory (KiB)   nDRT     = Dirty Pages Count     LOGID    = Login User Id
* S        = Process Status        WCHAN    = Sleeping in Function  EXE      = Executable Path
* %CPU     = CPU Usage             Flags    = Task Flags <sched.h>  RSS      = Res Mem (smaps), KiB
* %MEM     = Memory Usage (RES)    CGROUPS  = Control Groups        PSS      = Proportion RSS,  KiB
* TIME+    = CPU Time, hundredths  SUPGIDS  = Supp Groups IDs       PSan     = Proportion Anon, KiB
* COMMAND  = Command Name/Line     SUPGRPS  = Supp Groups Names     PSfd     = Proportion File, KiB
  PPID     = Parent Process pid    TGID     = Thread Group Id       PSsh     = Proportion Shrd, KiB
  UID      = Effective User Id     OOMa     = OOMEM Adjustment      USS      = Unique RSS, KiB
  RUID     = Real User Id          OOMs     = OOMEM Score current   ioR      = I/O Bytes Read
  RUSER    = Real User Name        ENVIRON  = Environment vars      ioRop    = I/O Read Operations
  SUID     = Saved User Id         vMj      = Major Faults delta    ioW      = I/O Bytes Written
  SUSER    = Saved User Name       vMn      = Minor Faults delta    ioWop    = I/O Write Operations
  GID      = Group Id              USED     = Res+Swap Size (KiB)   AGID     = Autogroup Identifier
  GROUP    = Group Name            nsIPC    = IPC namespace Inode   AGNI     = Autogroup Nice Value
  PGRP     = Process Group Id      nsMNT    = MNT namespace Inode   STARTED  = Start Time from boot
  TTY      = Controlling Tty       nsNET    = NET namespace Inode   ELAPSED  = Elapsed Running Time
  TPGID    = Tty Process Grp Id    nsPID    = PID namespace Inode   %CUU     = CPU Utilization
  SID      = Session Id            nsUSER   = USER namespace Inode  %CUC     = Utilization + child
  nTH      = Number of Threads     nsUTS    = UTS namespace Inode   nsCGROUP = CGRP namespace Inode
  P        = Last Used Cpu (SMP)   LXC      = LXC container name    nsTIME   = TIME namespace Inode
```

```
user1@eltex-practice2-pg1-v3: ~
Fields Management for window 1:Def, whose current sort field is %CPU
  Navigate with Up/Dn, Right selects for move then <Enter> or Left commits,
  'd' or <Space> toggles display, 's' sets sort.  Use 'q' or <Esc> to end!

* PID      = Process Id            TIME     = CPU Time              RSan     = RES Anonymous (KiB)
* USER     = Effective User Name   SWAP     = Swapped Size (KiB)    RSfd     = RES File-based (KiB)
* PR       = Priority              CODE     = Code Size (KiB)       RSlk     = RES Locked (KiB)
* NI       = Nice Value            DATA     = Data+Stack (KiB)      RSsh     = RES Shared (KiB)
  VIRT     = Virtual Image (KiB)   nMaj     = Major Page Faults     CGNAME   = Control Group name
  RES      = Resident Size (KiB)   nMin     = Minor Page Faults     NU       = Last Used NUMA node
  SHR      = Shared Memory (KiB)   nDRT     = Dirty Pages Count     LOGID    = Login User Id
* S        = Process Status        WCHAN    = Sleeping in Function  EXE      = Executable Path
* %CPU     = CPU Usage             Flags    = Task Flags <sched.h>  RSS      = Res Mem (smaps), KiB
* %MEM     = Memory Usage (RES)    CGROUPS  = Control Groups        PSS      = Proportion RSS,  KiB
* TIME+    = CPU Time, hundredths  SUPGIDS  = Supp Groups IDs       PSan     = Proportion Anon, KiB
* COMMAND  = Command Name/Line     SUPGRPS  = Supp Groups Names     PSfd     = Proportion File, KiB
  PPID     = Parent Process pid    TGID     = Thread Group Id       PSsh     = Proportion Shrd, KiB
  UID      = Effective User Id     OOMa     = OOMEM Adjustment      USS      = Unique RSS, KiB
  RUID     = Real User Id          OOMs     = OOMEM Score current   ioR      = I/O Bytes Read
* RUSER    = Real User Name        ENVIRON  = Environment vars      ioRop    = I/O Read Operations
  SUID     = Saved User Id         vMj      = Major Faults delta    ioW      = I/O Bytes Written
  SUSER    = Saved User Name       vMn      = Minor Faults delta    ioWop    = I/O Write Operations
  GID      = Group Id              USED     = Res+Swap Size (KiB)   AGID     = Autogroup Identifier
  GROUP    = Group Name            nsIPC    = IPC namespace Inode   AGNI     = Autogroup Nice Value
  PGRP     = Process Group Id      nsMNT    = MNT namespace Inode   STARTED  = Start Time from boot
  TTY      = Controlling Tty       nsNET    = NET namespace Inode   ELAPSED  = Elapsed Running Time
  TPGID    = Tty Process Grp Id    nsPID    = PID namespace Inode   %CUU     = CPU Utilization
  SID      = Session Id            nsUSER   = USER namespace Inode  %CUC     = Utilization + child
  nTH      = Number of Threads     nsUTS    = UTS namespace Inode   nsCGROUP = CGRP namespace Inode
  P        = Last Used Cpu (SMP)   LXC      = LXC container name    nsTIME   = TIME namespace Inode
```

```
user1@eltex-practice2-pg1-v3: ~
top - 17:27:39 up 16 days, 19:52,  3 users,  load average: 0.00, 0.00, 0.00
Tasks: 116 total,   1 running, 115 sleeping,   0 stopped,   0 zombie
%Cpu(s):  0.0 us,  0.0 sy,  0.0 ni,100.0 id,  0.0 wa,  0.0 hi,  0.0 si,  0.0 st
MiB Mem :   3915.9 total,   2063.0 free,    498.0 used,   1650.9 buff/cache
MiB Swap:   3185.0 total,   3184.5 free,      0.5 used.   3417.8 avail Mem

    PID USER      PR  NI    VIRT    RES    SHR S  %CPU  %MEM     TIME+ COMMAND
  55922 root      20   0    9172   3828   3480 S   0.0   0.1   0:00.00 passwd
```

```
user1@eltex-practice2-pg1-v3: ~
  just raised the bar for easy, resilient and secure K8s cluster deployment.

  https://ubuntu.com/engage/secure-kubernetes-at-the-edge

Expanded Security Maintenance for Applications is not enabled.

87 updates can be applied immediately.
To see these additional updates run: apt list --upgradable

2 additional security updates can be applied with ESM Apps.
Learn more about enabling ESM Apps service at https://ubuntu.com/esm


*** System restart required ***
Белетков Андрей 14.04.2026 15:10
Tue Apr 14 08:11:38 AM UTC 2026
Last login: Mon Apr 20 17:13:11 2026 from 172.16.8.4
root@eltex-practice2-pg1-v3:~# su - user1
Warning: your password will expire in 4 days.
user1@eltex-practice2-pg1-v3:~$ l
user1@eltex-practice2-pg1-v3:~$ passwd
Changing password for user1.
Current password:

passwd: Authentication token manipulation error
passwd: password unchanged
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$ passwd
Changing password for user1.
Current password:
```

После выполнения 15 (SIGTERM)

```
user1@eltex-practice2-pg1-v3: ~
top - 17:31:13 up 16 days, 19:55,  3 users,  load average: 0.05, 0.01, 0.00
Tasks: 116 total,   1 running, 115 sleeping,   0 stopped,   0 zombie
%Cpu(s):  0.0 us,  0.1 sy,  0.0 ni, 99.9 id,  0.0 wa,  0.0 hi,  0.0 si,  0.0 st
MiB Mem :   3915.9 total,   2064.6 free,    496.4 used,   1650.9 buff/cache
MiB Swap:   3185.0 total,   3184.5 free,      0.5 used.   3419.5 avail Mem

    PID USER      PR  NI    VIRT    RES    SHR S  %CPU  %MEM     TIME+ COMMAND
```

```
user1@eltex-practice2-pg1-v3: ~
  just raised the bar for easy, resilient and secure K8s cluster deployment.

  https://ubuntu.com/engage/secure-kubernetes-at-the-edge

Expanded Security Maintenance for Applications is not enabled.

87 updates can be applied immediately.
To see these additional updates run: apt list --upgradable

2 additional security updates can be applied with ESM Apps.
Learn more about enabling ESM Apps service at https://ubuntu.com/esm


*** System restart required ***
Белетков Андрей 14.04.2026 15:10
Tue Apr 14 08:11:38 AM UTC 2026
Last login: Mon Apr 20 17:13:11 2026 from 172.16.8.4
root@eltex-practice2-pg1-v3:~# su - user1
Warning: your password will expire in 4 days.
user1@eltex-practice2-pg1-v3:~$ l
user1@eltex-practice2-pg1-v3:~$ passwd
Changing password for user1.
Current password:

passwd: Authentication token manipulation error
passwd: password unchanged
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$ passwd
Changing password for user1.
Current password:
```

```
user1@eltex-practice2-pg1-v3: ~
top - 17:38:37 up 16 days, 20:03,  4 users,  load average: 0.00, 0.00, 0.00
Tasks: 118 total,   1 running, 117 sleeping,   0 stopped,   0 zombie
%Cpu(s):  0.0 us,  0.2 sy,  0.0 ni, 99.8 id,  0.0 wa,  0.0 hi,  0.0 si,  0.0 st
MiB Mem :   3915.9 total,   2057.5 free,    503.5 used,   1650.9 buff/cache
MiB Swap:   3185.0 total,   3184.5 free,      0.5 used.   3412.4 avail Mem

    PID USER      PR  NI    VIRT    RES    SHR S  %CPU  %MEM     TIME+ COMMAND
```

```
user1@eltex-practice2-pg1-v3: ~
user1@eltex-practice2-pg1-v3:~$ ps -p 55922
    PID TTY          TIME CMD
  55922 pts/1    00:00:00 passwd
user1@eltex-practice2-pg1-v3:~$ kill -2 55922
user1@eltex-practice2-pg1-v3:~$ kill -3 55922
user1@eltex-practice2-pg1-v3:~$ kill -9 55922
user1@eltex-practice2-pg1-v3:~$
```

```
user1@eltex-practice2-pg1-v3: ~
passwd: Authentication token manipulation error
passwd: password unchanged
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$ passwd
Changing password for user1.
Current password: Killed
user1@eltex-practice2-pg1-v3:~$

user1@eltex-practice2-pg1-v3:~$
```

```
user1@eltex-practice2-pg1-v3:~$ vim ~/file_task3.txt
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$ jobs
[1]+  Stopped                 vim ~/file_task3.txt
```

```
user1@eltex-practice2-pg1-v3:~$ fg %1
vim ~/file_task3.txt
```

```
user1@eltex-practice2-pg1-v3: ~
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$
user1@eltex-practice2-pg1-v3:~$ jobs
[1]+  Stopped                 vim ~/file_task3.txt
user1@eltex-practice2-pg1-v3:~$ fg %1
vim ~/file_task3.txt
user1@eltex-practice2-pg1-v3:~$ sleep 600
^Z^X
[1]+  Stopped                 sleep 600
user1@eltex-practice2-pg1-v3:~$ jobs
[1]+  Stopped                 sleep 600
user1@eltex-practice2-pg1-v3:~$ bg %2
-bash: bg: %2: no such job
user1@eltex-practice2-pg1-v3:~$ bg %1
[1]+ sleep 600 &
user1@eltex-practice2-pg1-v3:~$ jobs
[1]+  Running                 sleep 600 &
user1@eltex-practice2-pg1-v3:~$ jobs -l
[1]+ 56032 Running                 sleep 600 &
user1@eltex-practice2-pg1-v3:~$ renice -n 10 -p <56032>
-bash: syntax error near unexpected token `56032'
user1@eltex-practice2-pg1-v3:~$ renice -n 10 -p 56032
56032 (process ID) old priority 0, new priority 10
user1@eltex-practice2-pg1-v3:~$ ps -o pid,ni,cmd -p 56032
    PID  NI CMD
  56032  10 sleep 600
user1@eltex-practice2-pg1-v3:~$ jobs
[1]+  Running                 sleep 600 &
user1@eltex-practice2-pg1-v3:~$ vim ~/file_task3.txt

[2]+  Stopped                 vim ~/file_task3.txt
user1@eltex-practice2-pg1-v3:~$ user1@eltex-practice2-pg1-v3:~$ jobs
[1]-  Running                 sleep 600 &
[2]+  Stopped                 vim ~/file_task3.txt
user1@eltex-practice2-pg1-v3:~$ fg %2
vim ~/file_task3.txt
user1@eltex-practice2-pg1-v3:~$ user1@eltex-practice2-pg1-v3:~$
```

```
user1@eltex-practice2-pg1-v3:~$ user1@eltex-practice2-pg1-v3:~$ jobs -l
[1]+ 56032 Done                    sleep 600
user1@eltex-practice2-pg1-v3:~$ kill -15 56032
-bash: kill: (56032) - No such process
user1@eltex-practice2-pg1-v3:~$ trap 'echo "Меня голыми руками не возьмёшь!"' SIGINT SIGQUIT
user1@eltex-practice2-pg1-v3:~$ kill -INT $$
Меня голыми руками не возьмёшь!
user1@eltex-practice2-pg1-v3:~$ kill -QUIT $$
Меня голыми руками не возьмёшь!
```