

UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima


Nim: 1841720220/1841720214

Class: TI-2G

For the final exam project, we have done a web page for a little hospital, then the front end is using Codelgniter framework and the back end is using Laravel with restApi. Both of them has login. The report is as follow:

First is for the user using Codelgniter:

1. Login using user both for username and password:



```
Login controller:

<?php

defined('BASEPATH') OR exit('No direct script access allowed');

class login extends CI_Controller {

   public function __construct()
   {
      parent::__construct();
      $this->load->helper('url');
```



UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

```
$this->load->helper('form');
    $this->load->model('Login_model');
public function index()
    $data['title']='Login';
    $this->load->view('templates/header_login', $data);
    $this->load->view('login/index');
    $this->load->view('templates/footer_login', $data);
public function process login()
    $username=$this->input->post('uname1');
    $password=$this->input->post('pwd1');
    $checklogin= $this->Login_model->login($username,$password);
    if ($checklogin) {
        foreach($checklogin as $row) {
            $this->session->set_userdata('user',$row->username);
            $this->session->set_userdata('level',$row->level);
                if ($this->session->userdata('level')=='admin') {
                    redirect('home/index');
                } elseif($this->session->userdata('level')=='user') {
                    redirect('user');
    } else {
        $data['pesan'] = "Wrong Username and Password";
        $data['title'] = 'Login';
```



UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

Class: TI-2G

```
$this->load->view('templates/header_login', $data);
$this->load->view('login/index', $data);
$this->load->view('templates/footer_login');

// redirect('login/index','refresh');

}

public function logout()
{
    $this->session->sess_destroy();
    redirect('login','refresh');
}

/* End of file login.php */

?>
```

Login model:

```
defined('BASEPATH') OR exit('No direct script access allowed');

class Login_model extends CI_Model {
    public function login($username, $password)
    {
        $this->db->select('username,password,level');
        $this->db->from('user');
        $this->db->where('username',$username);
        $this->db->where('password',$password);
        $this->db->limit(1);
```



UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

Class: TI-2G

```
$query= $this->db->get();
if($query->num_rows()==1){
    return $query->result();
}else {
    return false;
}
}

/* End of file Login_model.php */

?>
```

Login view:

```
form_open('login/process_login');
<div class="container py-5">
    <div class="row">
        <div class="col md-12">
            <div class="row">
                <div class="col-md-6 mx-auto">
                     <div class="card rounded-0">
                         <div class="card-header">
                             <h3 class="mb-0">Login</h3>
                         </div>
                         <div class="card-body">
                             <form class="form" role="form"</pre>
                             autocomplete="off" id="formLogin" novalidate="" metho
d="POST">
                                 <div class="form-group">
                                     <label for="uname1">Username</label>
                                     <input type="text" class="form-control form-</pre>
control-lg rounded-0"
```



UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

```
name="uname1" id="uname1" required="">
                                     <div class="invalide-
feedback">Oops, you missed this one.</div>
                                 </div>
                                 <div class="form-group">
                                     <label>Password</label>
                                     <input type="password" class="form-</pre>
control form-control-lg rounded-0"
                                     name="pwd1" id="pwd1" required="" autocomplet
e="new-password">
                                     <div class="invalid-
feedback">Enter your password</div>
                                 </div>
                                 <button type="submit" class="btn btn-success btn-</pre>
lg float-right">Login</button>
                             </form>
                         </div>
                     </div>
                     <div class="alert alert-info" role="alert">
                                  <?php
                                     if (isset($message)) {
                                         echo $message;
                                     } else {
                                         echo "Enter username and password";
                                 </div>
                </div>
            </div>
        </div>
    </div>
</div>
form_close();
```



UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

Class: TI-2G

2. Next is after login we will have 3 menus as follow:

a. User can see All member name who has appointment: user controller:

```
3. <?php
4.
defined('BASEPATH') OR exit('No direct script access allowed');
6.
7. class user extends CI Controller {
8.
9.
10.
       public function construct()
11.
12.
           parent:: construct();
13.
           $this->load->helper('url');
14.
           $this->load->helper('form');
15.
           $this->load->model('Login model');
           $this->load->model('Patient_model');
16.
17.
           $this->load->model('Print model');
18.
           $this->load->library('form_validation');
19.
20.
21.
22.
           if ($this->session->userdata('level')!="user") {
23.
               redirect('login', 'refresh');
24.
25.
26.
27.
28.
       public function index()
29.
30.
           $data= array(
31.
                    'title' => 'Patient Data',
                    'patient' => $this->Patient model->datatables()
32.
33.
           );
34.
35.
           $this->load->view('templates/header_datatables_user', $data);
           $this->load->view('patient/user');
36.
           $this->load->view('templates/footer_datatables_user');
37.
38.
```



UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

```
39.
40.
       public function patientData_pdf()
41.
42.
           $this->load->library('pdf');
43.
44.
           $data['patient'] = $this->Print_model->view();
45.
           $this->load->library('pdf');
46.
47.
           $this->pdf->setPaper('A3','portrait');
48.
           $this->pdf->filename = "patient-report.pdf";
49.
           $this->pdf->load_view('patient/report', $data);
50.
51.
52.
53.
       public function appointment()
54.
           $data['title']='New App Register';
55.
56.
57.
           $this->form_validation->set_rules('name', 'Name', 'required');
           $this->form_validation-
58.
   >set_rules('email', 'Email', 'required|valid_email');
           if ($this->form_validation->run() == FALSE)
59.
60.
61.
                        $this->load-
   >view('templates/header datatables user', $data);
62.
                        $this->load->view('patient/appointment');
63.
                        $this->load->view('templates/footer_datatables_user');
64.
                    }
65.
                    else
66.
67.
                           $this->Patient_model->addPatientData();
                           $this->session-
68.
   >set_flashdata('dataflash','Adding success');
                           redirect('user');
69.
70.
71.
                    }
72.
73.
74.}
```



UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

Class: TI-2G

```
75.
76./* End of file user.php */
77.
78.?>
```

Next is the model:

Hope Data Member New appointment Print Member List LogOut

Patient Data

Show 10							
# ^	Name	Email	Phone	Departement			
1	Rafamantanantsoa Misa Antenaina	misaAnte@gmail.com	0987645346228	Dermatology			
2	Randrianirina Nasandratra	nasandratra@gmail.com	0332147098	Pediatrics			
3	Randriantseheno Ninah	ninah@gmail.com	034567892024	Plastic Surgery			
4	Abraham Alier	alier@gmail.com	08234567892022	Dentistry			
5	Nariandrimalala Silami Narindra	silayar@gmail.com	0346282920827	Neurosurgery			
6	Andriantsimba Sahoby	mami28niaina@gmail.com	082234546193	cardiology			
Showing	Showing 1 to 6 of 6 entries Previous 1 Next						

Be welcome, our dear user!!

b. Making new appointment registration:



UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214


Class: TI-2G

```
"name" => $this->input->post('name', true),
    "email" => $this->input->post('email', true),
    "phone" => $this->input->post('phone', true),
    "departement" => $this->input->post('departement', true)

];
    $this->db->insert('patient', $data);
}
```

Result:

Hope Data Member New appointment Print Member List LogOut





UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

Class: TI-2G

Patient Data

Show 10						
# *	Name	Email	Phone	Departement		
1	Mimis Gusti	gusti@gmail.com	023456789	Plastic Surgery		
2	Rafamantanantsoa Misa Antenaina	misaAnte@gmail.com	0987645346228	Dermatology		
3	Randrianirina Nasandratra	nasandratra@gmail.com	0332147098	Pediatrics		
4	Randriantseheno Ninah	ninah@gmail.com	034567892024	Plastic Surgery		
5	Abraham Alier	alier@gmail.com	08234567892022	Dentistry		
6	Nariandrimalala Silami Narindra	silayar@gmail.com	0346282920827	Neurosurgery		
7	Andriantsimba Sahoby	mami28niaina@gmail.com	082234546193	cardiology		
Showing 1 to 7 of 7 entries Previous 1 Next Be welcome, our dear user!!						

C. the last is for printing the list of registered appointment: model:

```
defined('BASEPATH') OR exit('No direct script access allowed');

class print_model extends CI_Model
{
    public function view()
    {
        $this->db->select('Name,email,Phone,departement');
        $query= $this->db->get('patient');
        return $query->result();
    }
}

/* End of file print model.php */
```



UAS: Codelgniter and Laravel


Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

Class: TI-2G

Result:



Second one is for the Admin session using Laravel framework:

1. We can register or login from the previous user already existed:

```
Login controller:

<?php

namespace App\Http\Controllers;

use App\User;
use Illuminate\Http\Request;

class LoginController extends Controller
```



UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

```
* Display a listing of the resource.
 * @return \Illuminate\Http\Response
public function login(Request $request)
   $credentials = [
        'username' => $request->username,
        'password' => $request->password
   ];
   if (auth()->attempt($credentials)) {
        $token = auth()->user()->createToken('TutsForWeb')->accessToken;
        return response()->json(['token' => $token], 200);
    } else {
        return response()->json(['error' => 'UnAuthorised'], 401);
public function register(Request $request)
   $this->validate($request, [
        'username' => 'required',
        'password' => 'required|min:4',
        'level' => 'required',
   ]);
    $user = User::create([
        'username' => $request->username,
        'password' => bcrypt($request->password),
        'level' => $request->level
    1);
    $token = $user->createToken('TutsForWeb')->accessToken;
   return response()->json(['token' => $token], 200);
```



UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

Class: TI-2G

```
public function details()
{
    return response()->json(['user' => auth()->user()], 200);
}
```

next is for login model:

we see the result using postman because it uses restApi:




UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

Class: TI-2G



After that we can go to the patient data:

Read all of it:



UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

```
if (count($data) > 0) {
        $res['message'] = "success!!!";
        $res['values'] = $data;
        return response($res);
    } else {
        $res['message']= "empty";
        return response($res);
public function getId($id)
    $data = Patients::where('id',$id)->get();
    if (count($data) > 0) {
        $res['message'] = "success!!";
        $res['values'] = $data;
        return response($res);
    } else {
        $res['message'] ="Failed!!";
        return response($res);
public function create(Request $request)
    $pt = new Patients();
    $pt->Name=$request->Name;
    $pt->email=$request->email;
    $pt->Phone=$request->Phone;
    $pt->departement=$request->departement;
    if ($pt->save()) {
        $res['message'] = "Data successfully added";
        $res['value'] = "$pt";
        return response($res);
```



UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

```
public function update(Request $request, $id)
   $Name = $request->Name;
   $email = $request->email;
   $Phone = $request->Phone;
   $departement = $request->departement;
   $pt = Patients::find($id);
   $pt->Name =$Name;
   $pt->email = $email;
   $pt->Phone = $Phone;
   $pt->departement=$departement;
   if ($pt->save()) {
        $res['message']= "Datasuccessfully updated!";
        $res['value'] = "$pt";
        return response($res);
    } else {
        $res['message'] = "Failed!!";
        return response($res);
public function delete($id)
   $pt = Patients::where('id',$id);
   if ($pt->delete()) {
        $res['message']="Data deleted successfully!!";
        return response($res);
    } else {
        $res['message']= "Failed!!!!";
        return response($res);
```



UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

Class: TI-2G

}

Patient model:

```
<?php

namespace App;

use Illuminate\Database\Eloquent\Model;

class Patients extends Model
{
    protected $table = 'patient';
}</pre>
```

Result read all patient:



UAS: Codelgniter and Laravel

Advanced Web Programming Courses


Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

Class: TI-2G

```
GET
              ▼ http://localhost:8000/api/patient
                                                                                                                                                                           Q
Pretty
           Raw Preview Visualize JSON ▼ 👼
            "values": [
                    "id": 1,
"Name": "Andriantsimba Sahoby",
"email": "mami28niaina@gmail.com",
                    "Phone": "082234546193",
                    "departement": "cardiology",
                     "created_at": null,
 10
                    "updated_at": null
 12
 13
                    "id": 2,
"Name": "Nariandrimalala Silami Narindra",
 15
 16
                     "email": "silayar@gmail.com",
                     "Phone": "0346282920827",
 17
                     "departement": "Neurosurgery",
 18
                     "created_at": null,
 19
 20
                     "updated_at": null
 22
 23
                    "id": 3,
"Name": "Abraham Alier",
 24
                    "email": "alier@gmail.com",
"Phone": "08234567892022",
 25
 26
27
                     "departement": "Dentistry",
                     "created_at": null,
 29
                    "updated_at": null
```

Result of create patient:





UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima


Nim: 1841720220/1841720214

Class: TI-2G

We can also get the patient by their proper ID:

```
GET
                   http://localhost:8000/api/patient/9
                                                                                                                                                       Send
                                                JSON ▼
Pretty
            "message": "success!!",
            "values": [
                     "id": 9,
"Name": "Selena Gomez",
                      "email": "Gomez@gmail.com",
                     "Phone": "09765433210",
  8
                     "departement": "Plastic Surgery",
"created_at": "2020-05-28T09:35:11.000000Z",
 10
 11
                     "updated_at": "2020-05-28T09:35:11.000000Z"
 12
 13
```

Next is we can update patient data:





UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

Class: TI-2G

The last functionality is delete patient if needed:



2. The second one is Crud for people list that has been and is still volunteer in the hospital: Following is the controller:

```
3. <?php
4.
5. namespace App\Http\Controllers;
6.
7. use App\People;
8. use Illuminate\Http\Request;
9.
10.class PeopleController extends Controller
11. {
12.
13.
        * Display a listing of the resource.
14.
15.
        * @return \Illuminate\Http\Response
16.
17.
       public function index()
18.
19.
           $data = People::all();
20.
21.
           if (count($data) > 0) {
22.
               $res['message'] = "success!!!";
23.
               $res['values'] = $data;
               return response($res);
24.
25.
           } else {
26.
               $res['message']= "empty";
27.
               return response($res);
28.
           }
29.
30.
```



UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

```
31.
       public function getId($id)
32.
33.
           $data = People::where('id',$id)->get();
34.
35.
           if (count($data) > 0) {
36.
               $res['message'] = "success!!";
37.
               $res['values'] = $data;
38.
               return response($res);
39.
           } else {
40.
               $res['message'] ="Failed!!";
41.
               return response($res);
42.
43.
44.
       public function create(Request $request)
45.
46.
           $pl = new People();
47.
           $p1->name=$request->name;
48.
           $pl->email=$request->email;
49.
           $pl->phone=$request->phone;
50.
           $pl->address=$request->address;
51.
52.
           if ($pl->save()) {
53.
               $res['message'] = "Data successfully added";
54.
               $res['value'] = "$p1";
55.
               return response($res);
56.
57.
58.
59.
       public function update(Request $request, $id)
60.
61.
           $name = $request->name;
62.
           $email = $request->email;
63.
           $phone = $request->phone;
64.
           $address = $request->address;
65.
           $pl = People::find($id);
66.
67.
           $p1->name =$name;
68.
           $p1->email = $email;
69.
           $p1->phone = $phone;
```



UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

Class: TI-2G

```
70.
           $pl->address=$address;
71.
72.
           if ($pl->save()) {
73.
               $res['message']= "Datasuccessfully updated!";
               $res['value'] = "$p1";
74.
75.
               return response($res);
76.
           } else {
77.
               $res['message'] = "Failed!!";
78.
               return response($res);
79.
80.
81.
82.
       public function delete($id)
83.
84.
           $pl = People::where('id',$id);
85.
86.
           if ($pl->delete()) {
87.
               $res['message']="Data deleted successfully!!";
88.
               return response($res);
89.
           } else {
90.
               $res['message']= "Failed!!!!";
91.
               return response($res);
92.
93.
94.}
95.
```

Next is the model for people:

```
<?php

namespace App;

use Illuminate\Database\Eloquent\Model;

class People extends Model
{
    protected $table="people";</pre>
```



UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

Class: TI-2G

}

Here we can see result using postman App:

1. Read all volunteer:



2. Get the People by their unique ID:

3. Next is for inserting new volunteer people:




UAS: Codelgniter and Laravel

Advanced Web Programming Courses


Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

Class: TI-2G



4. Next is updating data:





UAS: Codelgniter and Laravel

Advanced Web Programming Courses

Name: Andriantsimba Sahoby/ Ronio Prima

Nim: 1841720220/1841720214

Class: TI-2G

5. And then delete data if needed:



~Thank you, Dear Teacher~