ADVANCED PROGRAMMING WEB MID EXAM INFORMATION TECHNOLOGY STATE POLYTECHNIC OF MALANG



Ronio Prima Yudistira / 1841720214 / TI – 2G

Andriantsimba Maminiaina Sahoby / 1841720220 / TI – 2G

1. Make database with name of motorcycle_rental




Make the column of motorcycle table as follows



Make the column of customer table as follows



Fill the motorcycle table



Fill the customer table



Configuration using the rest server:

Source code:

1. Make new file with name motor.php in controller

```
if($motor) {
        $this->response([
            'status' => true,
            'data' => $motor
        ], REST_Controller::HTTP_OK);
    } else {
        $this->response([
            'message' => 'id not found'
        ], REST_Controller::HTTP_NOT_FOUND);
public function index_delete() {
   $id=$this->delete('id_m');
   if ($id===null) {
        $this->response([
            'status' => false,
            'message' => 'provide an id!'
        ], REST_Controller::HTTP_BAD_REQUEST);
    }else {
        if ($this->motor->deletemotor($id)>0) {
            //ok
            $this->response([
```

```
'status' =>true,
                'id' => $id,
                'message' => 'deleted.'
            ], REST_Controller::HTTP_OK);
        }else {
            $this->response([
                'status' => false,
                'message' => 'id not found!'
            ], REST_Controller::HTTP_BAD_REQUEST);
public function index_post(){
    $data = [
        'name' => $this->post('name'),
        'merk' => $this->post('merk'),
        'number_plate' => $this->post('number_plate'),
        'type' => $this->post('type'),
    ];
   if ($this->motor->createmotor($data) > 0) {
        $this->response([
            'status' => true,
            'message' => 'new motor has been created'
```

```
], REST_Controller::HTTP_CREATED);
}else {
   //id not found
    $this->response([
        'status' => false,
        'message' => 'failade to create new data!'
    ], REST_Controller::HTTP_BAD_REQUEST);
public function index_put(){
   $id = $this->put('id_m');
   $data = [
        'name' => $this->put('name'),
        'merk' => $this->put('merk'),
        'number_plate' => $this->put('number_plate'),
        'type' => $this->put('type'),
    ];
    if ($this->motor->updatemotor($data, $id) > 0) {
        $this->response([
            'status' => true,
            'message' => 'new has been updated'
        ], REST_Controller::HTTP_OK);
    }else {
        $this->response([
```

Make motorcycle_model.php in models

```
<?php
// defined('BASEPATH') OR exit('No direct script access allowed');
class motorcycle_model extends CI_model{
public function getmotor($id=null){
   if ($id == null) {
        return $this->db->get ('motorcycle')->result_array();
    }else {
       return $this->db->get_where('motorcycle', ['id_m'=>$id])-
> result_array();
public function deletemotor($id){
   $this->db->delete('motorcycle',['id_m'=>$id]);
   return $this->db->affected rows();
 public function createmotor($data){
   $this->db->insert('motorcycle',$data);
    return $this->db->affected_rows();
    public function updatemotor($data,$id){
    $this->db->update('motorcycle',$data,['id_m'=>$id]);
   return $this->db->affected rows();
```

```
}
}
```

Make the customer.php in controller

```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');
require APPPATH . 'libraries/REST_Controller.php';
require APPPATH . 'libraries/Format.php';
class customer extends REST_Controller
    public function __construct()
        parent::__construct();
        $this->load->model('customer_model' , 'customer');
    public function index_get()
        $id = $this->get('id_customer');
        if ($id === null) {
            $customer = $this->customer->getcustomer();
        } else {
            $customer = $this->customer->getcustomer($id);
        if($customer) {
            $this->response([
                'status' => true,
                'data' => $customer
```

```
], REST_Controller::HTTP_OK);
    } else {
        $this->response([
            'status' => false,
            'message' => 'id not found'
        ], REST_Controller::HTTP_NOT_FOUND) ;
public function index_delete() {
   $id=$this->delete('id_cust');
    if ($id===null) {
        $this->response([
        'status' => false,
        'message' => 'provide an id!'
    ], REST_Controller::HTTP_BAD_REQUEST);
}else {
    if ($this->customer->deletecustomer($id)>0) {
        $this->response([
            'status' =>true,
            'id_customer' => $id,
            'message' => 'deleted.'
        ], REST_Controller::HTTP_OK);
```

```
}else {
            //id not found
            $this->response([
                'status' => false,
                'message' => 'id not found!'
            ], REST_Controller::HTTP_BAD_REQUEST);
public function index_post(){
    $data = [
        'name' => $this->post('name'),
        'phone_number' => $this->post('phone_number'),
        'id_m' => $this->post('id_m'),
        'date_start' => $this->post('date_start'),
        'date_back' => $this->post('date_back'),
    ];
    if ($this->customer->createcustomer($data) > 0) {
        $this->response([
            'status' => true,
            'message' => 'new customer has been created'
        ], REST_Controller::HTTP_CREATED);
    }else {
```

```
$this->response([
            'status' => false,
            'message' => 'failed to create new data!'
        ], REST_Controller::HTTP_BAD_REQUEST);
public function index_put(){
    $id = $this->put('id_customer');
    $data = [
        'name' => $this->put('name'),
        'phone_number' => $this->put('phone_number'),
        'id_m' => $this->put('id_m'),
        'date_start' => $this->put('date_start'),
        'date_back' => $this->put('date_back'),
    ];
    if ($this->customer->updatecustomer($data, $id) > 0) {
        $this->response([
            'status' => true,
            'message' => 'new customer has been updated'
        ], REST_Controller::HTTP_OK);
    }else {
        $this->response([
            'status' => false,
```

```
'message' => 'failed to update new data!'

], REST_Controller::HTTP_BAD_REQUEST);
}
}
```

Make customer model.php in models

```
<?php
// defined('BASEPATH') OR exit('No direct script access allowed');
class customer_model extends CI_model{
 public function getcustomer($id=null){
    if ($id == null) {
        return $this->db->get ('customer')->result_array();
    }else {
        return $this->db->get_where('customer', ['id_customer'=>$id])-
>result_array();
    }
 public function deletecustomer($id){
    $this->db->delete('customer',['id_customer'=>$id]);
    return $this->db->affected_rows();
 public function createcustomer($data){
    $this->db->insert('customer',$data);
    return $this->db->affected rows();
```


```
public function updatecustomer($data,$id){
    $this->db->update('customer',$data,['id_customer'=>$id]);
    return $this->db->affected_rows();
}
```

Next is displaying the result using postman:


Motor:

```
✓ Get:
                  --- imparting --- imparting --- imparting ---
                      http://localhost/Codelgniter/uts1/motor
     GET
               Raw
                                              JSON ▼
      Pretty
                       Preview
                                  Visualize
       1
                "status": true,
       2
                "data": [
       3
       4
       5
                        "id_m": "1",
                        "name": "vario 150",
       6
                        "merk": "Honda",
       7
                        "number_plate": "AG 2119 K",
       8
                        "type": "Matik"
       9
      10
                    },
      11
                        "id_m": "2",
      12
                        "name": "Beat 125",
      13
                        "merk": "Honda",
                        "number_plate": "AG 1119 L",
      15
                        "type": "Matic"
      16
      17
      18
                ]
      19
            }
```


✓ Post:



✓ Updates:



✓ Delete:




Customer:

➤ Get:


```
http://localhost/Codelgniter/uts1/customer
GET
                                          JSON ▼
                              Visualize
Pretty
          Raw
                  Preview
  1
  2
           "status": true,
  3
           "data": [
  4
                   "id_customer": "1",
  5
  6
                   "name": "Ronio Prima",
  7
                   "phone_number": "813940592",
                   "id_m": "1",
  8
                   "date_start": "2020-04-13",
  9
 10
                   "date_back": "2020-05-13"
 11
               },
 12
 13
                   "id_customer": "2",
                   "name": "Sahoby Mamy",
 14
                   "phone_number": "812390485",
 15
                   "id_m": "2",
 16
 17
                   "date_start": "2020-03-20",
 18
                   "date_back": "2020-04-01"
 19
 20
           ]
       }
 21
```

> Post:






> Update:



from:




to:



> Delete:

From:



98746522

Silami

With selected: // Edit 4 Conv. @ Delete Evant

1 2020-08-14 2020-12-14