Web Programiranje 1

Projekat

FrontEnd Logics



Student: Andrija Srećković

Broj indeksa: 47/21

Sadržaj

Uvod	3
Korišćeni programski jezici	3
Funkcionalnosti	
Template	4
Organizacija	10
Organizaciona šema	10
Mapa sajta:	10
Opis funkcionalnosti:	11
Kodovi	15
HTML:	15
CSS:	35
JavaScript:	87

Uvod

Korišćeni programski jezici

Jezici: HTML, CSS, JavaScript, XML

Radno okruženje: Visual Studio Code

Biblioteke: jQuery

Ostalo: Bootstrap

Funkcionalnosti Zajedničke funkcionalnosti:

- Navigacioni meni sa označenom trenutnom stranom
- Loading screen
- Dinamički ispis sadržaja

index.html:

- Dinamičke kategorije
- Dinamički tekst
- Dinamički ispis stavki i filtera
- Filtriranje stavki
- Prenošenje podataka na drugu stranicu

details.html:

- Prihvatanje podataka sa index.html stranice
- Dinamičko ispisavanje podataka u odnosu na dobijene podatke
- Provera email adrese

contact.html:

- Provera forme

Template


Link: Free Template 577 Liberty Market (templatemo.com)


Dinamički ispisani / izmenjeni elementi

Izmenjeni elementi


Potpuno novi elementi

- index.html











Why Do You Need Our Service?

Have Any Questions



What's our goal

FrontEnd Logic is a project that tries to set up a standa in industry and keep web as uniformed and modern as nossible.




Professional courses


All of out courses are made secially with help of some o the best front end developers. Every course is carefuly split into easy to understand chapters with a lot of



Website checking

We also offer real time consultations and/or different checking services, like html, css, js and seo optimization and testing.

































-details.html



- author.html




-contact.html



- Nisu iskorišćene sve stranice template-a. Svi elementi su u izmenjeni za potrebe sajta. Odgovarajući elementi su dinamički ispisani i dodate su im odgovarajuće funkcionalnosi preko ličnog javascript fajla.

Organizacija

Organizaciona šema



Mapa sajta:


```
▼<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
 ▼<url>
    <loc>https://andrija2515.github.io/index.html</loc>
    <lastmod>2022-12-14</lastmod>
    <changefreq>daily</changefreq>
    <priority>1</priority>
  </url>
 ▼<url>
    <loc>https://andrija2515.github.io/details.html</loc>
    <lastmod>2022-12-14</lastmod>
    <changefreq>daily</changefreq>
    <priority>0.9</priority>
  </url>
 ▼<url>
    <loc>https://andrija2515.github.io/contact.html</loc>
    <lastmod>2022-12-14</lastmod>
    <changefreq>weekly</changefreq>
    <priority>0.85</priority>
  </url>
 √<url>
    <loc>https://andrija2515.github.io/author.html</loc>
    <lastmod>2022-12-14</lastmod>
    <changefreq>weekly</changefreq>
    <priority>0.8</priority>
  </url>
 </urlset>
```

Opis funkcionalnosti:

- Loading screen (template)




- Početni deo index.hmtl stranice. Sadrži navigacioni meni (dinamički ispisan sa prikazom aktivne strane). Ispod toga se nalazi blok sa tekstom i dugmićima za dalju navigaciju, kao i slider sa reklamom.




- Dinamički ispisane kategorije, sa filtriranjem stavki i "skokom" na deo strane sa stavkama za kupovinu.




- Slajder sa stavkama koje su na popustu



- Dinamički ispis reklamnog sadržaja i ispis ostalog sadržaja



- Dinamički ispisan filter stavki uz funkcionalnost filtriranja.
- Dinamički ispisane kartice (stavke) sa mogućnošću prenosa podata stavke na details.html stranicu.




- Footer sa dodatno dodatim linkovima ka dokumentaciji i ostalim datotekama.




- Izmenjen naslov i dugmići
- Desni blok sa mejlom i socijalnim linkovima



- Dinamički ispis podataka i slike stavke koja je izabrana na prethodnoj stranici.
- Provera ispravno unete email adrese.



- Forma sa proverom ispravnog unosa vrednosti



Kodovi

HTML

-index.html

```
<!DOCTYPE html>
<html <pre>lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="author" content="templatemo">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-</pre>
to-fit=no">
    k
href="https://fonts.googleapis.com/css2?family=Roboto:wght@100;300;400;500;700;90
0&display=swap" rel="stylesheet">
    <title>FrontEnd Logic - Home</title>
    <link rel="icon" href="assets/images/logoico.png">
    <!-- Bootstrap core CSS -->
    <link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link rel="stylesheet" href="assets/css/fontawesome.css">
    <link rel="stylesheet" href="assets/css/templatemo-liberty-market.css">
    <link rel="stylesheet" href="assets/css/owl.css">
    <link rel="stylesheet" href="assets/css/animate.css">
    <link rel="stylesheet"href="https://unpkg.com/swiper@7/swiper-</pre>
bundle.min.css"/>
    <script src="https://kit.fontawesome.com/c6cc280292.js"</pre>
crossorigin="anonymous"></script>
https://templatemo.com/tm-577-liberty-market
```

```
</head>
<body>
  <div id="js-preloader" class="js-preloader">
    <div class="preloader-inner">
      <span class="dot"></span>
      <div class="dots">
       <span></span>
       <span></span>
        <span></span>
      </div>
    </div>
  </div>
  <header class="header-area header-sticky">
    <div class="container">
        <div class="row">
            <div class="col-12">
                <nav class="main-nav">
                    <a href="index.html" class="logo">
                        <img src="assets/images/logo.png" alt="">
                    </a>
                    <div class="nav navmenu">
                    </div>
                    <a class='menu-trigger'>
                        <span>Menu</span>
                    </a>
                </nav>
            </div>
        </div>
    </div>
  </header>
  <!-- **** Header Area End **** -->
  <!-- **** Main Banner Area Start **** -->
  <div class="main-banner">
   <div class="container">
```

```
<div class="row">
        <div class="col-lg-6 align-self-center as-darken">
          <div class="header-text">
            <h6>Front-End Logic Developments</h6>
            <h2>Create Website of your dreams</h2>
            FrontEnd Loci is best place to learn and improve your web desing
and programming skills. With a wast choice of professionally made courses you can
become front end developer in no time and join us on our journey to make web a
better place.
            <div class="buttons">
              <div class="border-button">
                <a href="contact.html">Message Us</a>
              </div>
              <div class="main-button">
                <a href="#cats">Check Out Courses</a>
              </div>
            </div>
          </div>
        </div>
        <div class="col-lg-5 offset-lg-1">
          <div class="owl-banner owl-carousel">
            <div class="item">
              <img src="assets/images/banner-01.png" alt="">
            </div>
            <div class="item">
              <img src="assets/images/banner-02.png" alt="">
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
  <!-- **** Main Banner Area End **** -->
  <div class="categories-collections">
    <div class="container">
      <div class="row">
        <div class="col-lg-12">
          <div class="categories">
            <div class="row">
              <div class="col-lg-12">
                <div class="section-heading">
                  <div class="line-dec"></div>
                  <h2>Choose your <em>Category</em> Here</h2>
                </div>
```

```
</div>
              <div class="row category">
              </div>
            </div>
          </div>
        </div>
        <div class="col-lg-12">
          <div class="collections">
            <div class="row">
              <div class="col-lg-12">
                <div class="section-heading">
                  <div class="line-dec"></div>
                  <h2>Currently On <em>Sale</em> In Market</h2>
                </div>
              </div>
              <div class="col-lg-12">
                <div class="sales owl-collection owl-carousel">
                  <div class="item">
                    <img src="assets/images/collection-01.jpg" alt="">
                    <div class="down-content">
                      <h4>Bootstrap</h4>
                      <span
class="collection">Price<br><strong>24.99&euro;</strong><s class="text-</pre>
secondary"> (39.99€)</s></span>
                      <span
class="category">Category:<br><strong>Other</strong></span>
                      <div class="main-button">
                        <a href="details.html" class="8">Check Out</a>
                      </div>
                    </div>
                  </div>
                  <div class="item">
                    <img src="assets/images/collection-02.jpg" alt="">
                    <div class="down-content">
                      <h4>SE0</h4>
                      <span
class="collection">Price<br><strong>149.99&euro;</strong><s class="text-</pre>
secondary"> (249.99€)</s></span>
                      <span
class="category">Category:<br><strong>Other</strong></span>
                      <div class="main-button">
                        <a href="details.html" class="10">Check Out</a>
                      </div>
                    </div>
                  </div>
```

```
<div <pre>class="item">
                    <img src="assets/images/collection-03.jpg" alt="">
                    <div class="down-content">
                      <h4>CSS 3</h4>
                      <span
class="collection">Price<br><strong>39.99&euro;</strong><s class="text-</pre>
secondary"> (69.99€)</s></span>
class="category">Category:<br><strong>CSS</strong></span>
                      <div class="main-button">
                        <a href="details.html" class="3">Check Out</a>
                      </div>
                    </div>
                  </div>
                  <div class="item">
                    <img src="assets/images/collection-04.jpg" alt="">
                    <div class="down-content">
                      <h4>JS Events</h4>
                      <span
class="collection">Price<br><strong>29.99&euro;</strong><s class="text-</pre>
secondary"> (49.99€)</s></span>
                      <span
class="category">Category:<br><strong>JavaScript</strong></span>
                      <div class="main-button">
                        <a href="details.html" class="6">Check Out</a>
                      </div>
                    </div>
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
  <div class="create-nft">
    <div class="container">
      <div class="row">
        <div class="col-lg-8">
          <div class="section-heading">
            <div class="line-dec"></div>
            <h2>Why do you need our service?</h2>
          </div>
```

```
</div>
        <div class="col-lg-4">
          <div class="main-button">
            <a href="contact.html">Have any questions?</a>
          </div>
        </div>
        <div class="row service">
        </div>
      </div>
    </div>
  </div>
  <div class="currently-market " id="cats">
    <div class="container">
      <div class="row">
        <div class="col-lg-6">
          <div class="section-heading">
            <div class="line-dec"></div>
            <h2>Choose your <em>Course</em></h2>
          </div>
        </div>
        <div <pre>class="col-lg-6">
          <div class="filters">
          </div>
        </div>
        <div class="col-12">
          <div class="row items">
          </div>
       </div>
      </div>
    </div>
  </div>
  <footer>
    <div class="container">
      <div class="row">
        <div class="col-lg-6">
          Copyright © 2022 <a href="#">FrontEnd</a> Logic Co., Ltd. All rights
reserved.
        </div>
        <div class="col-lg-6 social">
          <a href="Dokumentacija.pdf" target="_blank">Documentation
            <i class="fa-solid fa-file"></i></i>
          </a>
          <a href="rss.xml" target="_blank">RSS
```

```
<i class="fa-solid fa-square-rss"></i></i>
          </a>
          <a href="sitemap.xml" target="_blank">Sitemap
            <i class="fa-solid fa-sitemap"></i></i></or>
        </div>
      </div>
    </div>
  </footer>
  <script src="vendor/jquery/jquery.min.js"></script>
  <script src="vendor/bootstrap/js/bootstrap.min.js"></script>
  <script src="assets/js/isotope.min.js"></script>
  <script src="assets/js/owl-carousel.js"></script>
  <script src="assets/js/tabs.js"></script>
  <script src="assets/js/popup.js"></script>
  <script src="assets/js/custom.js"></script>
  <script src="assets/js/main.js" type="text/javascript"></script>
  </body>
</html>
```

- details.html

```
<title>FrontEnd Logic - Details</title>
    <link rel="icon" href="assets/images/logoico.png">
    <link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link rel="stylesheet" href="assets/css/fontawesome.css">
    <link rel="stylesheet" href="assets/css/templatemo-liberty-market.css">
    <link rel="stylesheet" href="assets/css/owl.css">
    <link rel="stylesheet" href="assets/css/animate.css">
    <link rel="stylesheet"href="https://unpkg.com/swiper@7/swiper-</pre>
bundle.min.css"/>
 </head>
<body>
  <div id="js-preloader" class="js-preloader">
    <div class="preloader-inner">
      <span class="dot"></span>
     <div class="dots">
        <span></span>
       <span></span>
       <span></span>
      </div>
    </div>
  </div>
  <!-- **** Header Area Start **** -->
  <header class="header-area header-sticky">
    <div class="container">
        <div class="row">
            <div <pre>class="col-12">
               <nav class="main-nav">
```

```
<a href="index.html" class="logo">
                      <img src="assets/images/logo.png" alt="">
                  </a>
                  <div class="nav navmenu">
                  </div>
                  <a class='menu-trigger'>
                      <span>Menu</span>
                  </a>
              </nav>
          </div>
      </div>
 </div>
</header>
<!-- **** Header Area End **** -->
<div class="page-heading normal-space">
 <div class="container">
   <div class="row">
     <div class="col-lg-12">
        <h2>Item Details</h2>
        <div class="buttons">
          <div class="main-button">
            <a href="explore.html">Explore Items</a>
          </div>
          <div class="border-button">
            <a href="create.html">Message Us</a>
          </div>
       </div>
     </div>
   </div>
 </div>
</div>
<div class="item-details-page">
 <div class="container">
   <div class="row">
     <div class="col-lg-12">
        <div class="section-heading">
          <div class="line-dec"></div>
          <h2>View Item <em>Details</em> Here</h2>
       </div>
```

```
</div>
       <div class="col-lg-7">
         <div class="left-image">
           <img src="assets/images/item-details-01.jpg" alt="" style="border-</pre>
radius: 20px;" id="useImg">
         </div>
       </div>
       <div class="col-lg-5 align-self-center detalji">
         <h4 id="useTitle"></h4>
         <div class="row">
           <div class="col-3">
             <span class="bid">
               Price<br><strong id="usePrice"></strong>
             </span>
           </div>
           <div class="col-4">
             <span class="owner">
               Category<br><strong id="useCat"></strong>
             </span>
           </div>
           <div class="col-5">
             <span class="ends">
               Difficulty<br><strong id="useDiff"></strong>
             </span>
           </div>
         </div>
         <form id="signup" action="" method="post">
           <div class="row">
             <div class="col-12 textspace">
               <input type="mail" name="mymail" id="mymail" placeholder="Enter</pre>
email adress" autocomplete="on" required>
               Invalid email adress
             </div>
             <div class="col-12">
               <button type="button" id="form-submit" class="main-button">Sign
Up</button>
               You will be notified when course
starts.
             </div>
           </div>
         </form>
       </div>
     </div>
   </div>
```

```
</div>
  <div class="create-nft">
    <div class="container">
      <div class="row">
        <div class="col-lg-8">
          <div class="section-heading">
            <div class="line-dec"></div>
            <h2>Why do you need our service?</h2>
          </div>
        </div>
        <div class="col-lg-4">
          <div class="main-button">
            <a href="contact.html">Have any questions?</a>
          </div>
        </div>
        <div class="row service">
        </div>
      </div>
    </div>
  </div>
  <footer>
    <div class="container">
      <div class="row">
        <div class="col-lg-6">
          Copyright © 2022 <a href="#">FrontEnd</a> Logic Co., Ltd. All rights
reserved.
        </div>
        <div class="col-lg-6 social">
          <a href="Dokumentacija.pdf" target="_blank">Documentation
            <i class="fa-solid fa-file"></i></i>
          </a>
          <a href="rss.xml" target=" blank">RSS
            <i class="fa-solid fa-square-rss"></i></i></i>
          </a>
          <a href="sitemap.xml" target="_blank">Sitemap
            <i class="fa-solid fa-sitemap"></i></i>
          </a>
        </div>
      </div>
    </div>
  </footer>
```

- contact.html

```
<!DOCTYPE html>
<html <pre>lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="author" content="templatemo">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-</pre>
to-fit=no">
    k
href="https://fonts.googleapis.com/css2?family=Roboto:wght@100;300;400;500;700;90
0&display=swap" rel="stylesheet">
    <title>FrontEnd Logic - Contact</title>
    <link rel="icon" href="assets/images/logoico.png">
    <!-- Bootstrap core CSS -->
    <link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link rel="stylesheet" href="assets/css/fontawesome.css">
    <link rel="stylesheet" href="assets/css/templatemo-liberty-market.css">
    <link rel="stylesheet" href="assets/css/owl.css">
```

```
<link rel="stylesheet" href="assets/css/animate.css">
    <link rel="stylesheet"href="https://unpkg.com/swiper@7/swiper-</pre>
bundle.min.css"/>
https://templatemo.com/tm-577-liberty-market
  </head>
<body>
  <div id="js-preloader" class="js-preloader">
    <div class="preloader-inner">
      <span class="dot"></span>
      <div class="dots">
        <span></span>
       <span></span>
        <span></span>
      </div>
    </div>
  </div>
  <header class="header-area header-sticky">
    <div class="container">
        <div class="row">
            <div class="col-12">
                <nav class="main-nav">
                    <a href="index.html" class="logo">
                        <img src="assets/images/logo.png" alt="">
                    </a>
                    <div class="nav navmenu">
                    </div>
                    <a class='menu-trigger'>
                        <span>Menu</span>
                    </a>
```

```
</nav>
           </div>
       </div>
    </div>
  </header>
  <!-- **** Header Area End **** -->
  <div class="page-heading normal-space">
   <div class="container">
     <div class="row">
       <div class="col-lg-12">
         <h2>Contact Us</h2>
       </div>
     </div>
    </div>
  </div>
  <div class="item-details-page">
    <div class="container">
     <div class="row">
       <div class="col-lg-12">
         <div class="section-heading">
           <div class="line-dec"></div>
           <h2>Write your <em>Message</em> Here</h2>
         </div>
       </div>
       <div class="col-lg-8 msg">
         <form id="contact" action="" method="post">
           <div class="row">
             <div class="col-lg-4 feild-spacing">
               <fieldset>
                 <label for="title">Title</label>
                 <input type="title" name="title" id="title" placeholder="What</pre>
are those prices?" autocomplete="on" required>
                 Title has to be at least three
characters long
               </fieldset>
             </div>
             <div class="col-lg-4">
               <fieldset>
                 <label for="description">Email</label>
                 <input type="mail" name="mymail" id="mymail"</pre>
placeholder="mailname@smth.com" autocomplete="on" required>
                 Invalid email adress
               </fieldset>
```

```
</div>
             <div class="col-lg-4">
               <fieldset>
                 <label for="username">Name Surname</label>
                 <input type="username" name="username" id="username"</pre>
placeholder="Alan Walker" autocomplete="on" required>
                 First and last name have to start
with upper letter
               </fieldset>
             </div>
             <div class="col-lg-12 feild-spacing">
               <fieldset>
                 <label for="text">Message</label>
                 <input type="text" name="message" id="message"</pre>
placeholder="Write your message here" autocomplete="on" required>
                 Message has to be at least ten
characters long
               </fieldset>
             </div>
             <div class="col-lg-12 checktype">
               <fieldset>
                 Message Type
                 <input type="radio" id="question" name="msgtype"</pre>
value="Question">
                 <label for="question">Question</label>
                 <input type="radio" id="suggestion" name="msgtype"</pre>
value="Suggestion">
                 <label for="suggestion">Suggestion</label>
                 <input type="radio" id="other" name="msgtype" value="Other">
                 <label for="other">Other</label>
                 No message type is selected
               </fieldset>
             </div>
             <div class="col-lg-12 checktype">
               <fieldset>
                 <input type="checkbox" id="agree" name="confirm"</pre>
value="Confirm">
                 <label for="agree">I agree that all data is correct</label>
                 You have to accept agreement
               </fieldset>
             </div>
             <div class="col-lg-6 msg">
               <fieldset>
                 <button type="button" id="form-submit" class="orange-</pre>
button">Send Message</button>
```

```
Message has been sent
               </fieldset>
             </div>
           </div>
         </form>
       </div>
     </div>
   </div>
  </div>
  <footer>
   <div class="container">
     <div class="row">
       <div class="col-lg-6">
          Copyright © 2022 <a href="#">FrontEnd</a> Logic Co., Ltd. All rights
reserved.
       </div>
       <div class="col-lg-6 social">
         <a href="Dokumentacija.pdf" target="_blank">Documentation
           <i class="fa-solid fa-file"></i></i>
         </a>
         <a href="rss.xml" target=" blank">RSS
           <i class="fa-solid fa-square-rss"></i></i>
         </a>
          <a href="sitemap.xml" target="_blank">Sitemap
           <i class="fa-solid fa-sitemap"></i></i>
         </a>
       </div>
     </div>
   </div>
  </footer>
  <script src="vendor/jquery/jquery.min.js"></script>
  <script src="vendor/bootstrap/js/bootstrap.min.js"></script>
  <script src="assets/js/isotope.min.js"></script>
  <script src="assets/js/owl-carousel.js"></script>
  <script src="assets/js/tabs.js"></script>
  <script src="assets/js/popup.js"></script>
  <script src="assets/js/custom.js"></script>
```

```
<script src="assets/js/main.js" type="text/javascript"></script>
  </body>
</html>
```

- author.html

```
<!DOCTYPE html>
<html Lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="author" content="templatemo">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-</pre>
to-fit=no">
    k
href="https://fonts.googleapis.com/css2?family=Roboto:wght@100;300;400;500;700;90
0&display=swap" rel="stylesheet">
    <title>FrontEnd Logic - Author</title>
    <link rel="icon" href="assets/images/logoico.png">
    <link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link rel="stylesheet" href="assets/css/fontawesome.css">
    <link rel="stylesheet" href="assets/css/templatemo-liberty-market.css">
    <link rel="stylesheet" href="assets/css/owl.css">
    <link rel="stylesheet" href="assets/css/animate.css">
    <link rel="stylesheet"href="https://unpkg.com/swiper@7/swiper-</pre>
bundle.min.css"/>
 </head>
```

```
<body>
  <div id="js-preloader" class="js-preloader">
    <div class="preloader-inner">
      <span class="dot"></span>
      <div class="dots">
        <span></span>
       <span></span>
       <span></span>
      </div>
    </div>
  </div>
  <!-- **** Header Area Start **** -->
  <header class="header-area header-sticky">
    <div class="container">
        <div class="row">
            <div class="col-12">
                <nav class="main-nav">
                    <a href="index.html" class="logo">
                        <img src="assets/images/logo.png" alt="">
                    </a>
                    <div class="nav navmenu">
                    </div>
                    <a class='menu-trigger'>
                        <span>Menu</span>
                </nav>
            </div>
       </div>
    </div>
  </header>
  <div class="page-heading normal-space">
    <div class="container">
      <div class="row">
        <div class="col-lg-12">
         <h2>About Author</h2>
```

```
<div class="buttons">
            <div class="main-button">
              <a href="https://andrija15.github.io/">Portfolio</a>
            </div>
            <div class="border-button">
              <a href="https://andrija1525.github.io/">Other Company</a>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
  <div class="author-page">
    <div class="container">
      <div class="row">
        <div class="col-lg-6">
          <div class="author">
            <img src="assets/images/single-author.jpg" alt="" style="border-</pre>
radius: 50%; max-width: 170px;">
            <h4>Andrija Srećković<br> <a href="#">47/21</a></h4>
          </div>
        </div>
        <div class="col-lg-6">
          <div class="right-info">
            <div class="row">
              <div class="col-4">
                <div class="info-item">
                  <a href="https://www.instagram.com/" target=" blank">
                    <i class="fa-brands fa-instagram"></i></i></or>
                  </a>
                  <h6><em>Instagram</em></h6>
                </div>
              </div>
              <div class="col-4">
                <div class="info-item">
                  <a href="https://www.facebook.com/" target=" blank">
                    <i class="fa-brands fa-facebook"></i></i>
                  </a>
                  <h6><em>Facebook</em></h6>
                </div>
              </div>
              <div class="col-4">
                <div class="info-item">
                  <a href="https://www.linkedin.com/" target=" blank">
```

```
<i class="fa-brands fa-linkedin"></i></i></or>
                  </a>
                   <h6><em>LinkedIn</em></h6>
                </div>
              </div>
            </div>
            <div class="row">
              <div class="col-3">
                <h5>Mail:</h5>
              </div>
              <div class="col-9">
                <div class="main-button">
                  <h5>andrija.sreckovic.47.21@ict.edu.rs</h5>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
  <footer>
    <div class="container">
      <div class="row">
        <div class="col-lg-6">
          Copyright © 2022 <a href="#">FrontEnd</a> Logic Co., Ltd. All rights
reserved.
        </div>
        <div class="col-lg-6 social">
          <a href="Dokumentacija.pdf" target="_blank">Documentation
            <i class="fa-solid fa-file"></i></i>
          </a>
          <a href="rss.xml" target=" blank">RSS
            <i class="fa-solid fa-square-rss"></i></i></i>
          </a>
          <a href="sitemap.xml" target="_blank">Sitemap
            <i class="fa-solid fa-sitemap"></i></i></or>
          </a>
        </div>
      </div>
    </div>
  </footer>
```

```
<!-- Bootstrap core JavaScript -->

<script src="vendor/jquery/jquery.min.js"></script>

<script src="vendor/bootstrap/js/bootstrap.min.js"></script>

<script src="assets/js/isotope.min.js"></script>

<script src="assets/js/owl-carousel.js"></script>

<script src="assets/js/tabs.js"></script>

<script src="assets/js/tabs.js"></script>

<script src="assets/js/popup.js"></script>

<script src="assets/js/custom.js"></script>

<!-- Custom JavaScript -->

<script src="assets/js/main.js" type="text/javascript"></script>

</body>

</html>
```

CSS

- templatemo-liberty-market.css (izmenjen template css)

```
@import
url("https://fonts.googleapis.com/css?family=Open+Sans:100,200,300,400,500,600,70
0,800,900");
html, body, div, span, applet, object, iframe, h1, h2, h3, h4, h5, h6, p,
blockquote, div
pre, a, abbr, acronym, address, big, cite, code, del, dfn, em, font, img, ins,
kbd, q,
s, samp, small, strike, strong, sub, sup, tt, var, b, u, i, center, dl, dt, dd,
ol, ul, li,
figure, header, nav, section, article, aside, footer, figcaption {
 margin: 0;
 padding: 0;
 border: 0;
  outline: 0;
.clearfix:after {
 content: ".";
 display: block;
 clear: both;
 visibility: hidden;
 line-height: 0;
 height: 0;
.clearfix {
 display: inline-block;
html[xmlns] .clearfix {
  display: block;
* html .clearfix {
  height: 1%;
```

```
ul, li {
 padding: 0;
  margin: 0;
  list-style: none;
header, nav, section, article, aside, footer, hgroup {
  display: block;
  box-sizing: border-box;
html, body {
  font-family: 'Roboto', sans-serif;
  font-weight: 400;
  background-color: #1e1e1e;
  font-size: 16px;
  -ms-text-size-adjust: 100%;
  -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
a {
  text-decoration: none !important;
h1, h2, h3, h4, h5, h6 {
  margin-top: 0px;
  margin-bottom: 0px;
  color: #fff;
  font-weight: 700;
ul {
  margin-bottom: 0px;
p {
  font-size: 15px;
  line-height: 30px;
  color: #fff;
```

```
img {
 width: 100%;
 overflow: hidden;
html,
body {
 background: #fff;
 font-family: 'Roboto', sans-serif;
::selection {
 background: #7453fc;
  color: #fff;
::-moz-selection {
 background: #7453fc;
  color: #fff;
}
.border-button a {
 font-size: 14px;
 color: #fff;
  background-color: transparent;
  border: 1px solid #7453fc;
  padding: 12px 30px;
  display: inline-block;
  border-radius: 25px;
 font-weight: 500;
  text-transform: capitalize;
 letter-spacing: 0.5px;
 transition: all .3s;
 position: relative;
 overflow: hidden;
.border-button a:after {
 width: 78%;
```

```
height: 2px;
 background-color: #fff;
 content: '';
 position: absolute;
 left: 50%;
 bottom: 0;
 transform: translateX(-50%);
.border-button a:hover {
 background-color: #7453fc;
 color: #fff;
.main-button a {
 font-size: 14px;
 color: #fff;
 background-color: #7453fc;
 border: 1px solid #7453fc;
 padding: 12px 30px;
 display: inline-block;
 border-radius: 25px;
 font-weight: 500;
 text-transform: capitalize;
 letter-spacing: 0.5px;
 transition: all .3s;
 position: relative;
 overflow: hidden;
.main-button a:after {
 width: 78%;
 height: 2px;
 background-color: #fff;
 content: '';
 position: absolute;
 left: 50%;
 bottom: 0;
 transform: translateX(-50%);
.main-button a:hover {
 background-color: #fff;
 color: #7453fc;
 border: 1px solid #fff;
```

```
section {
  margin-top: 120px;
.section-heading {
 position: relative;
 z-index: 2;
 margin-top: 0px;
 margin-bottom: 80px;
 text-align: center;
.section-heading .line-dec {
 width: 100px;
 height: 2px;
 background-color: #7453fc;
 margin: 0 auto 30px auto;
.section-heading h2 {
 margin-top: 10px;
 line-height: 36px;
  font-size: 30px;
 font-weight: 700;
 text-transform: capitalize;
  color: #fff;
.section-heading h2 em {
 color: #7453fc;
 font-style: normal;
.js-preloader {
 position: fixed;
 top: 0;
 left: 0;
```

```
right: 0;
  bottom: 0;
  background-color: rgba(0,0,0,0.98);
  display: -webkit-box;
  display: flex;
  -webkit-box-align: center;
  align-items: center;
  -webkit-box-pack: center;
  justify-content: center;
  opacity: 1;
  visibility: visible;
  z-index: 9999;
  -webkit-transition: opacity 0.25s ease;
  transition: opacity 0.25s ease;
.js-preloader.loaded {
 opacity: 0;
 visibility: hidden;
 pointer-events: none;
@-webkit-keyframes dot {
 50% {
      -webkit-transform: translateX(96px);
      transform: translateX(96px);
@keyframes dot {
 50% {
      -webkit-transform: translateX(96px);
      transform: translateX(96px);
@-webkit-keyframes dots {
  50% {
      -webkit-transform: translateX(-31px);
      transform: translateX(-31px);
 }
@keyframes dots {
 50% {
```

```
-webkit-transform: translateX(-31px);
     transform: translateX(-31px);
 }
.preloader-inner {
 position: relative;
 width: 142px;
 height: 40px;
 background: transparent;
.preloader-inner .dot {
 position: absolute;
 width: 16px;
 height: 16px;
 top: 12px;
 left: 15px;
 background: #7453fc;
 border-radius: 50%;
 -webkit-transform: translateX(0);
 transform: translateX(0);
 -webkit-animation: dot 2.8s infinite;
 animation: dot 2.8s infinite;
.preloader-inner .dots {
 -webkit-transform: translateX(0);
 transform: translateX(0);
 margin-top: 12px;
 margin-left: 31px;
 -webkit-animation: dots 2.8s infinite;
 animation: dots 2.8s infinite;
.preloader-inner .dots span {
 display: block;
 float: left;
 width: 16px;
 height: 16px;
 margin-left: 16px;
 background: #7453fc;
 border-radius: 50%;
```

```
.background-header {
 background-color: #fff !important;
 height: 70px!important;
 position: fixed!important;
 top: 0!important;
 left: 0;
 right: 0;
 box-shadow: Opx Opx 10px rgba(0,0,0,0.15)!important;
 -webkit-transition: all .5s ease 0s;
 -moz-transition: all .5s ease 0s;
 -o-transition: all .5s ease 0s;
 transition: all .5s ease 0s;
.header-area {
 background-color: transparent;
 position: absolute;
 height: 70px;
 top: 30px;
 left: 0;
 right: 0;
 z-index: 100;
 -webkit-transition: all .5s ease 0s;
 -moz-transition: all .5s ease 0s;
 -o-transition: all .5s ease 0s;
 transition: all .5s ease 0s;
.header-area .main-nav {
 min-height: 80px;
 background: transparent;
 display: flex;
 background-color: #fff;
 padding: 15px 30px;
 border-radius: 50px;
```

```
.background-header .main-nav {
 padding: 0px;
 background-color: transparent;
.header-area .main-nav .logo {
 flex-basis: 30%;
 margin-left: 30px; /*logo offset*/
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.header-area .main-nav .logo img {
 width: 223px;
.background-header .main-nav .logo {
 margin-top: 8px;
.background-header .main-nav .Logo img {
 width: 180px;
.header-area .main-nav .navmenu{
 display: inline-flex;
 flex-basis: 70%;
 justify-content: flex-end;
 vertical-align: middle;
 text-align: right;
 margin-top: 15px;
 margin-right: 30px;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
 position: relative;
 z-index: 999;
.header-area .main-nav .nav li {
 padding-left: 10px;
```

```
padding-right: 10px;
 display: inline-block;
.header-area .main-nav .nav li a {
 display: block;
 font-weight: 500;
 font-size: 14px;
 text-transform: capitalize;
 color: #2a2a2a;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
 border: transparent;
 padding: 8px 15px;
 border-radius: 18px;
 letter-spacing: 1px;
.header-area .main-nav .nav li.has-sub ul.sub-menu li:last-child a:hover,
.background-header .main-nav .nav li.has-sub ul.sub-menu li:last-child a:hover {
 padding-left: 25px !important;
.header-area .main-nav .nav li:hover a{
 color: #fff;
 background-color: #3e2991; /*#7453fc*/
.header-area .main-nav .nav li a.active{
 background-color: #7453fc;
.background-header .main-nav .nav li:hover a,
.background-header .main-nav .nav li a.active {
 color: #fff;
 opacity: 1;
.header-area .main-nav .nav li.has-sub {
 position: relative;
 padding-right: 15px;
.header-area .main-nav .menu-trigger {
```

```
cursor: pointer;
 display: block;
 position: absolute;
 top: 33px;
 width: 32px;
 height: 40px;
 text-indent: -9999em;
 z-index: 99;
 right: 20px;
 display: none;
.background-header .main-nav .menu-trigger {
 top: 17px;
.header-area .main-nav .menu-trigger span,
.header-area .main-nav .menu-trigger span:before,
.header-area .main-nav .menu-trigger span:after {
 -moz-transition: all 0.4s;
 -o-transition: all 0.4s;
 -webkit-transition: all 0.4s;
 transition: all 0.4s;
 background-color: #7453fc;
 display: block;
 position: absolute;
 width: 30px;
 height: 2px;
 left: 0;
.background-header .main-nav .menu-trigger span,
.background-header .main-nav .menu-trigger span:before,
.background-header .main-nav .menu-trigger span:after {
 background-color: #7453fc;
.header-area .main-nav .menu-trigger span:before,
.header-area .main-nav .menu-trigger span:after {
 -moz-transition: all 0.4s;
 -o-transition: all 0.4s;
 -webkit-transition: all 0.4s;
 transition: all 0.4s;
 background-color: #7453fc;
 display: block;
```

```
position: absolute;
 width: 30px;
 height: 2px;
 left: 0;
 width: 75%;
.background-header .main-nav .menu-trigger span:before,
.background-header .main-nav .menu-trigger span:after {
 background-color: #7453fc;
.header-area .main-nav .menu-trigger span:before,
.header-area .main-nav .menu-trigger span:after {
 content: "";
.header-area .main-nav .menu-trigger span {
 top: 16px;
.header-area .main-nav .menu-trigger span:before {
 -moz-transform-origin: 33% 100%;
 -ms-transform-origin: 33% 100%;
 -webkit-transform-origin: 33% 100%;
 transform-origin: 33% 100%;
 top: -10px;
 z-index: 10;
.header-area .main-nav .menu-trigger span:after {
 -moz-transform-origin: 33% 0;
 -ms-transform-origin: 33% 0;
 -webkit-transform-origin: 33% 0;
 transform-origin: 33% 0;
 top: 10px;
.header-area .main-nav .menu-trigger.active span,
.header-area .main-nav .menu-trigger.active span:before,
.header-area .main-nav .menu-trigger.active span:after {
 background-color: transparent;
 width: 100%;
```

```
header-area .main-nav .menu-trigger.active span:before {
  -moz-transform: translateY(6px) translateX(1px) rotate(45deg);
  -ms-transform: translateY(6px) translateX(1px) rotate(45deg);
  -webkit-transform: translateY(6px) translateX(1px) rotate(45deg);
  transform: translateY(6px) translateX(1px) rotate(45deg);
  background-color: #7453fc;
 background-header .main-nav .menu-trigger.active span:before {
  background-color: #7453fc;
.header-area .main-nav .menu-trigger.active span:after {
  -moz-transform: translateY(-6px) translateX(1px) rotate(-45deg);
  -ms-transform: translateY(-6px) translateX(1px) rotate(-45deg);
  -webkit-transform: translateY(-6px) translateX(1px) rotate(-45deg);
  transform: translateY(-6px) translateX(1px) rotate(-45deg);
  background-color: #7453fc;
.background-header .main-nav .menu-trigger.active span:after {
  background-color: #7453fc;
.header-area.header-sticky {
  min-height: 70px;
.header-area.header-sticky .nav li a.active {
  color: #fff;
@media (max-width: 1200px) {
  .header-area .main-nav .nav li {
    padding-left: 10px;
    padding-right: 10px;
  .header-area .main-nav:before {
    display: none;
  }
@media (max-width: 992px) {
  .header-area{
   top: 0;
```

```
.header-area .main-nav {
 background-color: transparent;
 border-radius: 0px;
.header-area .main-nav .nav {
 height: auto;
 flex-basis: 100%;
.header-area .main-nav .logo {
 position: absolute;
 left: 30px;
 top: 15px;
 margin-left: 0px;
.background-header .main-nav .logo {
 top: 0px;
.background-header .main-nav .border-button {
 top: 0px !important;
.header-area .main-nav .border-button {
 position: absolute;
 top: 15px;
 right: 70px;
.header-area.header-sticky .nav li a:hover,
.header-area.header-sticky .nav li a.active {
 color: #7453fc!important;
 opacity: 1;
.header-area.header-sticky .nav li.search-icon a {
 width: 100%;
.header-area {
 background-color: #f7f7f7;
 padding: 0px 15px;
 height: 100px;
 box-shadow: none;
 text-align: center;
.header-area .container {
 padding: 0px;
```

```
.header-area .logo {
 margin-left: 0px;
.header-area .menu-trigger {
 display: block !important;
}
.header-area .main-nav {
 overflow: hidden;
.header-area .main-nav .navmenu {
 float: none;
 width: 100%;
 display: none;
 margin-right: 0px;
 -webkit-transition: all 0s ease 0s;
 -moz-transition: all 0s ease 0s;
 -o-transition: all 0s ease 0s;
 transition: all 0s ease 0s;
 margin-left: 0px;
.header-area.header-sticky .nav {
 margin-top: 85px !important;
 text-align: center;
.background-header.header-sticky .nav {
 margin-top: 70px !important;
.header-area .main-nav .nav li:first-child {
 border-top: 1px solid #eee;
}
.header-area .main-nav .nav li {
 width: 100%;
 background: #fff;
 border-bottom: 1px solid #eee;
 padding-left: 0px !important;
 padding-right: 0px !important;
.header-area .main-nav .nav li a {
 height: 50px !important;
 line-height: 50px !important;
 padding: 0px !important;
 border: none !important;
 background: #fff !important;
 color: #1e1e1e !important;
```

```
.header-area .main-nav .nav li a:hover {
    background: #fff !important;
    color: #7453fc!important;
  .header-area .main-nav .nav li.has-sub ul.sub-menu {
    position: relative;
   visibility: inherit;
   opacity: 1;
    z-index: 1;
   transform: translateY(0%);
    top: 0px;
    width: 100%;
   box-shadow: none;
   height: 0px;
    transition: all 0s;
  .header-area .main-nav .nav li.submenu ul li a {
    font-size: 12px;
   font-weight: 400;
  .header-area .main-nav .nav li.submenu ul li a:hover:before {
    width: 0px;
  .header-area .main-nav .nav li.has-sub ul.sub-menu {
   height: auto;
  .header-area .main-nav .nav li.has-sub:after {
   color: #3B566E;
   right: 30px;
   font-size: 14px;
   top: 15px;
  .header-area .main-nav .nav li.submenu:hover ul, .header-area .main-nav .nav
li.submenu:focus ul {
   height: 0px;
 }
.main-banner {
```

```
background-image: url(../images/banner-bg.jpg);
 background-repeat: no-repeat;
 background-position: center center;
 background-size: cover;
 padding-top: 290px;
 padding-bottom: 240px;
 background-color: #2a2a2a;
.main-banner .as-darken{
 background-color: rgba(0,0,0,0.5);
 padding: 30px;
 border-radius: 50px;
.main-banner h6 {
 color: #7453fc;
 font-size: 20px;
 margin-bottom: 15px;
 font-weight: 500;
 letter-spacing: 0.5px;
.main-banner h2 {
 color: #e6e6e6;
 font-size: 50px;
 font-weight: 700;
 line-height: 66px;
 text-transform: uppercase;
.main-banner p {
 margin-top: 20px;
 color: #e6e6e6;
.main-banner .buttons {
 margin-top: 30px;
 display: flex;
 justify-content: start;
.main-banner .border-button {
 margin-right: 15px;
```

```
.main-banner .owl-banner {
 margin-top: -40px;
.main-banner .owl-nav {
 position: absolute;
 width: 100%;
 margin: 0 auto;
 bottom: -76px;
 text-align: center;
.main-banner .owl-nav .owl-prev {
 margin-right: 7.5px;
.main-banner .owl-nav .owl-next {
 margin-left: 7.5px;
.main-banner .owl-nav .owl-prev span,
.main-banner .owl-nav .owl-next span {
 width: 46px;
 height: 46px;
 line-height: 46px;
 font-size: 24px;
 display: inline-block;
 color: #7453fc;
 background-color: #fff;
 border-radius: 50%;
 opacity: 1;
 transition: all .3s;
.main-banner .owl-nav .owl-prev span:hover,
.main-banner .owl-nav .owl-next span:hover {
 opacity: 1;
```

```
.hideItem{
 display: none;
.showItem{
 display: block;
.text-button a:hover{
 color: white !important;
 border-bottom-color: white !important;
categories-collections{
 background-image: url(../images/dark-bg.jpg);
 background-repeat: no-repeat;
 background-position: center center;
 background-size: cover;
 padding: 120px 0px 150px 0px;
 position: relative;
categories-collections:after {
 background-image: url(/assets/images/category-collection-dec.png);
 width: 300px;
 height: 282px;
 position: absolute;
 bottom: 0;
 right: 30px;
 content: '';
.categories .item {
 background-color: #282b2f;
 text-align: center;
 padding: 30px;
 border-radius: 20px;
 border: 1px solid #404245;
 position: relative;
.categories .item .icon {
 width: 62px;
 height: 62px;
```

```
display: inline-block;
 text-align: center;
 line-height: 62px;
 background-color: #fff;
 border-radius: 50%;
.categories .item .icon img {
 max-width: 31px;
.categories .item .icon i {
 color:#7453fc;
 font-size: 40px;
 margin-top: 14px;
.categories .item h4 {
 margin-top: 15px;
 font-size: 20px;
.categories .item .icon-button a {
 display: inline-block;
 width: 46px;
 height: 46px;
 line-height: 46px;
 background-color: #fff;
 color: #7453fc;
 border-radius: 50%;
 font-size: 18px;
 position: absolute;
 left: 50%;
 bottom: -23px;
 transform: translateX(-23px);
 transition: all .3s;
 opacity: 0;
 visibility: hidden;
.categories .item .icon-button a:hover {
 background-color: #7453fc;
 color: #fff;
```

```
.categories .item:hover .icon-button a {
 visibility: visible;
 opacity: 1;
.collections {
 margin-top: 140px;
.collections .item img {
 border-top-right-radius: 20px;
 border-top-left-radius: 20px;
.collections .item .down-content {
 background-color: #282b2f;
 border: 1px solid #404245;
 border-bottom-right-radius: 20px;
 border-bottom-left-radius: 20px;
 padding: 30px;
.collections .item .down-content h4 {
 font-size: 20px;
 border-bottom: 1px solid rgba(255,255,255,0.2);
 margin-bottom: 20px;
 padding-bottom: 20px;
.collections .item {
 padding-bottom: 60px;
.collections .item span {
 color: #fff;
 display: inline-block;
 width: 48%;
 font-size: 15px;
.collections .item span strong {
 font-size: 20px;
.collections .item span.category {
```

```
text-align: right;
.collections .item .main-button a {
 width: 100%;
 text-align: center;
.collections .item .main-button {
 margin-top: 20px;
 margin-bottom: -60px;
.collections .item .main-button a:hover {
  background-color: #fff;
 border: 1px solid #fff;
  color: #7453fc;
.collections .owl-nav {
 position: absolute;
 width: 100%;
 margin: 0 auto;
 top: 50%;
 transform: translateY(-50px);
 text-align: center;
.collections .owl-nav .owl-prev {
 position: absolute;
 left: -23px;
.collections .owl-nav .owl-next {
 position: absolute;
  right: -23px;
}
.collections .owl-nav .owl-prev span,
.collections .owl-nav .owl-next span {
 width: 46px;
 height: 46px;
 line-height: 46px;
 font-size: 24px;
 display: inline-block;
```

```
color: #7453fc;
  background-color: #fff;
 border-radius: 50%;
 opacity: 1;
  transition: all .3s;
.collections .owl-nav .owl-prev span:hover,
.collections .owl-nav .owl-next span:hover {
 opacity: 1;
.create-nft {
 background-image: url(../images/main-bg.jpg);
 background-repeat: no-repeat;
  background-position: center center;
  background-size: cover;
 padding: 120px 0px;
 position: relative;
.create-nft .section-heading .line-dec {
 margin-left: 0%;
 background-color: #fff;
}
.create-nft .section-heading {
 text-align: left;
 margin-bottom: 50px;
.create-nft .main-button {
  text-align: right;
.create-nft .item {
 margin-top: 30px;
 position: relative;
```

```
.create-nft .first-item .number {
 position: absolute;
  right: 0;
 top: -20px;
.create-nft .first-item:after {
 position: absolute;
 width: 1px;
 height: 95%;
 background-color: rgba(255, 255, 255, 0.2);
  content: '';
 right: 5px;
 top: 5%;
}
.create-nft .second-item .number {
 position: absolute;
 right: 0;
 top: -20px;
.create-nft .second-item:after {
 position: absolute;
 width: 1px;
 height: 95%;
 background-color: rgba(255, 255, 255, 0.2);
  content: '';
  right: 5px;
  top: 5%;
.item .icon {
 width: 62px;
 height: 62px;
 display: inline-block;
 text-align: center;
 line-height: 62px;
 background-color: #fff;
 border-radius: 50%;
.create-nft .item .icon img {
```

```
max-width: 31px;
.create-nft .item .icon i{
 color:#7453fc;
 font-size: 30px;
 margin-top: 15px;
.create-nft h4 {
 font-size: 20px;
 margin-top: 30px;
 margin-bottom: 15px;
.create-nft p {
 margin-right: 30px;
.create-nft .item a {
 color: #3CF;
.currently-market {
 background-image: url(../images/dark-bg.jpg);
 background-repeat: no-repeat;
 background-position: center center;
 background-size: cover;
 padding: 120px 0px;
 position: relative;
 display: block;
.currently-market-item {
 width: 45%;
 margin: 0 auto;
```

```
.currently-market .section-heading {
  text-align: left;
.currently-market .section-heading .line-dec {
 margin-left: 0;
.currently-market .filters {
 text-align: right;
.currently-market .filters ul li {
  display: inline-block;
 margin-left: 10px;
 font-size: 15px;
 color: #fff;
 font-weight: 500;
 padding: 8px 15px;
  border-radius: 20px;
  cursor: pointer;
  transition: all .3s;
.currently-market .filters ul li:first-child {
 margin-left: 0px;
.currently-market .filters ul li.active,
.currently-market .filters ul li:hover {
  background-color: #7453fc;
.currently-market .item {
 background-color: #282b2f;
 border: 1px solid #404245;
 border-radius: 20px;
 padding: 30px;
 display: flex;
 margin-bottom: 30px;
@media (max-width: 992px){
```

```
.currently-market .item {
    display: block;
  }
  .currently-market .item .left-image{
    text-align: center;
  .currently-market .item .right-content{
   margin-left: Opx !important;
   padding: 30px;
    text-align: justify !important;
  }
  .currently-market .item .right-content h4{
    text-align: center;
  .currently-market .item img {
   width: 200px;
  }
  .currently-market .item .text-button{
    text-align: center;
  }
@media (max-width: 1200px){
  .currently-market .item .right-content{
   display: block;
    text-align: center;
  }
  .currently-market .item .right-content .line-dec {
   margin: 0px;
  .currently-market .item span.ends {
   margin-top: 0px;
    padding-right: 0px;
.currently-market .item .right-content {
 margin-left: 50px;
 width: 100%;
```

```
.currently-market .item .right-content h4 {
 font-size: 20px;
 margin-bottom: 25px;
 margin-top: 25px;
.currently-market .item .right-content span.author {
 display: flex;
 margin-bottom: 25px;
.currently-market .item .right-content span.author img {
 margin-right: 15px;
.currently-market .item .right-content span.author h6 {
 font-size: 15px;
 font-weight: 400;
 line-height: 25px;
.currently-market .item .right-content span.author a {
 color: #7453fc;
 font-weight: 700;
 margin-top: 5px;
.currently-market .item span {
 color: #fff;
 display: inline-block;
 font-size: 15px;
currently-market .item .line-dec {
 width: 100%;
 height: 1px;
 background-color: rgba(255, 255, 255, 0.2);
 margin-bottom: 25px;
 margin-top: 30px;
.currently-market .item span strong {
 font-size: 20px;
```

```
.currently-market .item span.bid {
 line-height: 35px;
 margin-top: 20px;
.currently-market .item span.bid em,
.currently-market .item span.ends em {
 font-style: normal;
.currently-market .item span.ends {
 text-align: right;
 float: right;
 line-height: 35px;
 margin-top: 20px;
 padding-right: 20px;
.currently-market .item .text-button {
 margin-top: 40px;
.currently-market .item .text-button a {
 font-size: 15px;
 font-weight: 700;
 color: #7453fc;
 border-bottom: 1px solid #7453fc;
.social a{
 margin-left: 30px;
 color: white;
 font-weight: 500;
```

```
.social a:hover{
  color: #4126ad;
.social a i{
 font-size: 30px;
 color: white;
 position: relative;
 top: 4px;
 margin-left: 5px;
footer {
 background: rgb(125,90,254);
 background: linear-gradient(132deg, rgba(125,90,254,1) 25%, rgba(160,84,244,1)
100%);
 text-align: center;
 padding: 25px 0px;
footer p {
  color: #fff;
footer p a {
 color: #fff;
 font-weight: 500;
 transition: all .3s;
footer p a:hover {
 color: #fff;
 opacity: 0.75;
Page Heading Style
.normal-space {
 padding: 250px 0px 120px 0px !important;
```

```
.page-heading {
 background-image: url(../images/heading-bg.jpg);
 background-repeat: no-repeat;
 background-position: center center;
 background-size: cover;
 padding-top: 250px;
 text-align: center;
 background-color: #2a2a2a;
.page-heading h6 {
 font-size: 20px;
 margin-bottom: 15px;
 font-weight: 500;
 letter-spacing: 0.5px;
.page-heading h2 {
 color: #fff;
 font-size: 50px;
 font-weight: 700;
 line-height: 66px;
 text-transform: uppercase;
.page-heading span {
 color: #8a75da;
 font-size: 15px;
.page-heading span a {
 color: #fff;
.page-heading .buttons {
 margin-top: 35px;
 display: flex;
 justify-content: center;
.page-heading .buttons .main-button {
 margin-right: 15px;
```

```
.page-heading .buttons .border-button {
 margin-left: 15px;
.featured-explore {
 margin-top: 60px;
 margin-bottom: -300px;
.featured-explore .owl-features {
 min-height: 100%;
.featured-explore .item .thumb {
 position: relative;
 overflow: hidden;
.featured-explore .item .thumb:hover .hover-effect {
 visibility: visible;
 opacity: 1;
 right: 30px;
.featured-explore .item .thumb .hover-effect {
 position: absolute;
  right: -100%;
 bottom: 30px;
 padding: 30px 40px;
 border-radius: 20px;
 border: 1px solid rgba(64, 66, 69, 0.9);
 background-color: rgba(40, 43, 47, 0.9);
 opacity: 0;
 visibility: hidden;
 transition: all .5s;
```

```
.featured-explore .item .hover-effect .content h4 {
  font-size: 20px;
  margin-bottom: 25px;
.featured-explore .item .hover-effect .content span.author {
  display: flex;
 margin-bottom: 0px;
.featured-explore .item .hover-effect .content span.author img {
  margin-right: 15px;
.featured-explore .item .hover-effect .content span.author h6 {
 font-size: 15px;
 font-weight: 400;
 line-height: 25px;
 text-align: left;
}
.featured-explore .item .hover-effect .content span.author a {
  color: #7453fc;
 font-weight: 700;
 margin-top: 5px;
.featured-explore .owl-nav {
  position: absolute;
 width: 100%;
 margin: 0 auto;
  top: 50%;
 transform: translateY(-23px);
 text-align: center;
.featured-explore .owl-nav .owl-prev {
 position: absolute;
  left: 30px;
}
.featured-explore .owl-nav .owl-next {
 position: absolute;
  right: 30px;
```

```
.featured-explore .owl-nav .owl-prev span,
.featured-explore .owl-nav .owl-next span {
 width: 46px;
 height: 46px;
 line-height: 46px;
 font-size: 22px;
 font-weight: 700;
 display: inline-block;
 color: #7453fc;
 background-color: #fff;
 border-radius: 50%;
 opacity: 0.5;
 transition: all .3s;
.featured-explore .owl-nav .owl-prev span:hover,
.featured-explore .owl-nav .owl-next span:hover {
 opacity: 1;
.discover-items {
 background-image: url(../images/dark-bg.jpg);
 background-repeat: no-repeat;
 background-position: center center;
 background-size: cover;
 padding: 400px 0px 120px 0px;
 position: relative;
.discover-items .section-heading {
 text-align: left;
.discover-items .section-heading .line-dec {
 margin-left: 0;
.discover-items #search-form {
 margin-top: 15px;
.discover-items #search-form input,
.discover-items #search-form select {
 width: 100%;
```

```
height: 46px;
  outline: none;
  border: 1px solid rgba(255, 255, 255, 0.2);
  border-radius: 23px;
  background-color: transparent;
  padding: 0px 15px;
 font-size: 14px;
  color: #fff;
.discover-items #search-form select {
  cursor: pointer;
.discover-items #search-form select option {
 background-color: #2a2a2a;
}
.discover-items #search-form input::placeholder,
.discover-items #search-form select::placeholder {
  color: #fff;
.discover-items #search-form button {
  font-size: 14px;
  color: #fff;
 background-color: #7453fc;
  border: 1px solid #7453fc;
 height: 46px;
 line-height: 46px;
  text-align: center;
  width: 100%;
  display: inline-block;
  border-radius: 25px;
  font-weight: 500;
 text-transform: capitalize;
  letter-spacing: 0.5px;
  transition: all .3s;
  position: relative;
  overflow: hidden;
.discover-items #search-form button:after {
 width: 78%;
 height: 2px;
```

```
background-color: #fff;
 content: '';
 position: absolute;
 left: 50%;
 bottom: 0;
 transform: translateX(-50%);
.discover-items #search-form button:hover {
 background-color: #fff;
 color: #7453fc;
 border: 1px solid #fff;
.discover-items .item span.banner {
 font-size: 15px;
 background-color: #7453fc;
 color: #fff;
 font-weight: 500;
 padding: 5px 15px;
 display: inline-block;
 position: absolute;
 border-radius: 16px;
 left: 50%;
 transform: translateX(-50%);
 top: -16px;
.discover-items .item span.author {
 display: inline-flex;
 width: 100%;
.discover-items .item span.author img {
 margin: 0 auto;
 position: relative;
 z-index: 2;
.discover-items .item img {
 margin-top: -32px;
 position: relative;
 z-index: 1;
```

```
.discover-items .item h4 {
  font-size: 20px;
 margin-top: 30px;
.discover-items .item .line-dec {
 width: 100%;
 height: 1px;
 background-color: rgba(255,255,255,0.2);
 margin: 30px 0px;
.discover-items .item {
 background-color: #282b2f;
  border: 1px solid #404245;
  padding: 30px;
 border-radius: 20px;
 position: relative;
 margin-bottom: 52px;
.discover-items .item span {
 color: #fff;
 display: inline-block;
  font-size: 15px;
.discover-items .item span strong {
  font-size: 20px;
.discover-items .item span.category {
 text-align: right;
.discover-items .item .main-button {
 margin-top: 20px;
 margin-bottom: -60px;
 text-align: center;
}
.top-seller {
 background-image: url(../images/main-bg.jpg);
 background-repeat: no-repeat;
 background-position: center center;
```

```
background-size: cover;
 padding: 120px 0px 90px 0px;
 position: relative;
.top-seller .section-heading .line-dec {
 background-color: #fff;
.top-seller .item {
 display: flex;
 margin-bottom: 30px;
.top-seller .item img {
 margin-right: 15px;
.top-seller .item h4 {
 font-size: 20px;
 margin-top: 12px;
 margin-right: 10px;
.top-seller .item h6 {
 font-size: 20px;
 font-weight: 700;
 line-height: 25px;
 text-align: left;
.top-seller .item a {
 font-size: 14px;
 cursor: auto;
 color: #fff;
 font-weight: 400;
 margin-top: 5px;
```

```
.item-details-page {
 background-image: url(../images/dark-bg.jpg);
 background-repeat: no-repeat;
 background-position: center center;
 background-size: cover;
 padding: 120px 0px 120px 0px;
 position: relative;
.item-details-page:after {
 background-image: url(/assets/images/category-collection-dec.png);
 width: 300px;
 height: 282px;
 position: absolute;
 bottom: 0;
 right: 30px;
 content: '';
 z-index: 1;
.item-details-page .left-image {
 margin-right: 30px;
.item-details-page h4 {
 font-size: 20px;
 margin-bottom: 25px;
.item-details-page span.author {
 display: flex;
 margin-bottom: 30px;
.item-details-page span.author img {
 margin-right: 15px;
.item-details-page span.author h6 {
 font-size: 15px;
 font-weight: 400;
 line-height: 25px;
```

```
.item-details-page span.author a {
  color: #7453fc;
  font-weight: 700;
  margin-top: 5px;
.item-details-page p {
  margin-bottom: 30px;
.item-details-page span {
  color: #fff;
  display: inline-block;
  font-size: 15px;
.item-details-page span strong {
  font-size: 20px;
  color: #7453fc;
}
.item-details-page p {
  position: relative;
  z-index: 2;
.item-details-page span.bid,
.item-details-page span.owner,
.item-details-page span.ends {
 line-height: 35px;
  position: relative;
  z-index: 2;
.item-details-page span.bid em,
.item-details-page span.ends em,
.item-details-page span.owner em {
  font-style: normal;
  color: #afafaf;
}
.item-details-page form {
  margin-top: 40px;
```

```
.item-details-page form label {
 color: #afafaf;
 font-size: 15px;
 font-weight: 500;
 margin-right: 10px;
.item-details-page form input {
 width: 100px;
 height: 46px;
 border: 1px solid #7453fc;
 outline: none;
 border-radius: 23px;
 background-color: transparent;
 color: #fff;
 text-align: center;
 margin-right: 15px;
.item-details-page form input::placeholder {
 color: #fff;
.item-details-page button {
 font-size: 14px;
 color: #fff;
 background-color: #7453fc;
 border: 1px solid #7453fc;
 padding: 12px 30px;
 display: inline-block;
 border-radius: 25px;
 font-weight: 500;
 text-transform: capitalize;
 letter-spacing: 0.5px;
 transition: all .3s;
 position: relative;
 overflow: hidden;
.item-details-page button:after {
 width: 50%;
 height: 2px;
 background-color: #fff;
 content: '';
 position: absolute;
```

```
left: 50%;
 bottom: 0;
 transform: translateX(-50%);
.item-details-page button:hover {
 background-color: #fff;
 color: #7453fc;
 border: 1px solid #fff;
.current-bid {
 margin-top: 120px;
.current-bid select {
 float: right;
 width: 150px;
 background-color: transparent;
 color: #fff;
 font-weight: 500;
 font-size: 14px;
 border: none;
 outline: none;
 cursor: pointer;
.current-bid .mini-heading h4 {
 background-color: #7453fc;
 display: inline-block;
 font-size: 20px;
 padding: 10px 20px;
 border-radius: 22px;
.current-bid .item {
 position: relative;
 z-index: 2;
 margin-top: 30px;
 display: flex;
 border-radius: 20px;
 overflow: hidden;
 background-color: #282b2f;
 border: 1px solid #404245;
```

```
.current-bid .item .left-img {
 flex-basis: 80%;
 display: inline-flex;
.current-bid .item .right-content {
 padding: 30px;
 width: 100%;
.current-bid .item .right-content h4 {
 font-size: 20px;
 margin-bottom: 0px;
.current-bid .item .right-content a {
 font-size: 15px;
 color: #7453fc;
  font-weight: 700;
.current-bid .item .right-content .line-dec {
 width: 100%;
 height: 1px;
 background-color: rgba(255, 255, 255, 0.2);
 margin: 25px 0px;
.current-bid .item .right-content h6 {
 font-size: 15px;
 font-weight: 400;
 margin-bottom: 8px;
}
.current-bid .item .right-content h6 em {
 font-size: 18px;
 color: #7453fc;
 font-style: normal;
  font-weight: 700;
.current-bid .item .right-content span.date {
  font-size: 15px;
 color: #7453fc;
```

```
.info-item a i:hover{
 color: white;
.info-item a i{
 font-size: 25px !important;
.author-page {
 background-image: url(../images/dark-bg.jpg);
 background-repeat: no-repeat;
 background-position: center center;
 background-size: cover;
 padding: 120px 0px 120px 0px;
 position: relative;
.author-page .author {
 display: flex;
.author-page .author h4 {
 margin-top: 60px;
 font-size: 20px;
 margin-left: 30px;
.author-page .author h4 a {
 font-size: 15px;
 color: #7453fc;
.author-page .right-info {
 background-color: #282b2f;
 border: 1px solid #404245;
 padding: 20px 30px;
```

```
border-radius: 20px;
  margin-left: 100px;
}
.author-page .right-info .info-item {
  margin-bottom: 20px;
.author-page .right-info i {
  color: #7453fc;
  font-size: 22px;
.author-page .right-info h6 {
  font-size: 20px;
  color: #7453fc;
  margin-top: 4px;
.author-page .right-info h6 em {
  font-size: 15px;
  font-style: normal;
  font-weight: 400;
  color: #fff;
.author-page .right-info h5 {
  font-size: 20px;
  color: #afafaf;
  margin-top: 10px;
.author-page .right-info .main-button a {
 width: 100%;
  text-align: center;
.author-page .section-heading {
  margin-top: 80px;
  text-align: left;
.author-page .section-heading .line-dec {
  margin-left: 0;
```

```
.author-page .item span.author {
 display: inline-flex;
 width: 100%;
.author-page .item span.author img {
 margin: 0 auto;
 position: relative;
  z-index: 2;
.author-page .item img {
 margin-top: -32px;
 position: relative;
  z-index: 1;
}
.author-page .item h4 {
 font-size: 20px;
 margin-top: 30px;
.author-page .item .line-dec {
 width: 100%;
 height: 1px;
 background-color: rgba(255,255,255,0.2);
 margin: 30px 0px;
.author-page .item {
  background-color: #282b2f;
 border: 1px solid #404245;
  padding: 30px;
  border-radius: 20px;
  position: relative;
  margin-bottom: 52px;
.author-page .item span {
  color: #fff;
 display: inline-block;
 font-size: 15px;
```

```
.author-page .item span strong {
  font-size: 20px;
.author-page .item span.category {
 text-align: right;
.author-page .item .main-button {
 margin-top: 20px;
 margin-bottom: -60px;
 text-align: center;
.msg{
 margin: 0px auto;
#contact {
  background-color: #37393c;
 border-radius: 20px;
 padding: 60px 30px;
 margin-bottom: 120px;
#contact input {
 width: 100%;
 height: 46px;
 text-align: left;
  padding: 0px 15px;
 background-color: #282b2f;
 border: 1px solid #404245;
 font-weight: 500;
  color: #afafaf;
.errColor{
 color:rgb(202, 32, 32);
```

```
.errHide{
 display: none;
.errShow{
 display: block;
.succColor{
 color: green;
 padding-top: 20px;
.succHide{
 display: none;
.succShow{
 display: block;
.feild-spacing{
 margin-bottom: 30px;
.textspace{
 margin-bottom: 30px;
.textspace input{
 width: 300px !important;
.textspace input::placeholder{
 color: #afafaf !important;
.checktype{
 font-weight: 500;
 display: flex;
 justify-content: center;
 text-align: center;
```

```
.checktype p{
 margin-bottom: 30px;
 checktype input[type=radio]{
 height: 20px !important;
 width: 20px !important;
  margin-bottom: 0px !important;
 position: relative;
 top: 4px;
  margin-left: 50px;
.checktype input[type=checkbox]{
 height: 20px !important;
 width: 20px !important;
  margin-bottom: 0px !important;
  position: relative;
  margin-top: 30px;
 top: 4px;
#contact input::placeholder {
  color: #afafaf;
#contact label {
 font-size: 15px;
 color: #fff;
 margin-bottom: 8px;
#contact input#file {
  padding: 8px 0px;
  background-color: transparent;
 border: none;
 border-radius: 0px;
#contact button {
 width: 100%;
 margin-top: 10px;
 text-align: center;
```

```
body {
  overflow-x: hidden;
@media (max-width: 767px) {
 .top-seller .item {
   justify-content: center;
  }
@media (max-width: 992px) {
  .main-banner .owl-banner {
   margin-top: 80px;
  .categories .item {
   margin-bottom: 35px;
  .create-nft .section-heading,
  .currently-market .section-heading {
    text-align: center;
  }
  .currently-market-item {
   width: 100%;
  .create-nft .section-heading .line-dec,
  .currently-market .section-heading .line-dec {
   margin: 0 auto;
  .create-nft .main-button,
  .currently-market .filters {
   text-align: center;
  .currently-market .filters {
   margin-bottom: 30px;
  margin-top: -30px;
```

```
.create-nft p {
    margin-right: 0px;
  .create-nft .first-item:after,
  .create-nft .second-item:after,
  .create-nft .first-item .number,
  .create-nft .second-item .number {
    display: none;
  .create-nft .item {
   text-align: center;
   margin-top: 45px;
  .discover-items #search-form {
   margin-bottom: 40px;
   margin-top: -30px;
  .discover-items #search-form fieldset {
   margin-bottom: 30px;
  .top-seller .item h6 {
   font-size: 16px;
  .item-details-page .left-image {
   margin-right: 0px;
   margin-bottom: 30px;
  .current-bid select {
   float: none;
  .author-page .author {
   justify-content: center;
 .author-page .right-info {
   margin-left: 0px;
   margin-top: 30px;
  }
@media (max-width: 1200px) {
```

JavaScript

- main.js (lični javascript fajl)

```
var path = window.location.pathname.split("/").pop();
let navTitles = ["Home", "Author", "Contact Us"];
let navLinks = ["index.html","author.html","contact.html"];
var navDiv = document.querySelector(".navmenu");
var navmenu ='';
for(let i=0; i < navTitles.length; i++){</pre>
    navmenu += `<a href="${navLinks[i]}"`;</pre>
    if(navLinks[i] == "index.html"){
        if(path == "" || path == navLinks[i]){
            navmenu +=' class="active" ';
        }
    else if(navLinks[i] == path){
        navmenu +=' class="active" ';
    navmenu += `>${navTitles[i]}</a>`;
navmenu += "";
navDiv.innerHTML = navmenu;
if(path == "index.html" || path == ""){
    let catTitles = ["HTML","CSS","JavaScript","Bootstrap","Testing","Other"];
    let catIcon = ["fa-brands fa-html5", "fa-brands fa-css3", "fa-brands fa-square-
js","fa-brands fa-bootstrap","fa-solid fa-check","fa-solid fa-code"];
    let catClass = ["hml","cs","js","hml","tst","oth"];
    var catDiv = document.querySelector(".category");
    var cat="";
    for(let i=0; i<catTitles.length ; i++){</pre>
        cat += `<div class="col-lg-2 col-sm-6">
                    <div class="item">
                        <div class="icon">
                            <i class="${catIcon[i]}"></i></i>
                        </div>
                        <h4>${catTitles[i]}</h4>
                        <div class="icon-button">
```

```
<a href="#cats" class="${catClass[i]}"><i class="fa</pre>
fa-angle-right"></i></a>
                        </div>
                    </div>
                </div>`;
    catDiv.innerHTML = cat;
    $(".category .item a").click(function(){
        let currClass = $(this).attr("class");
        $(".items .all").hide();
        $(`.items .${currClass}`).show();
        $(".filters ul li").siblings(".active").removeClass("active");
        $(`.filters ul .${currClass}`).addClass("active");
    })
    $(".item .down-content a").click(function(){
        var datId = $(this).attr("class");
        var detTitle = iteTitles[datId];
        sessionStorage.setItem("dettitle",detTitle);
        var detPrice = itePrice[datId];
        sessionStorage.setItem("detprice",detPrice);
        var detCat = iteCat[datId];
        sessionStorage.setItem("detcat",detCat);
        var detDiff = iteDiff[datId];
        sessionStorage.setItem("detdiff",detDiff);
        var detDesc = iteDesc[datId];
        sessionStorage.setItem("detdesc",detDesc);
        var detImg = itePicture[datId];
        sessionStorage.setItem("detimg",detImg);
    })
    let advReason = ["FrontEnd Logic is a project that tries to set up a standard
in industry and keep web as uniformed and modern as possible.", "All of out
```

```
courses are made secially with help of some of the best front end developers.
Every course is carefuly split into easy to understand chapters with a lot of
practical examples and tests","We also offer real time consultations and/or
different checking services, like html, css, js and seo optimization and
testing."];
    let advTitles = ["What's our goal", "Professional courses", "Website checking"]
    let advIcon = ["fa-solid fa-bullseye", "fa-solid fa-graduation-cap", "fa-solid
fa-stamp"];
    var advDiv = document.querySelector(".service");
   var adv = "";
    for(let i = 0 ; i<advTitles.length ; i++){</pre>
       adv += `<div class="col-lg-4">
                   <div class="item`;</pre>
       if(i == 0){
           adv += ` first-item`;
       else if(i == 1){
           adv += ` second-item`;
       adv += `"> <div class="icon">
                       </div>
                   <h4>${advTitles[i]}</h4>
                   ${advReason[i]}
               </div>
           </div>`;
    advDiv.innerHTML = adv;
    let filTitles = ["All Items","HTML","CSS","JavaScript","Testing","Other"];
    let filTypes = ["all","hml","cs","js","tst","oth"];
    var filDiv = document.querySelector(".filters");
    var fil = "";
    for(let i = 0; i < filTitles.length ; i++){</pre>
       fil += `
       if(filTitles[i] == "All Items"){
           fil += ` active`;
       fil += `">${filTitles[i]}`;
   fil += ``;
   filDiv.innerHTML = fil;
```

```
$(".currently-market .filters ul li").click(function(){
                 let currClass = $(this).attr("class");
                 $(".items .all").hide();
                 $(`.items .${currClass}`).show();
                //Current selected category
                 $(this).siblings(".active").removeClass("active");
                 $(this).addClass("active");
        });
        let iteTitles = ["HTML 5","HTML Forms","HTML Tables","CSS 3","CSS
Animation", "JavaScript 3", "JS Events", "jQuery", "Bootstrap", "Website
checking","SEO","XML"];
        let itePrice =
["79.99€","34.99€","29.99€","39.99€","59.99€","299.99&eu
ro;","29.99€","69.99€","24.99€","499.99€","149.99€","79.
99€"];
        let itePicture =
["01","02","03","04","05","06","07","08","09","10","11","12"];
         let iteDiff =
["Easy", "Medium", "Easy", "Easy", "Hard", "Medium", "Medium", "Expert", "Easy", "None", "Easy", "Easy", "None", "Easy", "Medium", "Expert", "Easy", "None", "Easy", "Easy", "None", "Easy", "None", "Easy", "None", "Easy", "None", "Easy", "None", "Easy", "Easy
xpert","Hard"];
        let iteId = [0,1,2,3,4,5,6,7,8,9,10,11]
        let iteCat =
["HTML","HTML","HTML","CSS","CSS","JavaScript","JavaScript","JavaScript","Other",
"Testing", "Other", "Other"];
         let iteDesc = ["HTML is Markup language used for describing Web pages
structure. HTML can be further designed using CSS and it can embed programs
written in scripting language like JavaScript.",
                                          "HTML forms are used to allow users to enter data that is
send to a server for processing. It can be used for ordering products sending
messages...",
                                          "HTML tables allow developers to arrane data into rows and
columns. They can be used to arrang data like text, images, links, other
tables... ",
                                          "CSS is used for Web pages presentation, including colors,
layout and fonts. It also allows sites to adapt to different resolutions.",
                                          "CSS animations are used smooth out elements style
transitions. Animations are released using keyframes which hold what style
element will have at certain times.",
```

```
"JavaScript is programming language used for web programming.
It has dynamic typing, first class functions and a lot more...",
                    "JavaScript Events are used to notify code of changes caused
by user. Those changes trigger a certain funtion and make site interactive.",
                    "jQuery is JavaScript plugin that simplefies element
selecting and add a lot of methodes that make programming in javascript easier.",
                    "To ensure sites are made with all regualtions and procedures
we are offering detailed website checking with our professionals.",
                    "Bootstrap is open-source CSS framework that makes site
easier to organise and response. It works by implementing built-in classes in
html code.",
                    "SEO is process that improves site when it comes to it's
visibility on the search engines. The better visibility the more likely they are
to gain attention.",
                    "XML is markup language for storing, transmitting and
reconstructig arbitrary data. The design goals of XML are simplicity, generality
and usability across the internet."]
    iteClass =
["hml","hml","cs","cs","js","js","js","oth","tst","oth","oth"];
    var iteDiv = document.querySelector(".items");
    var item = "";
    for(let i = 0; i < iteTitles.length ; i++){</pre>
        item += `<div class="col-lg-6 currently-market-item all ${iteClass[i]}</pre>
showItem">
                    <div class="item">
                    <div class="left-image">
                        <img src="assets/images/market-${itePicture[i]}.jpg"</pre>
alt="" style="border-radius: 20px; min-width: 195px;">
                    </div>
                    <div class="right-content">
                        <h4>${iteTitles[i]}</h4>
                        <div class="line-dec"></div>
                        <span class="bid">
                        Price<br><strong>${itePrice[i]}</strong>
                        </span>
                        <span class="ends">
                        Difficulty<br><strong>${iteDiff[i]}</strong>
                        <div class="text-button" id="${iteId[i]}">
                        <a href="details.html">View Item Details</a>
                        </div>
                    </div>
                    </div>
                </div>`;
```

```
iteDiv.innerHTML = item;
    //Details data
    $(".item .right-content a").click(function(){
        var datId = $(this).parent().attr('id');
        var detTitle = iteTitles[datId];
        sessionStorage.setItem("dettitle",detTitle);
        var detPrice = itePrice[datId];
        sessionStorage.setItem("detprice",detPrice);
        var detCat = iteCat[datId];
        sessionStorage.setItem("detcat",detCat);
        var detDiff = iteDiff[datId];
        sessionStorage.setItem("detdiff",detDiff);
        var detDesc = iteDesc[datId];
        sessionStorage.setItem("detdesc",detDesc);
        var detImg = itePicture[datId];
        sessionStorage.setItem("detimg",detImg);
    });
if(path == "details.html"){
    //Details data
    var detTitle = sessionStorage.getItem("dettitle");
    console.log(detTitle);
    var detPrice = sessionStorage.getItem("detprice");
    console.log(detPrice);
    var detCat = sessionStorage.getItem("detcat");
    console.log(detCat);
    var detDiff = sessionStorage.getItem("detdiff");
    console.log(detDiff);
    var detDesc = sessionStorage.getItem("detdesc");
    console.log(detDesc);
```

```
var detImg = sessionStorage.getItem("detimg");
    console.log(detImg);
    var uTitle = document.querySelector("#useTitle");
    uTitle.innerHTML = detTitle;
    var uDesc = document.querySelector("#useDesc");
    uDesc.innerHTML = detDesc;
    var uPrice = document.querySelector("#usePrice");
    uPrice.innerHTML = detPrice;
    var uCat = document.querySelector("#useCat");
    uCat.innerHTML = detCat;
    var uDiff = document.querySelector("#useDiff");
    uDiff.innerHTML = detDiff;
    var uImg = document.querySelector("#useImg");
    uImg.setAttribute("src", `assets/images/item-details-${detImg}.jpg`);
    let advReason = ["FrontEnd Logic is a project that tries to set up a standard
in industry and keep web as uniformed and modern as possible.", "All of out
courses are made secially with help of some of the best front end developers.
Every course is carefuly split into easy to understand chapters with a lot of
practical examples and tests", "We also offer real time consultations and/or
different checking services, like html, css, js and seo optimization and
testing."];
    let advTitles = ["What's our goal", "Professional courses", "Website checking"]
    let advIcon = ["fa-solid fa-bullseye", "fa-solid fa-graduation-cap", "fa-solid
fa-stamp"];
    var advDiv = document.querySelector(".service");
    var adv = "";
    for(let i = 0 ; i<advTitles.length ; i++){</pre>
        adv += `<div class="col-lg-4">
                    <div class="item`;</pre>
        if(i == 0){
            adv += ` first-item`;
        else if(i == 1){
            adv += ` second-item`;
        adv += `"> <div class="icon">
```

```
<i class="${advIcon[i]}"></i></i></or>
                                                           </div>
                                                           <h4>${advTitles[i]}</h4>
                                                           ${advReason[i]}
                                                </div>
                                   </div>`;
            advDiv.innerHTML = adv;
           var regMail = /^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/
           var formMail = document.querySelector("#mymail");
            formMail.addEventListener("blur",function(){
                        textCheck(regMail, formMail);
            });
           var formBtn = document.querySelector("#form-submit");
            formBtn.addEventListener("click",function(){
                       var errBr = 0;
                       errBr += textCheck(regMail,formMail);
                       if(!errBr){
                                    formBtn.nextElementSibling.classList.remove("succHide");
                                    formBtn.nextElementSibling.classList.add("succShow");
                       else{
                                   formBtn.nextElementSibling.classList.remove("succShow");
                                   formBtn.nextElementSibling.classList.add("succHide");
                      }
            })
if(path == "contact.html"){
           var regTitle = /(.{3})+/
            var regMail = /^[a-z]+([\.]?[a-z]*[\d]*)*\@[a-z]+([\.]?[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(\.[a-z]+)*(
z_{1{2,3}}+
            var regName = /^{([A-Z][a-z]{2,10})} s([A-Z][a-z]{3,15})$/
           var regMsg = /(.{10})+/
           var formTitle = document.querySelector("#title");
           formTitle.addEventListener("blur",function(){
```

```
textCheck(regTitle,formTitle);
    })
    var formMail = document.querySelector("#mymail");
    formMail.addEventListener("blur",function(){
        textCheck(regMail, formMail);
    })
    var formName = document.querySelector("#username");
    formName.addEventListener("blur",function(){
        textCheck(regName, formName);
    })
    var formMsg = document.querySelector("#message");
    formMsg.addEventListener("blur",function(){
        textCheck(regMsg,formMsg);
    })
    var formRadio = document.getElementsByName("msgtype");
    var formCheck = document.querySelector("#agree");
    formCheck.addEventListener("change",function(){
        if(formCheck.checked){
            formCheck.nextElementSibling.nextElementSibling.classList.remove("err
Show");
            formCheck.nextElementSibling.nextElementSibling.classList.add("errHid
e");
        }
        else{
            formCheck.nextElementSibling.nextElementSibling.classList.remove("err
Hide");
            formCheck.nextElementSibling.nextElementSibling.classList.add("errSho
w");
        }
    })
    var formBtn = document.querySelector("#form-submit");
    formBtn.addEventListener("click",function(){
        var errBr = 0;
        var j = 1;
        for(let i= 0; i <formRadio.length; i++){</pre>
            if(formRadio[i].checked){
```

```
formRadio[2].nextElementSibling.nextElementSibling.classList.remo
ve("errShow");
                formRadio[2].nextElementSibling.nextElementSibling.classList.add(
"errHide");
                j=0
                break;
            }
            else{
                formRadio[2].nextElementSibling.nextElementSibling.classList.remo
ve("errHide");
                formRadio[2].nextElementSibling.nextElementSibling.classList.add(
"errShow");
                <u>j</u> = 1
            }
        errBr += j;
        j=1
        if(formCheck.checked){
            formCheck.nextElementSibling.nextElementSibling.classList.remove("err
Show");
            formCheck.nextElementSibling.nextElementSibling.classList.add("errHid
e");
            j=0;
        }
        else{
            formCheck.nextElementSibling.nextElementSibling.classList.remove("err
Hide");
            formCheck.nextElementSibling.nextElementSibling.classList.add("errSho
w");
            j=1;
        errBr += j;
        errBr += textCheck(regTitle,formTitle);
        errBr += textCheck(regMail,formMail);
        errBr += textCheck(regName, formName);
        errBr += textCheck(regMsg,formMsg);
        if(!errBr){
            formBtn.nextElementSibling.classList.remove("succHide");
            formBtn.nextElementSibling.classList.add("succShow");
        }
        else{
            formBtn.nextElementSibling.classList.remove("succShow");
            formBtn.nextElementSibling.classList.add("succHide");
```

```
}
})

//Functions

function textCheck(reg,val){
    if(reg.test(val.value)){
        val.nextElementSibling.classList.remove("errShow");
        val.nextElementSibling.classList.add("errHide");
        return 0;
    }
    else{
        val.nextElementSibling.classList.remove("errHide");
        val.nextElementSibling.classList.add("errShow");
        return 1;
    }
}
```

- custom.js (template)

```
(function ($) {
    "use strict";

// Page loading animation
$(window).on('load', function() {
    $('#js-preloader').addClass('loaded');
});

$(window).scroll(function() {
    var scroll = $(window).scrollTop();
    var box = $('.header-text').height();
    var header = $('header').height();

    if (scroll >= box - header) {
        $("header").addClass("background-header");
    } else {
        $("header").removeClass("background-header");
}
```

```
});
$('.filters ul li').click(function(){
    $('.filters ul li').removeClass('active');
    $(this).addClass('active');
      var data = $(this).attr('data-filter');
      $grid.isotope({
        filter: data
      })
    });
    var $grid = $(".grid").isotope({
        itemSelector: ".all",
        percentPosition: true,
        masonry: {
        columnWidth: ".all"
   }
})
var width = $(window).width();
    $(window).resize(function() {
        if (width > 992 && $(window).width() < 992) {</pre>
            location.reload();
        else if (width < 992 && $(window).width() > 992) {
            location.reload();
        }
})
$(document).on("click", ".naccs .menu div", function() {
    var numberIndex = $(this).index();
    if (!$(this).is("active")) {
        $(".naccs .menu div").removeClass("active");
        $(".naccs ul li").removeClass("active");
        $(this).addClass("active");
        $(".naccs ul").find("li:eq(" + numberIndex + ")").addClass("active");
        var listItemHeight = $(".naccs ul")
            .find("li:eq(" + numberIndex + ")")
            .innerHeight();
```

```
$(".naccs ul").height(listItemHeight + "px");
});
$('.owl-features').owlCarousel({
    items:3,
    loop:true,
    dots: false,
    nav: true,
    autoplay: true,
    margin:30,
    responsive:{
          0:{
              items:1
          },
          800:{
              items:2
          },
          1000:{
              items:3
          },
          1800:{
            items:4
        }
})
$('.owl-collection').owlCarousel({
    items:3,
    loop:true,
    dots: false,
    nav: true,
    autoplay: true,
    margin:30,
    responsive:{
          0:{
              items:1
          },
          800:{
              items:2
          },
          1000:{
              items:3
        }
```

```
})
    $('.owl-banner').owlCarousel({
        items:1,
        loop:true,
        dots: false,
        nav: true,
        autoplay: true,
        margin:30,
        responsive:{
              0:{
                  items:1
              },
              600:{
                  items:1
              },
              1000:{
                  items:1
            }
       }
    })
    if($('.menu-trigger').length){
        $(".menu-trigger").on('click', function() {
            $(this).toggleClass('active');
            $('.header-area .nav').slideToggle(200);
        });
    }
    $('.scroll-to-section a[href*=\\#]:not([href=\\#])').on('click', function() {
        if (location.pathname.replace(/^\//,'') ==
this.pathname.replace(/^\//,'') && location.hostname == this.hostname) {
            var target = $(this.hash);
            target = target.length ? target : $('[name=' + this.hash.slice(1)])
+']');
            if (target.length) {
                var width = $(window).width();
                if(width < 991) {</pre>
```

```
$('.menu-trigger').removeClass('active');
                $('.header-area .nav').slideUp(200);
            }
            $('html,body').animate({
                scrollTop: (target.offset().top) - 80
            }, 700);
            return false;
        }
    }
});
           menu = target;
               scrollTop: (target.offset().top) - 79
               window.location.hash = target;
               currLink.addClass("active");
```

```
$(window).on('load', function() {
        if($('.cover').length){
            $('.cover').parallax({
                imageSrc: $('.cover').data('image'),
                zIndex: '1'
            });
        }
        $("#preloader").animate({
            'opacity': '0'
        }, 600, function(){
            setTimeout(function(){
                $("#preloader").css("visibility", "hidden").fadeOut();
            }, 300);
        });
    });
    const dropdownOpener = $('.main-nav ul.nav .has-sub > a');
    if (dropdownOpener.length) {
        dropdownOpener.each(function () {
            var _this = $(this);
            _this.on('tap click', function (e) {
                var thisItemParent = _this.parent('li'),
                    thisItemParentSiblingsWithDrop =
thisItemParent.siblings('.has-sub');
                if (thisItemParent.hasClass('has-sub')) {
                    var submenu = thisItemParent.find('> ul.sub-menu');
                    if (submenu.is(':visible')) {
                        submenu.slideUp(450, 'easeInOutQuad');
```

```
thisItemParent.removeClass('is-open-sub');
                    } else {
                        thisItemParent.addClass('is-open-sub');
                        if (thisItemParentSiblingsWithDrop.length === 0) {
                            thisItemParent.find('.sub-menu').slideUp(400,
'easeInOutQuad', function () {
                                submenu.slideDown(250, 'easeInOutQuad');
                            });
                        } else {
                            thisItemParent.siblings().removeClass('is-open-
sub').find('.sub-menu').slideUp(250, 'easeInOutQuad', function () {
                                submenu.slideDown(250, 'easeInOutQuad');
                            });
                        }
                }
                e.preventDefault();
            });
        });
    }
})(window.jQuery);
```