


Assalomu alaykum aziz do'stlar bugungi darsimizda Ismlar kitobi dasturini yaratishni o'rganasiz.

Boshladk.

1. Avvola 1 – qadamda Loyihani Empty views Activity ochamiz keyin res new Android Resource File ochamiz



Keyin nom beramiz misol uchun mydb.db va ok bosamiz va joylashtiramiz.

2.Keying qadamda res new Layout Resources File ochamiz keyin kerakli xml yaratamiz.

1.activity_main yaratamiz .

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.drawerlayout.widget.DrawerLayout
xmlns:android="http://schemas.android.com/apk/res/android"
xmlns:app="http://schemas.android.com/apk/res-auto"
    android:id="@+id/drawerLayout"
    android:layout_width="match_parent"
    android:layout_height="match_parent">
```

```
<androidx.constraintlayout.widget.Constraint  
Layout
```

```
android:layout_width="match_parent"
```

```
android:layout_height="match_parent">
```

```
<com.google.android.material.appbar.AppBar  
Layout
```

```
    android:id="@+id/appBar"
```

```
android:layout_width="0dp"
```

```
android:layout_height="wrap_content"
```

```
app:layout_constraintTop_toTopOf="parent"
```

```
app:layout_constraintStart_toStartOf="parent"
```

```
app:layout_constraintEnd_toEndOf="parent">
```

```
<com.google.android.material.appbar.Material
```

Toolbar

android:id="@+id/mainToolbar"

android:layout_width="match_parent"

android:layout_height="?attr/actionBarSize"

android:background="#2196F3"

app:navigationIcon="@drawable/ic_menu"

app:title="@string/app_name"

app:titleCentered="false"

app:titleTextColor="@android:color/white"/>

<com.google.android.material.textfield.TextInputLayout

android:layout_width="match_parent"

```
android:layout_height="wrap_content"  
android:layout_margin="16dp"  
app:endIconMode="clear_text">
```

```
<com.google.android.material.textfield.TextInput  
EditText
```

```
android:id="@+id/editText"
```

```
android:layout_width="match_parent"
```

```
android:layout_height="48dp"
```

```
android:hint="@string/name_search"
```

```
android:inputType="textPersonName"/>
```

```
</com.google.android.material.textfield.TextInput  
Layout>
```

```
</com.google.android.material.appbar.AppBar  
Layout>
```

```
<androidx.recyclerview.widget.RecyclerView  
android:id="@+id/recyclerView"  
android:layout_width="0dp"  
android:layout_height="0dp"  
android:padding="8dp"  
app:layout_constraintTop_toBottomOf="@id/  
appBar"  
app:layout_constraintBottom_toBottomOf="p  
arent"
```

```
app:layout_constraintStart_toStartOf="parent"
```

```
app:layout_constraintEnd_toEndOf="parent"/  
>
```

```
</androidx.constraintlayout.widget.Constraint
```

Layout>

```
<com.google.android.material.navigation.NavigationView
android:id="@+id/navigationView"
android:layout_width="300dp"
android:layout_height="match_parent"
android:layout_gravity="start"
app:headerLayout="@layout/nav_header"
app:menu="@menu/menu"/>
</androidx.drawerlayout.widget.DrawerLayout>
```

2.activity_splash yaratamiz.

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.Constraint
Layout
```

xmlns:android="http://schemas.android.com/apk/res/android"

xmlns:app="http://schemas.android.com/apk/res-auto"

xmlns:tools="http://schemas.android.com/tools"

android:layout_width="match_parent"
android:layout_height="match_parent"
android:background="@drawable/splash_wave" tools:context=".MainActivity">

<ImageView
android:id="@+id/splashImage"
android:layout_width="130dp"
android:layout_height="130dp"

app:layout_constraintBottom_toBottomOf="parent"

app:layout_constraintEnd_toEndOf="parent"

app:layout_constraintStart_toStartOf="parent"

app:layout_constraintTop_toTopOf="parent"

app:srcCompat="@drawable/nav_logo"

/>

<TextView

android:id="@+id/name"

android:layout_width="match_parent"

android:layout_height="wrap_content"

android:layout_marginTop="460dp"

android:layout_marginLeft="5dp"

android:layout_marginRight="5dp"

android:gravity="center"

android:textSize="24sp"

app:layout_constraintEnd_toEndOf="parent"

app:layout_constraintHorizontal_bias="0.498"

```
app:layout_constraintStart_toStartOf="parent"
```

```
app:layout_constraintTop_toTopOf="parent"
```

```
/>
```

```
</androidx.constraintlayout.widget.Constraint  
Layout>
```

3.activity_detail yaratamiz.

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<LinearLayout
```

```
xmlns:android="http://schemas.android.com/a  
pk/res/android"
```

```
xmlns:app="http://schemas.android.com/apk/r  
es-auto"
```

```
android:layout_width="match_parent"
```

```
android:layout_height="match_parent"
android:orientation="vertical"
    android:background="#F3F3F3">
```

```
<com.google.android.material.appbar.Material
Toolbar
```

```
android:id="@+id/detailToolbar"
    android:layout_width="match_parent"
```

```
android:layout_height="?attr/actionBarSize"
android:background="#2196F3"
app:navigationIcon="@drawable/ic_arrow"
app:title="@string/app_name"
app:titleCentered="false"
```

```
app:titleTextColor="@android:color/white"/>
```

```
<ScrollView
```

```
android:layout_width="match_parent"
android:layout_height="match_parent"
android:background="#F3F3F3">
```

```
<LinearLayout
android:layout_width="match_parent"
android:layout_height="wrap_content"
android:orientation="vertical"
    android:padding="16dp">
```

```
<androidx.cardview.widget.CardView

android:layout_width="match_parent"
android:layout_height="wrap_content"
android:layout_marginTop="10dp"
app:cardCornerRadius="12dp"
    app:cardElevation="3dp">
```

```
<LinearLayout
android:layout_width="match_parent"

android:layout_height="wrap_content"
    android:orientation="vertical"
android:padding="20dp">
```

<!-- Name -->

<TextView

android:id="@+id/tvName"

android:layout_width="wrap_content"

android:layout_height="wrap_content"

android:layout_gravity="center"

android:text="Name"

android:textColor="#333333"

android:textSize="26sp"

android:textStyle="bold" />

<!-- Gender -->

<TextView

android:id="@+id/tvGender"

android:layout_width="wrap_content"

```
android:layout_height="wrap_content"
        android:layout_gravity="end"
```

```
android:layout_marginTop="25dp"
        android:text="Gender"
android:textColor="#FF6A00"
android:textSize="22sp" />
```

```
<!-- Shapes -->
```

```
<TextView
        android:id="@+id/tvShape"
android:layout_width="match_parent"

android:layout_height="wrap_content"

android:layout_marginTop="25dp"
        android:text="SHAKLLARI:"
android:textColor="#444444"
android:textSize="20sp" />                                <!--
Origin -->                                <TextView
```

android:id="@+id/tvOrigin"

android:layout_width="match_parent"

android:layout_height="wrap_content"

android:layout_marginTop="8dp"

android:text="KELIB

CHIQISHI:"

android:textColor="#444444"

android:textSize="20sp" />

<!-- Meaning title -->

<TextView

android:layout_width="wrap_content"

android:layout_height="wrap_content"

```
android:layout_marginTop="28dp"  
android:textColor="#333333"  
android:textSize="22sp"  
android:textStyle="bold" />
```

```
<!-- Meaning -->
```

```
<TextView  
    android:id="@+id/tvMeaning"  
  
    android:layout_width="match_parent"  
  
    android:layout_height="wrap_content"  
  
    android:layout_marginTop="10dp"  
  
    android:lineSpacingExtra="4dp"  
    android:text="Meaning"  
    android:textColor="#444444"  
    android:textSize="20sp" />
```

</LinearLayout>

</androidx.cardview.widget.CardView>

</LinearLayout>

</ScrollView>

</LinearLayout>

4.activity_favorite yaratamiz.

<?xml version="1.0" encoding="utf-8"?>

<LinearLayout

xmlns:android="http://schemas.android.com/apk/res/android"

xmlns:app="http://schemas.android.com/apk/res-auto"

android:layout_width="match_parent"

android:layout_height="match_parent"

android:orientation="vertical">

<com.google.android.material.appbar.Material
Toolbar

android:id="@+id/toolbar"

android:layout_width="match_parent"

android:layout_height="?attr/actionBarSize"

android:background="#2196F3"

app:navigationIcon="@drawable/ic_arrow"

app:title="@string/favorite_title"

app:titleTextColor="@android:color/white"/>

<com.google.android.material.textfield.TextInput
Layout

android:layout_width="match_parent"

android:layout_height="wrap_content"

android:layout_margin="12dp"

app:endIconMode="clear_text">

```
<com.google.android.material.textfield.TextInput  
putEditText
```

```
    android:id="@+id/editText"  
    android:layout_width="match_parent"  
    android:layout_height="48dp"  
    android:hint="@string/search_hint"/>
```

```
</com.google.android.material.textfield.TextInput  
Layout>
```

```
    <FrameLayout  
        android:layout_width="match_parent"  
        android:layout_height="match_parent">  
        <androidx.recyclerview.widget.RecyclerView  
            android:id="@+id/recyclerView"  
            android:layout_width="match_parent"  
  
            android:layout_height="match_parent"/>
```

```
<TextView
android:id="@+id/txtEmpty"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_gravity="center"
android:text="@string/favorite_empty"
android:textSize="20sp"
android:textStyle="bold"
android:visibility="gone" />
</FrameLayout>
```

```
</LinearLayout>
```

5.activity_settings yaratamiz.

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout
```

```
xmlns:android="http://schemas.android.com/a
pk/res/android"
```

```
android:layout_width="match_parent"
android:layout_height="match_parent"
    android:orientation="vertical">
```

```
    <androidx.appcompat.widget.Toolbar
android:id="@+id/toolbar"
android:layout_width="match_parent"
android:layout_height="wrap_content"
android:background="?attr/colorPrimary"
```

```
android:titleTextColor="@android:color/white"
"
```

```
android:theme="@style/ThemeOverlay.AppC
ompat.Dark.ActionBar"
```

```
android:layout_alignParentTop="true"/>
```

```
<FrameLayout
```

```
android:id="@+id/settings_container"
```

```
android:layout_width="match_parent"
```

```
    android:layout_height="match_parent"/>
```

```
</LinearLayout>
```

6.bottom_language yaratamiz.

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout
xmlns:android="http://schemas.android.com/a
pk/res/android"
android:layout_width="match_parent"
android:layout_height="wrap_content"
android:orientation="vertical"
    android:padding="20dp">
```

```
    <LinearLayout
android:layout_width="match_parent"
android:layout_height="wrap_content"
android:orientation="horizontal">
```

```
        <TextView
android:id="@+id/LangTitle"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
```

```
        android:text="Tilni tanlang"
        android:gravity="center"
        android:layout_weight="1"
        android:textSize="20sp"
        android:textStyle="bold"

        android:layout_marginBottom="16dp"/>
<ImageView
    android:id="@+id/imgClose"
    android:layout_width="28dp"
    android:layout_height="28dp"
    android:layout_gravity="end"

    android:foreground="@drawable/border"
    android:src="@drawable/ic_close"
    android:background="?attr/selectableItemBackgroundBorderless"
    android:padding="4dp"/>
</LinearLayout>
```

```
<TextView
android:id="@+id/txtUz"
android:layout_width="match_parent"
android:layout_height="48dp"
android:gravity="center_vertical"
android:drawablePadding="12dp"
android:text="UZ O'zbek"
android:paddingHorizontal="16dp"
android:clickable="true"
android:focusable="true"

android:background="?attr/selectableItemBack
ground"/>
```

```
<TextView
    android:id="@+id/txtRu"
    android:layout_width="match_parent"
    android:layout_height="48dp"
    android:drawablePadding="12dp"
    android:gravity="center_vertical"
    android:text="RU Русский"
```

android:paddingHorizontal="16dp"

android:clickable="true"

android:focusable="true"

android:background="?attr/selectableItemBackground"/>

<TextView

android:id="@+id/txtEn"

android:layout_width="match_parent"

android:layout_height="48dp"

android:drawablePadding="12dp"

android:gravity="center_vertical"

android:text="GB English"

android:paddingHorizontal="16dp"

android:clickable="true"

android:focusable="true"

android:background="?attr/selectableItemBackground"/>

</LinearLayout>

7.dialog_about yarataiz.

<?xml version="1.0" encoding="utf-8"?>

<LinearLayout

xmlns:android="http://schemas.android.com/a
pk/res/android"

android:layout_width="match_parent"

android:layout_height="wrap_content"

android:orientation="vertical"

android:padding="20dp">

<LinearLayout

android:layout_width="match_parent"

android:layout_height="wrap_content"

android:orientation="horizontal">

<TextView

android:id="@+id/LangTitle"

```
android:layout_width="wrap_content"
android:layout_height="wrap_content"
    android:text="Tilni tanlang"
android:gravity="center"
android:layout_weight="1"
android:textSize="20sp"
android:textStyle="bold"

android:layout_marginBottom="16dp"/>
```

```
    <ImageView
android:id="@+id/imgClose"
android:layout_width="28dp"
android:layout_height="28dp"
android:layout_gravity="end"

android:foreground="@drawable/border"
android:src="@drawable/ic_close"
```

```
android:background="?attr/selectableItemBack  
groundBorderless"  
android:padding="4dp"/>  
</LinearLayout>
```

```
<TextView  
android:id="@+id/txtUz"  
android:layout_width="match_parent"  
android:layout_height="48dp"  
android:gravity="center_vertical"  
android:drawablePadding="12dp"  
android:text="UZ O'zbek"  
android:paddingHorizontal="16dp"  
android:clickable="true"  
android:focusable="true"
```

```
android:background="?attr/selectableItemBack  
ground"/>
```

```
<TextView
```

```
        android:id="@+id/txtRu"  
        android:layout_width="match_parent"  
        android:layout_height="48dp"  
        android:drawablePadding="12dp"  
        android:gravity="center_vertical"  
        android:text="RU Русский"  
        android:paddingHorizontal="16dp"  
        android:clickable="true"  
        android:focusable="true"  
  
        android:background="?attr/selectableItemBack  
ground"/>
```

```
<TextView  
        android:id="@+id/txtEn"  
        android:layout_width="match_parent"  
        android:layout_height="48dp"  
        android:drawablePadding="12dp"  
        android:gravity="center_vertical"  
        android:text="GB English"  
        android:paddingHorizontal="16dp"
```

```
android:clickable="true"  
android:focusable="true"
```

```
android:background="?attr/selectableItemBack  
ground"/>
```

```
</LinearLayout>
```

8.item_name yaratamiz.

```
<?xml version="1.0" encoding="utf-8"?>  
<androidx.cardview.widget.CardView
```

```
xmlns:android="http://schemas.android.com/a  
pk/res/android"
```

```
xmlns:app="http://schemas.android.com/apk/r  
es-auto"
```

```
android:layout_width="match_parent"  
android:layout_height="wrap_content"
```

```
android:layout_margin="8dp"  
app:cardCornerRadius="12dp"  
app:cardElevation="4dp">
```

```
<LinearLayout
```

```
android:layout_width="match_parent"  
android:layout_height="wrap_content"
```

```
android:background="?attr/selectableItemBack  
ground"
```

```
    android:orientation="vertical"  
    android:padding="16dp">
```

```
<TextView
```

```
android:id="@+id/txtName"  
android:layout_width="wrap_content"  
android:layout_height="wrap_content"  
android:text="Abdulloh"  
android:textColor="#000000"  
android:textSize="18sp"  
    android:textStyle="bold"/>
```

```
<TextView
android:id="@+id/txtGender"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_marginTop="4dp"
android:text="Erkak"
android:textColor="#666666"
    android:textSize="14sp"/>
```

```
</LinearLayout>
```

```
</androidx.cardview.widget.CardView>
```

9.nav_header yaratamiz.

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout
xmlns:android="http://schemas.android.com/a
pk/res/android"
```

```
android:layout_width="match_parent"  
android:layout_height="190dp"  
android:background="#2196F3"  
android:gravity="bottom"  
android:orientation="vertical"  
android:padding="16dp">
```

```
<ImageView  
android:layout_width="88dp"  
android:layout_height="88dp"  
android:layout_marginBottom="12dp"  
android:padding="8dp"  
android:src="@drawable/nav_logo"  
    android:scaleType="centerCrop" />
```

```
<TextView  
android:layout_width="wrap_content"  
android:layout_height="wrap_content"  
android:text="@string/app_name"
```

```
        android:textColor="@android:color/white"
        android:textSize="22sp"
        android:textStyle="bold" />
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="@string/name_dictionary"
    android:textColor="#E3F2FD"
    android:textSize="14sp"
    android:layout_marginTop="2dp"/>

</LinearLayout>
```

Barcha xml kodlarni yozib bo'lgach res menu yaratib olamiz

1.detail_menu yaratamiz.

```
<?xml version="1.0" encoding="utf-8"?>
<menu
```

```
xmlns:android="http://schemas.android.com/a  
pk/res/android"  
xmlns:app="http://schemas.android.com/apk/r  
es-auto">
```

```
<item  
android:id="@+id/menu_copy"  
android:icon="@drawable/ic_copy"  
android:title="@string/copy"  
    app:showAsAction="ifRoom"/>
```

```
<item  
    android:id="@+id/menu_favorite"  
  
android:icon="@drawable/ic_favorite_border"  
android:title="@string/favorite"  
    app:showAsAction="ifRoom"/>
```

```
<item  
android:id="@+id/menu_share"
```

```
android:icon="@drawable/ic_share"  
android:title="@string/share"  
    app:showAsAction="ifRoom"/>  
  
</menu>
```

2.header_menu yaratamiz.

```
<?xml version="1.0" encoding="utf-8"?>  
<menu  
    xmlns:android="http://schemas.android.com/a  
pk/res/android">  
  
    <group  
        android:checkableBehavior="none">  
  
        <item  
            android:id="@+id/nav_home"  
            android:icon="@drawable/ic_home"  
            android:title="@string/home"/>
```

```

    <item
android:id="@+id/nav_settings"
android:icon="@drawable/ic_settings"
android:title="@string/settings"/>
  </group>
  <item android:title="@string/other">
    <menu>
      <item
android:id="@+id/nav_share"
android:icon="@drawable/ic_share"
android:title="@string/share"/>
      <item
android:id="@+id/nav_exit"
android:icon="@drawable/ic_exit"
android:title="@string/exit"/>
    </menu>
  </item> </menu>

```

Ularni ham yozib bo'lgach res xml ga o'tamiz

1.provider_path yaratamiz

```
<?xml version="1.0" encoding="utf-8"?>
<paths>
    <external-path name="external_files"
path="."/>
    <root-path name="root" path="."/>
</paths>
```

2.settings.xml yaratamiz.

```
<?xml version="1.0" encoding="utf-8"?>
<PreferenceScreen

xmlns:android="http://schemas.android.com/a
pk/res/android">

    <PreferenceCategory
        android:title="@string/general">
```

```
<Preference
android:key="language"
    android:title="@string/lang"

android:summary="@string/chooice_language
"/>
```

```
</PreferenceCategory>
<PreferenceCategory
    android:title="@string/application">
```

```
<Preference            android:key="share"
android:title="@string/share"

android:summary="@string/share_friend"/>
```

```
<Preference            android:key="fav"
android:title="@string/nav_favorite"
    android:summary="@string/fav"/>
```

```
<Preference                android:key="about"
android:title="@string/about"

android:summary="@string/about_summary"/
>
```

```
</PreferenceCategory>
```

```
</PreferenceScreen>
```

Ularni ham yozib bo'lgach res values ga
o'taaiz

1.strings_uz yaratamiz

```
<?xml version="1.0" encoding="utf-8" ?>
<resources>
```

<string name="app_name">Ismlar
kitobi</string>

<string name="favorite_title">Sevimli
ismlar</string>

<string
name="name_dictionary">O\'zbekcha ismlar
lug\'ati</string>

<string
name="search_hint">Qidirish</string>
<string name="favorite_empty">Sevimli
ismlar yo\'q</string>

<string
name="favorite_not_found">Sevimlilarda
mavjud emas</string>

<string
name="favorite_added">Sevimlilarga
qo\'shildi</string>

<string
name="favorite_removed">Sevimlilardan
o\'chirildi</string>

<string

name="copied">Nusxalandi</string>
<string name="share">Ulashish</string>
 <string name="copy">Nusxalash</string>
 <string name="favorite">Sevimli</string>
 <string name="home">Bosh sahifa</string>
 <string
name="favorites">Sevimlilar</string>
<string name="other">Boshqa</string>
 <string name="exit">Chiqish</string>
 <string name="general">Umumiy</string>
 <string name="application">Ilova</string>
<string name="lang">Til</string>
<string name="chooice_language">Ilova tilini
tanlang</string>
 <string name="share_friend">Ilovani
do\'stlaringiz bilan ulashing</string>
 <string
name="nav_favorite">Sevimlilar</string>
<string name="fav">Sevimli ismlarni
ko\'rish</string>

<string name="about">Ilova
haqida</string>

<string name="version">1.0</string>
<string name="vibration_on">Tebranish
yoqildi</string>

<string name="vibration_off">Tebranish
o\'chirildi</string>

<string
name="settings">Sozlamalar</string>
<string name="select_language">Tilni
tanlang</string>

<string name="favorite_just_removed">Bu
sevimlini hozir o\'chirdingiz</string>

<string
name="favorite_removed_earlier">Bu
sevimlini biroz oldin o\'chirdingiz</string>
<string name="name_search">Ismni
kiriting...</string>

<string name="about_summary">Ilova
haqida ma\'lumot</string>

```
<string name="about_text">Ushbu dastur  
o'zbek ismlarining ma'nosi, kelib chiqishi va  
shakllari haqida ma'lumot berish uchun  
yaratilgan. Ilova qulay qidiruv, sevimlilar  
ro'yxati va tezkor navigatsiya imkoniyatlarini  
taqdim etadi.</string> </resources>
```

2.strings_ru yaratamiz.

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<resources>
```

```
  <string name="app_name">Книга  
имен</string>
```

```
  <string name="favorite_title">Избранные  
имена</string>
```

```
  <string name="name_dictionary">Словарь  
узбекских имен</string>
```

```
  <string
```

name="search_hint">Поиск</string>

<string name="favorite_empty">Нет

избранных имен</string>

<string name="favorite_not_found">В

избранном не найдено</string>

<string name="favorite_added">Добавлено
в избранное</string>

<string
name="favorite_removed">Удалено из
избранного</string>

<string
name="copied">Скопировано</string>

<string
name="share">Поделиться</string>

<string
name="copy">Копировать</string>

<string
name="favorite">Избранное</string>
<string name="home">Главная</string>

<string
name="favorites">Избранное</string>
<string name="other">Другое</string>

<string name="exit">Выход</string>

<string name="general">Общие</string>

<string

<string
name="application">Приложение</string>
<string name="lang">Язык</string>
name="chooice_language">Выберите язык
приложения</string>

<string name="share_friend">Поделитесь
приложением с друзьями</string>

<string
name="nav_favorite">Избранное</string>
<string name="fav">Посмотреть
избранное</string> <string
name="about">О приложении</string>
<string name="version">1.0</string>
<string name="vibration_on">Вибрация
включена</string>

<string
name="vibration_off">Вибрация</string>

<string

<string

name="settings">Настройки</string>
<string name="select_language">Выберите
язык</string>

<string name="favorite_just_removed">Вы
только что удалили это из
избранного</string>

name="favorite_removed_earlier">Вы
недавно удалили это имя из
избранного</string>

<string name="name_search">Введите
имя...</string>

<string name="about_summary">О
приложении</string>

<string name="about_text">Данное
приложение создано для предоставления
информации о значении, происхождении и
формах узбекских имен. Приложение
предлагает удобный поиск, список
избранного и быструю навигацию.</string>

</resources>

<string

3.strings_en yaratamiz.

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<resources>
```

```
    <string
```

```
name="app_name">Namebook</string>
```

```
        name="favorite_title">Favorite
```

```
Names</string>
```

```
    <string name="name_dictionary">Uzbek  
names dictionary</string>
```

```
    <string
```

```
name="search_hint">Search</string>
```

```
<string name="favorite_empty">No favorite  
names</string>
```

```
    <string name="favorite_not_found">Not  
found in favorites</string>
```

```
    <string name="favorite_added">Added to  
favorites</string>
```

```
    <string
```

```
<string
name="favorite_removed">Removed from
favorites</string>

<string name="copied">Copied</string>
<string name="share">Share</string>
<string name="copy">Copy</string>
<string name="favorite">Favorite</string>
<string name="home">Home</string>
<string
name="favorites">Favorites</string>
<string name="other">Other</string>
    name="exit">Exit</string>
<string name="general">General</string>
<string
name="application">Application</string>
<string name="lang">Language</string>
<string name="chooice_language">Select the
application language</string>    <string

<string
```

name="share_friend">Share the application
with your friends</string>

<string
name="nav_favorite">Favorites</string>
<string name="fav">View your
favorites</string>

<string name="about">About the
application</string>

<string name="version">1.0</string>
<string name="vibration_on">Vibration
on</string>

<string name="vibration_off">Vibration
off</string>

<string name="settings">Settings</string>

<string name="select_language">Select
Language</string>

<string

```
name="favorite_just_removed">You just  
removed this favorite</string>
```

```
<string  
name="favorite_removed_earlier">You  
removed this favorite a little while  
ago</string>
```


```
<string name="name_search">Enter  
name...</string>
```

```
<string name="about_summary">App  
information</string>
```

```
<string name="about_text">This  
application was created to provide information  
about the meanings, origins, and variations of  
Uzbek names. The app offers convenient  
search, a favorites list, and fast  
navigation.</string> </resources>
```

Ularni ham yozib bo'lgach Java qismiga
o'tamiz.

1.paket ustiga o'ng tugma bosib papka yaratib



olamiz

Va nom beramiz va papka o'ng tomonga Java fayll yaratamiz va nomini NameAdapter qo'yamiz.

```
1. package uz.mahmud.ismlarkitobi.adapter;  
import android.content.Context; import  
android.content.Intent; import  
android.view.LayoutInflater; import  
android.view.View; import  
android.view.ViewGroup; import  
android.widget.TextView; import  
android.widget.Filter;  
import android.widget.Filterable;
```

```
import androidx.annotation.NonNull; import  
androidx.recyclerview.widget.RecyclerView;
```

```
import java.util.ArrayList;
```

```
import  
uz.mahmud.ismlarkitobi.DetailActivity;  
import uz.mahmud.ismlarkitobi.R;  
import uz.mahmud.ismlarkitobi.model.Model;
```

```
public class NameAdapter extends  
RecyclerView.Adapter<NameAdapter.ViewH  
older> implements Filterable {
```

```
    private Context context;    private  
    ArrayList<Model> list;    private  
    ArrayList<Model> fullList;  
    private OnItemLongClick listener;
```

```
    public NameAdapter(Context context,  
    ArrayList<Model> list, OnItemLongClick  
    listener) {
```

```
        this.context = context;        this.list  
= list;        this.fullList = new  
ArrayList<>(list);  
        this.listener=listener;  
    }
```

```
    public interface OnItemLongClick {  
    void onLongClick(Model model);  
    }
```

```
    @NonNull
    @Override    public
ViewHolder
onCreateViewHolder
(@NonNull
ViewGroup parent,
int viewType) {
    View view =
LayoutInflater.from(context).inflate(R.layout.i
tem_name, parent, false);
    return new ViewHolder(view);
}
```

```
    @Override
    public void onBindViewHolder(@NonNull
ViewHolder holder, int position) {

        Model model = list.get(position);
```

```
holder.txtName.setText(model.getName());
```

```
holder.txtGender.setText(model.getGender());
```

```
holder.itemView.setOnClickListener(v ->  
{
```

```
    Intent intent = new Intent(context,  
    DetailActivity.class);
```

```
        intent.putExtra("name",  
model.getName());
```

```
        intent.putExtra("gender",  
model.getGender());
```

```
        intent.putExtra("desc",  
model.getDesc());
```

```
        intent.putExtra("nomid",  
model.getNomid());
```

```
        context.startActivity(intent);
```

```
});
```

```
holder.itemView.setOnLongClickListener(v >  
{
```

```
    listener.onLongClick(model);
```

```
    return true;
```

```
});
```

```
}
```

```
@Override    public int  
getItemCount() {    return list.size();  
}
```

```
public static class ViewHolder extends  
RecyclerView.ViewHolder {
```

```
        TextView txtName, txtGender;

        public ViewHolder(@NonNull View
itemView) {
            super(itemView);

            txtName =
itemView.findViewById(R.id.txtName);
            txtGender =
itemView.findViewById(R.id.txtGender);
        }
    }

    @Override    public
Filter getFilter() {
        return filter;
    }

    public void updateData(ArrayList<Model>
newList) {
        list.clear();
        list.addAll(newList);
    }
}
```

```
fullList.clear();  
fullList.addAll(newList);  
  
notifyDataSetChanged();  
}
```

```
private final Filter filter = new Filter() {  
  
    @Override    protected  
    FilterResults  
    performFiltering(CharSequence constraint) {  
        ArrayList<Model> filteredList = new  
        ArrayList<>();  
  
        if (constraint == null ||  
constraint.length() == 0) {  
            filteredList.addAll(fullList);  
  
            } else {
```

```
        String filterPattern =  
constraint.toString().toLowerCase().trim();  
  
        for (Model item : fullList) {  
  
            if (item.getName() != null &&  
  
item.getName().toLowerCase().contains(filter  
Pattern)) {  
filteredList.add(item);  
                }  
            }  
        }  
  
        FilterResults results = new  
FilterResults();  
        results.values = filteredList;  
return results;  
    }
```

```
        @Override
protected void
publishResults(CharSequence constraint,
FilterResults results) {

    list.clear();

        list.addAll((ArrayList<Model>)
results.values);
    notifyDataSetChanged();
    }
}; }
```

Boshqa yana o'sha usuldan foydalanib 2 papka yaratib olamizz va ularga ham nom beramiz

```
2. package uz.mahmud.ismlarkitobi.helper;
```

```
import android.content.Context; import
android.database.Cursor; import
```

```
android.database.sqlite.SQLiteDatabase;  
import  
android.database.sqlite.SQLiteOpenHelper;
```

```
import java.io.File; import  
java.io.FileOutputStream; import  
java.io.IOException; import  
java.io.InputStream; import  
java.io.OutputStream;  
import java.util.ArrayList;
```

```
import uz.mahmud.ismlarkitobi.model.Model;
```

```
public class DatabaseHelper extends  
SQLiteOpenHelper {
```

```
    private static final String  
DATABASE_NAME = "database.db";  
    private static final int  
DATABASE_VERSION = 1;
```

```
private final Context context;
private SQLiteDatabase database;

public DatabaseHelper(Context context) {
    super(context, DATABASE_NAME, null,
        DATABASE_VERSION);
    this.context = context;
}

@Override
public void onCreate(SQLiteDatabase db) {

}

@Override    public void
onUpgrade(SQLiteDatabase db, int
oldVersion, int newVersion) {

}
```

```
public void createDatabase() throws  
IOException {
```

```
    if (!checkDatabase()) {
```

```
        this.getReadableDatabase();  
this.close();
```

```
        copyDatabase();  
    }  
}
```

```
private boolean checkDatabase() {
```

```
    File dbFile =  
context.getDatabasePath(DATABASE_NAME)  
;    return  
dbFile.exists();  
}
```

```
priv
```

ate
void
copy
Data
base
(
thro
ws
IOE
xcep
tion
{

```
        InputStream inputStream =  
context.getAssets().open(DATABASE_NAME)  
;
```

```
        String outFileName =  
context.getDatabasePath(DATABASE_NAME)  
.getPath();
```

```
File file = new
File(context.getDatabasePath(DATABASE_NAME).getParent());
    if (!file.exists())
{
    file.mkdirs();
}
```

```
OutputStream outputStream = new
FileOutputStream(outFileName);
```

```
byte[] buffer = new byte[1024];
int length;
```

```
while ((length =
inputStream.read(buffer)) > 0) {
outputStream.write(buffer, 0, length);
}
```

```
outputStream.flush();
outputStream.close();
inputStream.close();
```

```
}
```

```
public void openDatabase() {
```

```
    String path =  
context.getDatabasePath(DATABASE_NAME)  
.getPath();
```

```
    database =  
SQLiteDatabase.openDatabase(  
        path,          null,
```

```
SQLiteDatabase.OPEN_READWRITE  
    );
```

```
}
```

```
// nom jadvali
```

```
    public ArrayList<Model> getNomList() {  
ArrayList<Model> list = new  
ArrayList<>();
```

```
Cursor cursor =  
database.rawQuery("SELECT * FROM nom",  
null);
```

```
while (cursor.moveToNext()) {
```

```
    Model model = new Model();
```

```
    model.setId(cursor.getInt(cursor.getColumnIndexOrThrow("_id")));
```

```
    model.setName(cursor.getString(cursor.getColumnIndexOrThrow("name")));
```

```
    model.setGender(cursor.getString(cursor.getColumnIndexOrThrow("gender")));
```

```
    model.setDesc(cursor.getString(cursor.getColumnIndexOrThrow("desc")));
```

```
    list.add(model);
```

```
}
```

```

        cursor.close();
        return
list;
    }

// fav jadvali
public ArrayList<Model> getFavList() {

    ArrayList<Model> list = new
ArrayList<>();

    Cursor cursor =
database.rawQuery("SELECT * FROM fav",
null);

    while (cursor.moveToNext()) {

```

```
        Model model = new Model();
        model.setId(cursor.getInt(cursor.getColumnIndexOrThrow("_id")));

        model.setName(cursor.getString(cursor.getColumnIndexOrThrow("name")));

        model.setDesc(cursor.getString(cursor.getColumnIndexOrThrow("desc")));

        model.setNomid(cursor.getInt(cursor.getColumnIndexOrThrow("nomid")));

        list.add(model);
    }

    cursor.close();
    return
list;
}
```

```
public void addFavorite(String name, String  
desc, int nomid) {
```

```
    if (isFavorite(nomid)) {  
return;  
    }
```

```
        database.execSQL(  
"INSERT INTO  
fav(name,[desc],nomid) VALUES(?,?,?)",  
new Object[]{name, desc, nomid});  
    }
```

```
    public boolean isFavorite(int nomid) {  
Cursor cursor = database.rawQuery(  
"SELECT * FROM fav WHERE nomid=?",  
new  
String[]{String.valueOf(nomid)});
```

```
        boolean exists = cursor.moveToFirst();  
cursor.close();
```

```
        return exists;
    }
```

```
// Sevimlidan o'chirish
```

```
public void removeFavorite(int nomid) {
```

```
    database.execSQL(
        "DELETE FROM fav WHERE
nomid=?", new
Object[]{nomid});
}
```

```
    @Override    public
synchronized void close() {    if
(database != null &&
database.isOpen()) {
database.close();
    }
    super.close();
}
```

```
} }
```

```
3. package uz.mahmud.ismlarkitobi.model;
```

```
public class Model {
```

```
    private int id;    private  
String name;    private  
String gender;    private  
String desc;
```

```
    private int nomid;
```

```
    public Model() {  
    }
```

```
    public Model(int id, String name, String  
gender, String desc) {        this.id = id;  
this.name = name;        this.gender = gender;  
this.desc = desc;
```

```
    }  
public  
ic  
Mod  
el(in  
t id,  
Strin  
g  
nam  
e,  
Strin  
g  
desc  
, int  
nom  
id) {  
this.i  
d =  
id;  
this.  
nam  
e =
```

nam

e;

this.

desc

=

desc

;

this.

nom

id =

nom

id;

}

public int getId() { return
id;

}

public void setId(int id) {
this.id = id;
}

```
    public String getName() {  
return name;  
    }
```

```
    public void setName(String name) {  
this.name = name;  
    }  
publ  
ic  
Strin  
g  
getG  
ende  
r() {  
retur  
n  
gend  
er;  
    }
```

```
    public void setGender(String gender) {  
this.gender = gender;  
    }
```

```
    public String getDesc() {  
return desc;  
    }
```

```
    public void setDesc(String desc) {  
this.desc = desc;  
    }
```

```
    public int getNomid() {  
return nomid;  
    }
```

```
    public void setNomid(int nomid) {  
this.nomid = nomid;  
    } }
```

```
4. package uz.mahmud.ismlarkitobi; import
   android.content.ClipData;           import
   android.content.ClipboardManager;   import
   android.content.Context;            import
   android.content.Intent;             import
   android.content.SharedPreferences;   import
   android.os.Build; import android.os.Bundle;
   import android.text.Html;           import
   android.view.Menu;                  import
   android.view.MenuItem; import
   android.widget.TextView;
   import android.widget.Toast;
```

```
import
androidx.appcompat.app.AppCompatActivity;
```

```
import
com.google.android.material.appbar.MaterialT
oolbar;
```

```
import
```

```
uz.mahmud.ismlarkitobi.helper.DatabaseHelp  
er;
```

```
public class DetailActivity extends  
AppCompatActivity {
```

```
@Override
```

```
    protected void attachBaseContext(Context  
newBase) {
```

```
        super.attachBaseContext(LocaleHelper.wrap(  
newBase));  
    }
```

```
    private MaterialToolbar toolbar;
```

```
    private TextView tvName, tvGender,  
tvShape, tvOrigin, tvMeaning;    private  
DatabaseHelper db;    private Menu  
menu;
```

```
    private boolean isFavorite = false;    private  
int nomid;
```

```
private String name;
```

```
private String desc;
```

```
@Override
```

```
protected void onCreate(Bundle  
savedInstanceState) {  
super.onCreate(savedInstanceState);
```

```
setContentView(R.layout.activity_detail);
```

```
    toolbar =  
    findViewById(R.id.detailToolbar);  
    setSupportActionBar(toolbar);
```

```
    if (getSupportActionBar() != null) {
```

```
        getSupportActionBar().setDisplayHomeAsUpEnabled(  
            Enabled(true);  
        }
```

```
        toolbar.setNavigationOnClickListener(v  
> finish());
```

```
        tvName = findViewById(R.id.tvName);  
        tvGender = findViewById(R.id.tvGender);  
        tvShape = findViewById(R.id.tvShape);  
        tvOrigin = findViewById(R.id.tvOrigin);  
        tvMeaning = findViewById(R.id.tvMeaning);
```

```
        name =  
        getIntent().getStringExtra("name");        desc  
        = getIntent().getStringExtra("desc");  
        nomid = getIntent().getIntExtra("nomid",  
0);
```

```
        db = new DatabaseHelper(this);  
        try {            db.createDatabase();  
        } catch (Exception e) {  
        e.printStackTrace();
```

```
    }  
    db.openDatabase(  
        "Datab  
        ase());
```

```
isFavorite = db.isFavorite(nomid);
```

```
tvName.setText(name);
```

```
if (desc == null) desc = "";
```

```
    // Gender    if (desc.contains("Qiz  
    bolalar")) {    tvGender.setText("Qiz  
    bolalar ismi");    } else if  
    (desc.contains("O'g'il")) {  
    tvGender.setText("O'g'il bolalar ismi");  
    } else {  
    tvGender.setText("-");  
    }
```

```
// SHAKLLARI
```

```

String shape = "";

String[] parts = desc.split("</p>");

if (parts.length >= 2) {

    if (Build.VERSION.SDK_INT >=
Build.VERSION_CODES.N) {
        shape = Html.fromHtml(parts[1],
Html.FROM_HTML_MODE_LEGACY).toString().trim();
    } else {
shape =
Html.fromHtml(parts[1]).toString().trim();
    }

    if (shape.isEmpty()) {

tvShape.setVisibility(TextView.GONE);
    } else {

```

```
tvShape.setVisibility(TextView.VISIBLE);  
tvShape.setText(shape);  
    }
```

```
    } else {  
tvShape.setVisibility(TextView.GONE);  
    }
```

```
    // Origin  
    if (desc.contains("KELIB CHIQISHI:"))  
{
```

```
        int start = desc.indexOf("KELIB  
CHIQISHI:");  
        int end = desc.indexOf("</p>", start);
```

```
        if (start != -1 && end != -1) {  
  
            String origin = desc.substring(start,  
end);            origin =
```

```
Html.fromHtml(origin,  
Html.FROM_HTML_MODE_LEGACY).toString();
```

```
        origin = origin.replace("KELIB  
CHIQISHI:", "").trim();  
tvOrigin.setText("KELIB  
CHIQISHI: " + origin);
```

```
    } else {  
        tvOrigin.setText("KELIB  
CHIQISHI: -");  
    }
```

```
    } else {  
        tvOrigin.setText("KELIB CHIQISHI:  
");  
    }
```

```

        // Meaning      int
meaningStart =
desc.indexOf("<strong>");

        if (meaningStart != -1) {

            String meaning =
desc.substring(meaningStart);            if
(Build.VERSION.SDK_INT >=
Build.VERSION_CODES.N) {

tvMeaning.setText(Html.fromHtml(meaning,
Html.FROM_HTML_MODE_LEGACY));
            } else {
tvMeaning.setText(Html.fromHtml(meaning))
;
            }

        } else {

```

```

        if (Build.VERSION.SDK_INT >=
Build.VERSION_CODES.N) {

tvMeaning.setText(Html.fromHtml(desc,
Html.FROM_HTML_MODE_LEGACY));
        } else {

tvMeaning.setText(Html.fromHtml(desc));
        }
    }
}

@Override    public boolean
onCreateOptionsMenu(Menu menu) {

    getMenuInflater().inflate(R.menu.detail_menu
, menu);

    this.menu = menu;

```

```
MenuItem item =  
menu.findItem(R.id.menu_favorite);  
  
if (isFavorite) {  
  
item.setIcon(R.drawable.ic_favorite_1);  
    } else {  
  
item.setIcon(R.drawable.ic_favorite_border_2  
);  
    }  
  
return true;  
}  
  
@Override    public boolean  
onOptionsItemSelected(MenuItem item) {  
  
    int id = item.getItemId();
```

```
        if (id == android.R.id.home) {  
finish();          return true;  
        }
```

```
        if (id == R.id.menu_copy) {
```

```
            ClipboardManager clipboard =  
                (ClipboardManager)  
getSystemService(CLIPBOARD_SERVICE);  
            ClipData clip =  
            ClipData.newPlainText(  
                "Ism",  
tvName.getText().toString()  
                + "\n\n"  
                +  
tvGender.getText().toString()  
                + "\n"  
                +  
tvShape.getText().toString()
```

```

        + "\n"
        +
tvOrigin.getText().toString()
        + "\n\n"
        +
tvMeaning.getText().toString()
    );

    clipboard.setPrimaryClip(clip);

    Toast.makeText(this,
getString(R.string.copied),
Toast.LENGTH_SHORT).show();
    return
true;
}

if (id == R.id.menu_share) {

    Intent intent = new

```

```
Intent(Intent.ACTION_SEND);
intent.setType("text/plain");

        intent.putExtra(Intent.EXTRA_TEXT,
tvName.getText().toString()
                + "\n\n"
                +
tvMeaning.getText().toString());

startActivity(Intent.createChooser(intent,
getString(R.string.share)));
        return
true;    }

        if (id == R.id.menu_favorite) {

                MenuItem favItem =
menu.findItem(R.id.menu_favorite);
```

```
        if (isFavorite)
        {

            db.removeFavorite(nomid);
SharedPreferences preferences =

getSharedPreferences("settings",
MODE_PRIVATE);

            preferences.edit()

.putString("last_removed_name", name)
            .putLong("last_removed_time",
System.currentTimeMillis())
            .apply();
isFavorite = false;

favItem.setIcon(R.drawable.ic_favorite_border_2);
```

```
        Toast.makeText(this,  
  
        getString(R.string.favorite_removed),  
        Toast.LENGTH_SHORT).show();  
  
    } else {  
  
        db.addFavorite(name, desc, nomid);  
  
        isFavorite = true;  
  
        favItem.setIcon(R.drawable.ic_favorite_1);  
  
        Toast.makeText(this,  
        getString(R.string.favorite_added),  
  
        Toast.LENGTH_SHORT).show();  
    }
```

```

        return
true;
    }

return
super.onOptionsItemSelected(item);
    }
    @Override    protected void
onDestroy() {
super.onDestroy();
    if (db != null)
{
        db.close();
    }
} }

```

```

5. package uz.mahmud.ismlarkitobi;    import
android.content.Context;              import
android.content.SharedPreferences;    import
android.os.Bundle;                    import
android.text.Editable;                 import

```

```
android.text.TextWatcher;           import
android.view.View;                  import
android.widget.TextView;
import android.widget.Toast;
```

```
import
androidx.appcompat.app.AppCompatActivity;
import
androidx.recyclerview.widget.LinearLayoutM
anager; import
androidx.recyclerview.widget.RecyclerView;
```

```
import
com.google.android.material.appbar.MaterialT
oolbar; import
com.google.android.material.snackbar.Snackb
ar; import
com.google.android.material.textfield.TextInp
utEditText;
```

```
import java.util.ArrayList;
```

```
import
uz.mahmud.ismlarkitobi.adapter.NameAdapte
r;
import
uz.mahmud.ismlarkitobi.helper.DatabaseHelp
er;
import uz.mahmud.ismlarkitobi.model.Model;

public class FavoriteActivity extends
AppCompatActivity {
    @Override
    protected void attachBaseContext(Context
newBase) {

super.attachBaseContext(LocaleHelper.wrap(
newBase));
    }

    private MaterialToolbar toolbar;
```

```
private RecyclerView recyclerView;
```

```
private DatabaseHelper db; private  
ArrayList<Model> list; private  
NameAdapter adapter; private  
TextView txtEmpty; private  
TextInputEditText editText; private  
String lastRemovedName = "";  
private long lastRemovedTime = 0;
```

```
@Override
```

```
protected void onCreate(Bundle  
savedInstanceState) {  
super.onCreate(savedInstanceState);
```

```
setContentView(R.layout.activity_favorite);
```

```
toolbar = findViewById(R.id.toolbar);  
recyclerView =  
findViewById(R.id.recyclerView);  
txtEmpty = findViewById(R.id.txtEmpty);
```

```
    editText = findViewById(R.id.editText);

    setSupportActionBar(toolbar);

    if (getSupportActionBar() != null) {

        getSupportActionBar().setDisplayHomeAsUpEnabled(true);
    }

    toolbar.setNavigationOnClickListener(v
> finish());

    db = new DatabaseHelper(this);
    try {        db.createDatabase();
    } catch (Exception e) {
        e.printStackTrace();
    }

    db.openDatabase();
```

```
list = db.getFavList();
```

```
adapter = new NameAdapter(this, list,  
model -> {
```

```
    lastRemovedName =  
model.getName();        lastRemovedTime  
=  
System.currentTimeMillis();
```

```
    SharedPreferences preferences =  
getSharedPreferences("settings",  
MODE_PRIVATE);
```

```
    preferences.edit()  
        .putString("last_removed_name",  
lastRemovedName)  
        .putLong("last_removed_time",  
lastRemovedTime)
```

```
.apply();
```

```
db.removeFavorite(model.getId());
```

```
adapter.updateData(db.getFavList());
```

```
checkEmpty();
```

```
Toast.makeText(this,
```

```
getString(R.string.favorite_removed),
```

```
Toast.LENGTH_SHORT).show();    });
```

```
recyclerView.setLayoutManager(new  
LinearLayoutManager(this));
```

```
recyclerView.setAdapter(adapter);
```

```
checkEmpty();
```

```
editText.addTextChangedListener(new  
TextWatcher() {
```

```
    @Override
    public void
beforeTextChanged(CharSequence s, int start,
int count, int after) {

    }
}
```

```
    @Override
    public void
onTextChanged(CharSequence s, int start, int
before, int count) {
    adapter.getFilter().filter(s);
    }
}
```

```
    @Override
    public void afterTextChanged(Editable
s) {

    }
}
```

```

    });
    editText.setOnEditorActionListener((v,
actionId, event) -> {

        String text =
editText.getText().toString().trim();

        adapter.getFilter().filter(text, count ->
{

            if (adapter.getItemCount() == 0) {

                String message =
getString(R.string.favorite_not_found);

                if (!lastRemovedName.isEmpty()
&&
text.trim().equalsIgnoreCase(lastRemovedNa
me.trim())) {

```

```
        long diff
=
System.currentTimeMillis() -
lastRemovedTime;

        if (diff < 15000)
{
    message =
getString(R.string.favorite_just_
removed);

        } else {
message =
getString(R.string.favorite_removed_earlier);
        }
    }

    Snackbar.make(
recyclerView,

        message,

        Snackbar.LENGTH_SHORT
    ).show();
}
```

```

        });
        return
true;
    });
}
private void checkEmpty() {

    if (list.isEmpty()) {
txtEmpty.setVisibility(View.VISIBLE);

recyclerView.setVisibility(View.GONE);
    } else {
        txtEmpty.setVisibility(View.GONE);

recyclerView.setVisibility(View.VISIBLE);
    }
}

@Override    protected void onDestroy()
{

```

```
        super.onDestroy();
        if (db != null)
{
            db.close();
        }
    }
    @Override    protected void onResume()
{
        super.onResume();
```

```
        SharedPreferences preferences =
getSharedPreferences("settings",
MODE_PRIVATE);
```

```
        lastRemovedName =
preferences.getString("last_removed_name",
        "");
        lastRemovedTime =
preferences.getLong("last_removed_time", 0);
```

```
        adapter.updateData(db.getFavList());  
checkEmpty();  
    } }
```

```
6. package uz.mahmud.ismlarkitobi;
```

```
import android.content.Context; import  
android.content.ContextWrapper; import  
android.content.SharedPreferences;  
import android.content.res.Configuration;
```

```
import java.util.Locale;
```

```
public class LocaleHelper {
```

```
    public static ContextWrapper wrap(Context  
context) {
```

```
        SharedPreferences preferences =
```

```
context.getSharedPreferences("settings",
```

```
Context.MODE_PRIVATE);
```

```
String language =  
preferences.getString("language", "uz");
```

```
Locale locale = new Locale(language);  
Locale.setDefault(locale);
```

```
Configuration configuration =  
context.getResources().getConfiguration();
```

```
configuration.setLocale(locale);
```

```
Context newContext =  
context.createConfigurationContext(configuration);
```

```
return new
```

```
ContextWrapper(newContext);  
    } }
```

7. package uz.mahmud.ismlarkitobi;

```
import android.content.Context; import  
android.content.Intent; import  
android.content.SharedPreferences;  
import  
android.content.pm.ApplicationInfo;  
import android.content.res.Configuration;  
import android.net.Uri;  
import android.os.Bundle;  
  
import  
androidx.appcompat.app.AppCompatActivity;  
import androidx.core.content.FileProvider;  
import androidx.core.view.GravityCompat;  
import  
androidx.drawerlayout.widget.DrawerLayout;  
import
```

```
androidx.recyclerview.widget.LinearLayoutM  
anager; import  
androidx.recyclerview.widget.RecyclerView;  
import android.text.Editable;  
import android.text.TextWatcher;
```

```
import  
com.google.android.material.navigation.Navig  
ationView; import  
com.google.android.material.textfield.TextInp  
utEditText;
```

```
import  
com.google.android.material.appbar.MaterialT  
oolbar;
```

```
import java.io.File; import  
java.io.FileInputStream; import  
java.io.FileOutputStream; import  
java.io.IOException; import  
java.io.InputStream; import
```

```
java.io.OutputStream; import
java.util.ArrayList; import
java.util.LinkedHashSet; import
java.util.Locale;
```

```
import
uz.mahmud.ismlarkitobi.adapter.NameAdapte
r;
import
uz.mahmud.ismlarkitobi.helper.DatabaseHelp
er;
import uz.mahmud.ismlarkitobi.model.Model;
```

```
public class MainActivity extends
AppCompatActivity {
    @Override
    protected void attachBaseContext(Context
newBase) {
```

```
super.attachBaseContext(LocaleHelper.wrap(  
newBase));  
}
```

```
private MaterialToolbar toolbar;  
private RecyclerView recyclerView;  
private ArrayList<Model> list;    private  
NameAdapter adapter;    private  
DatabaseHelper helper;    private  
TextInputEditText editText;    private  
DrawerLayout drawerLayout;  
private NavigationView navigationView;
```

```
@Override  
protected void onCreate(Bundle  
savedInstanceState) {  
    SharedPreferences preferences =  
getSharedPreferences("settings",  
MODE_PRIVATE);
```

```
String language =
```

```
preferences.getString("language", "uz");
```

```
Locale locale = new Locale(language);  
Locale.setDefault(locale);
```

```
Configuration configuration =  
getResources().getConfiguration();  
configuration.setLocale(locale);
```

```
getResources().updateConfiguration(  
configuration,  
getResources().getDisplayMetrics()  
);
```

```
super.onCreate(savedInstanceState);  
setContentView(R.layout.activity_main);  
toolbar =  
findViewById(R.id.mainToolbar);  
setSupportActionBar(toolbar);  
drawerLayout =
```

```
findViewById(R.id.drawerLayout);  
navigationView =  
findViewById(R.id.navigationView);
```

```
        toolbar.setNavigationOnClickListener(v  
>
```

```
drawerLayout.openDrawer(GravityCompat.ST  
ART));
```

```
navigationView.setNavigationItemSelectedListener(  
tener(item -> {
```

```
        int id = item.getItemId();
```

```
        if (id == R.id.nav_home) {  
drawerLayout.closeDrawer(GravityCompat.ST  
ART);
```

```
        } else if (id == R.id.nav_settings) {

            startActivity(new
Intent(MainActivity.this,
SettingsActivity.class));

        } else if (id == R.id.nav_share) {
shareApk();

        } else if (id == R.id.nav_exit) {

finish();

        }

drawerLayout.closeDrawer(GravityCompat.ST
ART);

        return true;

    });
```

```
recyclerView =  
findViewById(R.id.recyclerView);  
editText = findViewById(R.id.editText);  
recyclerView.setLayoutManager(new  
LinearLayoutManager(this));
```

```
helper = new DatabaseHelper(this);  
try { helper.createDatabase();  
helper.openDatabase();
```

```
list = helper.getNomList();
```

```
adapter = new NameAdapter(this,  
list,null);  
recyclerView.setAdapter(adapter);
```

```
editText.addTextChangedListener(new  
TextWatcher() {  
    @Override public  
void beforeTextChanged(CharSe
```

```
quence s, int start,  
int count, int after) {  
  
    }
```

```
        @Override  
public void  
onTextChanged(CharSequence s, int start, int  
before, int count) {  
    adapter.getFilter().filter(s);  
}
```

```
        @Override  
public void  
afterTextChanged(Editable s) {  
  
    }  
});
```

```
        } catch (IOException e) {  
e.printStackTrace();  
        }  
    }  
    private void shareApk() {  
        try {  
            ApplicationInfo app =  
getApplicationContext().getApplicationInfo();  
            String apkPath = app.sourceDir;  
  
            // Yangi nom bilan nusxa olish  
            File originalApk = new File(apkPath);  
            File newApk = new  
File(getExternalCacheDir(), "Ismlar  
kitobi.Apk");  
  
            InputStream in = new  
FileInputStream(originalApk);  
            OutputStream out = new  
FileOutputStream(newApk);
```

```
        byte[] buffer = new byte[1024];
        int length;          while ((length =
in.read(buffer)) > 0) {
            out.write(buffer, 0, length);
        }
```

```
in.close();
```

```
out.close();
```

```
// Share qilish
```

```
Intent shareIntent = new
Intent(Intent.ACTION_SEND);
shareIntent.setType("*/*");
```

```
Uri uri = FileProvider.getUriForFile(
this,
getPackageName() + ".provider",
newApk
);
```

```
shareIntent.putExtra(Intent.EXTRA_STREAM,  
uri);
```

```
shareIntent.putExtra(Intent.EXTRA_TEXT,  
"Download Ismlar kitobi app!");  
shareIntent.addFlags(Intent.FLAG_GRANT_READ_URI_PERMISSION);
```

```
startActivity(Intent.createChooser(shareIntent  
, "Share Ismlar kitobi"));
```

```
    } catch (Exception e) {  
e.printStackTrace();  
    }  
}
```

```
@Override    protected void onDestroy()  
{    if (helper
```

```
!= null) {          helper.close();
helper.close();
    }
    super.onDestroy();
} }
```

8. package uz.mahmud.ismlarkitobi;

```
import android.os.Bundle;
```

```
import androidx.annotation.Nullable; import
androidx.preference.PreferenceFragmentCom
pat;
```

```
public class SettingFragment extends
PreferenceFragmentCompat {
```

```
    @Override    public void
onCreatePreferences(@Nullable
Bundle savedInstanceState, String rootKey) {
```

```
setPreferencesFromResource(R.xml.settings,  
rootKey);  
    } }
```

9. package uz.mahmud.ismlarkitobi;

```
import android.content.Context;
```

```
import android.os.Bundle;
```

```
import
```

```
androidx.appcompat.app.AppCompatActivity;
```

```
import androidx.appcompat.widget.Toolbar;
```

```
public class SettingsActivity extends  
AppCompatActivity {
```

```
    @Override
```

```
    protected void attachBaseContext(Context  
newBase) {
```

```
super.attachBaseContext(LocaleHelper.wrap(  
newBase));  
}
```

```
@Override    protected void  
onCreate(Bundle  
savedInstanceState) {  
super.onCreate(savedInstanceState);  
setContentView(R.layout.activity_settings);
```

```
    Toolbar toolbar =  
findViewById(R.id.toolbar);  
    setSupportActionBar(toolbar);
```

```
    if (getSupportActionBar() != null) {  
  
getSupportActionBar().setTitle(getString(R.str  
ing.settings));  
  
getSupportActionBar().setDisplayHomeAsUpEnabledUp
```

```

Enabled(true);
    }

    toolbar.setNavigationOnClickListener(v
> finish());

    if (savedInstanceState == null) {
        getSupportFragmentManager()
        .beginTransaction()
            .replace(R.id.settings_container,
new SettingsFragment())
            .commit();
    }
} }

```

10. package uz.mahmud.ismlarkitobi;

```

import android.content.Context; import
android.content.Intent; import
android.content.SharedPreferences; import

```

```
android.os.Bundle; import  
android.widget.ImageView;  
import android.widget.TextView;
```

```
import androidx.appcompat.app.AlertDialog;  
import androidx.preference.Preference; import  
androidx.preference.PreferenceFragmentCom  
pat;
```

```
import  
com.google.android.material.bottomsheet.Bott  
omSheetDialog;
```

```
public class SettingsFragment extends  
PreferenceFragmentCompat {
```

```
    @Override    public void  
onCreatePreferences(Bundle  
savedInstanceState, String rootKey) {
```

```
setPreferencesFromResource(R.xml.settings,  
rootKey);
```

```
    Preference language =  
    findPreference("language");
```

```
    if (language != null) {
```

```
        language.setOnPreferenceClickListener(prefer  
ence -> {
```

```
            BottomSheetDialog dialog =  
                new  
BottomSheetDialog(requireContext());
```

```
            dialog.setContentView(R.layout.bottom_langu  
aage);
```

```
            TextView title =
```

```
dialog.findViewById(R.id.LangTitle);
TextView uz =
dialog.findViewById(R.id.txtUz);
TextView ru =
dialog.findViewById(R.id.txtRu);
TextView en =
dialog.findViewById(R.id.txtEn);
        if (uz != null)
{
            uz.setOnClickListener(v -> {

changeLanguage("uz");
dialog.dismiss();
            });
        }
        if (ru != null)
{
            ru.setOnClickListener(v -> {

changeLanguage("ru");
```

```
dialog.dismiss();
        });
    }
    if (en != null)
{
        en.setOnClickListener(v -> {

            changeLanguage("en");
```

```
dialog.dismiss();
        });
    }
    dialog.setCancelable(false);
    dialog.setCanceledOnTouchOutside(false);
    SharedPreferences preferences =
```

```
requireContext().getSharedPreferences("settin
gs", Context.MODE_PRIVATE);
```

```
String currentLang =
preferences.getString("language", "uz");
    if (title != null)
{

title.setText(getString(R.string.select_language));

    }
    if (uz !=
null)
uz.setCompoundDrawablesRelativeWithIntrin
sicBounds(0, 0, 0, 0);
    if (ru != null)
ru.setCompoundDrawablesRelativeWithIntrin
sicBounds(0, 0, 0, 0);
    if (en != null)
en.setCompoundDrawablesRelativeWithIntrin
sicBounds(0, 0, 0, 0);
    switch (currentLang)
{
    case "uz":
```

```
uz.setCompoundDrawablesRelativeWithIntrinsicBounds(0, 0, R.drawable.ic_check, 0);
```

```
    break;
```

```
case "ru":
```

```
ru.setCompoundDrawablesRelativeWithIntrinsicBounds(0, 0, R.drawable.ic_check, 0);
```

```
    break;
```

```
case "en":
```

```
en.setCompoundDrawablesRelativeWithIntrinsicBounds(0, 0, R.drawable.ic_check, 0);
```

```
    break;
```

```
}
```

```
dialog.show  
();
```

```
        ImageView imgClose =  
dialog.findViewById(R.id.imgClose);
```

```
        if (imgClose != null) {  
imgClose.setOnClickListener(v >  
dialog.dismiss());  
        }  
        return  
true;  
    });  
}
```

```
Preference share =  
findPreference("share");
```

```
if (share != null) {  
  
share.setOnPreferenceClickListener(preferenc  
e -> {
```

```
Intent intent = new Intent(
```

Intent.*ACTION_VIEW*,

android.net.Uri.*parse*("https://github.com/And
roiddasturlash/Ismlar-kitobi"));

startActivity(intent);

return

true;

});

}

Preference about =

findPreference("about");

if (about != null) {

about.setOnPreferenceClickListener(preferenc
e -> {

```
AlertDialog dialog = new  
AlertDialog.Builder(requireContext())  
.setView(R.layout.dialog_about)  
.create();
```

```
dialog.setCancelable(false);
```

```
dialog.setCanceledOnTouchOutside(false);
```

```
dialog.show();
```

```
ImageView imgClose =  
dialog.findViewById(R.id.imgClose);
```

```
if (imgClose != null) {  
imgClose.setOnClickListener(v >  
dialog.dismiss());  
}  
return  
true;
```

```

        });
    }
    Preference fav = findPreference("fav");
    if (fav != null) {

        fav.setOnPreferenceClickListener(preference
        > {

            startActivity(
            new
            Intent(requireContext(),
            FavoriteActivity.class));
            return
            true;

        });

    }
}

private void changeLanguage(String
language) {

```

```
SharedPreferences preferences =  
  
requireContext().getSharedPreferences("settin  
gs", Context.MODE_PRIVATE);  
preferences.edit()  
    .putString("language", language)  
    .apply();
```

```
Intent intent = new  
Intent(requireActivity(), MainActivity.class);  
  
intent.addFlags(Intent.FLAG_ACTIVITY_NE  
W_TASK |  
Intent.FLAG_ACTIVITY_CLEAR_TASK);  
  
startActivity(intent);  
  
requireActivity().finish();  
} }
```

```
11. package uz.mahmud.ismlarkitobi;
```

```
import android.content.Intent; import  
android.content.SharedPreferences; import  
android.content.res.Configuration; import  
android.graphics.Typeface; import  
android.os.Bundle; import android.os.Handler;  
import android.widget.TextView;
```

```
import  
androidx.appcompat.app.AppCompatActivity;
```

```
import java.util.Locale;
```

```
public class SplashActivity extends  
AppCompatActivity {
```

```
    private static final int SPLASH_DURATION  
= 3000; // 3 soniya
```

```
@Override
protected void onCreate(Bundle
savedInstanceState) {

    SharedPreferences preferences =
    getSharedPreferences("settings",
    MODE_PRIVATE);

    String language =
    preferences.getString("language", "uz");

    Locale locale = new Locale(language);
    Locale.setDefault(locale);

    Configuration configuration =
    getResources().getConfiguration();
    configuration.setLocale(locale);
```

```
        getResources().updateConfiguration(  
configuration,  
getResources().getDisplayMetrics()  
        );  
        super.onCreate(savedInstanceState);
```

```
setContentView(R.layout.activity_splash);
```

```
        TextView name =  
findViewById(R.id.name);  
name.setText(getString(R.string.app_name));  
name.setTypeface(null,  
Typeface.BOLD);
```

```
        new Handler().postDelayed(() -> {  
            Intent intent = new  
Intent(SplashActivity.this,  
MainActivity.class);  
            startActivity(intent);                finish();  
        }, SPLASH_DURATION);
```

} }

Va shu bilan tugatamiz. Va loyihamizni
Telegram kanalimizda ham topishingiz
mumkin

<https://t.me/androidstudio2026>