

PRODUCT CATALOG · VEHICLES & TRANSPORT

Farm trailers, 1 to 11 tonne

Twenty-eight tractor-drawn trailers: walk-behind, rear-, side- and three-way tippers, flatbeds and equipment transporters, direct from the factory to your farm.



WHO WE ARE

Farm equipment, at the price it *actually* costs.

Built by farmers, for farmers. Andrivo sources farm infrastructure and equipment from international manufacturers, handles the entire import process, and delivers to your farm anywhere in Southern Africa.

Farmers usually pay for a chain of markups they never see — a factory, an export agent, an importer and a local distributor, each adding a margin nobody discloses. Andrivo removes that chain. Our only charge is a service fee on top of the true cost: 30%, or 25% with a referral code.

25%

fee with a referral code (30% without)

0

distributors in between

SADC

we deliver across Southern Africa

How every quote works

1**Factory direct**

We work directly with the manufacturer of every machine in this catalog — no middlemen.

2**Inspected before it ships**

Each order is checked against the factory spec sheet before it leaves the plant.

3**Shipping & customs handled**

Freight, duties, clearing and transport to your gate are all managed by us.

4**Parts & aftersales**

Spares in stock, and every machine logged to your farm under My Farm by Andrivo.

CONTENTS

Every trailer in this catalog

Specifications are typical for each model; your Andrivo quote confirms the exact configuration, tyres, colour and price. Overall sizes are length × width × height.

1 t · 1-ton walk-behind trailer	04	5 t · 5-ton left and right tipping trailer	11
1 t · 1-ton hydraulic tipper trailer	04	5 t · 5-ton double-deck air-brake trailer	11
1.5 t · 1.5-ton rear-tipping dump trailer	05	5 t · 5-ton white low flatbed trailer	12
2 t · 2-ton rear-tipping dump trailer	05	5 t · 5-ton excavator low and high bed trailer	12
2.5 t · 2.5-ton crash-braking trailer	06	6 t · 6-ton rear dump trailer	13
2.5 t · 2.5-ton three-way tipping trailer	06	6 t · 6-ton three-way tipping trailer	13
3 t · 3-ton rear-tipping trailer	07	6 t · 6-ton left and right tipping trailer	14
3 t · 3-ton rear tipper with turntable	07	7 t · 7-ton equipment transport trailer	14
3 t · 3-ton tipper trailer without brakes	08	8 t · 8-ton rear-tipping dump trailer	15
3 t · 3-ton air-brake trailer	08	8 t · 8-ton left and right tipping trailer	15
4 t · 4-ton rear dump trailer	09	8 t · 8-ton three-way tipping trailer	16
4 t · 4-ton double-axle side-tipping trailer	09	10 t · 10-ton left and right tipping trailer	16
5 t · 5-ton non-tipping trailer	10	10 t · 10-ton three-way tipping trailer	17
5 t · 5-ton hydraulic rear-tipping trailer	10	11 t · 11-ton hydraulic rear-tipping trailer	17

1 t1-ton walk-behind trailer



Specification	1 t model
Machine weight (kg)	180
Braking method	Foot brake
Dumping method	Not equipped
Overall L×W×H (mm)	2750*1320*900
Load bed L×W×H (mm)	1250*800*300
Track width (m)	1.17
Drawbar length (m)	1.54
Tyre type	6.00-16
Tractor power (hp)	10-30



1 t1-ton hydraulic tipper trailer



Specification	1 t model
Machine weight (kg)	290
Braking method	Impact brake
Dumping method	Hydraulic rear tipper
Overall L×W×H (mm)	3700*1600*1060
Load bed L×W×H (mm)	2000*1000*330
Track width (m)	0.68
Drawbar length (m)	1.15
Tyre type	165/75R13
Tractor power (hp)	15-30



1.5 t

1.5-ton rear-tipping dump trailer



Specification	1.5 t model
Machine weight (kg)	370
Braking method	Impact brake
Dumping method	Rear tipper
Overall L×W×H (mm)	3340*1220*1170
Load bed L×W×H (mm)	2300*1220*460
Track width (m)	0.85
Drawbar length (m)	1
Tyre type	185R140 (2 pcs)
Tractor power (hp)	20-50



2 t

2-ton rear-tipping dump trailer



Specification	2 t model
Machine weight (kg)	690
Braking method	Air brake plus hand brake
Dumping method	Rear tipper
Overall L×W×H (mm)	3810*1500*1300
Load bed L×W×H (mm)	2500*1500*460
Track width (m)	0.9
Drawbar length (m)	1.23
Tyre type	10.0/75-15.3
Tractor power (hp)	20-50



2.5 t

2.5-ton crash-braking trailer



Specification	2.5 t model
Machine weight (kg)	510
Braking method	Impact brake
Dumping method	Non-tipping
Overall L×W×H (mm)	3560*1500*1290
Load bed L×W×H (mm)	2500*1500*460
Track width (m)	1.11
Drawbar length (m)	1.01
Tyre type	7.50-16
Tractor power (hp)	30-50



2.5 t

2.5-ton three-way tipping trailer



Specification	2.5 t model
Machine weight (kg)	700
Braking method	Hydraulic brake
Dumping method	Hydraulic three-way tipper
Overall L×W×H (mm)	4120*2000*1320
Load bed L×W×H (mm)	3000*2000*500
Track width (m)	1.46
Drawbar length (m)	1.15
Tyre type	10.0/75-15.3
Tractor power (hp)	30-50



3 t 3-ton rear-tipping trailer



Specification	3 t model
Machine weight (kg)	610
Braking method	Air brake plus hand brake
Dumping method	Rear tipper
Overall L×W×H (mm)	3680*1560*1550
Load bed L×W×H (mm)	2520*1560*460
Track width (m)	0.88
Drawbar length (m)	1.24
Tyre type	10.0/75-15.3
Tractor power (hp)	30-50



3 t 3-ton rear tipper with turntable



Specification	3 t model
Machine weight (kg)	1110
Braking method	Air brake
Dumping method	Rear tipper
Overall L×W×H (mm)	4900*1700*1490
Load bed L×W×H (mm)	3400*1700*460
Track width (m)	1.31
Drawbar length (m)	1.45
Tyre type	7.00-16 (dual axle, 4 wheels)
Tractor power (hp)	30-50



3 t

3-ton tipper trailer without brakes



Specification	3 t model
Machine weight (kg)	460
Braking method	Not equipped
Dumping method	Not equipped
Overall L×W×H (mm)	4360*1650*1310
Load bed L×W×H (mm)	3000*1700*460
Track width (m)	1.23
Drawbar length (m)	1.27
Tyre type	7.5-16
Tractor power (hp)	30-50



3 t

3-ton air-brake trailer



Specification	3 t model
Machine weight (kg)	710
Braking method	Air brake
Dumping method	Not equipped
Overall L×W×H (mm)	4500*1800*1740
Load bed L×W×H (mm)	3000*1800*550
Track width (m)	1.1
Drawbar length (m)	1.48
Tyre type	11.5/80-15.3
Tractor power (hp)	40-60



4 t

4-ton rear dump trailer



Specification	4 t model
Machine weight (kg)	890
Braking method	Crash brake and handbrake
Dumping method	Rear tipper
Overall L×W×H (mm)	5550*1920*1400
Load bed L×W×H (mm)	4500*1920*460
Track width (m)	1.4
Drawbar length (m)	1.1
Tyre type	11.5/80-15.3
Tractor power (hp)	40-60



4 t

4-ton double-axle side-tipping trailer



Specification	4 t model
Machine weight (kg)	1410
Braking method	Air brake
Dumping method	Side tipper (left and right)
Overall L×W×H (mm)	5400*1720*1870
Load bed L×W×H (mm)	3800*1700*460
Track width (m)	1.45
Drawbar length (m)	1.4
Tyre type	7.50-16
Tractor power (hp)	50-100



5 t

5-ton non-tipping trailer



Specification	5 t model
Machine weight (kg)	750
Braking method	Impact brake
Dumping method	Not equipped
Overall L×W×H (mm)	4540*1920*1260
Load bed L×W×H (mm)	3120*1920*460
Track width (m)	1.53
Drawbar length (m)	1.27
Tyre type	11.5/80-15.3
Tractor power (hp)	50



5 t

5-ton hydraulic rear-tipping trailer



Specification	5 t model
Machine weight (kg)	850
Braking method	Air brake
Dumping method	Hydraulic rear tipper
Overall L×W×H (mm)	4100*1920*1360
Load bed L×W×H (mm)	3120*1920*460
Track width (m)	1.42
Drawbar length (m)	1.13
Tyre type	11.5/80-15.3
Tractor power (hp)	50-80



5 t

5-ton left and right tipping trailer



Specification	5 t model
Machine weight (kg)	1690
Braking method	Air brake
Dumping method	Left and right tipper
Overall L×W×H (mm)	5450*2150*2100
Load bed L×W×H (mm)	4000*2150*550
Track width (m)	1.6
Drawbar length (m)	1.5
Tyre type	8.25-16
Tractor power (hp)	60-80



5 t

5-ton double-deck air-brake trailer



Specification	Single axle	Dual axle
Machine weight (kg)	1090	1370
Braking method	Air brake	
Dumping method	Hydraulic rear tipper	
Overall L×W×H (mm)	4900*1810*1920	5000*2050*1900
Load bed L×W×H (mm)	3600*1810* (460+460)	3700*2050* (460+460)
Track width (m)	1.22	1.4
Drawbar length (m)	1.36	1.34
Tyre type	400/60-15.3	400/60-15.5
Tractor power (hp)	60-80	



5 t

5-ton white low flatbed trailer



Specification	5 t model
Machine weight (kg)	830
Braking method	Not equipped
Dumping method	Not equipped
Overall L×W×H (mm)	4000*1500*2750
Load bed L×W×H (mm)	2504*1500*120
Track width (m)	1.3
Drawbar length (m)	1.45
Tyre type	7.00-9
Tractor power (hp)	40 or more



5 t

5-ton excavator low and high bed trailer



Specification	5 t
Machine weight (kg)	1740
Load capacity (t)	5
Braking method	Single air-circuit pneumatic brake
Overall L×W×H (mm)	7300*2240*2346
Deck L×W (mm)	5600*2200
Track width (m)	2
Drawbar length (m)	1.77
Tyre type	7.00-16
Tractor power (hp)	50-80



6 t

6-ton rear dump trailer



Specification	6 t model
Machine weight (kg)	1980
Braking method	Air brake
Dumping method	Hydraulic rear tipper
Overall L×W×H (mm)	5800*2150*2080
Load bed L×W×H (mm)	4500*2150*550
Track width (m)	1.56
Drawbar length (m)	1.64
Tyre type	9.00-16/4
Tractor power (hp)	60-100



6 t

6-ton three-way tipping trailer



Specification	6 t model
Machine weight (kg)	2430
Braking method	Air brake
Dumping method	Three-way tipper
Overall L×W×H (mm)	6100*2150*2110
Load bed L×W×H (mm)	4500*2150*(460+460)
Track width (m)	1.6
Drawbar length (m)	1.58
Tyre type	11.5/80-15.3
Tractor power (hp)	60-150



6 t

6-ton left and right tipping trailer




Specification	6 t model
Machine weight (kg)	2050
Braking method	Not equipped
Dumping method	Left and right tipper
Overall L×W×H (mm)	6250*2170*2070
Load bed L×W×H (mm)	4500*2150*550
Track width (m)	1.5
Drawbar length (m)	1.53
Tyre type	9.00-16
Tractor power (hp)	60-100



7 t

7-ton equipment transport trailer



Specification	7 t
Machine weight (kg)	2480
Suspension	Coupled leaf spring
Braking method	Rear-axle single-circuit air brake
Overall L×W×H (mm)	8730*2700*3300
Deck L×W×H (mm)	7000*2000*900
Track width (m)	2.36
Drawbar length (m)	1.53
Tyre type	8.25R16
Tractor power (hp)	70 or more



8 t

8-ton rear-tipping dump trailer



Specification	8 t model
Machine weight (kg)	1900
Braking method	Air brake
Dumping method	Hydraulic rear tipper
Overall L×W×H (mm)	5660*2250*2310
Load bed L×W×H (mm)	4100*2100*(550+550)
Track width (m)	1.75
Drawbar length (m)	1.42
Tyre type	500/45-22.5
Tractor power (hp)	80-120



8 t

8-ton left and right tipping trailer



Specification	8 t model
Machine weight (kg)	2270
Braking method	Air brake
Dumping method	Left and right tipper
Overall L×W×H (mm)	6450*2150*2230
Load bed L×W×H (mm)	5000*2150*(500+500)
Track width (m)	1.55
Drawbar length (m)	1.5
Tyre type	825R16Q
Tractor power (hp)	80-120



8 t

8-ton three-way tipping trailer



Specification	8 t model
Machine weight (kg)	2260
Braking method	Air brake
Dumping method	Three-way tipper
Overall L×W×H (mm)	5830*2200*2260
Load bed L×W×H (mm)	4100*2100*(550+550)
Track width (m)	1.32
Drawbar length (m)	1.55
Tyre type	11.5/80-15.3
Tractor power (hp)	80-120



10 t

10-ton left and right tipping trailer



Specification	10 t model
Machine weight (kg)	2950
Braking method	Air brake
Dumping method	Left and right tipper
Overall L×W×H (mm)	7400*2170*1780
Load bed L×W×H (mm)	6000*2150*550
Track width (m)	1.75
Drawbar length (m)	1.54
Tyre type	8.25-16
Tractor power (hp)	80-150



10 t

10-ton three-way tipping trailer



Specification	10 t model
Machine weight (kg)	2720
Braking method	Air brake plus handbrake
Dumping method	Three-way tipper
Overall L×W×H (mm)	5904*2105*2200
Load bed L×W×H (mm)	4500*2100*(550+450)
Track width (m)	1.7
Drawbar length (m)	1.5
Tyre type	750-16
Tractor power (hp)	100 or more



11 t

11-ton hydraulic rear-tipping trailer



Specification	11 t model
Machine weight (kg)	2860
Braking method	Hydraulic brake
Dumping method	Hydraulic rear tipper
Overall L×W×H (mm)	5660*2380*1840
Load bed L×W×H (mm)	4260*2412*956
Track width (m)	1.8
Drawbar length (m)	1.4
Tyre type	400/60-15.5
Tractor power (hp)	100 or more

