



2026

PRODUCT CATALOG · GREENHOUSES

Greenhouses & growing systems

Tunnels, multi-span and glass greenhouses with the covers, climate control, hydroponics and irrigation to run them — designed for your crop and shipped direct to your farm.

WHO WE ARE

Farm equipment, at the price it *actually* costs.

Built by farmers, for farmers. Andrivo sources farm infrastructure and equipment from international manufacturers, handles the entire import process, and delivers to your farm anywhere in Southern Africa.

Farmers usually pay for a chain of markups they never see — a factory, an export agent, an importer and a local distributor, each adding a margin nobody discloses. Andrivo removes that chain. Our only charge is a service fee on top of the true cost: 30%, or 25% with a referral code.

25%

fee with a referral code (30% without)

0

distributors in between

SADC

we deliver across Southern Africa

How every quote works

1**Factory direct**

We work directly with the manufacturer of every machine in this catalog — no middlemen.

2**Inspected before it ships**

Each order is checked against the factory spec sheet before it leaves the plant.

3**Shipping & customs handled**

Freight, duties, clearing and transport to your gate are all managed by us.

4**Parts & aftersales**

Spares in stock, and every machine logged to your farm under My Farm by Andrivo.

CONTENTS

Everything you need to grow under cover

From a single tunnel to a fully automated glasshouse. Choose the structure and style, pick the cover, then add the systems that control the climate, feed the crop and save labour. Every greenhouse is designed to order for your crop, site and climate.

1. Structures	04	2. Styles	06
Single-span tunnel	04	Arched and inflatable	06
Multi-span greenhouse	05	Sawtooth and shade house	07
		Venlo glass and Gothic arch	08
3. Cover materials	09	4. Climate and growing systems	11
Plastic film and polycarbonate	09	Ventilation	11
Sandwich panel and glass	10	Blackout	12
		Shading	13
		Heating and air circulation	14
		Cooling	15
		Humidity and CO ₂	16
		Hydroponics	17
		Benches and growing racks	18
		Irrigation and fertigation	19
		Control systems	20



STRUCTURE · A

Single-span tunnel

04

A simple, quick-to-build single-span tunnel and the most affordable way to start growing under cover. Both sides open for natural ventilation, and sliding doors at each end give easy access for people and equipment.



1 span
free-standing tunnel

Roll-up
sides for natural airflow

Sliding
doors front and rear

Shade net
option over the top

SPECIFICATIONS

Frame	Steel tube arches and purlins, bolted
Cover	PE greenhouse film, 100–200 micron
Ventilation	Roll-up sides, manual or electric
Doors	Sliding doors, front and rear
Options	Shade net, insect net, irrigation, heating
Size	Width and length made to order

WHY GROWERS CHOOSE IT

- ✓ **Quick to assemble**
A simple bolt-together steel frame that goes up fast with a small team.
- ✓ **Natural ventilation**
Roll up both sides to let hot air out on warm days.
- ✓ **Cooler in summer**
Add a black or green shade net over the top to bring the temperature down.
- ✓ **Built for the weather**
Large-diameter steel tubes stand up well to wind, rain and hail.

Best for: Vegetables, berries, herbs and seedlings, and farms taking their first step into protected growing.

STRUCTURE · B

05

Multi-span greenhouse

Several spans joined by shared gutters into one large growing space. Compared with separate tunnels you get more usable area, better use of the land and a structure that handles stronger wind and heavier loads.



3–5 yrs
UV, anti-drip film life

No welding
bolt-and-nut assembly

Roof vents
plus roll-up sides

Insect net
on every vent

SPECIFICATIONS

Frame	Steel columns, trusses and gutters, bolted
Cover	UV, anti-drip PE film; PC sheet or glass on request
Ventilation	Roof vents, roll-up sides and ends
Insect screen	On all vents
Add-ons	Shading, cooling, heating, irrigation, control
Size	Number of spans and length made to order

WHY GROWERS CHOOSE IT

- ✓ **More growing space**
Wide, open bays with fewer posts make planting and mechanisation easier.
- ✓ **Fast, low-cost install**
Every part is bolted, so no welding is needed on site.
- ✓ **Long-life film**
Anti-UV, anti-drip and anti-dust film rated for 3–5 years.
- ✓ **Flexible ventilation**
Roof vents plus manual or electric roll-up sides and ends, screened with insect net.

Best for: Commercial vegetable, flower and berry production, nurseries and propagation.

GREENHOUSE STYLES

Arched and inflatable greenhouses

06


STYLE A

Arched (dome) greenhouse

The arched roof is one of the most popular greenhouse styles and one of our best sellers. Covered with plastic film or polycarbonate sheet, it gives year-round production for propagation and growing, and protects crops in harsh weather.

- ✓ Affordable and quick to install
- ✓ Film or polycarbonate cover
- ✓ Single or multi-span


STYLE B

Inflatable (double-film) greenhouse

A small blower inflates the space between two layers of film (100, 150 or 200 micron) to form an insulating air cushion. Vertical side walls, connected gutters and a high roof make the temperature easier to hold steady.

- ✓ Extra insulation from the air layer
- ✓ High roof for stable temperatures
- ✓ Suits a wide range of crops

GREENHOUSE STYLES

Sawtooth and shade greenhouses

07


STYLE C

Sawtooth greenhouse

A permanent vent along each roof ridge lets hot air escape all the time, while the curved arches give the frame extra strength and let plenty of light through. A strong choice for hot, dry and tropical climates.

- ✓ Always-open ridge ventilation
- ✓ Excellent light transmission
- ✓ Ideal for hot and desert climates


STYLE D

Shade house

The simplest and most economical structure: a frame covered with shade net that cuts the sun on the crop. Choose a round dome roof or a flat roof to suit the height of your plants.

- ✓ Lowest cost per square metre
- ✓ Easy to install
- ✓ Dome or flat roof

GREENHOUSE STYLES

08

Venlo and Gothic greenhouses


STYLE E

Venlo glass greenhouse

The best-known greenhouse among professional growers. Glass panels give the longest life, and the strong frame handles storms in most climates. It is easy to add climate systems that raise yields and crop quality.

- ✓ Longest-lasting glass cover
- ✓ Suits nearly every crop and climate
- ✓ Ready for full climate control


STYLE F

Gothic-arch greenhouse

A peaked, gutter-connected greenhouse usually covered with polycarbonate sheet. The pointed roof sheds snow and rain, adds usable growing height and is very strong under wind and snow loads.

- ✓ Natural and mechanical ventilation
- ✓ More usable growing height
- ✓ High wind and snow resistance

COVER MATERIALS

Plastic film and polycarbonate sheet

09



COVER A

Greenhouse plastic film

Polyethylene film for single- and multi-span greenhouses, in single or double layers. It diffuses sunlight well, costs the least and is the easiest cover to install, which makes it our best seller.

- 100 μm

120 μm

150 μm


200 μm

- ✓

Lowest cost cover

✓

Even, diffused light



COVER B

Polycarbonate (PC) sheet


Rigid, multi-wall polycarbonate that insulates well and holds heat, extending your growing season. Long life, very hard to break, simple to install, and single sheets are easy to replace.

Property	Value
Density	1.2 g/cm³
Heat deflection temperature	135 °C
Fire rating	B1 / UL94 V2
Service temperature	-50 to 100 °C
Tensile strength at yield	62 MPa
Elongation at break	> 80%
UV transmission	0%

COVER MATERIALS

Sandwich panel and glass

10



COVER C

Insulated sandwich panel

Steel sheets with an insulating core, used for the walls of blackout greenhouses. Add a blackout system on the roof and the whole house is light-tight and private. Strong under cold, wind and snow.

- ✓ Complete blackout on the walls
- ✓ Insulated metal-sheet construction
- ✓ Very strong in harsh weather



COVER D

Tempered glass

Tempered glass gives a premium, high-end look, the best light transmission and the longest life. Its strength stands up to high winds and heavy snow.

- ✓ Best light transmission
- ✓ Longest-lasting cover
- ✓ Premium appearance

SYSTEMS · A

Ventilation

11

Without ventilation, heat builds up fast on sunny days and stresses the crop. We supply roof and sidewall vents that you can open by hand or automatically.



Rack-and-pinion roof vents

Electric gear motors drive rack-and-pinion arms that open the roof and side vents. Can run fully automatically from the climate controller.

- ✓ Roof and sidewall vents
- ✓ Precise, even opening



Electric roll-up motor

Rolls the side film up and down for natural ventilation.

- ✓ Quiet, high-torque motor
- ✓ Double limit switches with accurate stops
- ✓ Self-locking; IP55–IP56 waterproof
- ✓ 5 m external power cable



Manual roll-up device

A crank handle for rolling up side walls by hand, where power is not needed.

- ✓ Easy to install and operate
- ✓ Reliable self-locking, high torque
- ✓ Stainless handle, plastic housing
- ✓ Long-lasting corrosion resistance

SYSTEMS · B

Blackout systems

12

Blackout curtains control day length to mimic the seasons. You decide when the crop flowers, reach harvest sooner and grow year-round with several harvests a year.



Blackout screen

A steel frame with rack-and-pinion drive pulls a blackout screen across inside the greenhouse.



Black-and-white film

Used as a cover or as a roll-up on side windows, so the house can switch to natural light.



Light-dep tunnels and LED lights

Complete light-deprivation tunnels, plus light traps and LED grow lights to go with them.

SYSTEMS · C

Shading systems


13

Shading reduces the solar load, cools the greenhouse and creates a more comfortable climate for the crop. Screens can be fitted outside the roof, inside the house, or both.



Inside shading

Screens run under the roof to cut heat and glare, and double as an energy screen on cold nights.



Shading screen

Knitted aluminium and polyester screens reflect sunlight and keep the house cooler.



Rack-and-pinion drive

A steel framework with motor-driven rack and pinion opens and closes the screens.

The result:

less irrigation, a longer harvest window, better yields and higher fruit quality.

SYSTEMS · D-E

Heating and air circulation

14

Keep your crop growing through cold nights and winter with the heating system that suits your farm, and keep the air moving evenly.



Heated greenhouses

In winter, and depending on your crop and house size, choose central or local heating.



Boiler and heating pipes

Three types of heating pipe, with a gas, coal or diesel boiler. We size the system to your heating needs.



Hot-air heater

Local hot-air heaters running on gas, diesel, electricity or coal. Efficient and space-saving, 20–110 kW.



SYSTEM E

Air circulation fans

Heavy-duty circulation fans keep air moving through the whole house. An even temperature from end to end cuts heating costs, dries leaves faster and reduces disease. Built for commercial use, they last for years.

- ✓ Even temperature throughout
 - ✓ Lower heating costs
 - ✓ Heavy-duty commercial build

SYSTEMS · F

Cooling systems


15

Fan-and-pad cooling draws outside air through wet pads and exhausts the excess heat, keeping the greenhouse temperature stable and under control.




Exhaust fans

Large wall fans pull air through the house and push hot air out.



Evaporative cooling pads

Water runs over cellulose pads; air drawn through them cools as the water evaporates.



How fan-and-pad cooling works

Pads on one wall and fans on the opposite wall pull cool air across the crop and exhaust the heat.

Why it matters: on hot days a well-designed cooling system keeps temperatures stable, reduces plant stress and keeps growth on track.

SYSTEMS · G-H

Humidity and CO₂

16

Control the air the crop grows in. We supply equipment for both sides of the humidity problem, and CO₂ enrichment to push yields higher.



Dehumidifier

Creates even, steady temperature and humidity around the plants, lowering the risk of fungal disease.



Fogging and misting

Fine micro-spray nozzles produce very small droplets that raise humidity and cool the air.



CO₂ generator

Electric CO₂ generators feed photosynthesis, so crops mature earlier with higher yields.

✓

Sweeter, better-tasting fruit

✓

Fewer cases of downy mildew and viral disease

Good to know:

pair humidity control with circulation fans and a climate controller for the most even conditions across the whole house.

SYSTEMS · I

Hydroponic systems

17

Grow without soil and use water and fertiliser far more efficiently. Hydroponic systems raise yields, save space and keep the crop clean.



NFT channels

Nutrient film technique: a shallow stream of water carrying all the dissolved nutrients flows past the bare roots and is recirculated.



Hydroponic gutters

Raised gutters for strawberries, tomatoes, peppers and more. Easy daily management and fewer pests and diseases.



Vertical towers

Stacked cultivation that multiplies the plants per square metre and makes the most of greenhouse space.

Best for: lettuce, herbs, strawberries, tomatoes, peppers and cucumbers.

SYSTEMS · J–L

Benches and growing racks

18

Benches and racks lift the crop to a comfortable working height, organise the greenhouse and let you walk through and check the crop as it grows.



Rolling benches

Benches that slide sideways to open an aisle where you need it, saving floor space and water. Steel-wire or ABS tray tops on stainless-steel frames.

- ✓ More plants per square metre
- ✓ Easy access to every plant



Wire-mesh benches

Low-cost benches with a mesh top, watered by overhead sprinklers. Width 1.22, 1.53 or 1.75 m; height 40–75 cm; length to suit your house.

- ✓ Lowest upfront cost
- ✓ Custom sizes available



Multi-tier growing racks

Two-tier, three-tier or multi-tier racks for seedlings and indoor growing. Width 1.22 or 1.53 m, length to your needs.

- ✓ Multiplies growing area
- ✓ Mobile or fixed racks

Tip: wire-mesh benches cost the least up front, while ebb-and-flow (flood) benches save more water and fertiliser over the long run.

SYSTEMS · M

Irrigation and fertigation

19

An automated system that waters and feeds the crop in exact amounts, matched to what the plants need for the best growth.



Irrigation options

Choose the watering method that suits the crop.

- ✓ Fog spray
- ✓ Micro spray
- ✓ Drip irrigation
- ✓ Sprinkler irrigation



Precise fertigation

High-precision EC and pH sensors measure the solution, and PWM control sets the fertiliser dose exactly.

- ✓ Accurate, even feeding
- ✓ 4 to 9 channels



The right dose every time

Feeds exactly what the crop needs at each stage of growth, cutting fertiliser waste and run-off.

Works with: drip lines, sprinklers, misting and the pumps and filters in our irrigation range.

SYSTEMS · N

Control systems

20

Our intelligent controller reads the climate inside and outside the greenhouse and runs each installed system automatically, so the crop always grows in the conditions it needs.



Climate control panel

Switches every installed system on and off automatically: vents, screens, fans, pads, heating and irrigation.



Weather station

Measures temperature, humidity, wind and light outside, so the greenhouse reacts before conditions change inside.



Sensors in the house

Inside sensors track the growing climate and keep it within the limits you set for your crop.

Plan your greenhouse with Andrivo

1. Your crop and target yield
2. Site size and a rough layout
3. Your farm's location and climate
4. Preferred style and cover material
5. The systems you need (vents, shading, cooling, heating, irrigation)
6. Budget and when you want to plant

Send us these details on WhatsApp or email and we will design the structure, quote it landed at your farm, and handle shipping, customs and delivery.