

PRODUCT CATALOG · POWER & WORKSHOP

# Diesel & gas generator sets

20 to 4 000 kVA with Cummins, Perkins, Volvo, Scania, Doosan, Weichai, SDEC and Yuchai engines, in open, soundproof, container and trailer versions, plus lighting towers and gas-fired sets — direct from the factory to your farm.



## WHO WE ARE

# Farm equipment, at the price it *actually* costs.

Built by farmers, for farmers. Andrivo sources farm infrastructure and equipment from international manufacturers, handles the entire import process, and delivers to your farm anywhere in Southern Africa.

Farmers usually pay for a chain of markups they never see — a factory, an export agent, an importer and a local distributor, each adding a margin nobody discloses. Andrivo removes that chain. Our only charge is a service fee on top of the true cost: 30%, or 25% with a referral code.

**25%**

fee with a referral code (30% without)

**0**

distributors in between

**SADC**

we deliver across Southern Africa

## How every quote works

**1****Factory direct**

We work directly with the manufacturer of every machine in this catalog — no middlemen.

**2****Inspected before it ships**

Each order is checked against the factory spec sheet before it leaves the plant.

**3****Shipping & customs handled**

Freight, duties, clearing and transport to your gate are all managed by us.

**4****Parts & aftersales**

Spares in stock, and every machine logged to your farm under My Farm by Andrivo.

**CONTENTS**

# What's in this catalog

Every table lists standby and prime power in kVA and kW, the engine model, fuel use and the open and silent sizes. The model code in the first column is the factory code; quote it when you ask for a price. Your Andrivo quote confirms the exact build, canopy and alternator.

**Diesel generator sets**

|                       |           |
|-----------------------|-----------|
| Cummins, 50 and 60 Hz | <b>04</b> |
| Perkins, 50 and 60 Hz | <b>06</b> |
| Volvo Penta           | <b>08</b> |
| Scania                | <b>09</b> |
| Doosan, 50 and 60 Hz  | <b>10</b> |
| Weichai, 50 and 60 Hz | <b>12</b> |
| SDEC, 50 and 60 Hz    | <b>14</b> |
| Yuchai, 50 and 60 Hz  | <b>16</b> |

**Enclosures and mobile units**

|                         |           |
|-------------------------|-----------|
| Container units         | <b>18</b> |
| Soundproof gensets      | <b>19</b> |
| Trailer-mounted gensets | <b>20</b> |
| Mobile lighting towers  | <b>21</b> |

**Gas-fired generator sets**

|                     |           |
|---------------------|-----------|
| Why gas: overview   | <b>22</b> |
| Cummins gas gensets | <b>23</b> |
| Yuchai gas gensets  | <b>24</b> |
| Hanma gas gensets   | <b>25</b> |

## Power range 20kVA-2000kVA

Adopting Cummins engines, offering cutting-edge design, dependable performance and long service life; Alloy steel crankshaft and connecting rod, ensuring high durability.


**50Hz**

## CUMMINS diesel engine 3 phase 50HZ 400/230V

| Genset Model | Standby Power |      | Prime Power |      | Engine Model | Displacement | Fuel consumption | Open type      | Silent type     |
|--------------|---------------|------|-------------|------|--------------|--------------|------------------|----------------|-----------------|
|              | KVA           | KW   | KVA         | KW   |              | (L)          | (g/kw.h)         | L*W*H (mm)     | L*W*H (mm)      |
| KCC-25GF     | 30            | 24   | 27          | 22   | 4B3.9-G2     | 3.9          | 208              | 1800*850*1300  | 2200*1000*1500  |
| KCC-40GF     | 44            | 35   | 40          | 32   | 4BT3.9-G2    | 3.9          | 208              | 1800*900*1400  | 2200*1000*1500  |
| KCC-63GF     | 69            | 55   | 62.5        | 50   | 4BTA3.9-G2   | 3.9          | 208              | 1800*900*1400  | 2400*1000*1550  |
| KCC-70GF     | 70            | 56   | 65          | 52   | 4BTA3.9-G2   | 3.9          | 208              | 1800*900*1400  | 2400*1000*1550  |
| KCC-80GF     | 90            | 72   | 80          | 64   | 4BTA3.9-G11  | 3.9          | 210              | 1900*800*1400  | 2400*1000*1550  |
| KCC-100GF    | 110           | 88   | 100         | 80   | 4BTA3.9-G13  | 3.9          | 210              | 1900*800*1400  | 2400*1000*1550  |
| KCC-100GF    | 110           | 88   | 100         | 80   | 6BT5.9-G2    | 5.9          | 209              | 2200*900*1450  | 2800*1100*1700  |
| KCC-113GF    | 125           | 100  | 113         | 90   | 6BT5.9-G2    | 5.9          | 210              | 2200*900*1450  | 2800*1100*1700  |
| KCC-125GF    | 138           | 110  | 125         | 100  | 6BTA5.9-G2   | 5.9          | 209              | 2300*900*1450  | 3000*1100*1700  |
| KCC-138GF    | 150           | 120  | 138         | 110  | 6BTA5.9-G2   | 5.9          | 206              | 2350*1000*1550 | 3000*1100*1700  |
| KCC-160GF    | 175           | 140  | 160         | 128  | 6BTA5.9-G12  | 5.9          | 205              | 2500*1000*1550 | 3000*1100*1650  |
| KCC-180GF    | 200           | 160  | 180         | 145  | 6CTA8.3-G2   | 8.3          | 209              | 2500*900*1560  | 3300*1300*1800  |
| KCC-200GF    | 215           | 172  | 200         | 160  | 6CTA8.3-G2   | 8.3          | 207              | 2600*900*1560  | 3300*1300*1800  |
| KCC-250GF    | 264           | 211  | 250         | 200  | 6LTA8.9-G2   | 8.9          | 206              | 2600*1000*1600 | 3600*1600*1900  |
| KCC-250GF    | 275           | 220  | 250         | 200  | 6LTA8.9-G3   | 8.9          | 206              | 2600*1000*1600 | 3600*1600*1900  |
| KCC-270GF    | 300           | 240  | 270         | 220  | 6LTA9.5-G3   | 9.5          | 209              | 2700*1100*1700 | 3800*1700*2000  |
| KCC-275GF    | 313           | 250  | 275         | 220  | NTA855-G1A   | 14           | 208              | 2600*1600*1500 | 4000*1700*2000  |
| KCC-313GF    | 340           | 272  | 313         | 250  | 6LTA9.5-G1   | 9.5          | 208              | 2700*1100*1700 | 3800*1700*2000  |
| KCC-313GF*   | 340           | 272  | 313         | 250  | NTA855-G1B   | 14           | 208              | 3000*1100*1700 | 4000*1700*2000  |
| KCC-350GF    | 375           | 300  | 350         | 280  | NTA855-G2A   | 14           | 207              | 3000*1100*1700 | 4000*1700*2000  |
| KCC-400GF    | 388           | 310  | 350         | 280  | NTA855-G4    | 14           | 209              | 3000*1100*1700 | 4000*1700*2000  |
| KCC-380GF    | 425           | 340  | 388         | 310  | 6ZTA13-G3    | 14           | 210              | 3000*1300*1700 | 4000*1800*2000  |
| KCC-375GF    | 413           | 330  | 375         | 300  | NTA855-G7    | 14           | 209              | 3300*1250*1850 | 4000*1700*2000  |
| KCC-400GF3   | 438           | 350  | 400         | 320  | QSNT-G3      | 13           | 208              | 2900*1250*1900 | 4000*1700*2000  |
| KCC-438GF    | 475           | 380  | 438         | 350  | 6ZTA13-G4    | 13           | 210              | 3000*1300*1800 | 4000*1800*2000  |
| KCC-500GF    | 513           | 410  | 500         | 400  | QSZ13-G3     | 13           | 209              | 3100*1250*1850 | 4000*1800*2000  |
| KCC-500GF*   | 550           | 440  | 500         | 400  | QSZ13-G10    | 13           | 210              | 3300*1450*1900 | 4300*2000*2200  |
| KCC-450GF    | 500           | 400  | 450         | 360  | KTA19-G3     | 19           | 210              | 3400*1400*1900 | 4300*2000*2200  |
| KCC-500GF    | 563           | 450  | 500         | 400  | KTA19-G3A    | 19           | 209              | 3400*1400*2000 | 4300*2000*2200  |
| KCC-500GF*   | 563           | 450  | 500         | 400  | KTA19-G4     | 19           | 210              | 3400*1450*2000 | 4300*2000*2200  |
| KCC-560GF    | 625           | 500  | 563         | 450  | KTAA19-G5    | 19           | 208              | 3600*1460*2100 | 4700*2100*2450  |
| KCC-700GF    | 688           | 550  | /           | /    | KTAA19-G6A   | 19           | 211              | 3700*1500*2200 | 4700*2100*2450  |
| KCC-725GF    | 800           | 640  | 725         | 580  | KT38-GA      | 38           | 210              | 4450*1700*2360 | 6058*2438*2896  |
| KCC-750GF    | 825           | 660  | 750         | 600  | KTA38-G2     | 38           | 209              | 4450*1700*2360 | 6058*2438*2896  |
| KCC-800GF    | 888           | 710  | 800         | 640  | KTA38-G2B    | 38           | 208              | 4450*1700*2360 | 6058*2438*2896  |
| KCC-900GF    | 1000          | 800  | 910         | 728  | KTA38-G2A    | 38           | 208              | 4450*1700*2360 | 6058*2438*2896  |
| KCC-1000GF   | 1100          | 880  | 1000        | 800  | KTA38-G5     | 38           | 210              | 4400*1800*2400 | 6058*2438*2896  |
| *KCC-1100GF  | 1250          | 1000 | /           | /    | KTA38-G9     | 38           | 209              | 4800*1800*2500 | 6058*2438*2896  |
| KCC-1250GF   | 1375          | 1100 | 1250        | 1000 | KTA50-G3     | 50           | 208              | 5200*2000*2500 | 6058*2438*2896  |
| KCC-1380GF   | 1650          | 1320 | 1375        | 1100 | KTA50-G8     | 50           | 210              | 5900*2270*2500 | 12192*2438*2896 |
| KCC-1500GF   | 1650          | 1320 | 1500        | 1200 | KTA50-GS8    | 50           | 210              | 5900*2270*2500 | 12192*2438*2896 |
| KCC-1680GF   | 1875          | 1500 | 1675        | 1340 | KTA50-G15X   | 50           | 209              | 6200*2300*2550 | 12192*2438*2896 |
| KCC-2000GF   | 2090          | 1650 | 2000        | 1600 | KTA50-G16B   | 50           | 211              | 6200*2300*2550 | 12192*2438*2896 |


**60Hz**

### CUMMINS diesel engine 3 phase 60HZ 220V~480V

| Genset Model | Standby Power |      | Prime Power |      | Engine Model | Displacement | Fuel consumption | Open type      | Silent type     |
|--------------|---------------|------|-------------|------|--------------|--------------|------------------|----------------|-----------------|
|              | KVA           | KW   | KVA         | KW   |              | (L)          | (g/kw.h)         | L*W*H (mm)     | L*W*H (mm)      |
| KCC-25GF     | 28            | 22   | 25          | 20   | 4B3.9-G11    | 3.9          | 207              | 1900*800*1400  | 2200*1000*1500  |
| KCC-30GF     | 35            | 28   | 30          | 25   | 4B3.9-G2     | 3.9          | 208              | 1800*850*1300  | 2200*1000*1500  |
| KCC-35GF     | 38            | 30   | 35          | 28   | 4B3.9-G12    | 3.9          | 207              | 1800*900*1300  | 2200*1000*1500  |
| KCC-45GF     | 50            | 40   | 45          | 36   | 4BT3.9-G2    | 3.9          | 206              | 1800*900*1400  | 2200*1000*1500  |
| KCC-64GF     | 70            | 56   | 64          | 51   | 4BTA3.9-G2   | 3.9          | 205              | 1800*900*1400  | 2400*1000*1550  |
| KCC-75GF     | 88            | 70   | 75          | 60   | 4BTA3.9-G2   | 3.9          | 206              | 1800*900*1400  | 2400*1000*1550  |
| KCC-90GF     | 100           | 80   | 90          | 72   | 4BTA3.9-G11  | 3.9          | 205              | 1900*800*1400  | 2400*1000*1550  |
| KCC-100GF    | 115           | 92   | 105         | 84   | 6BT5.9-G2    | 5.9          | 207              | 2200*900*1450  | 2800*1100*1700  |
| KCC-125GF    | 138           | 110  | 125         | 100  | *6BT5.9-G2   | 5.9          | 208              | 2200*900*1450  | 2800*1100*1700  |
| KCC-130GF    | 145           | 116  | 131         | 105  | 6BTA5.9-G2   | 5.9          | 206              | 2300*900*1450  | 3000*1100*1700  |
| KCC-150GF    | 165           | 130  | 150         | 120  | 6BTA5.9-G2   | 5.9          | 206              | 2350*1000*1550 | 3000*1100*1700  |
| KCC-160GF    | 175           | 140  | 160         | 128  | 6BTA5.9-G12  | 5.9          | 207              | 2500*1000*1550 | 3000*1100*1700  |
| KCC-190GF    | 209           | 167  | 190         | 152  | 6CTA8.3-G2   | 8.3          | 208              | 2500*900*1560  | 3300*1300*1800  |
| KCC-210GF    | 230           | 184  | 210         | 168  | 6CTA8.3-G2   | 8.3          | 207              | 2600*900*1560  | 3300*1300*1800  |
| KCC-250GF    | 285           | 228  | 260         | 208  | 6LTA8.9-G2   | 8.9          | 206              | 2600*1000*1600 | 3600*1600*1900  |
| KCC-288GF    | 313           | 250  | 288         | 230  | 6LTA8.9-G3   | 8.9          | 206              | 2600*1000*1600 | 3600*1600*1900  |
| KCC-285GF    | 325           | 260  | 285         | 230  | 6LTA9.5-G3   | 9.5          | 206              | 2700*1100*1700 | 3800*1700*2000  |
| KCC-325GF    | 350           | 280  | 325         | 260  | 6LTA9.5-G1   | 9.5          | 209              | 2700*1100*1700 | 3800*1700*2000  |
| KCC-388GF    | 425           | 340  | 388         | 310  | 6ZTAA13-G3   | 14           | 208              | 2900*1200*1700 | 4000*1800*2000  |
| KCC-438GF    | 475           | 380  | 438         | 350  | 6ZTAA13-G2   | 14           | 209              | 2900*1200*1700 | 4000*1800*2000  |
| KCC-500GF    | 525           | 420  | 500         | 400  | QSZ13-G3     | 13           | 208              | 3100*1250*1850 | 4000*1800*2000  |
| KCC-560GF    | 625           | 500  | 560         | 450  | QSZ13-G11    | 13           | 208              | 3100*1250*1850 | 4300*2000*2200  |
| KCC-280GF    | 275           | 220  | /           | /    | NT855-GA     | 14           | 208              | 2600*1600*1500 | 4000*1700*2000  |
| KCC-350GF    | 350           | 280  | 313         | 250  | NTA855-G1    | 14           | 207              | 3000*1100*1700 | 4000*1700*2000  |
| KCC-380GF    | 375           | 300  | 350         | 280  | NTA855-G1B   | 14           | 209              | 3000*1100*1700 | 4000*1700*2000  |
| KCC-450GF    | 438           | 350  | 394         | 315  | NTA855-G3    | 14           | 208              | 3000*1100*1700 | 4000*1700*2000  |
| KCC-400GF3   | 438           | 350  | 400         | 320  | QSNT-G3      | 13           | 208              | 2900*1250*1900 | 4000*1700*2000  |
| KCC-500GF    | 550           | 450  | 500         | 410  | KTA19-G3     | 19           | 209              | 3400*1400*1900 | 4700*2100*2450  |
| KCC-560GF    | 625           | 500  | 563         | 450  | KTA19-G3A    | 19           | 208              | 3400*1400*2000 | 4700*2100*2450  |
| KCC-560GF*   | 625           | 500  | 563         | 450  | KTA19-G4     | 19           | 207              | 3400*1450*2000 | 4700*2100*2450  |
| KCC-625GF    | 688           | 550  | 588         | 470  | KTA19-G5     | 19           | 209              | 3580*1555*2150 | 4700*2100*2450  |
| KCC-720GF    | 713           | 570  | 625         | 500  | QSK19-G4     | 18.9         | 208              | 3800*1600*2200 | 4700*2100*2450  |
| *KCC-750GF   | 750           | 600  | /           | /    | KTA19-G6A    | 19           | 210              | 3700*1500*2200 | 4700*2100*2450  |
| KCC-688GF    | 750           | 600  | 688         | 550  | QSK19-G5     | 19           | 207              | 3800*1550*2200 | 4700*2100*2450  |
| KCC-775GF    | 844           | 680  | 775         | 620  | KT38-G       | 38           | 208              | 4450*1700*2360 | 6058*2438*2896  |
| KCC-875GF    | 963           | 770  | 875         | 700  | KTA38-G1     | 38           | 206              | 4450*1700*2360 | 6058*2438*2896  |
| KCC-900GF    | 1000          | 800  | 906         | 725  | KTA38-G2     | 38           | 209              | 4450*1700*2360 | 6058*2438*2896  |
| KCC-940GF    | 1038          | 830  | 938         | 750  | KTA38-G2B    | 38           | 210              | 4450*1700*2360 | 6058*2438*2896  |
| KCC-1000GF   | 1125          | 900  | 1000        | 800  | KTA38-G2A    | 38           | 209              | 4450*1700*2360 | 6058*2438*2896  |
| KCC-1100GF   | 1250          | 1000 | 1125        | 900  | KTA38-G4     | 38           | 208              | 4400*1800*2400 | 6058*2438*2896  |
| KCC-1100GF   | 1375          | 1100 | /           | /    | KTA38-G9     | 38           | 210              | 4800*1800*2400 | 6058*2438*2896  |
| KCC-1250GF   | 1438          | 1150 | 1200        | 960  | QSK38-G5     | 38           | 208              | 4800*1800*2400 | 6058*2438*2896  |
| KCC-1375GF   | 1563          | 1250 | 1375        | 1100 | KTA50-G3     | 50           | 209              | 5200*2000*2500 | 6058*2438*2896  |
| KCC-1375GF   | 1550          | 1240 | 1375        | 1100 | QSK38-G4     | 38           | 211              | 5300*2000*2500 | 12192*2438*2896 |
| KCC-1580GF   | 1875          | 1500 | 1575        | 1260 | KTA50-G9     | 50           | 212              | 5900*2300*2500 | 12192*2438*2896 |

## Power range 10kVA-2000kVA

Adopting Perkins engines, featuring strong transient loading capacity, good maintainability and long service life.



50Hz

## PERKINS diesel engine 3 phase 50HZ 400/230V

| Genset Model | Standby Power |      | Prime Power |      | Engine type     | Dimension      |            | Weight (kg) |
|--------------|---------------|------|-------------|------|-----------------|----------------|------------|-------------|
|              | KVA           | KW   | KVA         | KW   |                 | Open type      | L*W*H (mm) |             |
| KCP-10GF     | 10            | 8    | 9           | 7    | 403A-11 G1      | 1350*500*1090  |            | 335         |
| KCP-10GF*    | 10            | 8    | 9           | 7    | 403D-11G        | 1350*500*1090  |            | 335         |
| KCP-15GF     | 14            | 11   | 13          | 10   | 403A-15G1       | 1430*500*1150  |            | 400         |
| KCP-15GF*    | 14            | 11   | 13          | 10   | 403D-15G        | 1435*500*1150  |            | 415         |
| KCP-20GF     | 16            | 13   | 15          | 12   | 403A-15G2       | 1435*500*1150  |            | 415         |
| KCP-25GF     | 22            | 18   | 20          | 16   | 404A-22G1       | 1610*560*1195  |            | 525         |
| KCP-25GF*    | 22            | 18   | 20          | 16   | 404D-22G        | 1610*560*1195  |            | 525         |
| KCP-30GF     | 30            | 24   | 27          | 22   | 404D-22TG       | 1680*560*1195  |            | 550         |
| KCP-35GF     | 32            | 26   | 30          | 24   | 1103A-33G       | 1840*700*1270  |            | 860         |
| KCP-50GF     | 50            | 40   | 45          | 36   | 1103A-33TG1     | 1960*700*1350  |            | 870         |
| KCP-70GF     | 66            | 53   | 60          | 48   | 1103A-33TG2     | 2050*700*1350  |            | 980         |
| KCP-80GF     | 72            | 57   | 65          | 52   | 1104A-44TG1     | 2200*700*1350  |            | 1050        |
| KCP-90GF     | 88            | 70   | 80          | 64   | 1104A-44TG2     | 2200*700*1350  |            | 1080        |
| KCP-90GF*    | 88            | 70   | 80          | 64   | 1104C-44TAG1    | 2280*700*1350  |            | 1150        |
| KCP-110GF    | 110           | 88   | 100         | 80   | 1104C-44TAG2    | 2280*700*1350  |            | 1250        |
| KCP-150GF    | 150           | 120  | 135         | 108  | 1106A-70TG1     | 2565*850*1425  |            | 1522        |
| KCP-170GF    | 165           | 132  | 150         | 120  | 1106A-70TAG2    | 2750*850*1350  |            | 1580        |
| KCP-200GF    | 200           | 160  | 180         | 144  | 1106A-70TAG3    | 2850*850*1350  |            | 1590        |
| KCP-220GF    | 220           | 176  | 200         | 160  | 1106A-70TAG4    | 2850*1045*1825 |            | 1600        |
| KCP-260GF    | 254           | 203  | 231         | 185  | 1506A-E88TAG2   | 2980*1055*1695 |            | 2335        |
| KCP-300GF    | 283           | 226  | 257         | 206  | 1506A-E88TAG3   | 2980*1055*1695 |            | 2350        |
| KCP-350GF    | 338           | 270  | 307         | 246  | 1506A-E88TAG5   | 3080*1090*1700 |            | 2500        |
| KCP-400GF    | 400           | 320  | 350         | 280  | 2206C-E13TAG2   | 3460*1150*2030 |            | 2980        |
| KCP-450GF    | 450           | 360  | 400         | 320  | 2206C-E13TAG3   | 3460*1150*2030 |            | 3135        |
| KCP-500GF    | 500           | 400  | 455         | 364  | 2506C-E15TAG1   | 3780*1270*2020 |            | 3760        |
| KCP-550GF    | 550           | 440  | 500         | 400  | 2506C-E 15TAG2  | 3780*1270*2020 |            | 3880        |
| KCP-650GF    | 650           | 520  | 591         | 473  | 2806C-E 18TAG1A | 3780*1536*2180 |            | 4555        |
| KCP-700GF    | 700           | 560  | 650         | 520  | 2806A-E18TAG2   | 3780*1536*2180 |            | 4600        |
| KCP-900GF    | 820           | 656  | 746         | 597  | 4006-23TAG2A    | 4250*1690*2150 |            | 6460        |
| KCP-900GF    | 880           | 704  | 800         | 640  | 4006-23TAG3A    | 4250*1690*2150 |            | 6500        |
| KCP-1000GF   | 1000          | 800  | 910         | 728  | 4008TAG1A       | 4735*2261*2256 |            | 7400        |
| KCP-1200GF   | 1125          | 900  | 1022        | 818  | 4008TAG2A       | 4735*2261*2256 |            | 7450        |
| KCP-1200GF*  | 1125          | 900  | 1022        | 818  | 4008TAG2        | 4735*2261*2256 |            | 7450        |
| KCP-1250GF   | 1250          | 1000 | 1125        | 900  | 4008-30TAG3     | 4735*2261*2256 |            | 7450        |
| KCP-1400GF   | 1375          | 1100 | 1250        | 1000 | 4012-46TWG2A    | 4800*2100*2297 |            | 9030        |
| KCP-1400GF*  | 1375          | 1100 | 1250        | 1000 | 4012-46TWG2     | 4800*2100*2297 |            | 9050        |
| KCP-1500GF   | 1500          | 1200 | 1375        | 1100 | 4012-46TWG3A    | 4800*2100*2297 |            | 9100        |
| KCP-1700GF   | 1650          | 1320 | 1500        | 1200 | 4012-46TAG2A    | 4900*2100*2297 |            | 9730        |
| KCP-1900GF   | 1850          | 1480 | 1688        | 1350 | 4012-46TAG3A    | 4900*2100*2297 |            | 9730        |
| KCP-2000GF   | 2000          | 1600 | 1850        | 1480 | 4016TAG1A       | 5035*2597*2150 |            | 10300       |
| KCP-2200GF   | 2200          | 1760 | 2000        | 1600 | 4016TAG2A       | 5035*2597*2150 |            | 10300       |
| KCP-2200GF   | 2200          | 1760 | 2000        | 1600 | 4016-61TRG2     | 5250*2600*2150 |            | 10270       |
| KCP-2500GF   | 2500          | 2000 | 2250        | 1800 | 4016-61TRG3     | 5250*2600*2150 |            | 11000       |



**60Hz**

### PERKINS diesel engine 3 phase 60HZ 220V~480V

| Genset Model | Standby Power |      | Prime Power |      | Engine type    | Dimension<br>Open type L*W*H (mm) | Weight<br>(kg) |
|--------------|---------------|------|-------------|------|----------------|-----------------------------------|----------------|
|              | KVA           | KW   | KVA         | KW   |                |                                   |                |
| KCP-15GF     | 13            | 10   | 11          | 9    | 403D-11G       | 1350*500*1090                     | 335            |
| KCP-20GF     | 16            | 13   | 15          | 12   | 403D-15G       | 1435*500*1150                     | 415            |
| KCP-20GF*    | 19            | 15   | 17          | 14   | 403A-15G2      | 1435*500*1150                     | 415            |
| KCP-30GF     | 26            | 21   | 24          | 19   | 404D-22G       | 1610*560*1195                     | 525            |
| KCP-35GF     | 35            | 29   | 33          | 26   | 404D-22TG      | 1610*560*1195                     | 525            |
| KCP-40GF     | 38            | 30   | 35          | 28   | 1103A-33G      | 1840*700*1270                     | 860            |
| KCP-60GF     | 59            | 47   | 54          | 43   | 1103A-33TG1    | 1960*700*1350                     | 870            |
| KCP-80GF     | 75            | 60   | 68          | 55   | 1103A-33TG2    | 2050*700*1350                     | 980            |
| KCP-90GF     | 84            | 67   | 76          | 61   | 1104A-44TG1    | 2200*700*1350                     | 1050           |
| KCP-100GF    | 100           | 80   | 90          | 73   | 1104A-44TG2    | 2200*700*1350                     | 1080           |
| KCP-100GF*   | 100           | 80   | 90          | 72   | 1104C-44TAG1   | 2280*700*1350                     | 1150           |
| KCP-130GF    | 125           | 100  | 115         | 92   | 1104C-44TAG2   | 2280*700*1350                     | 1250           |
| KCP-170GF    | 169           | 135  | 152         | 122  | 1106A-70TG1    | 2565*850*1425                     | 1522           |
| KCP-200GF    | 188           | 150  | 169         | 135  | 1106A-70TAG2   | 2750*850*1350                     | 1580           |
| KCP-220GF    | 219           | 175  | 197         | 158  | 1106A-70TAG3   | 2850*850*1350                     | 1590           |
| KCP-280GF    | 273           | 218  | 248         | 198  | 1506A-E88TAG2  | 2980*1055*1695                    | 2335           |
| KCP-320GF    | 320           | 256  | 290         | 232  | 1506A-E88TAG3  | 2980*1055*1695                    | 2350           |
| KCP-400GF    | 390           | 312  | 352         | 282  | 1506A-E88TAG5  | 3080*1090*1700                    | 2500           |
| KCP-440GF    | 438           | 350  | 400         | 320  | 2206C-E13TAG2  | 3460*1150*2030                    | 2980           |
| KCP-440GF*   | 438           | 350  | 400         | 320  | 2206C-E13TAG3  | 3460*1150*2030                    | 3135           |
| KCP-580GF    | 563           | 450  | 500         | 400  | 2506C-E15TAG1  | 3780*1270*2020                    | 3760           |
| KCP-580GF*   | 563           | 450  | 500         | 400  | 2506C-E15TAG2  | 3780*1270*2020                    | 3880           |
| KCP-700GF    | 687           | 550  | 625         | 500  | 2806C-E18TAG1A | 3780*1536*2180                    | 4555           |
| KCP-700GF*   | 687           | 550  | 625         | 500  | 2806A-E18TAG2  | 3780*1536*2180                    | 4555           |
| KCP-830GF    | 825           | 660  | 750         | 600  | 4006-23TAG2A   | 4250*1690*2150                    | 6460           |
| KCP-950GF    | 940           | 750  | 849         | 679  | 4006-23TAG3A   | 4250*1690*2150                    | 6500           |
| KCP-1100GF   | 1100          | 880  | 1000        | 800  | 4008TAG2       | 4735*2261*2256                    | 7450           |
| KCP-1375GF   | 1375          | 1100 | 1250        | 1000 | 4012-46TWG2A   | 4800*2100*2297                    | 9030           |
| KCP-1500GF   | 1500          | 1200 | 1375        | 1100 | 4012-46TWG3A   | 4800*2100*2297                    | 9100           |
| KCP-1650GF   | 1650          | 1320 | 1500        | 1200 | 4012-46TAG2A   | 4900*2100*2297                    | 9730           |
| KCP-1850GF   | 1850          | 1480 | 1690        | 1350 | 4012-46TAG3A   | 4900*2100*2297                    | 9730           |

## Power range 85kVA–700kVA

While its core activity is the production, distribution and sale of trucks, buses and construction equipment, Volvo also supplies marine and industrial drive systems and financial services. In 2016, it was the world's second largest manufacturer of heavy-duty trucks.



50Hz

## VOLVO diesel engine 3 phase 50HZ 400/230V

| Genset Model | Standby Power |     | Prime Power |     | Engine Model | DSPL<br>(L) | Lubricant capacity<br>(L) | Fuel Consumption<br>(L/h) | Gov.  | Dimension<br>L*W*H (mm) |
|--------------|---------------|-----|-------------|-----|--------------|-------------|---------------------------|---------------------------|-------|-------------------------|
|              | KVA           | KW  | KVA         | KW  |              |             |                           |                           |       |                         |
| KCV-95GF     | 94            | 75  | 85          | 68  | TAD530GE     | 4.76        | 13                        | 19.1                      | ECU   | 2200*800*1500           |
| KCV-140GF    | 138           | 100 | 125         | 100 | TAD531GE     | 4.76        | 13                        | 22.5                      | ECU   | 2200*900*1500           |
| KCV-155GF    | 155           | 123 | 140         | 112 | TAD532GE     | 4.76        | 13                        | 28.4                      | ECU   | 2300*900*1500           |
| KCV-175GF    | 173           | 138 | 156         | 125 | TAD731GE     | 7.15        | 20                        | 33.9                      | ECU   | 2300*900*1500           |
| KCV-210GF    | 206           | 165 | 188         | 150 | TAD732GE     | 7.15        | 34                        | 39.8                      | ECU   | 2400*900*1500           |
| KCV-220GF    | 220           | 176 | 200         | 160 | TAD733GE     | 7.15        | 34                        | 44.7                      | ECU   | 2400*900*1500           |
| KCV-280GF    | 275           | 220 | 250         | 200 | TAD734GE     | 7.15        | 29                        | 52.6                      | EMS 2 | 2500*1000*1550          |
| KCV-350GF    | 345           | 275 | 313         | 250 | TAD1341GE    | 12.78       | 36                        | 61.8                      | EMS 2 | 2600*1000*1600          |
| KCV-400GF    | 385           | 308 | 350         | 280 | TAD1342GE    | 12.78       | 36                        | 68.1                      | EMS 2 | 2700*1100*1600          |
| KCV-420GF    | 413           | 330 | 375         | 300 | TAD1342GE    | 12.78       | 36                        | 68.1                      | EMS 2 | 2800*1100*1600          |
| KCV-450GF    | 440           | 352 | 400         | 320 | TAD1343GE    | 12.78       | 36                        | 73.4                      | EMS 2 | 2900*1200*1600          |
| KCV-500GF    | 500           | 400 | 450         | 360 | TAD1344GE    | 12.78       | 36                        | 80.8                      | EMS 2 | 2900*1100*1600          |
| KCV-550GF    | 550           | 440 | 500         | 400 | TAD1345GE    | 12.78       | 36                        | 89.5                      | EMS 2 | 3000*1200*1700          |
| KCV-630GF    | 625           | 500 | 563         | 450 | TAD1641GE    | 16.12       | 48                        | 100.6                     | EMS 2 | 3100*1200*1700          |
| KCV-700GF    | 700           | 550 | 625         | 500 | TAD1642GE    | 16.12       | 48                        | 117.2                     | EMS 2 | 3200*1300*1800          |
| KCV-760GF    | 756           | 605 | 688         | 550 | TWD1643GE    | 16.12       | 48                        | 125.5                     | EMS 2 | 3300*1400*1800          |

# SCANIA



## Power range 85kVA–700kVA

Scania Group is one of the world's leading manufacturers of heavy-duty trucks, large buses, and industrial and marine engines. In addition, the company also provides a wide range of service products to ensure that customers enjoy the best cost transportation solutions and the highest attendance rates. Scania is headquartered in Sweden and operates in over 100 countries and regions worldwide, with approximately 32000 employees worldwide.



50Hz

## SCANIA diesel engine 3 phase 50HZ 400/230V

| Genset's model | Engine model    | Engine power |        | Number of cyl | Bore stroke ratio (mm) | Displacement (L) | Fuel consumption (g/kw.h) | Overall size L x W x H (mm) | Weight (kg) | Output power |       |
|----------------|-----------------|--------------|--------|---------------|------------------------|------------------|---------------------------|-----------------------------|-------------|--------------|-------|
|                |                 | KW           | KVA    |               |                        |                  |                           |                             |             | KW           | KVA   |
| KCS-249GF      | DC09 072A 02-11 | 249          | 311.25 | 5             | 130*140                | 9.3              | 196                       | 2730*1270*1795              | 2185        | 200          | 250   |
| KCS-294GF      | DC09 072A 02-13 | 294          | 367.5  | 5             | 130*140                | 9.3              | 196                       | 2840*1270*1795              | 2360        | 240          | 300   |
| KCS-317GF      | DC09 072A 02-14 | 317          | 396.25 | 5             | 130*140                | 9.3              | 196                       | 2840*1270*1795              | 2400        | 260          | 325   |
| KCS-356GF      | DC13 073A 02-21 | 356          | 445    | 6             | 130*160                | 12.7             | 198                       | 3200*1270*1940              | 2860        | 300          | 375   |
| KCS-399GF      | DC12 59A 10-33A | 399          | 498.75 | 6             | 130*160                | 12.7             | 198                       | 3200*1270*1940              | 2860        | 330          | 412.5 |
| KCS-438GF      | DC13 073A 02-23 | 438          | 547.5  | 6             | 130*160                | 12.7             | 198                       | 3280*1270*1940              | 2900        | 360          | 450   |
| KCS-480GF      | DC13 073A 02-24 | 480          | 600    | 6             | 130*160                | 12.7             | 198                       | 3265*1270*1940              | 3000        | 400          | 500   |
| KCS-481GF      | DC16 45A 10-30A | 481          | 601.25 | 8             | 127*154                | 15.6             | 198                       | 3265*1270*1930              | 3120        | 400          | 500   |
| KCS-545GF      | DC16 44A 10-27A | 545          | 681.25 | 8             | 127*154                | 15.6             | 198                       | 3265*1270*1940              | 3220        | 440          | 550   |
| KCS-554GF      | DC16 44A 10-27A | 554          | 692.5  | 8             | 127*154                | 15.6             | 198                       | 3265*1270*1940              | 3420        | 440          | 550   |

# DOOSAN



## Power range 10VA–1200kVA

DOOSAN located in Korea first started producing diesel engines in 1958. The products have a high cost performance with the power range from 10VA–1200kVA, meet the domestic and international standards like GB/T2820, GB1105, YD/T502, SO8525–3, ISO3046, ISO8525 and US EPA and CARB emission standards.



50Hz

## DOOSAN diesel engine 3 phase 50HZ 400/230V

| Genset Model | Standby Power |     | Prime Power |     | Engine type | Dimension<br>Open type L*W*H (mm) |
|--------------|---------------|-----|-------------|-----|-------------|-----------------------------------|
|              | KVA           | KW  | KVA         | KW  |             |                                   |
| KCD-10GF     | 8             | 6   | 7           | 5   | SP103NA     | 1500*750*1030                     |
| KCD-15GF     | 15            | 12  | 14          | 11  | SP173NA     | 1500*750*1030                     |
| KCD-20GF     | 20            | 15  | 18          | 14  | SP224NA     | 1500*750*1030                     |
| KCD-30GF     | 28            | 22  | 25          | 20  | SP244TA     | 1500*750*1030                     |
| KCD-40GF     | 41            | 33  | 38          | 30  | SP244CA     | 1700*750*1150                     |
| KCD-55GF     | 55            | 44  | 50          | 40  | SP344CA     | 1850*800*1180                     |
| KCD-70GF     | 70            | 55  | 63          | 50  | SP344CB     | 1850*800*1180                     |
| KCD-90GF     | 90            | 72  | 81          | 65  | SP344CC     | 1850*800*1180                     |
| KCD-95GF     | 91            | 73  | 83          | 66  | D1146       | 1900*800*1250                     |
| KCD-130GF    | 131           | 105 | 119         | 95  | D1146T      | 2250*880*1300                     |
| KCD-165GF    | 165           | 132 | 150         | 120 | DP086TA     | 2650*1000*1800                    |
| KCD-190GF    | 186           | 149 | 169         | 135 | P086TI-1    | 2650*1000*1800                    |
| KCD-220GF    | 220           | 176 | 200         | 160 | P086TI      | 2650*1000*1800                    |
| KCD-220GF    | 220           | 176 | 200         | 160 | DP086LA     | 2650*1000*1800                    |
| KCD-300GF    | 303           | 242 | 275         | 220 | P126TI      | 3100*1100*2000                    |
| KCD-330GF    | 330           | 264 | 300         | 240 | P126TI-II   | 3100*1100*2000                    |
| KCD-415GF    | 415           | 330 | 375         | 300 | DP126LB     | 3100*1100*2000                    |
| KCD-2440GF   | 440           | 352 | 400         | 320 | P158LE      | 3400*1350*2200                    |
| KCD-510GF    | 510           | 407 | 463         | 370 | P158FE      | 3400*1350*2200                    |
| KCD-510GF*   | 510           | 407 | 463         | 370 | DP158LC     | 3400*1350*2200                    |
| KCD-600GF    | 584           | 468 | 531         | 425 | DP158LD     | 3400*1350*2200                    |
| KCD-630GF    | 633           | 506 | 575         | 460 | DP180LA     | 3700*1700*2200                    |
| KCD-688GF    | 688           | 550 | 625         | 500 | DP180LB     | 3700*1700*2200                    |
| KCD-688GF*   | 688           | 550 | 625         | 500 | P180FE      | 3700*1700*2200                    |
| KCD-760GF    | 756           | 605 | 688         | 550 | P222FE      | 3700*1700*2200                    |
| KCD-760GF*   | 756           | 605 | 688         | 550 | DP222LB     | 3700*1700*2200                    |
| KCD-825GF    | 825           | 660 | 750         | 600 | DP222LC     | 3700*1700*2200                    |
| KCD-825GF*   | 825           | 660 | 750         | 630 | DP222LP     | 3700*1700*2200                    |
| KCD-840GF    | 840           | 671 | 763         | 610 | DP222CA     | 3700*1700*2200                    |
| KCD-840GF*   | 840           | 671 | 763         | 610 | DP222CA-2   | 3700*1700*2200                    |
| KCD-900GF    | 895           | 715 | 813         | 650 | DP222CB-2   | 3700*1700*2200                    |
| KCD-900GF*   | 895           | 715 | 813         | 650 | DP222CB     | 3700*1700*2200                    |
| KCD-1000GF   | 1004          | 803 | 913         | 730 | DP222CC     | 3700*1700*2200                    |
| KCD-1000GF*  | 1004          | 803 | 913         | 730 | DP222CC-2   | 3700*1700*2200                    |


**60Hz**

### DOOSAN diesel engine 3 phase 60HZ 220V~480V

| Genset Model | Standby Power |     | Prime Power |     | Engine type | Dimension<br>Open type L*W*H (mm) |
|--------------|---------------|-----|-------------|-----|-------------|-----------------------------------|
|              | KVA           | KW  | KVA         | KW  |             |                                   |
| KCD-10GF     | 10            | 8   | 9           | 7   | SP103NE     | 1500*750*1050                     |
| KCD-10GF*    | 10            | 8   | 9           | 7   | SP103NH     | 1500*750*1050                     |
| KCD-20GF     | 18            | 14  | 16          | 13  | SP173NC     | 1500*750*1050                     |
| KCD-20GF*    | 18            | 14  | 16          | 13  | SP173ND     | 1500*750*1050                     |
| KCD-30GF     | 26            | 21  | 24          | 19  | SP224NC     | 1500*750*1050                     |
| KCD-30GF*    | 26            | 21  | 24          | 19  | SP183CA     | 1500*750*1050                     |
| KCD-35GF     | 33            | 26  | 30          | 24  | SP244TC     | 1500*750*1050                     |
| KCD-50GF     | 50            | 40  | 44          | 35  | SP244CA     | 1700*750*1150                     |
| KCD-70GF     | 70            | 55  | 63          | 50  | SP344CA     | 1850*800*1180                     |
| KCD-75GF     | 72            | 57  | 65          | 52  | SP344CA     | 1850*800*1180                     |
| KCD-80GF     | 80            | 64  | 73          | 58  | SP344CB     | 1850*800*1180                     |
| KCD-100GF    | 102           | 81  | 93          | 74  | SP344CC     | 1850*800*1180                     |
| KCD-110GF    | 110           | 88  | 100         | 80  | D1146       | 1900*800*1250                     |
| KCD-150GF    | 150           | 120 | 136         | 109 | D1146T      | 2250*880*1300                     |
| KCD-200GF    | 206           | 165 | 188         | 150 | DP086TA     | 2650*1000*1800                    |
| KCD-210GF    | 210           | 167 | 190         | 152 | P086TI-1    | 2650*1000*1800                    |
| KCD-240GF    | 241           | 193 | 219         | 175 | P086TI      | 2650*1000*1800                    |
| KCD-240GF*   | 241           | 193 | 219         | 175 | DP086LA     | 2650*1000*1800                    |
| KCD-345GF    | 345           | 275 | 313         | 250 | P126TI      | 3100*1100*2000                    |
| KCD-380GF*   | 380           | 303 | 345         | 275 | P126TI-II   | 3100*1100*2000                    |
| KCD-455GF    | 454           | 363 | 413         | 330 | DP126LB     | 3100*1100*2000                    |
| KCD-500GF    | 500           | 400 | 450         | 360 | P158LE      | 3400*1350*2200                    |
| KCD-540GF    | 536           | 429 | 488         | 390 | P158FE      | 3400*1350*2200                    |
| KCD-580GF    | 580           | 462 | 525         | 420 | DP158LC     | 3400*1350*2200                    |
| KCD-605GF    | 605           | 484 | 550         | 440 | DP158LD     | 3400*1350*2200                    |
| KCD-700GF    | 693           | 554 | 630         | 504 | DP180LA     | 3700*1700*2200                    |
| KCD-700GF*   | 693           | 554 | 630         | 504 | P180FE      | 3700*1700*2200                    |
| KCD-750GF    | 745           | 595 | 675         | 540 | DP180LB     | 3700*1700*2200                    |
| KCD-825GF    | 825           | 660 | 750         | 600 | P222FE      | 3700*1700*2200                    |
| KCD-825GF*   | 825           | 660 | 750         | 600 | DP222LA     | 3700*1700*2200                    |
| KCD-880GF    | 880           | 704 | 800         | 640 | DP222LB     | 3700*1700*2200                    |
| KCD-935F     | 935           | 748 | 850         | 680 | DP222LC     | 4400*2000*2250                    |
| KCD-950GF    | 950           | 760 | 863         | 690 | DP222CA     | 3700*1700*2200                    |
| KCD-950GF*   | 950           | 760 | 863         | 690 | DP222CA-2   | 3700*1700*2200                    |
| KCD-1020GF   | 1018          | 814 | 925         | 740 | DP222CB-2   | 3700*1700*2200                    |
| KCD-1020GF*  | 1018          | 814 | 925         | 740 | DP222CB     | 3700*1700*2200                    |
| KCD-1100GF   | 1100          | 880 | 1000        | 800 | DP222CC     | 4400*2000*2250                    |
| KCD-1100GF*  | 1100          | 880 | 1000        | 800 | DP222CC-2   | 4400*2000*2250                    |

## Power range 20kVA-4000kVA

The engine adopts core technology independently developed by Weichai and has an output power range (20kva-4000kva) to meet the power demand in multiple scenarios.



50Hz

## WEICHAI diesel engine 3 phase 50HZ 400/230V

| Genset Model | Standby Power |      | Prime Power |      | Engine Model   | Displacement | Fuel consumption | Dimension      | Weight |
|--------------|---------------|------|-------------|------|----------------|--------------|------------------|----------------|--------|
|              | KVA           | KW   | KVA         | KW   |                | (L)          | (g/kw.h)         | L*W*H (mm)     | (kg)   |
| KCW-20GF     | 23            | 18   | 20          | 16   | WP2.3D25E200   | 2.3L         | ≤225             | 1400*800*1100  | 720    |
| KCW-30GF     | 33            | 26   | 30          | 24   | WP2.3D33E200   | 2.3L         | ≤225             | 1400*800*1100  | 720    |
| KCW-38GF     | 41            | 33   | 38          | 30   | WP2.3D40E200   | 2.3L         | ≤225             | 1450*800*1200  | 790    |
| KCW-40GF     | 50            | 40   | 45          | 36   | WP2.3D48E200   | 2.3L         | ≤220             | 1600*800*1200  | 800    |
| KCW-60GF     | 69            | 55   | 63          | 50   | WP4.1D66E200   | 4.1L         | ≤235             | 1700*800*1200  | 920    |
| KCW-80GF     | 88            | 70   | 80          | 64   | WP4.1D80E200   | 4.1L         | ≤235             | 2200*900*1300  | 1000   |
| KCW-100GF    | 125           | 100  | 100         | 80   | WP4.1D113E200  | 4.1L         | ≤235             | 2200*900*1300  | 1000   |
| KCW-125GF    | 150           | 120  | 125         | 100  | WP6D132E200    | 6L           | ≤205             | 2200*900*1300  | 1500   |
| KCW-150GF    | 165           | 132  | 150         | 120  | WP6D152E200    | 6L           | ≤205             | 2200*900*1500  | 1500   |
| KCW-175GF    | 188           | 150  | 175         | 140  | WP6D167E200    | 6L           | ≤215             | 2400*900*1500  | 1500   |
| KCW-200GF    | 220           | 176  | 200         | 160  | WP10D200E200   | 10L          | ≤215             | 2400*900*1500  | 1500   |
| KCW-230GF    | 250           | 200  | 230         | 184  | WP10D238E200   | 10L          | ≤215             | 2400*900*1500  | 1500   |
| KCW-250GF    | 275           | 220  | 250         | 200  | WP10D264E200   | 10L          | ≤215             | 2550*1000*1500 | 1800   |
| KCW-313GF    | 350           | 280  | 313         | 250  | WP10D320E200   | 10L          | ≤205             | 2700*1100*1800 | 2500   |
| KCW-375GF    | 400           | 320  | 375         | 300  | WP13D385E200   | 13L          | ≤210             | 3000*1100*1800 | 2700   |
| KCW-400GF    | 440           | 352  | 400         | 320  | WP13D405E200   | 13L          | ≤215             | 3100*1100*1800 | 3000   |
| KCW-450GF    | 500           | 400  | 450         | 360  | WP13D440E310   | 13L          | ≤215             | 3100*1100*1800 | 3500   |
| KCW-500GF    | 550           | 440  | 500         | 400  | WP13D490E310   | 13L          | ≤215             | 3200*1300*1800 | 3800   |
| KCW-650GF    | 725           | 580  | 650         | 520  | 6M33D633E200   | 19           | ≤213             | 3700*1600*2250 | 4600   |
| KCW-650GF*   | 725           | 580  | 650         | 520  | 6M33D633E310   | 19           | ≤217             | 3700*1600*2250 | 3600   |
| KCW-675GF    | 750           | 600  | 675         | 540  | 6M33D670E200   | 19           | ≤215             | 3700*1600*2250 | 5500   |
| KCW-750GF    | 825           | 660  | 750         | 600  | 12M26D748E200  | 31           | ≤214             | 3700*1600*2250 | 6000   |
| KCW-800GF    | 900           | 720  | 800         | 640  | 8M33D800E200   | 26           | ≤210             | 3800*1800*2250 | 6100   |
| KCW-900GF    | 1000          | 800  | 900         | 720  | 8M33D890E200   | 26           | ≤210             | 3800*1800*2250 | 6100   |
| KCW-800GF    | 875           | 700  | 800         | 640  | 12M26D792E200  | 31           | ≤216             | 4600*1800*2300 | 6200   |
| KCW-900GF    | 1000          | 800  | 900         | 720  | 12M26D902E200  | 31           | ≤215             | 4600*1800*2300 | 7500   |
| KCW-1000GF   | 1100          | 880  | 1000        | 800  | 12M26D968E200  | 31           | ≤215             | 5300*2200*2500 | 7550   |
| KCW-1000GF   | 1100          | 880  | 1000        | 800  | 12M33D968E310  | 39           | ≤216             | 5300*2200*2500 | 7550   |
| KCW-1125GF   | 1250          | 1000 | 1125        | 900  | 12M33D1108E200 | 39           | ≤214             | 5400*2250*2600 | 9800   |
| KCW-1250GF   | 1375          | 1100 | 1250        | 1000 | 12M33D1210E200 | 39           | ≤213             | 5400*2250*2600 | 9800   |
| KCW-1375GF   | 1500          | 1200 | 1375        | 1100 | 12M33D1320E200 | 39           | ≤210             | 5400*2250*2600 | 9800   |
| KCW-1000GF   | 1100          | 880  | 1000        | 800  | 12M33D968E310  | 39           | ≤216             | 5300*2200*2500 | 7550   |
| KCW-1125GF   | 1250          | 1000 | 1125        | 900  | 12M33D1108E310 | 39           | ≤215             | 5400*2250*2500 | 9800   |
| KCW-1250GF   | 1375          | 1100 | 1250        | 1000 | 12M33D1240E310 | 39           | ≤215             | 5400*2250*2500 | 9800   |
| KCW-1375GF   | 1500          | 1200 | 1375        | 1100 | 12M33D1320E310 | 39           | ≤217             | 5400*2250*2500 | 9800   |
| KCW-1560GF   | 1750          | 1400 | 1563        | 1250 | 16M33D1530E310 | 52           | ≤215             | 6200*2150*2500 | 13000  |
| KCW-1690GF   | 1856          | 1485 | 1688        | 1350 | 16M33D1580E310 | 52           | ≤216             | 6300*2150*2500 | 13000  |
| KCW-1750GF   | 1900          | 1520 | 1750        | 1400 | 16M33D1680E310 | 52           | ≤210             | 6300*2150*2500 | 13500  |
| KCW-1875GF   | 2063          | 1650 | 1875        | 1500 | 16M33D1800E310 | 52           | ≤216             | 6400*2210*2500 | 13200  |
| KCW-1875GF   | 2063          | 1650 | 1875        | 1500 | 12M55D1870E310 | 39           | ≤215             | 6520*2210*2500 | 13200  |
| KCW-2000GF   | 2200          | 1760 | 2000        | 1600 | 12M55D2020E310 | 39           | ≤215             | 6520*2210*2500 | 13800  |
| KCW-2250GF   | 2475          | 1980 | 2250        | 1800 | 12M55D2200E310 | 39           | ≤210             | 6620*2210*2500 | 14000  |
| KCW-2500GF   | 2750          | 2200 | 2500        | 2000 | 12M55D2450E310 | 39           | ≤216             | 7000*2400*2600 | 22000  |


**60Hz**

### WEICHAH diesel engine 3 phase 60HZ 220V~480V

| Genset Model | Standby Power |      | Prime Power |      | Engine Model   | Displacement | Fuel consumption | Open type      | Weight |
|--------------|---------------|------|-------------|------|----------------|--------------|------------------|----------------|--------|
|              | KVA           | KW   | KVA         | KW   |                | (L)          | (g/kw.h)         | L*W*H (mm)     | (kg)   |
| KCW-25GF     | 30            | 24   | 25          | 20   | WP2.3D30E201   | 2.3          | ≤210             | 1500*750*1050  | 350    |
| KCW-38GF     | 41            | 33   | 38          | 30   | WP2.3D41E201   | 2.3          | ≤216             | 1500*750*1050  | 400    |
| KCW-44GF     | 50            | 40   | 44          | 35   | WP2.3D47E201   | 2.3          | ≤215             | 1500*750*1050  | 500    |
| KCW-50GF     | 63            | 50   | 50          | 40   | WP2.3D58E201   | 2.3          | ≤215             | 1850*800*1100  | 700    |
| KCW-75GF     | 83            | 66   | 75          | 60   | WP4.1D80E201   | 4.1          | ≤210             | 1900*870*1180  | 1000   |
| KCW-94GF     | 104           | 83   | 94          | 75   | WP4.1D95E201   | 4.1          | ≤216             | 1900*870*1180  | 1100   |
| KCW-110GF    | 125           | 100  | 113         | 90   | WP4.1D115E201  | 4.1          | ≤215             | 2250*880*1250  | 1200   |
| KCW-125GF    | 138           | 110  | 125         | 100  | WP6D132E201    | 6            | ≤215             | 2400*950*1510  | 1250   |
| KCW-150GF    | 165           | 132  | 150         | 120  | WP6D158E201    | 6            | ≤210             | 2400*950*1510  | 1200   |
| KCW-188GF    | 188           | 160  | 188         | 150  | WP6D180E201    | 6            | ≤210             | 2400*950*1510  | 1500   |
| KCW-188GF    | 206           | 165  | 188         | 150  | WP10D200E201   | 10           | ≤216             | 2850*1040*1580 | 1550   |
| KCW-225GF    | 250           | 200  | 225         | 180  | WP10D238E201   | 10           | ≤215             | 2850*1040*1580 | 1500   |
| KCW-250GF    | 280           | 220  | 250         | 200  | WP10D264E201   | 10           | ≤215             | 3050*1100*1800 | 1800   |
| KCW-375GF    | 400           | 320  | 375         | 300  | WP10D360E201   | 10           | ≤210             | 2850*1040*1580 | 2500   |
| KCW-375GF    | 413           | 330  | 375         | 300  | WP13D385E201   | 13           | ≤210             | 3350*1150*1800 | 2700   |
| KCW-500GF    | 575           | 480  | 500         | 400  | WP13D510E311   | 13           | ≤216             | 3350*1150*1800 | 3000   |
| KCW-563GF    | 625           | 500  | 563         | 450  | 6M33D572E201   | 19           | ≤210             | 3800*1600*2200 | 3800   |
| KCW-650GF    | 725           | 580  | 650         | 520  | 6M33D633E201   | 19           | ≤216             | 3800*1600*2200 | 4100   |
| KCW-688GF    | 750           | 600  | 688         | 550  | 6M33D670E201   | 19           | ≤215             | 4100*2000*2250 | 4300   |
| KCW-725GF    | 800           | 640  | 725         | 580  | 6M33D710E201   | 19           | ≤210             | 3800*1600*2200 | 4500   |
| KCW-750GF    | 825           | 660  | 750         | 600  | 6M33D740E311   | 19           | ≤216             | 3800*1600*2200 | 4700   |
| KCW-800GF    | 875           | 700  | 800         | 640  | 8M33D800E311   | 26           | ≤210             | 3900*1800*2200 | 5200   |
| KCW-800GF    | 1000          | 800  | 800         | 720  | 8M33D895E311   | 26           | ≤215             | 3900*1800*2200 | 5800   |
| KCW-1000GF   | 1125          | 900  | 1000        | 800  | 8M33D1012E311  | 26           | ≤216             | 4000*1900*2200 | 6300   |
| KCW-800GF*   | 875           | 700  | 800         | 640  | 12M26D792E201  | 31           | ≤215             | 4100*2000*2250 | 6400   |
| KCW-900GF*   | 1000          | 800  | 900         | 720  | 12M26D902E201  | 31           | ≤210             | 4100*2000*2250 | 6700   |
| KCW-1000GF   | 1100          | 900  | 1000        | 800  | 12M26D1012E201 | 31           | ≤216             | 4400*2000*2250 | 7500   |
| KCW-1000GF*  | 1100          | 900  | 1000        | 800  | 12M33D1012E201 | 39           | ≤215             | 4700*2200*2400 | 7600   |
| KCW-1125GF*  | 1250          | 1000 | 1125        | 900  | 12M33D1108E201 | 39           | ≤215             | 4700*2200*2400 | 8400   |
| KCW-1250GF*  | 1375          | 1100 | 1250        | 1000 | 12M33D1265E201 | 39           | ≤210             | 4700*2200*2400 | 9100   |
| KCW-1500GF   | 1650          | 1320 | 1500        | 1200 | 12M33D1320E201 | 39           | ≤215             | 4700*2200*2400 | 9500   |
| KCW-1625GF   | 1800          | 1430 | 1625        | 1300 | 12M33D1420E201 | 39           | ≤215             | 4700*2200*2400 | 11000  |
| KCW-1625GF   | 1800          | 1430 | 1625        | 1300 | 12M33D1420E201 | 39           | ≤210             | 4700*2200*2400 | 11500  |
| KCW-1750GF   | 1925          | 1540 | 1750        | 1400 | 16M33D1680E311 | 52           | ≤215             | 5400*2250*2500 | 12000  |
| KCW-1875GF   | 2065          | 1650 | 1875        | 1500 | 16M33D1785E311 | 52           | ≤210             | 5400*2250*2500 | 14000  |
| KCW-2188GF   | 2400          | 1925 | 2188        | 1750 | 16M33D1920E311 | 52           | ≤216             | 5400*2250*2500 | 15000  |
| KCW-2250GF   | 2475          | 1980 | 2250        | 1800 | 20M33D2230E311 | 65           | ≤215             | 5400*2250*2500 | 16000  |
| KCW-2500GF   | 2750          | 2200 | 2500        | 2000 | 20M33D2460E311 | 65           | ≤210             | 7000*2400*2600 | 16500  |
| KCW-2812GF   | 3125          | 2500 | 2812        | 2250 | 12M55D2700E311 | 65           | ≤218             | 7300*2400*2800 | 17000  |
| KCW-3000GF   | 3300          | 2640 | 3000        | 2400 | 16M55D2960E311 | 87           | ≤218             | 7500*2700*3000 | 19000  |
| KCW-3250GF   | 3500          | 2800 | 3250        | 2600 | 16M55D3150E311 | 87           | ≤218             | 7800*2700*3100 | 21000  |
| KCW-3375GF   | 3750          | 3000 | 3375        | 2700 | 16M55D3350E311 | 87           | ≤218             | 8000*2800*3200 | 22000  |
| KCW-3750GF   | 4125          | 3300 | 3750        | 3000 | 16M55D3600E311 | 87           | ≤218             | 8000*2800*3300 | 23000  |

## Power range 30kVA-2500kVA

The generator engine features modular design and standard accessories, and adopts high-strength cylinder body, four-valve structure, and precise electronic speed governor.



50Hz

## SDEC diesel engine 3 phase 50HZ 400/230V

| Genset Model | Standby Power |      | Prime Power |      | Engine Model   | Displacement | Fuel Consumption | Dimension      |
|--------------|---------------|------|-------------|------|----------------|--------------|------------------|----------------|
|              | KVA           | KW   | KVA         | KW   |                | (L)          | (L/h)            | L*W*H (mm)     |
| T3 emission  |               |      |             |      |                |              |                  |                |
| KCS-25GF     | 28            | 22   | 25          | 20   | 4H4.3-G21      | 4.3          | 8.2              | 1800*820*1250  |
| KCS-40GF     | 44            | 35   | 40          | 32   | 4H4.3-G22      | 4.3          | 11.5             | 1800*820*1250  |
| KCS-50GF     | 55            | 44   | 50          | 40   | 4HT4.3-G21     | 4.3          | 12.8             | 1850*820*1300  |
| KCS-80GF     | 88            | 70   | 80          | 64   | 4HT4.3-G23     | 4.3          | 19.5             | 1800*820*1300  |
| KCS-105GF    | 116           | 92   | 105         | 84   | 4HTAA4.3-G21   | 4.3          | 23               | 2170*880*1400  |
| KCS-125GF    | 135           | 108  | 125         | 100  | 4HTAA4.3-G22   | 4.3          | 28.3             | 2170*880*1600  |
| KCS-138GF    | 151           | 121  | 138         | 110  | 6HTAA6.5-G21   | 6.5          | 30.5             | 2170*880*1400  |
| KCS-150GF    | 161           | 129  | 150         | 120  | 6HTAA6.5-G22   | 6.5          | 33.1             | 2170*880*1400  |
| KCS-188GF    | 202           | 162  | 188         | 150  | 6HTAA6.5-G23   | 6.5          | 39.7             | 2350*950*1600  |
| KCS-200GF    | 220           | 176  | 200         | 160  | 6DTAA8.9-G21   | 8.82         | 44.1             | 2550*980*1600  |
| KCS-250GF    | 275           | 220  | 250         | 200  | 6DTAA8.9-G22   | 8.82         | 52.7             | 2550*980*1650  |
| KCS-250GF*   | 275           | 220  | 250         | 200  | 6DTAA8.9-G23   | 8.82         | 55.1             | 2550*980*1650  |
| KCS-350GF    | 385           | 308  | 350         | 280  | 6ETAA11.8-G21  | 11.8         | 72.9             | 3150*1100*1850 |
| KCS-400GF    | 438           | 350  | 400         | 320  | 6ETAA12.8-G32  | 12.8         | 100.3            | 3150*1100*1850 |
| KCS-438GF    | 500           | 400  | 438         | 350  | 6ETAA12.8-G31  | 12.8         | 99.1             | 3150*1100*1850 |
| KCS-350GF*   | 385           | 308  | 350         | 280  | 6ETAA11.8-G33  | 11.8         | 71.6             | 3150*1100*1850 |
| KCS-375GF    | 413           | 330  | 375         | 300  | 6ETAA11.8-G31  | 11.8         | 79.3             | 3150*1100*1850 |
| KCS-500GF    | 563           | 450  | 500         | 400  | 6ETAA12.8-G310 | 12.8         | 102.1            | 3600*1690*2120 |
| KCS-500GF*   | 625           | 500  | 500         | 450  | 6KTAA25-G35    | 25.8         | 124              | 3550*1400*2000 |
| KCS-625GF    | 688           | 550  | 625         | 500  | 6KTAA25-G34    | 25.8         | 140              | 3600*1690*2100 |
| KCS-688GF    | 750           | 600  | 688         | 550  | 6KTAA25-G33    | 25.8         | 152              | 3900*1800*2200 |
| KCS-750GF    | 825           | 660  | 750         | 600  | 6KTAA25-G32    | 25.8         | 163              | 3900*1800*2200 |
| KCS-800GF    | 875           | 700  | 800         | 640  | 6KTAA25-G31    | 25.8         | 178              | 4200*1800*2200 |
| KCS-900GF    | 1000          | 800  | 900         | 720  | 6WTAA35-G32    | 35.1         | 192              | 4300*1800*2300 |
| KCS-1000GF   | 1100          | 880  | 1000        | 800  | 6WTAA35-G31    | 35.1         | 265              | 4300*1800*2300 |
| KCS-1125GF   | 1250          | 1000 | 1125        | 900  | 6WTAA35-G310   | 35.1         | 240              | 4400*1800*2400 |
| KCS-1250GF   | 1375          | 1100 | 1250        | 1000 | 6WTAA35-G311   | 35.1         | 265              | 4500*1900*2400 |
| KCS-1375GF   | 1563          | 1250 | 1375        | 1100 | 12KTA58-G36    | 57.2         | 305              | 4500*1900*2400 |
| KCS-1500GF   | 1688          | 1350 | 1500        | 1200 | 12KTA58-G35    | 57.2         | 339              | 4600*2000*2400 |
| KCS-1688GF   | 1875          | 1500 | 1688        | 1350 | 12KTA58-G34    | 57.2         | 372              | 4700*1000*2400 |
| KCS-1750GF*  | 1938          | 1550 | 1750        | 1400 | 12KTA58-G33    | 57.2         | 410              | 4800*2000*2400 |
| KCS-1875GF   | 2000          | 1600 | 1875        | 1500 | 12KTA58-G32    | 57.2         | 441              | 4800*2000*2400 |
| KCS-2125GF   | 2250          | 1800 | 2125        | 1700 | 12KTA58-G31    | 57.2         | 437              | 5000*2000*2400 |
| T2 emission  |               |      |             |      |                |              |                  |                |
| KCS-63GF     | 69            | 55   | 63          | 50   | SC4H95D2       | 4.3          | 14.8             | 2000*850*1400  |
| KCS-80GF     | 88            | 70   | 80          | 64   | SC4H115D2      | 4.3          | 20.2             | 2000*800*1360  |
| KCS-113GF    | 124           | 99   | 113         | 90   | SC4H160D2      | 4.3          | 25               | 2000*920*1450  |


**50Hz**

### SDEC diesel engine 3 phase 50HZ 400/230V

| Genset Model | Standby Power |     | Prime Power |     | Engine Model | Displacement | Fuel Consumption | Dimension      |
|--------------|---------------|-----|-------------|-----|--------------|--------------|------------------|----------------|
|              | KVA           | KW  | KVA         | KW  |              | (L)          | (L/h)            | L*W*H (mm)     |
| T2 emission  |               |     |             |     |              |              |                  |                |
| KCS-125GF    | 135           | 108 | 125         | 100 | SC4H180D2    | 4.3          | 28.6             | 2000*920*1435  |
| KCS-169GF    | 186           | 149 | 169         | 135 | SC7H230D2    | 6.44         | 36.5             | 2580*950*1600  |
| KCS-188GF*   | 202           | 162 | 188         | 150 | SC7H250D2    | 6.44         | 39.7             | 2500*990*1600  |
| KCS-206GF    | 227           | 182 | 206         | 165 | SC8D280D2    | 8.27         | 44.9             | 2600*1000*1750 |
| KCS-225GF    | 248           | 198 | 225         | 180 | SC9D310D2    | 8.82         | 50.4             | 2600*1000*1700 |
| KCS-250GF    | 275           | 220 | 250         | 200 | SC9D340D2    | 8.82         | 53.6             | 2600*950*1600  |
| KCS-350GF    | 385           | 308 | 350         | 280 | SC12E460D2   | 11.8         | 71.6             | 3200*1100*1750 |
| KCS-375GF    | 413           | 330 | 375         | 300 | SC15G500D2   | 14.16        | 81.2             | 3200*1250*1850 |
| KCS-450GF    | 495           | 396 | 450         | 360 | SC25G610D2   | 25.8         | 98               | 3550*1400*2000 |
| KCS-500GF    | 550           | 440 | 500         | 400 | SC25G690D2   | 25.8         | 111              | 3600*1700*2150 |
| KCS-563GF    | 615           | 492 | 563         | 450 | SC27G755D2   | 26.6         | 122.2            | 3550*1400*2000 |
| KCS-625GF    | 680           | 544 | 625         | 500 | SC27G830D2   | 26.6         | 141              | 3600*1700*2100 |
| KCS-750GF    | 825           | 660 | 750         | 600 | SC33W990D2   | 32.8         | 142.2            | 4400*1800*2300 |
| KCS-900GF    | 990           | 792 | 900         | 720 | SC33W1150D2  | 32.8         | 186.4            | 4400*1800*2300 |

**60Hz**

### SDEC diesel engine 3 phase 60HZ 220V~480V

| Genset Model | Standby Power |     | Prime Power |     | Engine Model  | Displacement | Fuel Consumption | Dimension      |
|--------------|---------------|-----|-------------|-----|---------------|--------------|------------------|----------------|
|              | KVA           | KW  | KVA         | KW  |               | (L)          | (L/h)            | L*W*H (mm)     |
| KCS-30GF     | 34            | 28  | 31          | 25  | 4H4.3-G21     | 4.3          | 9.5              | 1800*820*1247  |
| KCS-50GF     | 55            | 44  | 50          | 40  | 4H4.3-G22     | 4.3          | 13.8             | 1800*820*1247  |
| KCS-85GF     | 93            | 74  | 85          | 68  | 4HT4.3-G23    | 4.3          | 21.6             | 2170*880*1278  |
| KCS-110GF    | 124           | 99  | 113         | 90  | 4HTAA4.3-G21  | 4.3          | 25.6             | 2170*880*1359  |
| KCS-125GF    | 138           | 110 | 125         | 100 | 4HTAA4.3-G22  | 4.3          | 28.8             | 2170*880*1392  |
| KCS-150GF    | 165           | 132 | 150         | 120 | 6HTAA6.5-G21  | 6.5          | 33.1             | 2170*880*1397  |
| KCS-160GF    | 175           | 140 | 160         | 128 | 6HTAA6.5-G22  | 6.5          | 36.3             | 2170*880*1397  |
| KCS-206GF    | 227           | 182 | 206         | 165 | 6HTAA6.5-G23  | 6.5          | 43.4             | 2350*950*1570  |
| KCS-228GF    | 250           | 200 | 228         | 182 | 6DTAA8.9-G21  | 8.82         | 50.9             | 2550*980*1582  |
| KCS-263GF    | 289           | 231 | 263         | 210 | 6DTAA8.9-G22  | 8.82         | 58.9             | 2550*980*1650  |
| KCS-275GF    | 300           | 240 | 275         | 220 | 6DTAA8.9-G23  | 8.82         | 63               | 2550*980*1650  |
| KCS-350GF    | 385           | 308 | 350         | 280 | 6ETAA11.8-G21 | 11.8         | 75.8             | 3150*1100*1825 |
| KCS-368GF    | 405           | 323 | 368         | 294 | 6ETAA11.8-G31 | 11.8         | 79.5             | 3150*1100*1825 |

# YUCHAI



**Power range 30kVA-4000kVA**

Adopting Yuchai engines, featuring strong transient loading capacity, good maintainability and long service life.



**50Hz**

## YUCHAI diesel engine 3 phase 50HZ 400/230V

| Genset Model | Standby Power |      | Prime Power |      | Engine Model    | CyL | DSPL<br>(L) | Cons.<br>(g/kw.h) | Dimension<br>L*W*H (mm) | Weight<br>(kg) |
|--------------|---------------|------|-------------|------|-----------------|-----|-------------|-------------------|-------------------------|----------------|
|              | KVA           | KW   | KVA         | KW   |                 |     |             |                   |                         |                |
| KCY-20GF     | 23            | 18   | 20          | 16   | YC4V35-D20      | 4L  | 2.982       | ≤232              | 1700*650*1000           | 770            |
| KCY-30GF     | 34            | 27   | 30          | 24   | YC4V45Z-D20     | 4L  | 2.982       | ≤232              | 1700*650*1000           | 770            |
| KCY-68GF     | 41            | 33   | 38          | 30   | YC4V55Z-D20     | 4L  | 2.982       | ≤232              | 1700*700*1000           | 770            |
| KCY-40GF     | 44            | 35   | 40          | 32   | YC4D60-D25      | 4L  | 4.21        | ≤232              | 1800*700*1000           | 830            |
| KCY-63GF     | 69            | 55   | 63          | 50   | YC4D90Z-D25     | 4L  | 4.21        | ≤200              | 1900*750*1100           | 850            |
| KCY-70GF     | 75            | 60   | 69          | 55   | YC4A100Z-D20    | 6L  | 4.84        | ≤200              | 1900*750*1100           | 900            |
| KCY-100GF    | 113           | 90   | 100         | 80   | YC4A140L-D25    | 6L  | 6.871       | ≤200              | 2100*1100*1300          | 1100           |
| KCY-125GF    | 138           | 110  | 125         | 100  | YC4A180L-D20    | 6L  | 6.871       | ≤200              | 2200*1100*1400          | 1150           |
| KCY-125GF*   | 150           | 120  | 125         | 100  | YC6B180L-D20    | 6L  | 6.871       | ≤200              | 2200*1100*1400          | 1200           |
| KCY-150GF    | 165           | 132  | 150         | 120  | YC6B205L-D20    | 6L  | 6.871       | ≤230              | 2300*1100*1500          | 1250           |
| KCY-175GF    | 193           | 154  | 175         | 140  | YC6A230L-D20    | 6L  | 7.25        | ≤192              | 2400*1100*1500          | 1410           |
| KCY-188GF    | 206           | 165  | 188         | 150  | YC6A245L-D21    | 6L  | 7.25        | ≤192              | 2500*1100*1600          | 1430           |
| KCY-250GF    | 275           | 220  | 250         | 200  | YC6MK350L-D20   | 6L  | 10.34       | ≤195              | 2900*1100*1600          | 1600           |
| KCY-313GF    | 344           | 275  | 313         | 250  | YC6MK420L-D20   | 6L  | 10.34       | ≤195              | 3100*1100*1850          | 1600           |
| KCY-350GF    | 388           | 310  | 350         | 280  | YC6MK460L-D20   | 6L  | 11.75       | ≤195              | 3100*1100*1850          | 1900           |
| KCY-375GF    | 400           | 320  | 375         | 300  | YC6MK480L-D20   | 6L  | 11.75       | ≤195              | 3200*1200*1850          | 1900           |
| KCY-375GF*   | 413           | 330  | 375         | 300  | YC6MJ500-D21    | 6L  | 12.16       | ≤195              | 3250*1200*1600          | 1900           |
| KCY-400GF    | 440           | 352  | 400         | 320  | YC6MJ540-D30    | 6L  | 12.16       | ≤195              | 3250*1200*1700          | 2300           |
| KCY-450GF    | 495           | 396  | 450         | 360  | YC6MJ600-D30    | 6L  | 16.3        | ≤195              | 3450*1400*1800          | 3000           |
| KCY-500GF    | 550           | 440  | 500         | 400  | YC6T660L-D20    | 6L  | 16.3        | ≤195              | 3500*1400*1900          | 3600           |
| KCY-563GF    | 625           | 500  | 563         | 450  | YC6TD780-D31    | 6L  | 19.58       | ≤195              | 3500*1400*1900          | 3800           |
| KCY-563GF*   | 625           | 500  | 563         | 450  | YC6TD780-D30    | 6L  | 19.58       | ≤195              | 3500*1400*1900          | 3800           |
| KCY-625GF    | 688           | 550  | 625         | 500  | YC6TD840-D31    | 6L  | 19.58       | ≤195              | 3600*1400*1900          | 4400           |
| KCY-625GF*   | 688           | 550  | 625         | 500  | YC6TD840-D30    | 6L  | 19.58       | ≤195              | 3600*1400*1900          | 4400           |
| KCY-688GF    | 750           | 600  | 688         | 550  | YC6TD900-D31    | 6L  | 19.58       | ≤195              | 3600*1400*2200          | 4400           |
| KCY-688GF*   | 750           | 605  | 688         | 550  | YC6TD900-D30    | 6L  | 19.58       | ≤195              | 3600*1400*2200          | 4400           |
| KCY-750GF    | 825           | 660  | 750         | 600  | YC6TD1000-D31   | 6L  | 39.58       | ≤195              | 4100*1900*2200          | 6500           |
| KCY-750GF*   | 825           | 660  | 750         | 600  | YC6TD1000-D30   | 6L  | 39.58       | ≤195              | 4100*1900*2200          | 6500           |
| KCY-800GF*   | 880           | 704  | 800         | 640  | YC6TD1100-D30   | 6L  | 39.58       | ≤195              | 4200*2000*2200          | 6800           |
| KCY-910GF    | 1000          | 800  | 913         | 730  | YC6TH1220-D31   | 6L  | 39.58       | ≤195              | 4200*2000*2200          | 6800           |
| KCY-1000GF   | 1125          | 900  | 1000        | 800  | YC6TH1320-D31   | 6L  | 39.58       | ≤195              | 4200*2000*2200          | 7350           |
| KCY-1125GF   | 1250          | 1000 | 1125        | 900  | YC6C1520-D31    | 6L  | 39.58       | ≤195              | 4300*2000*2200          | 8700           |
| KCY-1250GF   | 1375          | 1100 | 1250        | 1000 | YC6C1660-D31    | 6L  | 39.58       | ≤195              | 4400*2000*2200          | 9000           |
| KCY-1250GF*  | 1375          | 1100 | 1250        | 1000 | YC6C1660-D30    | 6L  | 39.58       | ≤195              | 4400*2000*2200          | 9000           |
| KCY-1000GF*  | 1125          | 900  | 1000        | 800  | YC12VTD1350-D30 | 12V | 79.17       | ≤195              | 4400*2000*2200          | 7300           |
| KCY-1125GF*  | 1250          | 1000 | 1125        | 900  | YC12VTD1500-D30 | 12V | 79.17       | ≤195              | 4500*2000*2250          | 8100           |
| KCY-1250GF** | 1375          | 1100 | 1250        | 1000 | YC12VTD1680-D30 | 12V | 79.17       | ≤195              | 4600*2200*2450          | 9300           |
| KCY-1375GF   | 1500          | 1200 | 1375        | 1100 | YC12VTD1830-D30 | 12V | 79.17       | ≤195              | 4600*2200*2450          | 9500           |
| KCY-1500GF   | 1650          | 1320 | 1500        | 1200 | YC12VTD2000-D30 | 12V | 79.17       | ≤195              | 4600*2300*2450          | 10000          |
| KCY-1688GF   | 1856          | 1485 | 1688        | 1350 | YC16VTD2270-D30 | 16V | 105.56      | ≤195              | 4700*2300*2450          | 11000          |
| KCY-1875GF   | 2063          | 1650 | 1875        | 1500 | YC16VTD2510-D30 | 16V | 105.56      | ≤195              | 4800*2400*2500          | 12000          |
| KCY-2000GF   | 2200          | 1760 | 2000        | 1600 | YC16VTD2700-D30 | 16V | 105.56      | ≤195              | 5300*2400*2600          | 14000          |
| KCY-2250GF   | 2475          | 1980 | 2250        | 1800 | YC16VC3000-D31  | 16V | 105.56      | ≤203              | 5500*2500*2600          | 16000          |
| KCY-2500GF   | 2750          | 2200 | 2500        | 2000 | YC16VC3300-D31  | 16V | 105.56      | ≤203              | 5800*2600*2700          | 18000          |
| KCY-2750GF   | 3000          | 2400 | 2750        | 2200 | YC16VC3600-D31  | 16V | 105.56      | ≤203              | 6000*2700*2800          | 20000          |
| KCY-3000GF   | 3250          | 2600 | 3000        | 2400 | YC16VC4000-D31  | 16V | 105.56      | ≤203              | 6100*2700*2800          | 20000          |
| KCY-3125GF   | 3375          | 2700 | 3125        | 2500 | YC16VC4200-D30  | 16V | 105.56      | ≤203              | 6100*2700*2800          | 21000          |
| KCY-3250GF   | 3500          | 2800 | 3250        | 2600 | YC16VC4500-D30  | 16V | 105.56      | ≤203              | 6200*2700*3000          | 22000          |
| KCY-3500GF   | 3750          | 3000 | 3500        | 2800 | YC16VC4900-D30  | 16V | 105.56      | ≤203              | 6500*2700*3100          | 24000          |


**60Hz**

### YUCHAI diesel engine 3 phase 60HZ 220V~480V

| Genset Model | Standby Power |      | Prime Power |      | Engine Model    | Cyl. | Fuel cons.<br>(g/kw.h) | Dimension<br>L*W*H (mm) | Weight<br>(kg) |
|--------------|---------------|------|-------------|------|-----------------|------|------------------------|-------------------------|----------------|
|              | KVA           | KW   | KVA         | KW   |                 |      |                        |                         |                |
| KCY-20GF     | 25            | 20   | 23          | 18   | YC4V35-D21      | 4L   | ≤232                   | 1400*650*1000           | 400            |
| KCY-30GF     | 35            | 28   | 31          | 25   | YC4V45Z-D21     | 4L   | ≤232                   | 1500*650*1000           | 450            |
| KCY-38GF     | 41            | 33   | 38          | 30   | YC4V55Z-D21     | 4L   | ≤232                   | 1500*700*1000           | 470            |
| KCY-44GF     | 50            | 40   | 44          | 35   | YC4D65-D20      | 4L   | ≤232                   | 1500*700*1000           | 600            |
| KCY-56GF     | 63            | 50   | 56          | 45   | YC4D80Z-D20     | 4L   | ≤200                   | 1700*700*1000           | 650            |
| KCY-70GF     | 75            | 60   | 69          | 55   | YC4D100Z-D20    | 4L   | ≤200                   | 1800*700*1000           | 800            |
| KCY-88GF     | 100           | 80   | 88          | 70   | YC6B130Z-D20    | 6L   | ≤200                   | 1900*750*1100           | 900            |
| KCY-90GF     | 106           | 85   | 94          | 75   | YC4D140-D33     | 4L   | ≤200                   | 1900*750*1100           | 1100           |
| KCY-100GF    | 113           | 90   | 100         | 80   | YC4D155-D33     | 4L   | ≤230                   | 1900*750*1100           | 1100           |
| KCY-100GF*   | 113           | 90   | 100         | 80   | YC6B160Z-D20    | 6L   | ≤192                   | 1900*750*1100           | 1150           |
| KCY-113GF    | 125           | 100  | 113         | 90   | YC4D180-D33     | 4L   | ≤192                   | 2200*1100*140           | 1100           |
| KCY-150GF    | 165           | 132  | 150         | 120  | YC4A205-D32     | 4L   | ≤195                   | 2300*1100*1500          | 1300           |
| KCY-150GF*   | 165           | 132  | 150         | 120  | YC6B210L-D20    | 6L   | ≤195                   | 2300*1100*1500          | 1300           |
| KCY-188GF    | 200           | 160  | 188         | 150  | YC6A245-D32     | 6L   | ≤195                   | 2400*1100*1500          | 1400           |
| KCY-188GF*   | 200           | 160  | 188         | 150  | YC6A245L-D20    | 6L   | ≤195                   | 2500*1100*1600          | 1400           |
| KCY-200GF    | 220           | 176  | 200         | 160  | YC6MK265Z-D20   | 6L   | ≤195                   | 2900*1100*1600          | 1500           |
| KCY-206GF    | 225           | 180  | 206         | 165  | YC6A285-D32     | 6L   | ≤195                   | 2300*1100*1500          | 1700           |
| KCY-213GF    | 238           | 190  | 213         | 170  | YC6A305-D32     | 6L   | ≤195                   | 2400*1100*1500          | 1800           |
| KCY-250GF    | 275           | 220  | 250         | 200  | YC6MK360L-D20   | 6L   | ≤195                   | 2500*1100*1600          | 2100           |
| KCY-250GF*   | 275           | 220  | 250         | 200  | YC6MK360-D30    | 6L   | ≤195                   | 2900*1100*1600          | 2100           |
| KCY-313GF    | 350           | 280  | 313         | 250  | YC6MK420-D31    | 6L   | ≤195                   | 3000*1200*1600          | 2400           |
| KCY-313GF    | 350           | 280  | 313         | 250  | YC6MK420L-D21   | 6L   | ≤195                   | 3000*1200*1600          | 2500           |
| KCY-375GF    | 400           | 320  | 375         | 300  | YC6MJ515L-D22   | 6L   | ≤195                   | 3200*1200*1600          | 2800           |
| KCY-375GF*   | 400           | 320  | 375         | 300  | YC6MK500-D32    | 6L   | ≤195                   | 3500*1400*1900          | 2900           |
| KCY-500GF    | 550           | 440  | 500         | 400  | YC6T660L-D21    | 6L   | ≤195                   | 3500*1400*1900          | 3500           |
| KCY-575GF    | 650           | 520  | 575         | 460  | YC6TD780-D32    | 6L   | ≤195                   | 3600*1400*1900          | 4300           |
| KCY-625GF    | 688           | 550  | 625         | 500  | YC6TD840-D32    | 6L   | ≤195                   | 3600*1400*2200          | 4700           |
| KCY-650GF    | 713           | 570  | 650         | 520  | YC6TD940-D32    | 6L   | ≤195                   | 4100*1900*2200          | 5200           |
| KCY-750GF    | 825           | 660  | 750         | 600  | YC6TD1020-D32   | 6L   | ≤195                   | 4200*2000*2200          | 5700           |
| KCY-900GF    | 1000          | 800  | 900         | 720  | YC6TH1070-D33   | 6L   | ≤195                   | 4200*2000*2200          | 7100           |
| KCY-900GF*   | 1000          | 800  | 900         | 720  | YC6TH1220-D33   | 6L   | ≤195                   | 4200*2000*2200          | 7100           |
| KCY-1000GF   | 1100          | 880  | 1000        | 800  | YC6TH1350-D33   | 6L   | ≤203                   | 4300*2000*2200          | 7800           |
| KCY-1250GF   | 1375          | 1100 | 1250        | 1000 | YC12VTD1680-D33 | 12V  | ≤203                   | 4400*2000*2200          | 9500           |
| KCY-1375GF   | 1500          | 1200 | 1375        | 1100 | YC12VTD1860-D33 | 12V  | ≤206                   | 4600*2200*2450          | 9800           |
| KCY-1500GF   | 1650          | 1320 | 1500        | 1200 | YC12VTD2070-D33 | 12V  | ≤207                   | 4600*2300*2450          | 11000          |
| KCY-900GF    | 1000          | 800  | 900         | 720  | YC12VTD1350-D32 | 12V  | ≤211                   | 4200*2000*2200          | 11500          |
| KCY-1125GF   | 1250          | 1000 | 1125        | 900  | YC12VTD1500-D32 | 12V  | ≤215                   | 4300*2000*2200          | 9500           |
| KCY-1250GF   | 1375          | 1100 | 1250        | 1000 | YC12VTD1680-D32 | 12V  | ≤212                   | 4400*2000*2200          | 10500          |
| KCY-1375GF   | 1500          | 1200 | 1375        | 1100 | YC12VTD1860-D32 | 12V  | ≤216                   | 4600*2200*2450          | 11000          |
| KCY-1500GF   | 1650          | 1320 | 1500        | 1200 | YC12VTD2070-D32 | 12V  | ≤219                   | 4600*2300*2450          | 12000          |
| KCY-1650GF   | 1813          | 1450 | 1650        | 1320 | YC12VC2170-D33  | 12V  | ≤213                   | 4700*2300*2450          | 12800          |
| KCY-1750GF   | 1900          | 1520 | 1750        | 1400 | YC16VTD2270-D32 | 16V  | ≤203                   | 4800*2400*2500          | 14000          |
| KCY-175GF    | 2083          | 1650 | 1875        | 1500 | YC16VTD2510-D32 | 16V  | ≤207                   | 5300*2400*2600          | 16000          |
| KCY-2063GF   | 2250          | 1800 | 2063        | 1650 | YC16VTD2700-D32 | 16V  | ≤209                   | 5500*2500*2600          | 17000          |
| KCY-2500GF   | 2750          | 2200 | 2500        | 2000 | YC20VTD3300-D30 | 16V  | ≤208                   | 5800*2600*2700          | 20000          |

## CONTAINER UNIT



### Standard Container Type Features:

- 1.Can be shipped on board directly during transportation.
- 2.The interior of the shell is equipped with a powder coating and a mesh. board with soundproof and fireproof cotton pasted inside, which is beautiful and rust proof, and can further reduce noise. The thickness of the soundproof cotton is 50mm, which has a good insulation effect
- 3.5mm thick checkered steel plate floor is beautiful antiskid and is convenient for overhaul & maintenance of the unit.
- 4.Double emergency stop button set on different surfaces enables quick response to operation requirements.
- 5.The independent daily fuel tank can be designed to put inside to meet requirements of continuous operation.
- 6.The fuel filler is set on the shell to facilitate refueling.
- 7.The switch cabinet and control panel are respectively set on both sides of the shell for easy maintenance& operation.
- 8.Isolation net is designed for air inlet, exhaust outlet and muffler outlet to prevent objects from entering the unit.
- 9.There are electric louvers for air intake and exhaust, which can be Manual or automatic closed or opened——Optional
- 10.The sufficient air in & out design ensure long-term and stable operation of the unit .
- 11.The drainage outlets are all connected to the outside for easy operation.
- 12.The coolant, diesel and oil drains are connected to the outside of canopy for easy operation.
- 13.The top of the container is equipped with lighting for easy operation.

## SOUNDPROOF GENSET



The cabinet which is made of 3MM steel plate uses high-frequency.

Medium-frequency and low-frequency PUR-type flame-retardant, sound-absorbing sponge, which effectively reduces the noise. Dissipative muffler efficiently reduces the noise of exhaust port.

Reasonable air intake, air exhaust and cooling system not only allow the unit to exhaust heat sufficiently, but reduce noise without affecting unit power.

The cabinet has strong sealing performance, high waterproof and dustproof grade, easy to lift and transport, high safety performance, beautiful appearance and reasonable structure.

Traction: using mobile hook, 360° turntable, flexible steering, ensure the safety running.

Braking: at the same time with reliable ShouYaoShi brake system and brake interface, ensure the safety of driving.

Bolster: to ensure the stability of the power truck operation, with four only mechanical or hydraulic support device.

Doors&windows: the anterior have ventilated hind have outside the window, doors, two side door for operating personnel.

Lighting: the trunk inside suction a top lamp, right have workbench, and is equipped with work desk lamp, convenient job personnel.

Sound proof: power supply of car trunk, door to wait all use double decoration, and equipped with sound-absorbing board censored, the mat axle, compact structure, safe and reliable. Exhaust propensities insulation cotton package, the lowest noise can be controlled in 72dB (A) within.

Fire-fighting: fire extinguishers accessory is equipped with two.

## TRAILER-MOUNTED GENSET



Trailer type generator set falls into hand push, three-wheel, four-wheel, automobile power station, trailer power station, trailer silent, trailer container power station and power engineering vehicle. This type supplies power for short-distance and frequently-moving equipment, such as tunnel construction, road construction, etc.

Trailer generator set uses round steel pipe welded straight-through axle, and equips with leaf spring suspension structure. Four corners of the frame have support device and steering lights, taillights are standard. Movable hook traction and 180° turntable make the trailer Flexible steering. Trailer adopts height adjustable pin type drawing frame, applicable to all kinds of highly tractor, Using circular steel pipe welding mathemat axle, compact structure, safe and reliable.

Traction: using mobile hook, 360° turntable, flexible steering, ensure the safety running.

Braking: at the same time with reliable ShouYaoShi brake system and brake interface, ensure the safety of driving.

Bolster: to ensure the stability of the power truck operation, with four only mechanical or hydraulic support device.

Doors&windows: the anterior have ventilated hind have outside the window, doors, two side door for operating personnel.

Lighting: the trunk inside suction a top lamp, right have workbench, and is equipped with work desk lamp, convenient job personnel.

Sound proof: power supply of car trunk, door to wait all use double decoration, and equipped with sound-absorbing board censored, the mat axle, compact structure, safe and reliable. Exhaust propensities insulation cotton package, the lowest noise can be controlled in 72dB (A) within.

Fire-fighting: fire extinguishers accessory is equipped with two.

## MOBILE LIGHT TOWER



The generator set mobile lighthouse is a movable device that integrates power generation and lighting functions, mainly used for emergency power supply, temporary lighting, and large-scale work sites.

### Application scenarios

Emergency rescue: Rapid deployment at disaster sites such as earthquakes and floods, providing electricity and lighting.

Engineering construction: places such as mines and construction sites that require temporary electricity and lighting.

Field operations: emergency rescue and disaster relief in industries such as petroleum and railway.

### Features of the equipment

Mobility: Designed with wheels or tracks to adapt to complex terrains.


Intelligent control: Some models support functions such as remote lifting and fault alarm.

## GAS FIRED GENERATOR SET



Gas generators make full use of various natural or harmful gases as fuel, turning waste into treasure, operating safely and conveniently, with high cost-effectiveness, low emissions and pollution, and suitable for cogeneration of heat and electricity. The market prospects are very broad. China has abundant natural gas resources, and compared to its abundant natural gas reserves, the proportion of natural gas in China's primary energy consumption appears to be too small, with great potential for significant improvement in the future. In China, due to the impact of natural gas supply, natural gas power generation is still in its initial stage. It will take time for large-scale natural gas power generation to become a distributed energy station. Small scale natural gas power generation is mainly carried out in oil and gas fields, as well as airports, hotels, hospitals, etc. It can be expected that with the increasing supply of natural gas and the continuous expansion of the supply range, natural gas power generation will experience rapid development in recent years.

1. **Good power generation quality**
2. **Good startup performance and high success rate**
3. **Low noise and low vibration**
4. **The combustible gas used is a clean and inexpensive energy source**



# CUMMINS



Advanced design and sophisticated manufacturing, adaptable to harsh working conditions, with strong capabilities for high-intensity and heavy-duty operations. Holset exhaust bypass valve has better power performance. The integrated design of cylinder blocks, cylinder heads, and other components allows for "one piece multi functionality", reducing the number of connecting parts by 40% compared to other similar engines, greatly reducing the failure rate.



## Cummins series gas generator set

| Genset's model | Rated Power (kW/KVA) | Standby Power (kW/KVA) | Rated Current (A) | Engine Model | Cylinder No. | Bore*Stroke (mm) | Gas consumption (m³/kW.h) |        | Dimension (L*W*H mm) | Weight (kg) |
|----------------|----------------------|------------------------|-------------------|--------------|--------------|------------------|---------------------------|--------|----------------------|-------------|
|                |                      |                        |                   |              |              |                  | Natural gas               | Biogas |                      |             |
| KCC-30GF       | 30/37.5              | 33/41.25               | 54                | 4BT3.9-G1    | 4.L          | 102*120          | 0.33                      | 0.55   | 1700*600*1400        | 800         |
| KCC-40GF       | 40/50                | 44/55                  | 72                | 4BT3.9-G2    | 4.L          | 102*120          | 0.33                      | 0.55   | 1875*650*1400        | 850         |
| KCC-50GF       | 50/62.5              | 55/68.75               | 90                | 4BTA3.9-G2   | 6.L          | 102*120          | 0.33                      | 0.55   | 1900*700*1400        | 950         |
| KCC-80GF       | 80/100               | 88/110                 | 144               | 6BTA5.9-G2   | 6.L          | 102*120          | 0.33                      | 0.55   | 2250*800*1500        | 1350        |
| KCC-100GF      | 100/125              | 110/137.5              | 180               | 6BTA5.9-G2   | 6.L          | 102*120          | 0.33                      | 0.55   | 2250*800*1500        | 1420        |
| KCC-120GF      | 120/150              | 132/165                | 216               | 6BTA5.9-G12  | 6.L          | 102*120          | 0.33                      | 0.55   | 2300*900*1550        | 1450        |
| KCC-150GF      | 150/187.5            | 165/206.25             | 270               | 6CTA8.3-G2   | 6.L          | 114*135          | 0.33                      | 0.55   | 2500*1000*1650       | 1800        |
| KCC-200GF      | 200/250              | 220/275                | 360               | 6CTA8.9-G2   | 6.L          | 114*135          | 0.33                      | 0.55   | 2700*1000*1700       | 2000        |
| KCC-300GF      | 300/375              | 330/412.5              | 540               | 6ZTAA13-G3   | 6.L          | 130*163          | 0.33                      | 0.55   | 3200*1250*1800       | 3000        |
| KCC-400GF      | 400/500              | 440/550                | 720               | KT38T        | 6.L          | 159*159          | 0.33                      | 0.55   | 3700*1550*2050       | 3970        |
| KCC-500GF      | 500/625              | 550/687.5              | 900               | KTAA5.9-G6A  | 6.L          | 159*159          | 0.33                      | 0.55   | 4000*1850*1950       | 4600        |
| KCC-600GF      | 600/750              | 660/825                | 1080              | KTA38-G2     | 12.V         | 159*159          | 0.33                      | 0.55   | 4220*1850*2100       | 6200        |
| KCC-800GF      | 800/1000             | 880/1100               | 1440              | KTA38-G5     | 12.V         | 159*159          | 0.33                      | 0.55   | 4220*1850*2450       | 7150        |
| KCC-1100GF     | 1100/1375            | 1210/1512.5            | 1980              | KTA50-G8     | 16.V         | 159*159          | 0.33                      | 0.55   | 5250*2070*2600       | 11900       |
| KCC-1200GF     | 1200/1500            | 1320/1650              | 2160              | KTA50-GS8    | 16.V         | 159*159          | 0.33                      | 0.55   | 6000*2400*2600       | 12000       |

# YUCHAI



The Yuchai gas generator set can be used with different types of gas, such as natural gas, biogas, coalbed methane, oilfield associated gas, synthetic gas, etc.

On the basis of mature product platforms, Yuchai has independently developed and manufactured high-temperature wear-resistant materials and high-strength components suitable for gas generator sets, greatly improving the reliability and durability of the products, with a maximum overhaul period of 40000 hours.



## Yuchai series gas generator set

| Genset's model      | Frequency (Hz) | Power (kw) | Speed (r/min) | Dimension (L*W*H mm) | Weight (kg) |
|---------------------|----------------|------------|---------------|----------------------|-------------|
| KC-YC6KG-200N5LC    | 50             | 200        | 1500          | 3150*1320*1670       | 2910        |
| KC-YC6KG-250N5LC    | 50             | 250        | 1500          | 3200*1320*1670       | 3030        |
| KC-YC6TG-300N5LC    | 50             | 300        | 1500          | 3450*1400*1810       | 3650        |
| KC-YC6TDG-350N5LC   | 50             | 350        | 1500          | 3550*1470*1910       | 4270        |
| KC-YC6TDG-400N5LC   | 50             | 400        | 1500          | 3550*1470*1910       | 4390        |
| KC-YC6CG-400N5LC    | 50             | 400        | 1500          | 4900*2560*2840       | 8690        |
| KC-YC6CG-500N5LC    | 50             | 500        | 1500          | 4900*2560*2840       | 8890        |
| KC-YC6CG-600N5LC    | 50             | 600        | 1500          | 4900*2560*2840       | 9030        |
| KC-YC12VTDG-700N5LC | 50             | 700        | 1500          | 5000*2560*2940       | 9050        |
| KC-YC12VTDG-800N5LC | 50             | 800        | 1500          | 5100*2560*2940       | 9350        |
| KC-YC12VCG-1000N5LC | 50             | 1000       | 1000          | 6000*2600*3015       | 17500       |

# HANMA



Hanma diesel generator set is a reliable and efficient generator equipment widely used in industries such as engineering construction, agriculture and animal husbandry, industrial production, mining, national defense, and ocean navigation, providing professional and relatively stable energy supply for various facilities and equipment. As a professional service provider for market sales, maintenance and daily upkeep of Hanma diesel generator sets, we will provide you with 24-hour attentive service.



## Hanma series gas generator set

| Genset's model | Engine model  | Engine power |     | Number of val | Bore stroke ratio (mm) | Displacement (L) | Fuel consumption (g/kw.h) | Output power |     |
|----------------|---------------|--------------|-----|---------------|------------------------|------------------|---------------------------|--------------|-----|
|                |               | KW           | KVA |               |                        |                  |                           | KW           | KVA |
| KC-HM-280GF    | HMT12F.380 30 | 280          | 350 | 6             | 128*153                | 11.8             | 190                       | 224          | 280 |
| KC-HM-300GF    | HMT12F.408 32 | 300          | 375 | 6             | 128*153                | 11.8             | 191                       | 240          | 300 |
| KC-HM-300GF    | HMT13F.408 32 | 300          | 375 | 6             | 130*161                | 12.8             | 192                       | 240          | 300 |
| KC-HM-320GF    | HMT13F.435 32 | 320          | 400 | 6             | 130*161                | 12.8             | 192                       | 256          | 320 |