

PRODUCT CATALOG · WORKSHOP

Welding equipment

Stick, MIG, TIG and plasma machines, welding generators, battery chargers and compressors — for farm workshops, repairs in the field and fabrication.



WHO WE ARE

Farm equipment, at the price it **actually** costs.

Built by farmers, for farmers. Andrivo sources farm equipment from international manufacturers, handles the entire import process, and delivers to your farm anywhere in Southern Africa.

No chain of hidden markups: our only charge is a service fee on top of the true cost, 30%, or 25% with a referral code.

25%

fee with a referral code

0

distributors in between

SADC

delivery across

Southern Africa

Factory direct

We work directly with the manufacturer — no middlemen.

Inspected before it ships

Each order is checked against the factory spec sheet.

Shipping & customs handled

Freight, duties and transport to your gate, managed by us.

Parts & aftersales

Spares in stock, and every machine logged to your farm.

CONTENTS

What's in this catalog

Voltages are shown for each model: 1Ph 230V runs off a normal plug, 3Ph 380V needs three-phase power. The welding generators need no power at all. Tell us the job and your power supply and we will match the machine.

Stick (MMA) welders	04–06
MIG welders	07–10
TIG welders	11–13
Plasma cutters	14–15
Stud welders	16
Submerged-arc and spot welders	17
Laser welders	18
Welding generators	19
Battery chargers	20
Air compressors	21

**MMA-200**1Ph, 230V $\pm$ 15%

 Ø 1.6-4.0 mm (1/16", 3/32", 1/8", 5/32")
**MMA-250**1Ph, 230V $\pm$ 15%

 Ø 1.6-5.0 mm (1/16", 3/32", 1/8", 5/32", 3/16")
**TURBO-250**1Ph, 230V $\pm$ 15%

 Ø 1.6-3.2 mm (1/16", 3/32", 1/8")
**TURBO-300**1Ph, 230V $\pm$ 15%

 Ø 1.6-3.2 mm (1/16", 3/32", 1/8")
**TURBO-350**1Ph, 230V $\pm$ 15%

 Ø 1.6-4.0 mm (1/16", 3/32", 1/8", 5/32")
**TURBO-400**1Ph, 230V $\pm$ 15%

 Ø 1.6-5.0 mm (1/16", 3/32", 1/8", 5/32", 3/16")


**INTELLIGENT
DIGITAL**

EVO-160DV

1Ph, 110V/220V

 Φ 1.6-3.2 mm (1/16", 3/32", 1/8")

**INTELLIGENT
DIGITAL**

EVO-200DV

1Ph, 110V/220V

 Φ 1.6-4.0 mm (1/16", 3/32", 1/8", 5/32")

**INTELLIGENT
DIGITAL**

EVO-250DV

1Ph, 110V/220V

 Φ 1.6-5.0 mm (1/16", 3/32", 1/8", 5/32", 3/16")

MINI

STICK-250

 1Ph, 230V $\pm$ 15%

 Φ 1.6-3.2 mm (1/16", 3/32", 1/8")

7000 ELECTRODE

PRO-250

 1Ph, 230V $\pm$ 15%

 Φ 1.6-5.0 mm (1/16", 3/32", 1/8", 5/32", 3/16")

7000 ELECTRODE

PRO-300

 1Ph, 230V $\pm$ 15%

 Φ 1.6-5.0 mm (1/16", 3/32", 1/8", 5/32", 3/16")

**MMA-315**3Ph, 380V $\pm$ 15%

 Φ 1.6-5.0 mm (1/16", 3/32", 1/8", 5/32", 3/16")
**MMA-400**3Ph, 380V $\pm$ 15%

 Φ 1.6-6.0 mm (1/16", 3/32", 1/8", 5/32", 3/16", 1/4")
**Cellulosic
Electrode****CEL-251**1Ph, 230V $\pm$ 15%

 Φ 1.6-4.0 mm (1/16", 3/32", 1/8", 5/32")
**Cellulosic
Electrode****CEL-301**1Ph, 230V $\pm$ 15%

 Φ 1.6-5.0 mm (1/16", 3/32", 1/8", 5/32", 3/16")
**Cellulosic
Electrode****CEL-401**3Ph, 380V $\pm$ 15%

 Φ 1.6-6.0 mm (1/16", 3/32", 1/8", 5/32", 3/16", 1/4")
**Cellulosic
Electrode****CEL-401DV**

3Ph, 220V / 3Ph, 440V


 Φ 1.6-6.0 mm (1/16", 3/32", 1/8", 5/32", 3/16", 1/4")

3 IN 1 MAG
MMA
LIFT-TIG



MIG/MMA-130
1Ph, 230V±15%

0.5KG / 1.0KG  Φ 0.8-1.0 mm / Φ 1.6-3.2 mm

3 IN 1 MAG
MMA
LIFT-TIG



MIG/MMA-160
1Ph, 230V±15%

0.5KG / 1.0KG  Φ 0.8-1.0 mm / Φ 1.6-3.2 mm

4 IN 1 MIG
MAG
MMA
LIFT-TIG



MIG/MMA-131
1Ph, 230V±15%

0.5KG / 1.0KG  Φ 0.8-1.0 mm / Φ 1.6-3.2 mm

4 IN 1 MIG
MAG
MMA
LIFT-TIG



MIG/MMA-161
1Ph, 230V±15%

0.5KG / 1.0KG  Φ 0.8-1.0 mm / Φ 1.6-3.2 mm

3 IN 1 MAG
MMA
LIFT-TIG



MIG/MMA-160DV
1Ph, 110V/220V

0.5KG / 1.0KG  Φ 0.8-1.0 mm / Φ 1.6-3.2 mm

4 IN 1 MIG
MAG
MMA
LIFT-TIG



MIG/MMA-161DV
1Ph, 110V/220V

0.5KG / 1.0KG  Φ 0.8-1.0 mm / Φ 1.6-3.2 mm

4 IN 1  **MIG
MAG
MMA
LIFTTIG**



ECO-MIG/MMA-200
1Ph, 230V±15%

1.0KG / 5.0KG  Φ 0.8-1.0 mm / Φ 1.6-3.2 mm

4 IN 1  **MIG
MAG
MMA
LIFTTIG**



EVO-MIG/MMA-250
1Ph, 230V±15%

1.0KG / 5.0KG  Φ 0.8-1.0 mm / Φ 1.6-4.0 mm

4 IN 1  **MIG
MAG
MMA
LIFTTIG**



EVO-MIG/MMA-270
1Ph, 230V±15%

15KG  Φ 0.8-1.0 mm / Φ 1.6-4.0 mm

NEW 



MIG/MMA-275
1Ph, 230V±15%

15KG  Φ 0.8-1.2 mm / Φ 1.6-4.0 mm

NEW DESIGN 

2 IN 1  **MAG
MMA**



FLUX-250
1Ph, 230V±15%

0.5KG / 1.0KG  Φ 0.8-1.0 mm / Φ 1.6-3.2 mm

SINGLE PULSE 




MIG-200AL
1Ph, 230V±15%

15KG  Φ 0.8-1.0 mm / Φ 1.6-4.0 mm




MIG/MMA-280

1Ph, 230V $\pm 15\%$




MIG/MMA-315

3Ph, 380V $\pm 15\%$




MIG/MMA-400

3Ph, 380V $\pm 15\%$



MIG/MMA-550

3Ph, 380V $\pm 15\%$




MIG/MMA-400DV

3Ph, 220V / 3Ph, 440V



MIG/MMA-550DV

3Ph, 220V / 3Ph, 440V





MIG-200DP

1Ph, 230V $\pm$ 15%

Double Pulse
Intelligent Digital



MIG-202DP

1Ph, 110V/220V

Double Pulse
Intelligent Digital



MIG-500DP

3Ph, 380V $\pm$ 15%

Double Pulse
Intelligent Digital



MIG-500DP

3Ph, 220V

Double Pulse
Intelligent Digital



MIG/MMA-550+COBOT

3Ph, 380V/440V/460V/600V

15KG  Φ 0.8-1.6mm Φ 1.6-5.0 mm



MIG-500DP+COBOT

3Ph, 380V/440V/460V/600V

Double Pulse
Intelligent Digital

MOSFET



TIG/MMA-255P
1Ph, 230V±15%

Inverter TIG/MMA DC Welder

MOSFET



TIG/MMA-315D
1Ph, 230V±15%

Inverter TIG/MMA DC Welder



TIG-200P AC/DC
1Ph, 230V±15%

TIG AC / DC Pulse Welder



TIG-250P AC/DC
1Ph, 230V±15%

TIG AC / DC Pulse Welder

INTELLIGENT DIGITAL



PRO-TIG/MMA-250P
1Ph, 230V±15%

Inverter TIG/MMA DC Pulse Welder

INTELLIGENT DIGITAL



PRO-TIG/MMA-252P
1Ph, 110V/220V

Inverter TIG/MMA DC Pulse Welder

INTELLIGENT DIGITAL



TIG-200P AC/DC DIGITAL
1Ph, 230V $\pm$ 15%
TIG AC / DC Pulse Welder

INTELLIGENT DIGITAL



TIG-250P AC/DC DIGITAL
1Ph, 230V $\pm$ 15%
TIG AC / DC Pulse Welder

INTELLIGENT DIGITAL



TIG-315P AC/DC DIGITAL
3Ph, 380V $\pm$ 15%
TIG AC / DC Pulse Welder

INTELLIGENT DIGITAL



TIG-315P AC/DC DIGITAL
1Ph, 220V/3Ph, 220V
TIG AC / DC Pulse Welder

INTELLIGENT DIGITAL



TIG-400P AC/DC DIGITAL
3Ph, 380V $\pm$ 15%
TIG AC / DC Pulse Welder



FOOT CONTROL-2
used in some models of
TIG and AC/DC range



WATER
COOLED

PRO-WSME-315

3Ph, 380V $\pm$ 15%

TIG AC / DC Pulse Welder



WATER
COOLED

PRO-WSME-315

3Ph, 220V

TIG AC / DC Pulse Welder



WATER
COOLED

PRO-WSME-400

3Ph, 380V $\pm$ 15%

TIG AC / DC Pulse Welder



WATER
COOLED

PRO-WSME-400

3Ph, 220V

TIG AC / DC Pulse Welder



WATER
COOLED

PRO-WSME-500

3Ph, 380V $\pm$ 15%

TIG AC / DC Pulse Welder



WATER
COOLED

PRO-WSME-500

3Ph, 220V

TIG AC / DC Pulse Welder



CUT-40

1Ph, 230V $\pm$ 15%

Max Cutting Thickness 12 mm



CUT-40DV

1Ph, 110V/220V

Max Cutting Thickness 12 mm



CUT-60

1Ph, 230V $\pm$ 15%

Max Cutting Thickness 25 mm



CUT-70

1Ph, 230V $\pm$ 15%

Max Cutting Thickness 27 mm



CUT-100

3Ph, 380V $\pm$ 15%

Max Cutting Thickness 45 mm



CUT-120

3Ph, 380V $\pm$ 15%

Max Cutting Thickness 50 mm

NEW



CUT-100DV
Dual 3ph-220V & 3ph-440V

Max Cutting Thickness 45 mm

NEW



CUT-120DV
Dual 3ph-220V & 3ph-440V

Max Cutting Thickness 50 mm

NEW



CUT-160
3Ph, 380V±15%

Max Cutting Thickness 70mm

NEW



CUT-200
3Ph, 380V±15%

Max Cutting Thickness 85mm

NEW



CUT-250
3Ph, 380V±15%

Max Cutting Thickness 95mm

**CNC CUTTING
+
FLAME CUTTING**



CNC-1530
1Ph, 230V±15%

CNC Cutting & Flame Cutting Machine
Compatible With ZELDA CUT-60 & 100 & 120



SW2500

1Ph, 230V $\pm$ 15%

Stud Welder



SW3500

1Ph, 230V $\pm$ 15%

Stud Welder



RSN-2000

3Ph, 380V $\pm$ 15%

Stud Welder



RSN-2500

3Ph, 380V $\pm$ 15%

Stud Welder



RSN-3500

3Ph, 380V $\pm$ 15%

Stud Welder



WC-10L

1Ph, 230V $\pm$ 15%

Water Cooler



MZ-630

3Ph, 380V $\pm$ 15%

Submerge ARC
Welding Machine



MZ-1000

3Ph, 380V $\pm$ 15%

Submerge ARC
Welding Machine



MZ-1250

3Ph, 380V $\pm$ 15%

Submerge ARC
Welding Machine



DN-16

230V/380V

Spot Welder



DN-25

230V/380V

Spot Welder



DN-35

230V/380V

Spot Welder

3 IN 1 WELDING CUTTING CLEANING



LASER-1500

1Ph, 230V±15%

Laser Welder

3 IN 1 WELDING CUTTING CLEANING



LASER-2000

1Ph, 230V±15%

Laser Welder

3 IN 1 WELDING CUTTING CLEANING



LASER-3000

3Ph, 380V±15%

Laser Welder



AR/CO2

REGULATOR

CGA320, CGA580

W21.8

G3/4, G5/8



AR

REGULATOR

CGA320, CGA580

W21.8

G3/4, G5/8



CO2

REGULATOR

CGA320, CGA580

W21.8

G3/4, G5/8



WELDING GENERATOR



DIESEL

ZD-6000SE

Rated AC Voltage : 220V/50Hz

Max AC.output : 5.0KW
Welding Current : 50-200A

WELDING GENERATOR



DIESEL

ZD-6000

Rated AC Voltage : 220V/50Hz

Max AC.output : 5.0KW
Welding Current : 50-200A

WELDING GENERATOR

NEW DESIGN



GASOLINE

WG-280

Rated Output Voltage : AC220V

Rated Power: 4.5KW
Welding Current : 30-280A

WELDING GENERATOR

NEW DESIGN



GASOLINE

WG-281

Rated Output Voltage : AC110V

Rated Power: 4.5KW
Welding Current : 30-280A

GENERATOR



GASOLINE

GASOLINE2800

Rated AC Voltage : 230V/50Hz

Max AC.output : 2800W
Max Power output : 6.5HP

GENERATOR



GASOLINE

GASOLINE3300

Rated AC Voltage : 230V/50Hz

Max AC.output : 3300W
Max Power output : 7.0HP



CB-20

1Ph, 110/220V

Battery Charger, Charging Volt: 12/24V



CB-30

1Ph, 110/220V

Battery Charger, Charging Volt: 12/24V



CB-40

1Ph, 110/220V

Battery Charger, Charging Volt: 12/24V



CB-50

1Ph, 110/220V

Battery Charger, Charging Volt: 12/24V



CD-330

1Ph, 110/220V

Battery Charger, Charging Volt: 12/24V



CD-630

1Ph, 110/220V

Battery Charger, Charging Volt: 12/24V



24L Oil Free & Silent



ZD12001-24L

1Ph, 230V $\pm$ 15%

Tank : 24L
Power : 1200W
Max.Pressure : 8bar/115psi

50L Oil Free & Silent



ZD12002-50L

1Ph, 230V $\pm$ 15%

Tank : 50L
Power : 1200W X 2
Max.Pressure : 8bar/115psi

100L Belt Driven



H0.3-100

1Ph, 230V $\pm$ 15%

Tank : 100L
Cylinder : 70x2mm Power : 3HP
Max.Pressure : 8bar/115psi

50L Direct Driven



ZD-AC50

1Ph, 230V $\pm$ 15%

Tank : 50L
Power : 2.5HP
Max.Pressure : 8bar/115psi

200L Belt Driven



H0.3-200

1Ph, 230V $\pm$ 15%

Tank : 200L
Cylinder : 70x2mm Power : 3HP
Max.Pressure : 8bar/115psi

100L Gas Powered



H0.3-100G

1Ph, 230V $\pm$ 15%

Tank : 100L
Motor Power : 6.5HP Cylinder : 70x2mm
Max.Pressure : 8bar/115psi