


PRODUCT CATALOG · MACHINERY

Fruit & vegetable processing lines

Washing, brushing, drying, waxing, sorting, grading and packing machines — as single modules or complete lines for citrus, avocados, tomatoes, potatoes, onions, berries, dates, nuts and more. Direct from the factory to your packhouse.



WHO WE ARE

Farm equipment, at the price it *actually* costs.

Built by farmers, for farmers. Andrivo sources farm infrastructure and equipment from international manufacturers, handles the entire import process, and delivers to your farm anywhere in Southern Africa.

Farmers usually pay for a chain of markups they never see — a factory, an export agent, an importer and a local distributor, each adding a margin nobody discloses. Andrivo removes that chain. Our only charge is a service fee on top of the true cost: 30%, or 25% with a referral code.

25%

fee with a referral code
(30% without)

0

distributors in between

SADC

we deliver across
Southern Africa

How every quote works

1**Factory direct**

We work directly with the manufacturer of every machine in this catalog — no middlemen.

2**Inspected before it ships**

Each order is checked against the factory spec sheet before it leaves the plant.

3**Shipping & customs handled**

Freight, duties, clearing and transport to your gate are all managed by us.

4**Parts & aftersales**

Spares in stock, and every machine logged to your farm under My Farm by Andrivo.

CONTENTS

What's in this catalog

Every machine can be bought on its own or combined into a complete line sized for your crop, capacity and packhouse. Tell us the crop, tonnes per hour and how you want it graded, and we will lay out the line.

Processing machines

Infeed, Hopper & Elevator	04
Bubble Washing Machine	05
Brush & Spray Washer / Polishing & Dry Cleaning	06
Blowers Drying Machine / Drying Tunnel	07
Inspection Table	08
Fruit Waxing Machine	09
Packing Table / Box Filler & Weigher	10
Drum Size Grader	11
Adjustable Roller Grader	12
Circular Weight Sorter	13
Electronic Weight Sorter	14
Optical Sorter	15
Crop Coverage & Typical Routes	16

Complete lines by crop

Mandarin Processing Line	17
Orange / Lemon Processing Line	18
Kumquat / Small Citrus Line	19
Avocado Processing Line	20
Mango / Dragon Fruit Line	21
Tomato Sorting & Packing	22
Bell Pepper Grading & Packing	23
Onion Processing Line	24
Garlic Processing Line	25
Potato Cleaning Grading Line	26
Sweet Potato Washing, Drying & Sorting	27
Jujube / Lychee Sorting Weight Packing Line	28
Dates Processing Lines	29
Blueberry Grading & Packing	30
Nuts Processing Solutions	31
Heavy Fruit Solutions	32



Hydraulic Bin Tipper

- Hydraulic Bin Tipper empties field bins onto a conveyor.
- Product is evenly distributed onto the receiving equipment.
- Ensures a consistent supply, optimizing throughput.
- Automated with a Control Panel or remote control.
- Designed to minimize drop height and optimize gentle tipping.

Bin width: 1000mm-1200mm Bin Length: 1000mm-1200mm Bin Height: 750mm-1200mm




Hopper/inclined Elevator

- Receive products from boxes or dumper and transfer to next step, normally work at the beginning of one machine or one processing line.
- Rotating rollers for impurities dropping and even distribution.

Available in roller elevator, hopper elevator, inclined elevator.

Bubble Washing Machine



- Bubble washing allows the product to be soaked and rolled in the pool, suitable for removing impurities in the pre-cleaning stage of the production line.
- Products is taken out row by row with roller elevator.
- A filter box can be added to roughly filter impurities.
- The jacking function can be added to facilitate the cleaning of the tank bottom if required.
- Custom tank dimension is acceptable.



Brush & Spray Washer

- Brushes bed with nylon brushes & high pressure spray bars overhead for removing dirty and rinsing.
- With stainless cover to prevents splashing.
- Include belly pan tank to hold water and pump for sprayer.
- Custom brushes for various product.
- Washing speed is adjustable by frequency converter.

Polishing & Dry Cleaning

- The dry brushing machine is mainly used to polish the fruit or remove dust on the surface.
- It can also remove the outermost loose skin of products like garlic or onion.
- Suitable for dry cleaning of crops like potatoes, garlics, green peppers that can not be washed by water.
- Speed is adjustable by frequency converter.





Blowers Drying Machine

- Blowers are installed above the brushes bed for removing water.
- With belly tank for water collection.
- Various speed by converter.
- Option for normal blowers or pressure blowers.



Drying Tunnel

- Adopt closed heat cycle design and 4 centrifugal fans & 2 axial fans on top of roller bed to achieve the internal hot and cold air convection.
- Temperature in drying tunnel can be adjusted from 35° to 45°.
- Heat source for burner diesel oil (or natural gas).
- With roller cleaning system installed below for maintenance.

Inspection Table

- Inspection table can be made with roller type or belt type according to different products.
- Workers on each side can pick out the damaged products by hand and throw into the side outlets.
- With a takeout belt under the rollers to delivers rots & trash into a bin.
- Convey speed adjustable by frequency converter.



Fruit Waxing Machine

- Wax spray system include intermittent liquid wax spray, vane pump, wax spray cover, combined with wave brushes wiping to make sure fruits are waxed uniform.
- Brushes Material: horse hair
- Solenoid valve & Time relay to control the spraying time and interval.
- Include a wiper for brushes cleaning.



Packing Table

- Packing tables normally installed at the exits of electronic sorter for premium packing.
- Products from two adjacent exits are distributed to one combined packaging table, with return belt at each exit.
- Packers take the empty cartons from the motorless roll conveyor above and put on the scale to do premium packing like labeling, putting mesh bags, uniform placing.
- Once the cartons reach a certain weight, will be moved to the motor roll conveyor below.



Box Filler & Weigher

- The fill&weigh system normally include takeout belts for filling, scales for box weighing, sensors for box recognition, roll conveyor for full box transportation, control panel for system controlling.
- Working process:
 1. Put empty boxes on the scales of each exit.
 2. Belts start to fill and stop once the box reach a preset weight.
 3. Full boxes are automatically pushed onto the roller conveyor for collection.
 4. Workers put empty boxes and belts restart filling.





Mandarin Tomato Garlic Grader

- This drum sorting machine consists of a hopper & roller elevator with inspection table, a drum sizer and a controller. It is suitable for sorting round or oblate fruits and vegetables by size, such as mandarin, tangerine, garlic, tomato, etc.

Sorting Type	Drum Material	Working Capacity
Sorting by width/diameter	PP	Average 6000kg/h
Speed Control	Number of Sizes/Exits	Power
by frequency converter	3-4	1.65kw



- ✓ Various speed, accurate sorting.
- ✓ Simple operation, easy maintenance.
- ✓ High efficiency, large capacity.
- ✓ Belts are soft and food grade, protecting fruit from damage.



Sorting Type	Power	Capacity
Sorting by width/diameter	1.65kw	Average 5000kg/h
Size at Each Grade	Number of Sizes/Exits	Speed Control
Adjustable	3-6	by frequency converter
Optical Material	Workable Products	Inner Width
Product contacting point stainless steel or fully stainless steel	Potato, onion, capsicum, brinjal, lemon, cucumber, eggplant, tomato, bell pepper, etc.	1m or 1.2m



Adjustable Roller Grader



- This roller grading machine sizes vegetables by width/diameter using a series of forward moving rollers – one bottom bed of fixed rollers, and a top bed of height adjustable rollers.
 - Every top roller is mounted in a polymer guide plate, which allows them to lift vertically to make a specified grade size. Stainless steel rollers rotate on the inspection table for manual quality sorting.
- ✓ Variable speed, easy operation
 - ✓ Gaps at each grade can be adjusted according to diameters required
 - ✓ High-quality finished, good looking and safe for worker operation
 - ✓ Widely used for various crops

Circular Weight Sorter

- Circular weight sorter is a mini type electronic sorter.
- It includes the elevator, the singulator, V belt, the main electronic sorter unit and the control panel.
- Compact and simple in construction.
- Easy installation and operation.
- Fruit-friendly, minimum damage on fruits.

Speed
16000 pcs/h
Accuracy
±2g

Exits
5+1
Sorting Range
30-900g





Electronic Weight Sorter


- The modern electronic weight grader is designed for accurate grading of fruits on weight basis, composed of the feeding unit, weighing assembly, collection trays and control panel.
- Widely used for various fruit like apple, avocado, peach, citrus fruits, mango, passion fruit, etc.
- ✓ Accurate sorting
- ✓ Various capacity
- ✓ Low drop & gentle handling
- ✓ Easy for installation and maintenance

Process	Number of Lanes	Sorting Type
Elevating, sorting	1,2,4	Sorting by weight
Number of Sizes/Exits	Accuracy	Fruit Collection
9,12,16	Medium accuracy: ±2g	From One side or two sides
Working Capacity	Layout	Fruit Cup
Average 25000fruits/h/lane	Straight or L shape	Customized



Optical Sorter

- This is a a color, weight/diameter, shape and blemish sorting system that integrated into an electronic grader.
- It includes several high speed cameras to take multiple images of the fruit while it rotates at the singulator underneath.
- Then the modern Visual identification system with UV, H color spectrum and grayscale technology for color recognition can accurately sort the color, shape and blemish of the fruit surface.
- ✓ High resolution industrial camera, high quality lens.
- ✓ Perfectly aligns and rotates the fruits for the best camera angles.
- ✓ Sorting parameters of color, blemish, size, weight can be user defined.
- ✓ Special fruit cups for avocado increase the stability of fruit drop.
- ✓ Buffer brush roller at each exit can effectively avoid fruit drop damage.



Function Sort products by weight/diameter, color, shape, blemish	Number of Lanes 4	Number of Exits 16+1
Speed 200 pcs/min/lane	Images 20 images per fruit	Products Apples, avocados, mangoes, pomegranate fruit, peppers, tomatoes, etc.





Choose the right route for crop, grade target, and pack format.

Size grading


Efficient commercial sorting and practical output separation.

Weight sorting

More uniform premium packing and clearer value segmentation.

Optical sorting

Color, blemish, and appearance control where visual quality matters most.



Small Washing Sorting Line for Fruit

- This line includes the bubble washing machine, brushes&blowers drying machine, the transportation belt, the main electronic sorter unit and the control panel. It can sort fruits and vegetables by weight and controlled on the computer.



Capacity(pcs/h)	Exit/grade	Power(kw)
14000pcs/h	5+1	1.87kw
Accuracy	Sorting range	Blowers
±2g	30~400g	4pieces
Electromagnets	Brushes	Dimension(mm)
5 pieces	20pieces	1280*5030*1760

- ✓ Low cost.
- ✓ Compact and simple in construction. Saving a lot of space.
- ✓ Easy installation and operation.
- ✓ Fruit-friendly, minimum damage on fruits.
- ✓ Widely adapted for citrus, apple,avocado,tomatoes,passion fruit, etc.



Orange / Lemon Processing Line

Practical citrus processing from washing to packing.

- Washing and brushing remove field dust and improve surface cleanliness.
- Waxing and drying support stronger retail and export presentation.
- Roller grading or optional weight sorting can connect with carton, box, or bulk packing.

APPLICATIONS

Orange, Lemon, Lime

LINE ADVANTAGES

- High capacity output
- Adjustable grading range
- Multi-purpose citrus use
- Cost-effective and easy maintenance

TYPICAL ROUTE

Washing


Drying

Waxing

Roller grading

Packing

Washing, drying, waxing, grading, and packing modules can be selected according to fruit condition and packing target. Roller grading and weight sorting can be combined for export-grade packs.




Kumquat Washing Drying Sorting Packing Line

- The line consists of the bubble washing tank with takeout elevator, brushes and sprayers cleaning machine, blowers drying machine, inspection machine for manual selection, size grader, box fill&weigh system and controller.



Capacity(pcs/h)	Exit/Trays	Power(kw)
2t-3t/h	4	1kw
Voltage	Brushes	Blowers
380V	50 pieces	8 pieces
Dimension(mm)	Application	Inner Width
19000*2500*2140	Lemon, kumquat, lime, orange, dafra, etc.	800mm, 1000mm, 1200mm

- ✓ Continuous processing, high efficiency.
 - ✓ An integrated solution from washing drying to sorting and box packaging.
 - ✓ Adjustable speed to meet different production requirements.
 - ✓ The surface treatment is smooth and round, safe for workers to use.
 - ✓ Each machine can be used separately or connect freely for various purpose
- Simple operation and reasonable interface design.




Avocado Processing Line

- modern avocado processing machines usually consists of the bubble washing machine with roller elevator, the brushing machine with pressure water sprayers, the air drying machine, the waxing machine, the hot air dryer, and the electronic weight sorting machine.
- Each machine can work independently or be combined to a line.



Optical Process	Number Of Lanes	Sorting Type
Washing, drying, waxing, sorting	1, 2, 4	Sorting by weight
Number Of Sizes/Exit	Accuracy	Workable Products
1, 12, 16	Medium accuracy: 42g	Apples, avocados, citrus, mangoes, etc.
Working Capacity	Layout	Weight Range
Average 25000 fruits/h/line	Straight or L shape	10-999g




- ✓ Automatic sprays and soft brushes can cleaning effectively without damage.
- ✓ Professional air-drying channel is low noise and effective drying.
- ✓ Intelligent and stable weight sorting software, famous brand electronic sensors.
- ✓ Special fruit cups for dragon fruit increases the stability of fruit drop.
- ✓ Brush roller at each exit can effectively avoid fruit drop damage.
- ✓ Whole process is low drop, gentle treatment, stability and high precision.

Pitaya Mango Washing Drying Sorting Line

- This modern fruit processing line includes a bubble washing tank with takeout elevator for cyclic soaking and remove impurities, a brushes&sprays machine for deep cleaning, a pre-drying machine with blowers, a roller inspection table with light on top for manual selection, a drying channel for complete drying, an electronic weight sorter with takeout belts to sort fruits into different grade, and one central controller.

Working Capacity	Inspection Table
Average 8000kg per hour	4 meter
Sorting Type	Number Of Exit
Sorting by individual weight	9
Workable Products	Speed
Apple, dragon fruit, pitaya, mango, avocato etc.	Adjusted by converter
Power	Process
28.5kw	Washing, drying, inspection, electronic sorting





Application
Passion fruit, tomato, avocado, citrus, etc.

Dimensions(mm)
26300*7350*1430

Sorting Exits
8+1 exits

Packing Stations
4

Work Efficiency
4t/h

Voltage
380V



Tomato Sorting & Packing

Three practical sorting routes for fresh-market tomatoes.

- Size grading for simple commercial classification.
- Weight sorting for more uniform premium packs.
- Optical sorting for color, blemish, and surface-quality screening.

APPLICATIONS Tomato, Avocado, Citrus, Passion fruit

Size grading

Weight sorting

Optical sorting



CONFIGURATION

Washing

Drying

Inspection

Roller sizing

Weight sorting

Optical sorting

Packing

Bell pepper lines can start from washing and drying, then add inspection, roller sizing, weight sorting, optical sorting, and packing according to product quality and market grade.

Bell Pepper Grading & Packing

Flexible fresh-pack line for bell pepper and capsicum.

- Washing, drying, inspection, sizing, weight sorting, and optical sorting can be combined as required.
- Single machines can work independently or connect into a complete packing line.
- Carton, crate, or retail packing sections can be matched to market demand.

APPLICATIONS

Bell Pepper / Capsicum

LINE ADVANTAGES

- Flexible machine combinations
- Single machine or complete line
- Customized capacity and grades
- Layout designed for factory size and shape



Onion Processing Line

Practical grading and packing for bulb onion programs.

- Dry cleaning, brushing, inspection, and grading can be combined for stable commercial output.
- Roller grading and screen sizer options can match different onion size ranges.
- Bagging, bulk bin, or carton output can be configured for local and export markets.

APPLICATIONS

Red / Yellow / White Onion

LINE ADVANTAGES

- High capacity and cost-effective
- Adjustable speed and grading spacing
- Customized grading outlets
- Easy installation and maintenance

TYPICAL ROUTE

Dry cleaning


Inspection

Roller grading

Screen sizer

Bagging / bulk pack

Dry cleaning and brushing prepare onions for inspection. Roller grading or screen sizer can be selected according to onion size range, target grades, and packing format.




Optical Process
Brush cleaning, sorting, bag packing
Number of brushes
20 pcs

Working Capacity
Average 3000kg/h
Number of Sizes/Exits
3-4

Sorting Type
Sorting by width/diameter
Width of Takeout Belt
240mm

Garlic Cleaning And Grading Line

- The modern garlic cleaning grading machine include the elevator, the brush cleaning machine and size grader. Brushes can remove dust and the outer skins that have dirt on.
 - Hole sizes on grader can be made according to customer requirement.
- ✓ Large capacity
 - ✓ Simple operation
 - ✓ Easy maintenance
 - ✓ Various speed
 - ✓ Bag hanging design at each outlet for packing




Optical Process	Working Capacity	Sorting Type
Brushing, inspection, sorting	Average 8000kg/h	Sorting by width/diameter
Size at Each Grade	Speed Control	Sizes at Each Grade
Fixed or Adjustable	by frequency converter	Fixed or adjustable
Number of Sizes/Exits	Brushes Material	Workable Products
3-6	Nylon	potatoes, pepper, capsicum, onions, etc.

Potato Cleaning Grading Line

- Our potato cleaning sorting machines can clean, brush, grade potatoes of all shapes and sizes at large capacity, equipped with the hopper & roller elevator for feeding and manual inspection, brushes cleaning machine with dust suction and roller grader for sizing.
- With our cost-efficient potato cleaning grading lines, your resulting potatoes will be uniformly sized according to required grading categories, beautifully polished, and clean from dirt.

- ✓ Large capacity
- ✓ Various speed
- ✓ Sizes adjustable
- ✓ Customizable
- ✓ Simple operation & maintenance



Sweet Potato Washing, Drying & Sorting

From muddy field product to clean, dry, and graded output.

- Field sweet potatoes usually carry heavy dirt and need gentle cleaning because the skin is thin.
- Bubble washing, brush washing, drying, and inspection prepare product before grading.
- Roller grading sorts by diameter for stable commercial output.
- Optional optical sorting can be added for final color and appearance selection.


APPLICATIONS

Sweet potato, carrot, radish

LINE ADVANTAGES

- High efficiency
- Strong and cleanable water tank
- Soft and durable brushes, no damage on skin
- Various speed, customized capacity
- With CE certificate
- Gently delivers product, minimum damage

Working Capacity	Inspection Table	Sorting Type
Average 8000kg per hour	Yes or No	Sorting by diameter(width)
Number of Size/Grade	Workable Products	Sizes at Each Grade
3, 4, 5, 6	Potatoes, sweet potatoes, carrots, radish, etc.	Fixed or adjustable
Water Consumption	Material	Drying Option
4 tons/hr	Water tank & contacting parts by stainless steel, or fully stainless steel	Blowers or blowers+ drying tunnel




Process	Speed Control	Sorting Type
Manual selection, sorting, box packing	by frequency converter	Sorting by width/diameter
Workable Products	Working Capacity	Loading
jujube, dates, cherry tomato, plum, etc.	Average 3000kg/h	20 ft container
Number of Sizes/Exits	Box Filling & weighing System	Inner Width
3-6	Manual or automatic	800mm, 1000mm, 1200mm



Jujube Lychee Sorting Weight Packing Line


- The modern jujube grading packing machine is composed of a hopper & inspection machine, a size grading machine, a box fill & weigh system and power box.
- Products are dumped to the hopper and transferred by the roller elevator to the inspection table for manual selection. Fruits get sorted on the roller-type grader by diameters and drop onto the takeout conveyor belt at each exit, which can automatically fill the box with a preset weight.
- All settings on the touch screen.
- ✓ Flexible & Customizable
- ✓ High efficiency
- ✓ Various speed
- ✓ Continuous processing
- ✓ Simple operation & maintenance



Dates Washing Drying Sorting Lines

➤ modern dates washing drying sorting lines is designed for dates processing plants. It combined process from washing, polishing, drying, inspection to size sorting for dates. Each section can run separately through central power box.

- ✓ High efficiency
- ✓ Strong and cleanable water tank
- ✓ Soft and durable brushes, avoid damaging products
- ✓ Various speed
- ✓ Customizable



Working Capacity 3000kg per hour	Number of Size/Grade 1, 4, 5, 6	Sorting Type Sorting by diameter
Sizes at Each Grade Fixed or adjustable	Workable Products Dates, pomegranates, plums, apricots, kumquats, etc.	Brushes & spray washing machine brushes bed with water jets overhead
Cleaning Option Drying cleaning or water washing	Material Water tank & contacting parts is stainless steel, or fully stainless steel	Inner Width 800mm, 1000mm, 1200mm



CROP FIT

Blueberry / Fresh Pack

Blueberry Grading & Packing

Gentle grading and retail-ready packing for blueberries.

- Soft transfer helps protect bloom from feeding to final packing.
- Selection and inspection can connect with diameter grading and clamshell packing.
- Compact layouts fit farm packing houses and retail programs.

APPLICATIONS **Blueberry**

Gentle grading

Inspection

Punnet packing

TYPICAL ROUTE

Selection

Inspection

Diameter grading

Packing

The blueberry line starts with selection and inspection, then moves to gentle diameter grading and retail packing. Compact layouts help preserve bloom while supporting farm packing houses and fresh-market programs.

LINE NOTE

Packing can be matched to punnet, clamshell, or small carton output.

Sorting Type	Number of Sizes	Working Capacity
Sorting by diameter	2,3,4	300-1000kph
Material	Material of Drum	Sorting Drum
Painted steel or stainless steel	PP material	Changeable



TYPICAL ROUTE

Washing

Drying

Inspection

Grading

Packing

Chestnut remains the main complete-line reference. Washing, drying, inspection, grading, and packing can be combined with crop handling equipment for a complete commercial flow.

Nuts Processing Solutions

Modular handling, cleaning, grading, and packing for nuts.

- Chestnut processing can include washing, drying, inspection, grading, and packing modules.
- Macadamia and similar nuts can be matched with customized grading and conveying routes.
- Chestnut harvester can also be supplied for upstream field collection support.

APPLICATIONS

Chestnut / Macadamia

LINE ADVANTAGES

- Modular line configuration
- Customized grading route
- Harvesting support available
- Easy operation and maintenance



LINE FIT

Washing

Drying

Inspection

Grading

Packing

Reinforced handling improves transfer stability for grapefruit, pomelo, and coconut. Washing, drying, inspection, grading, and packing sections can be matched to larger-fruit conveying needs.

Heavy Fruit Solutions

Stable conveying and grading for larger fruit.

- Reinforced conveyors and transfer points improve stability for heavier produce.
- Washing, drying, inspection, and grading modules can be combined by crop and capacity.
- Packing outlets can be matched to carton, crate, or bulk handling requirements.

APPLICATIONS

Grapefruit / Pomelo / Coconut

LINE ADVANTAGES

- Strong conveying structure
- Adjustable grading options
- Crop-specific layout design
- Stable operation for heavy fruit