WP VEGVESEN

Guide to variables

How to show vehicle data from Statens vegvesen on your pages: shortcodes, tokens, conditions, visibility classes and ready-made blocks.

1 How it works
2 Shortcode or token?
3 Shortcode [bv]
4 Tokens {bv:…}
5 Conditions [bv_if]
6 Visibility classes
7 Ready-made blocks
8 Examples and tips
9 All fields

1 How it works

A **variable** is a placeholder in a page that the plugin replaces with data about one vehicle: the make, the weight, the date of the next EU inspection and so on.

Which vehicle? The one whose number is in the page address. After a search the visitor lands on the result page:

```
https://your-site.no/vehicle/AB12345/
https://your-site.no/any-page/?regnr=AB12345
```

Every variable on that page shows the vehicle `AB12345`. The plugin asks Vegvesen once per page and keeps the answer (24 hours by default), so many variables cost no extra requests.

The result page

Chosen under **WP Vegvesen → Settings → Result page**. Build it in any page builder: put the search field at the top and the variables or ready-made blocks below.

Designing with real data

Inside the page builder there is no number in the address. The plugin then shows the **preview number for editors** from Settings, so you see real values while you work. Visitors never see it.

Test first. WP Vegvesen → Variables lists every field with its value for a test number. Click a shortcode or token there to copy it.

2 Shortcode or token?

There are two ways to write the same variable. They show the same value; what differs is where they work.

Write	Use it in	Example
`[bv field="merke"]` shortcode	Large text fields with an editor: WPBakery Text Block, Info Box content, HTML Blocks, Gutenberg paragraphs.	Spare parts for [bv field="merke"]
`{bv:merke}` token	One-line fields where a shortcode is not run: WoodMart Title, Info Box title, button text, list items, the page title. Tokens also work in text blocks.	Parts for {bv:merke_modell}

Rule of thumb: if you typed a shortcode and see it on the site as plain text `[bv field="…"]`, that field does not run shortcodes. Use the token instead.

In the editor (admin) tokens stay as you wrote them; they are replaced on the site.

3 Shortcode [bv]

The shortcode prints one value. `field` is the field key from the list in section 9.

```
[bv field="egenvekt" unit="1"]                → 1,615 kg
[bv field="neste_eu" format="j M Y"]          → 21 Mar 2027
[bv field="merke" before="Make: "]            → Make: Volkswagen
[bv field="co2" suffix=" g/km" empty="–"]     → 118 g/km, or – when empty
```

Attributes

Attribute	What it does
`field="merke"`	Which field to show (required).
`unit="1"`	Adds the field's standard unit: kg, mm, kW, g/km, km…
`format="d.m.Y"`	Date format for date fields (see the table below). Without it: the site's default date format.
`before="Make: "`	Text in front of the value. Not shown when the value is empty.
`suffix=" kg"` / `after`	Text after the value. Not shown when the value is empty.
`empty="–"`	What to show when Vegvesen has no data for this field. Default: nothing.
`number="0"`	Number without thousands separator: 1615 instead of 1,615.
`decimals="1"`	Number of decimals for numbers (5.2 instead of 5).
`regnr="AB12345"`	Always show this vehicle instead of the one in the address.
`el_class`	CSS class; the value is then wrapped in `<span class="bv-field …">`.

Date formats

Format	Result (21 March 2027)
`d.m.Y`	21.03.2027
`d/m/Y`	21/03/2027
`j M Y`	21 Mar 2027
`j F Y`	21 March 2027
`Y`	2027

Letters: d = day with zero, j = day, m = month number, M = short month name, F = full month name, Y = year. Month names follow the site language.

A field's **label** (for your own tables) comes from `[bv_label field="egenvekt"]` → *Kerb weight*.

4 Tokens {bv:…}

```
{bv:merke}              → Volkswagen
{bv:merke_modell}       → Volkswagen Passat
{bv:egenvekt|unit}      → 1,615 kg
{bv:neste_eu|j M Y}     → 21 Mar 2027
{bv:label:egenvekt}     → Kerb weight
```

Form	Meaning
`{bv:field}`	The value, as `[bv field="field"]`.
`{bv:field|unit}`	The value with its unit.
`{bv:field|j M Y}`	Anything else after `|` is a date format.
`{bv:label:field}`	The field's label instead of its value.
`{bv:status}`	The search status: funnet, ikke_funnet, ugyldig, feil or ingen.

Note: tokens have no `empty` or `before` option. If a field may be empty, put the line inside a condition (section 5) or use the shortcode.

5 Conditions [bv_if]

`[bv_if]` shows its content only when a condition holds. Everything inside it (text, shortcodes, tokens) is hidden otherwise.

Condition	Shows the content when…
`[bv_if field="co2"]…[/bv_if]`	the field has a value
`[bv_if field="co2" empty="1"]…[/bv_if]`	the field is empty
`[bv_if field="eu_status" is="utlopt,snart"]…[/bv_if]`	the value is one of the list (comma separated)
`[bv_if field="drivstoff" not="Elektrisk"]…[/bv_if]`	the field has a value that is not in the list
`[bv_if status="funnet"]…[/bv_if]`	the search has this status

Comparing with `is` and `not` ignores upper and lower case. Values such as fuel, colour or body type come from Vegvesen in Norwegian (Diesel, Elektrisk, Svart, Stasjonsvogn) – check the exact value on the Variables page.

Search status

Status	Meaning
`funnet`	the vehicle was found
`ikke_funnet`	no vehicle with this number
`ugyldig`	not a valid registration number or VIN
`feil`	Vegvesen could not be reached or answered with an error
`ingen`	no number in the address yet (before a search)

```
[bv_if field="eu_status" is="utlopt"]
The EU inspection deadline has passed ([bv field="neste_eu"]).
[/bv_if]

[bv_if field="karosseri_kode" is="AC"]Parts for estate cars[/bv_if]
```

6 Visibility classes

Whole rows, columns or elements can be shown or hidden without a shortcode: put a class in the element's **Extra class name** field (WPBakery) or **Additional CSS class** (Gutenberg).

Class	The element is visible…
`bv-if-found`	only when a vehicle is found
`bv-if-notfound`	only when the search found nothing or failed
`bv-if-empty`	only before a search (no number in the address)
`bv-if-searched`	after any search, found or not
`bv-scroll-target`	not a visibility class: after a search the page scrolls to this element

In the page builder all these elements stay visible, so you can always edit them. The classes work on the site.

7 Ready-made blocks

Ready-made blocks are complete pieces of layout. They follow the theme's colours and fonts. In WPBakery they are in the **Vegvesen** category of "Add element", with the same settings as the attributes below.

Shortcode	What it shows, main attributes
`[bv_search]`	Search field. `layout="inline|hero|compact"`, `title`, `subtitle`, `image`, `placeholder`, `button`, `max_width`, `title_tag="h1"`
`[bv_card]`	The whole vehicle card. `tiles`, `general`, `dates`, `miljo` (field lists), `print="0"`, `image="0"`, `logo="0"`, `title_tag="h2"`, `table_title_tag="h3"`
`[bv_tiles fields="…"]`	Key figures with icons. `columns="4"`
`[bv_table fields="…" title="…"]`	Table of fields. `icon`, `highlight="neste_eu"`, `labels="merke:Brand"`, `hide_empty="0"`, `title_tag="h3"`
`[bv_plate]`	Number plate. `size="small|large"`
`[bv_status]`	"Vehicle found" and the date. `found="your text"`, `updated="0"`
`[bv_image]`	A photo from the media library titled "Make Model" (e.g. "Volkswagen Passat") or "Make"; otherwise a body type silhouette in the vehicle's colour.
`[bv_logo size="64"]`	Brand logo: a media library image titled "Make logo", otherwise the bundled logo.
`[bv_print]`	Print button. `label="your text"`

Field lists

`fields`, `tiles`, `general`, `dates` and `miljo` take field keys separated by commas, in the order you want them:

```
[bv_tiles fields="registrert_aar,drivstoff,effekt,girkasse"]
[bv_table title="Size" icon="weight" fields="lengde,bredde,hoyde,egenvekt"]
```

Empty fields are left out of tables and tiles automatically. The icon of a field in the tiles can be changed or removed on the **Variables** page: click the icon next to the field.

Title tags (SEO)

`title_tag` changes only the HTML tag of a title (h1–h6, p, div, span); the look stays the same. A page should have one H1: if the vehicle name should be the H1, give the search field `title_tag="h2"` and the card `title_tag="h1"`.

8 Examples and tips

Page heading (WoodMart Title)

```
{bv:merke_modell}
({bv:registrert_aar})
```

→ Volkswagen Passat (2018)

Text block

```
We have used parts for [bv
field="merke_modell"]
with a [bv field="slagvolum" unit="1"]
engine.
```

Only for electric cars

```
[bv_if field="drivstoff"
is="Elektrisk"]
Range: [bv field="rekkevidde"
unit="1"]
[/bv_if]
```

Button text

```
See all parts for {bv:merke}
```

When something does not show

You see	What to do
`[bv field="…"]` as text on the site	The field does not run shortcodes – use the token `{bv:…}`.
Nothing where the value should be	Vegvesen has no data for this field for this vehicle (common for older cars). Use `empty="–"` or a condition. Check the key spelling on the Variables page.
Values from another car in the builder	That is the preview number for editors (Settings). Visitors see the vehicle they searched for.
"Demo mode: sample data" at the bottom	Add the API key and turn off demo mode under Settings.
Old data	Answers are kept for 24 hours (Settings → Cache, hours). On the Variables page, "skip cache" fetches fresh data.

9 All fields

Every field you can use as `[bv field="key"]` or `{bv:key}`. The examples are from the plugin's demo vehicle. Values such as fuel, colour and body type come from Vegvesen in Norwegian.

Key	Field	Example
General		
`regnr`	**Registration number** Number plate as returned by the API	AB12345
`regnr_formatted`	**Registration number** Number plate with a space (AB 12345)	AB 12345
`vin`	**VIN** Vehicle identification number	WVWZZZ3CZJE123456
`merke`	**Make** Manufacturer	Volkswagen
`modell`	**Model** Model (trade name)	Passat
`merke_modell`	**Vehicle** Make + model	Volkswagen Passat
`merke_logo`	**Brand logo** URL of the brand logo (empty if there is none)	(URL)
`variant`	**Variant** Variant / type designation	Passat Variant
`karosseri`	**Body type** Body type (e.g. estate)	Stasjonsvogn
`karosseri_kode`	**Body type code** Vegvesen code (AA = sedan, AC = estate…)	AC
`kategori`	**Vehicle category** Technical code (M1, N1…)	M1
`kategori_navn`	**Vehicle category** Category name + code, e.g. Personbil (M1)	Personbil (M1)
`farge`	**Colour** Colour	Grå
`farge_kode`	**Colour code (Vegvesen)** Vegvesen colour code (01 = white, 05 = grey…)	05
`farge_hex`	**Colour code** HEX colour for the swatch (calculated)	#5f6670

Key	Field	Example
`sitteplasser`	**Seats** Number of seats	5
Engine		
`drivstoff`	**Fuel** Fuel (hybrids: Bensin / Elektrisk)	Diesel
`effekt_kw`	**Power (kW)** Power in kW	140 kW
`effekt_hk`	**Power (hp)** Power in hp (kW × 1.36)	190 hp
`effekt`	**Power** Power combined: 140 kW (190 hp)	140 kW (190 hp)
`slagvolum`	**Engine displacement** Engine displacement, cm^3	1,968 cm^3
`girkasse`	**Transmission** Gearbox type	Automat
`hybrid`	**Hybrid category** Hybrid category	
Weight and dimensions		
`egenvekt`	**Kerb weight** Kerb weight, kg	1,615 kg
`totalvekt`	**Gross vehicle weight** Maximum permitted weight, kg	2,180 kg
`tilhengervekt`	**Towing capacity (braked)** Braked trailer weight, kg	2,000 kg
`lengde`	**Length** Length, mm	4,775 mm
`bredde`	**Width** Width, mm	1,832 mm
`hoyde`	**Height** Height, mm	1,516 mm
Dates		
`registrert_forste`	**First registered** Date of first registration in Norway	12/04/2018

Key	Field	Example
`registrert_aar`	**Year of registration** Year of first registration	2018
`sist_eu`	**Last approved EU inspection** Last periodic inspection	21/03/2025
`neste_eu`	**Next EU inspection** Next periodic inspection deadline	21/03/2027
`eu_status`	**Inspection status** Inspection status code: ok / snart / utlopt	ok
`eu_status_tekst`	**EU inspection** Inspection status as text	Approved
Environment and consumption		
`co2`	**CO_2 emissions** CO_2 emissions, g/km	118 g/km
`forbruk`	**Fuel consumption (combined)** Fuel consumption, l/100 km	4.5 l/100 km
`el_forbruk`	**Energy consumption** Electric energy consumption, Wh/km (electric / hybrid)	
`rekkevidde`	**Electric range** Range on electricity, km	
`euroklasse`	**Emission class** Euro emission class (Euro 6)	Euro 6
System		
`sist_oppdatert`	**Last updated** When the data was fetched from Vegvesen	04/11/2026
`status`	**Status** Search status: funnet / ikke_funnet / ugyldig / feil / ingen	funnet