

## **15.2 Příloha č.2: Konfigurační soubor zařízení R2 z prostředí Cisco Packet Tracer**

```
!  
version 12.2  
no service timestamps log datetime msec  
no service timestamps debug datetime msec  
service password-encryption  
!  
hostname R2  
!  
!  
!  
enable secret 5 $1$mERr$40YJivYfOiXO5rtq4zVx9/  
!  
!  
!  
!  
!  
aaa new-model  
!  
aaa authentication login SSH_AUTH group radius local  
!  
!  
!  
!  
!  
!  
!
```

no ip cef

no ipv6 cef

!

!

!

!

!

!

!

!

!

!

ip domain-name example.com

!

!

!

class-map match-any VOICE

match ip dscp ef

!

policy-map QOS-POLICY

class VOICE

priority 1500

class class-default

fair-queue

!

!

!

!

!

```
interface Loopback0
description "pro spravu zarizeni"
ip address 172.20.75.3 255.255.255.255
!
interface GigabitEthernet0/0
description "linka do ASA0"
ip address 172.20.0.13 255.255.255.252
duplex auto
speed auto
!
interface GigabitEthernet1/0
no ip address
duplex auto
speed auto
shutdown
!
interface GigabitEthernet2/0
description "linka do R1"
ip address 172.20.0.10 255.255.255.252
duplex auto
speed auto
!
interface GigabitEthernet3/0
description "linka do R6"
ip address 172.20.0.74 255.255.255.252
duplex auto
speed auto
!
interface GigabitEthernet4/0
```

```
description "linka do R5"
ip address 172.20.0.62 255.255.255.252
duplex auto
speed auto
```

```
!
```

```
interface GigabitEthernet5/0
description "linka do R3"
ip address 172.20.0.26 255.255.255.252
duplex auto
speed auto
```

```
!
```

```
interface GigabitEthernet6/0
description "linka do R4"
ip address 172.20.0.46 255.255.255.252
duplex auto
speed auto
```

```
!
```

```
interface GigabitEthernet7/0
no ip address
duplex auto
speed auto
shutdown
```

```
!
```

```
interface GigabitEthernet8/0
no ip address
duplex auto
speed auto
shutdown
```

```
!
```

```
interface FastEthernet9/0
description "linka do voice routeru"
ip address 172.20.0.77 255.255.255.252
service-policy output QOS-POLICY
duplex auto
speed auto
!
router ospf 1
router-id 2.2.2.2
log-adjacency-changes
passive-interface Loopback0
network 172.20.0.12 0.0.0.3 area 0
network 172.20.0.8 0.0.0.3 area 0
network 172.20.0.24 0.0.0.3 area 0
network 172.20.0.44 0.0.0.3 area 0
network 172.20.0.60 0.0.0.3 area 0
network 172.20.0.72 0.0.0.3 area 0
network 172.20.75.3 0.0.0.0 area 0
network 172.20.0.76 0.0.0.3 area 0
!
ip classless
!
ip flow-export version 9
!
!
!
banner motd $Prakticka cast bakalarske prace v prostredi Cisco Packet Tracer$
!
radius-server host 172.20.50.10 auth-port 1645 key HuXGa6
```

```
!  
!  
!  
!  
line con 0  
password 7 08147E5D3E3B50  
!  
line aux 0  
password 7 08147E5D3E3B50  
!  
line vty 0 4  
login authentication SSH_AUTH  
transport input ssh  
!  
!  
!  
end
```