

Category	Operators
Deletion	Empty method Remove <code>^</code> Remove exception handler Remove <code>inject:into:</code> Remove <code>not</code> Remove second block argument for <code>detect:ifNone:</code>
Arithmetic replacement	Replace <code>*</code> by <code>/</code> Replace <code>/</code> with <code>*</code> Replace <code>+</code> with <code>-</code> Replace <code>-</code> with <code>+</code>
Literal manipulation	Negate boolean Increase integer Decrease integer Integer to 0 String replacement Empty string
Logical boolean operation	Replace <code>and: receiver</code> with <code>true</code> Replace <code>or: receiver</code> with <code>false</code> Replace <code>and: argument</code> with <code>true</code> Replace <code>or: argument</code> with <code>false</code> Replace <code>obj and: block</code> with <code>false</code> Replace <code>obj or: block</code> with <code>true</code> Replace <code>and: with == / nand: / or:</code> Replace <code>or: with xor: / and:</code>
Conditional boolean operation	Replace <code>ifTrue: receiver</code> with <code>true / false</code> Replace <code>ifFalse: receiver</code> with <code>true / false</code> Replace <code>ifTrue:ifFalse: receiver</code> with <code>true / false</code> Replace <code>ifFalse:ifTrue: receiver</code> with <code>true / false</code> Replace <code>whileTrue: receiver</code> with <code>true / false</code> Replace <code>whileFalse: receiver</code> with <code>true / false</code> Replace <code>ifTrue: / ifFalse:</code> with <code>ifFalse: / ifTrue:</code> Replace <code>whileFalse:</code> with <code>whileTrue:</code> Replace <code>whileTrue:</code> with <code>whileFalse:</code>
Relational operation	Replace <code>= / ~=</code> with <code>~= / =</code> Replace <code>(a == b)</code> with <code>(a == b) not</code> Replace <code>< / ></code> with <code>> / <</code> Replace <code>>=</code> with <code>= / ></code> Replace <code><=</code> with <code>= / < / > / true</code> Replace <code>max: / min:</code> with <code>min: / max:</code>