

Utility Commands

code-sim-eval
tools/evaluate.py:main()
run_evaluation()

code-sim-stats
tools/stats.py:main()
render_dashboard()

code-sim-snapshot-*
tools/snapshot.py
cmd_save/load/list/delete()

code-sim-config
tools/config.py:main()

Checking Commands

code-sim-check
checking/code_similarity.py:main()
_run_check(private+public)

code-sim-check-public
checking/check_public.py:main()

code-sim-check-self
checking/check_self.py:main()

code-sim-check-private
checking/code_similarity.py:main_private()

Indexing Commands

code-sim-index
indexing/index.py:main()
sync_current_repo()

code-sim-index-public
indexing/public_index.py:main()
index_public_github_repo()

code-sim-index-private
indexing/index.py:main_private_url()
index_private_github_repo()

code-sim-update
indexing/update.py:main()

code-sim-remove-public
indexing/public_remove.py:main()

core/runtime.py

RuntimeContext dataclass
repo_root · repo_name ·
repo_id
org_id · db_path · metric
private_collection_name
public_collection_name

load_runtime_context()
git rev-parse → repo root
env vars → org_id, db_path
hash(remote URL) → repo_id

Git helpers
find_repo_root()
staged_added_modified_renamed()
staged_hunk_line_ranges()
read_index_blob()
iter_repo_source_files()

Source Collection & Filtering

checking/check_utils.py
query_elements_from_args()
resolve scope:
staged → git diff --cached
files → explicit paths
repo → rglob all files

core/ignore.py
IgnoreMatcher class
load_ignore_file()
.code-simignore
gitignore-style glob rules

core/source_filtering.py
is_noise_source_path()
EXCLUDED_DIR_NAMES
EXCLUDED_EXTENSIONS
EXCLUDED_EXACT_FILENAM

core/language_detection.py
detect_tree_sitter_language()
has_language_hint()
is_probably_binary()
identify_lib +
SUFFIX_TO_TREE_SITTER
+ HINT_TO_TREE_SITTER maps

core/code_parser.py

extract_code_elements()
Tree-sitter parse → AST
_iter_named_nodes(root)
_is_declaration_like_node_type()
_name_for_declaration()

no declarations
or parse failure

_file_level_elements()
Fallback: whole file
as single element

CodeElement TypedDict
id · name · kind
start_line · end_line
text · hash

make_element_id()
sha256(org.repo.path.hash)

indexing:
index.py / public_index.py
embed elements → store

infra/embeddings.py

EmbeddingClient
base_url · model ·
batch_size
max_chars · long_text_mode
chunk_overlap ·
input_prefix

embed_documents()
_split_long_text() → chunks
_embed_batch() → HTTP POST
_average_vectors() → merge

save/load_embedding_config()
Persist index-time settings
to match at query time

