XLingPaper's use of TEX Technologies

H. Andrew Black, Hugh J. Paterson III

Abstract

We discuss the use of TEX technologies by XLingPaper, an authoring tool for producing academically oriented publications with features required for linguistic publishing. We present the TEX modules used and the rationale for the history of XLingPaper development.

1 Introduction

Within the publishing industry there are several notable products for producing complex documents in beautiful formats. TEX [19] [20] is one of the well known publishing technologies used to meet these needs. Since 2000, XML-based technologies such as XSL-FO[1] or the TEXML[2] project [24] have been used to integrate content and compose complex documents such as textbooks and maintenance manuals. Requirements for composing these large, interlinked documents birthed the development of tools like XMLmind[3] and Xpublisher.[4] These can be used to compose the content within predefined XML structures. XLingPaper [5] [6] [7] seeks to provide a constrained environment in which authors of complex works dealing with language descriptions and linguistic analyses can focus on content structure independently from the styling requirements of documents. In this way the underlying design principle of XLingPaper maximizes the SGML design practice of separating content from presentation. With XLingPaper, authors can keep content structure independent from style information and thereby provide maximal transfer-ability between publishing styles. The software does this while providing authors a clear structured interface for authoring content.

The XLingPaper software has a growing number of users who have successfully typeset complex documents including:

- master theses [41] [21] [28],
- doctoral dissertations [13] [32],
- textbooks [25],
- linguistic grammars [9],
- book chapters [5],
- journal articles [8], and
- bilingual software documentation [1] [2].

---

[1] www.w3.org/TR/xsl11

[2] getfo.org/texml

[3] www.xmlmind.com/xmleditor

[4] www.xpublisher.com/products

Figure 1: XLingPaper predefined document types via DTD

XLingpaper[5] is a plug-in to the XMLmind XML Editor. XLingPaper benefits from the XMLmind XML Editor's Java-based implementation which allows it to be used on Mac OS X, Windows, and Linux. XLingPaper, via a DTD, defines several document classes (articles, books, chapters, etc., as illustrated in Figure 1), in each case providing document layout sections (paragraphs, examples, endnotes, etc.). By working within the user-interface of the XMLmind XML Editor, as shown in Figure 2, formatting errors are reduced because users are constrained on where in the document flow they can introduce block and line level document elements. That is, first, authors cannot input XƎLATEX code directly into the document and second, the introduction of layout sections within the document flow is constrained via the DTD.

2 What is XLingPaper?

As previously mentioned, XLingPaper is an XML- and Java-based computer plug-in for the XMLmind XML Editor. It is designed to reduce friction in the process of writing, reading, and publishing linguistic papers, grammars, and books by removing common time-syncs related to inconsistent formatting. A full list of benefits to all parties in the publishing work flow is available [7]. For many PDF is the quintessential file format for final publication of publishing outputs. XLingPaper supports PDF production but as

---

[5] software.sil.org/xlingpaper

Figure 2: XLingPaper's user interface. Left side: document content editing. Right side: block and line level units available for use at the cursor location.

illustrated in Figure 3, XLingPaper can produce documents with at least five outputs, all from the same source document:

- PDF (version 1.5),
- Web pages (HTML 4),
- Microsoft Word (.doc),
- Open Office Writer Document (.odt), and
- ePUB.

XLingPaper automatically numbers tables, examples, figures, and sections. It keeps track of internal references to these entities along with citation references, abbreviations, and gloss abbreviations. This keeps numbering and reference links dependable and automated. XLingPaper also automatically generates indexes, a table or list of abbreviations used, and a section for references cited (using a custom references implementation).

Unlike most editing programs which are based on either the WYSIWYG paradigm or as text editors used to code or produce Markdown, XLingPaper (via the XMLmind XML Editor) is a structured editor. Rather than visually structuring the document to look the way it is to be formatted, the author "marks up" the items in the document according to their kind. One of the many benefits that using a DTD provides is that there is a "grammar" of what a well-formed linguistic document looks like. This makes moving, replacing, switching, or reordering sections, chapters, and examples less error prone be-

cause it prevents users from inadvertently creating ill-formed documents. The following sections of this paper discuss the TeX technologies used by XLingPaper.

3   XLingPaper and TeX

Linguistic publishing has unique requirements when compared to general publishing. The following sections provide more detail on the linguistic publishing context, design requirements and LaTeX packages used by XLingPaper.

3.1   TeX and Linguistic document production

TeX has long been embraced by linguists. Peter [30] writes of a personal communication with Don Knuth where Knuth suggests that linguists were some of the earliest adopters outside of mathematicians. Thiele [36] in an interview given in 2007 states that she was typesetting linguistic journals via TeX in 1983—a date prior to the release of Knuth's book on using the TeX typesetting system [19]. Thiele [35] gives an early overview of TeX use in linguistics with mention of significant repositories outside of CTAN. A slightly more recent (2004) update by Peter [30] provides some additional tips and tools for typesetting common information structures in linguistic publishing. The TeX community has produced many packages which have shaped the visual face of publishing

Figure 3: XLingPaper's data processing pipeline to multiple formats

in linguistics, including `tipa`[6] by Rei [33] which provided access to an excellent typeface for phonetic transcriptions and `pst-asr`[7] by Frampton [14] for autosegmental representations. As the Peter and Thiele articles list out and review (through 2004), there are special packages for all areas of linguistics from syntax trees such as `qtrees`[8] and `forest`[9] to specialized packages for presenting examples and interlinear glossed texts such as `expex`.[10] In addition to packages which provide specific functionality, there are packages which are essentially collections of macros such as `covington`[11] and `gb4e`[12] which serve a variety of page layout functions targeted at publishing in linguistic topics.

The CTAN repository currently lists fifty-four different TeX packages for linguistic typesetting,[13] though some of these packages also include capabilities targeted as multi-lingual or multi-script publications or are specific style sheet implementations for

publications at linguistic programs at institutions of higher education (and there may be more which are not tagged but should be). Several of the packages tagged "linguistic" pre-date Unicode [37] but still see significant use. Sometimes it is the case that secondary packages are developed in an attempt to "fix" publishing outputs in different ways to bring Unicode features along with the features of the original package. For example, `tipa` is not Unicode compatible, but the packages `unitipa`[14] and `tipauni`[15] seek to address different implications of not publishing with Unicode while giving access to the beautiful typeface of `tipa`. Understanding the long history of publishing and the interdependency that packages have presents additional complexities to new TeX users.

Mentioning these complexities is important to the XLingPaper discussion for two reasons. First, it exemplifies some of the complexities that XLingPaper seeks to simplify as it presents authors not just a visual environment for document composition, but also a cohesive output solution. Second, while the diagrams in linguistic books and journals since the 1980's exemplify many beautiful, sharp,

---

[6] ctan.org/pkg/tipa
[7] ctan.org/pkg/pst-asr
[8] ctan.org/pkg/qtrees
[9] ctan.org/pkg/forest
[10] ctan.org/pkg/expex
[11] ctan.org/pkg/covington
[12] ctan.org/pkg/gb4e
[13] ctan.org/topic/linguistic

[14] ctan.org/pkg/unitipa
[15] ctan.org/pkg/tipauni

crisp, illustrations created directly in TeX, many trainers of TeX tools, but not all,[16] have steered authors towards a more generic set of packages which do not include specific diagram creating macros.[17] Rather, they suggest that authors use secondary illustration tools to generate illustrations and then include them as vector PDFs or images. In fact this second method is the document production path that the XLingPaper philosophy follows. That is, XLingPaper reduces the complexity of the typesetting task for authors by requiring complex visualizations to be produced via grpahical tools. We have found tools like Figma[18] and Inkscape[19] very helpful in the graphic production task.

As mentioned in the discussion of `tipa`, Linguistic documents have not always been typeset with Unicode. Unicode was introduced in 1991 and by the early 2000's Unicode along with document and data storage in XML formats were being heralded in academic linguistics as a best practice in order to avoid vendor lock-in, increase interoperability across use cases, and to separate data life-cylces from encoding or software life-cycles [3] [4] [38]. Due to the heavy reliance on Unicode by today's practictioners of language documentation and linguistic work, XLingPaper specifically uses XƎLᴬTᴇX and compatible packages to produce PDF outputs. This brings continuity to the text input process for users across their workflows. It also makes importing and using language or phonetically transcribed examples simpler by removing the need to use macros to create characters.

3.2 Design desiderata for XLingPaper outputs via TeX

From the outset, XLingPaper was designed to be free. The XMLmind XML Editor had a Personal Use License that met this requirement for the vast majority of the target audience of XLingPaper. The few who did not meet the terms of that license most likely would be able to afford to purchase (or have their organization purchase) a professional version of the XMLmind XML Editor. The actual XLingPaper plug-in has always been free.

XLingPaper development started in 2001. In 2006, it added XSL-FO for PDF production. Prior to 2009, XLingPaper used RenderX[20] to produce PDF documents. However, in 2009 plans were made to add XƎLᴬTᴇX-based output to XLingPaper because, while there was a free version of RenderX, the output contained a watermark. By implementing the ability to export to PDF via XƎLᴬTᴇX, there would be no water marks in PDF documents. The XƎLᴬTᴇX method of PDF production is now the default method to produce PDF documents.

When the XƎLᴬTᴇX method of PDF production was introduced, XLingPaper had a way to format output per a user-created publisher style sheet. This meant the developer (Andrew Black) needed to be able to map from an XLingPaper publisher style sheet to XƎLᴬTᴇX. Mapping style sheet information contained in the XML was the second criterion. It was known that LᴬTᴇX was the ideal TeX implementation to target. However, pure LᴬTᴇX came with predefined output formatting for front matter, chapters, sections, back matter, etc. Pure LᴬTᴇX, then, would not allow direct control of formatting of all of these per an XLingPaper user-defined publisher style sheet. This meant overriding these standard features of LᴬTᴇX with a custom implementation of the TeX commands needed to control formatting. XLingPaper takes a custom approach in implementing flexibility here. However, `memoir`[21] [39] [40], a recent discovery for the programmer of XLingPaper, accomplishes many of the same tasks and could be considered to replace some of the custom code if it were shown to be easy to implement and that the size of the total XLingPaper code base would be reduced.

The third criterion concerned some of the target audience for XLingPaper. Many of the expected users of XLingPaper live and work in places around the world where Internet connections are characterized by high costs, low bandwidth capacity, and general unavailability. Therefore, the download required to install XLingPaper needed to be as small as possible. The size constraint impacts XLingPaper because its distribution must be independent of larger mainstream TeX distribution solutions such as TeXLive which have a large footprint. Therefore the developer determined which LᴬTᴇX packages and binaries were needed and created a custom installation package for just those items (a list of these packages is included in section 6.1).

The twenty LᴬTᴇX packages that are part of the custom XLingPaper distribution are still rather large for someone for whom Internet bandwidth is an expensive and inconsistent commodity. To reduce bandwidth requirements two assumptions were made which have more or less proven to obtain. The

---

[16] For counter examples see [23] [34] [16] and [31].

[17] Among others, see the Linguistics Dissertation guide for the University of Hawai'i at Mānoa [17], University of Pennsylvania [11], and Language Science Press Guidelines [27].

[18] `www.figma.com`

[19] `inkscape.org`

[20] `www.renderx.com`

[21] `ctan.org/pkg/memoir`

first assumption that the developer made was that the twenty packages and binaries would not need to change over time; in contrast, the second assumption was that XLingPaper would acquire new features and need bug fixes. These assumptions resulted in an architecture where page layout information expressed in XML is translated via custom TEX commands to either TEX directly or to commands understood by LATEX packages distributed with XLingPaper. This abstraction layer was then executed when the XƎLATEX file was processed. This middle layer has granted XLingPaper flexibility in adding new code and capabilities while keeping the "heavy" LATEX packages stable. The net result is a "heavy" first install package, but light-weight upgrade packages. In the thirteen year history of development, there have been a few occasions where upgrades have required the download of new "heavy" packages. One such case was when the ability to use framed units was added. These elements depend on the `mdframed`[22] package [10]. The architecture separating stable packages from custom code, however, has generally worked out well and kept update sizes low.

3.3 PDF production

There are two known pathways for converting XML content into PDFs. The first is via XSL-FO, and the second is via TEXML which converts XML content to TEX formatted documents. Given certain limitations in both XSL-FO and TEXML, XLingPaper uses a custom (or third) method. When an author instructs XLingPaper to produce PDF output via XƎLATEX, XLingPaper produces a TEXML-like XML file. This is then converted into LATEX formatted document via a set of XSLT transforms and processed via XƎLATEX to produce the PDF. Figure 3 contains a diagram of the data handling process.

3.4 TEXML

TEXML was discovered in the process of planning for the transition of the default PDF renderer from RenderX (an XSL-FO processor) to XƎLATEX. Initial analysis conducted in 2009 understood TEXML to have two infelicities for use-cases required in linguistic publishing with XLingPaper:

1. TEXML has Python as a dependency and the developer did not want to require XLingPaper users to install a version of Python specifically for TEXML. This is especially the case since that version of Python might conflict with other installed versions of Python on their operating

---

[22] `ctan.org/pkg/mdframed`

Figure 4: XLingPaper combines style and content information contained in its custom XML and then exports it into three different formats for further processing.

systems. Moreover, this approach would make the installation package for XLingPaper much larger due to the inclusion of Python.

2. XLingPaper users require a high degree of control for white space. The fine grain control of whitespace was not clearly possible via TEXML.

3.5 Control characters

Even with the use of Unicode in the text of documents, there are some features of typesetting with TEX-based implementations which require the use of control characters. Additionally, XML also has control characters. In TEX these include [,], <, and >. When transforming data between XML and TEX, TEX control characters and commands need to be escaped to ensure proper data processing. This has been implemented via Java since Java was already present in the dependency stack due to XMLmind XML Editor requiring it. Additionally, some small methods have been written in Java to provide additional access to features via the graphical user interface.

3.6 Ling-TEX

One might ask, "Why not add more linguistic related TEX packages to the available stack, or use those instead of creating custom code?" The answer has two simple parts: First, in 2009 the linguistic capabilities of TEX packages were different than they are today. Second, XLingPaper is more than a TEX document producer.

Besides TEX, XLingPaper also produces XSL-FO■ and XHTML/CSS outputs. When new features are considered for typesetting design, all output formats need to be considered.

When the developer began to implement the XƎLᴬTᴇX-based output, he discovered the Ling-TᴇX group[23] which also ran the Ling-TeX mailing list from 1995–2018.[24] Ling-TeX seemed to be the locus of activity in linguistic typesetting even though other webpages discussing linguistics and TᴇX also exsited, e.g., Essex,[25] UPenn.[26] Today, now that the mailing list is no-longer in operation, many of the mailing list participants can be found interacting on the TᴇX stackexchange.[27]

State-of-the-Art for TᴇX-based linguistic publishing in 2009, as recomended by the Ling-TᴇX website, suggested using `covington` and *ling-mac*—the list of macros discussed in [35]. These macros were used to solve similar use cases, among others, to those already implemented by XLingPaper. The more commonly implemented typesetting task are outlined in Section 4. Initial analysis of `covington` and other packages revealed limitations in the number of rows an interlinear text example could display, a typesetting capability XLingPaper had already overcome via XSL-FO processing using RenderX. XLingPaper had the following capabilities for typesetting interlinears:

- no limits on the number of lines within an interlinear grouping;
- no limits on the number of free and/or literal lines;
- the ability to include a source reference within the interlinear; and especially
- the ability to tag interlinear items with an ISO 639-3 code for the language used in the interlinear.

At the time the best solution given the state of the TᴇX packages available was custom TᴇX scripts, although now similar features may be possible via other packages. See Pellard [29] for discussion of approaches in TᴇX and his solution `typgloss`.[28] Figure 4 contains an example output with some of the special capabilities XLingPaper offers.

4   Typesetting tasks XLingPaper users often encounter

Linguistic documents have several formatting needs that other kinds of documents do not. This section discusses some of them.

4.1   Numbered example layouts

Linguistic documents usually have many numbered examples. The prose often refers to examples near the material or to previous examples. XLingPaper automatically keeps track of the numbers. Authors, and publishing style sheets often make use of table-like design layouts including: lists of words along with their glosses (as shown in Figure 6) and interlinear clauses (as shown in Figure 5), with some cases even having headings in portions of the example.

4.2   Automatically wrapping interlinear texts

Many linguists want to include interlinear glossed text in their document. XLingPaper allows these to be wrapped automatically which makes the author's job much easier. Figure 5 shows one such text portion.

4.3   Gloss abbreviations

Linguists standardly use glosses for indicating the meaning of pieces of words (morphemes). XLingPaper allows the author to define a set of abbreviations and their definitions. When producing the output, XLingPaper creates hyperlinks between the abbreviation and its definition.

5   Outputs LᴬTᴇX allow that others do not

While XLingPaper has a large array of linguistically-oriented formatting capabilities, there are some that only the XƎLᴬTᴇX output can produce. This is, of course, due to the formatting power of TᴇX and XƎLᴬTᴇX.

5.1   Automatically wrapping interlinears

One of the most popular features of XLingPaper is its ability to automatically wrap long interlinear examples and lines in interlinear texts. It does so by formatting each aligned word in an hbox and then having XƎLᴬTᴇX put them together in a hanging indent paragraph. This is based on the work of Kew & McConnel 1990 [18].

5.2   Font rendering

XƎLᴬTᴇX renders fonts extremely well. It can even handle special features requiring Graphite[29] processing. For other outputs, some fonts (such as Charis SIL) may not line up vertically as expected due to them having different ascender and descender values. One has to add custom commands to deal with these. In the case of Graphite, they may not be able to be done at all. The RenderX way of producing PDF

---

[23] `web.archive.org/web/20150702123633/http://heim.ifi.uio.no/~dag/ling-tex/`
[24] `ling-tex.ifi.uio.narkive.com`
[25] `www.essex.ac.uk/linguistics/external/clmt/latex4ling`
[26] `www.ling.upenn.edu/advice/latex.html`
[27] `tex.stackexchange.com`
[28] `github.com/tpellard/typgloss`

---

[29] `graphite.sil.org`

Una frase cuantificadora puede acompañar al sustantivo (véanse Los Cuantificadores y Los Números Cardinales). Cuando se presenta esta frase, siempre va delante del núcleo de la frase nominal, como en los ejemplos en (2).

(2)   a.   [tcf-Zila]

	Náa	majñuu̠	nákhu̠	iduu	iya'
	náā	māhjūùⁿ	nákù	īdūū	ījā?
	LOC	entre	TOT.cuatro	ojo.3SG	agua

'De entre los cuatro manantiales[5]'   [Smajiin:6]

   b.   [tpl-Tlac]

	Gí'doo	witsu	rakhóó	mikhúdú
	EST.tener.3SG	cinco	nariz.3SG	(EST).picud@

'Tiene cinco esquinas picudas'   [FC:5.1]

El cuantificador puede presentarse en construcciones donde no hay sustantivo expreso, como se explica en Los Cuantificadores. Un ejemplo se incluye aquí.

Figure 5: Interlinear example. Note the example numbers on the left followed by example groups (a) and (b). Each interlinear then also has a language indicator in square brackets. Customization allows for as many rows per group as is required. Finally, on the right the hyperlinked reference to the source text is indicated.

Bantu D30 canonical infinitive verb pattern is exemplified in the Mbo data in (11):

(11)   a.   [ex[ko-sis-o]ex]   [ex[[− ‾ ‾]]ex] move forward
       b.   [ex[kɔ-kɨj-a]ex]   [ex[[− − −]]ex] act
       c.   [ex[ko-ɓund-o]ex] [ex[[− ‾ ‾]]ex] break
       d.   [ex[kɔ-ɓʉt-a]ex]   [ex[[− ‾ −]]ex] become long
       e.   [ex[ko-ɓeɲ-o]ex]   [ex[[− ‾ ‾]]ex] wink
       f.   [ex[kɔ-kɛk-a]ex]   [ex[[− ‾ ‾]]ex] decorate
       g.   [ex[ko-sok-o]ex]   [ex[[− ‾ ‾]]ex] cackle
       h.   [ex[kɔ-mvɔɗ-a]ex] [ex[[− ‾ ‾]]ex] suck
       i.   [ex[kɔ-bab-a]ex]   [ex[[‾ − ⁄]]ex] carry

Figure 6: List of words as seen in [32]

Rikha[2]

FC:1

Rikha	rígi'	najmaa	náa	yúoo'	ra̱'kha̱ ká',[3]	ra̱'kha̱ suan'[4]
flor.de.calabaza	INAN:PROX	IMPF.producirse	LOC	guía.3SG	calabaza.especie	calabaza.especie

khamí	náa	yúoo'	ra̱'kha̱' májin'.[5]
y	LOC	guía.3SG	chilacayote

'La flor de calabaza se da en la guía de la calabaza de Castilla, de la "calabaza espina" y del chilacayote.'

FC:2

Rí	rikhoo	ra̱'kha̱ suan',	nagí'du̱u̱	nami̱di̱	rí
SBD:INAN	flor.de.calabaza.3SG	calabaza.especie	IMPF.empezar.3SG.FM ±	IMPF.florear	SBD:INAN

gu̱n'	agóstó.
luna	agosto*

'La flor de la "calabaza espina" empieza a abrir en el mes de agosto.'

FC:3

Mba̱'ju̱,	mu̱jmu̱'	ri'jiu̱u̱.
(EST).grande:PL	(EST).amarill@	flor.3SG

'Sus flores son grandes y amarillas.'

Figure 7: Wrapped interlinear text as seen in [26].

cannot handle stacked diacritics, but the X͟ƎLᴬTEX way does it very well.

5.3 Hyphenation for non-English languages

Since we use the `polyglossia` package, one can write an XLingPaper document in a non-English language and X͟ƎLᴬTEX will hyphenate according to that language's hyphenation rules.

5.4 Author contact information

XLingPaper allows one to define a set of contact information for authors. Only the X͟ƎLᴬTEX output is able to format them correctly.

5.5 Vertical fill

For title page material, only the X͟ƎLᴬTEX output allows using vertical fill between items. The other outputs require using overt, fixed spacing values.

5.6 Blank page

When one wants a totally blank even-numbered page between a final odd-numbered page and the next odd-numbered page which begins, say, a chapter or appendix, only the X͟ƎLᴬTEX approach is able to do this.

6 Features other outputs have that the LᴬTEX output does not

X͟ƎLᴬTEX does not allow for custom table cell padding and spacing. Having said that, Andy cannot remem-ber any XLingPaper user ever asking for a way to do this for the X͟ƎLᴬTEX output. It just looks great.

Background color is not available for section titles.

Section 11.17.1.1 "Known limitations of using X͟ƎLᴬTEX" in the XLingPaper user documentation lists known problems.

6.1 List of LᴬTEX packages used

XLingPaper currently uses the following X͟ƎLᴬTEX packages (in alphabetical order):

attachfile2	lineno
booktabs	longtable
calc	lscape
color	mdframed
colortbl	multirow
etoolbox	normalem
fancyhdr	polyglossia
fontspec	setspace
footmisc	tabularx
hyperref	xltxtra

6.2 Custom TEX commands

XLingPaper has a number of custom commands that enable it to handle various tasks in a way that is consistent with our desired outcomes. The following lists some of them in a schematic way:

Command for	Purpose
Table of contents	Store and retrieve page numbers; format the contents.
Lists	Numbered and bulleted lists with control over indents, etc.
Examples	Example number and example content, where the content can be a line, a list of lines, a set of words, a list of a set of words, interlinear, a list of interlinears, etc.
Indexes	Handle keeping track of XLingPaper's indexing capability, including page numbers.
Interlinears	Handle lines in an interlinear text or example, including dealing with an ISO 639-3 code in an interlinear example.
Block quotes	Handle special cases needed for block quotes.
Table headers	Attempt to calculate a column's width via its contents.

7 Conclusion

While the XLingPaper approach to writing linguistic documents has great value in and of itself, the fact that it can produce great looking output via X∃LᴬTEX makes it very worthwhile learning to use. We feel that being able to produce PDF via X∃LᴬTEX has made XLingPaper a fantastic tool for linguists.

References

[1] Beadle, Jennie, and Matthew Lee. 2020a. *Paratext 9 Manual – in English*. SIL International. `lingtran.net`.

[2] Beadle, Jennie, and Matthew Lee. 2020b. *Paratext 9 Manual – in French*. SIL International. `outilingua.net`.

[3] Bird, Steven, and Gary Simons. 2002. Seven Dimensions of Portability for Language Documentation and Description. In ISCA SALTMIL SIG: "Speech and Language Technology for Minority Languages," 23–30. Las Palmas, Canary Islands, Spain: ELRA. `www.lrec-conf.org/proceedings/lrec2002/pdf/ws15.pdf#page=29`.

[4] Bird, Steven, and Gary Simons. 2003. Seven Dimensions of Portability for Language Documen-

tation and Description. *Language* 79 (3):557–82. `www.jstor.org/stable/4489465`.

[5] Black, Cheryl A., and H. Andrew Black. 2012. *Grammars for the People, by the People, Made Easier Using PAWS and XlingPaper*. In Electronic Grammaticography, edited by Sebastian Nordoff, 103–28. LD&C Special Publication 4. Honolulu, Hawaiʻi: University of Hawaiʻi Press. `hdl.handle.net/10125/4532`.

[6] Black, H. Andrew. 2009. Writing Linguistic Papers in the Third Wave. *SIL Forum for Language Fieldwork* 2009 (004): 11 pages. `www.sil.org/resources/publications/entry/7790`.

[7] Black, H Andrew. 2017. *Why Learn to Use XLingPaper*. Dallas, Texas: SIL International. `software.sil.org/downloads/r/xlingpaper/resources/documentation/WhyUseXLingPaper.pdf`.

[8] Brownie, John. 2013. Adverbs in the Mussau-Emira Verb Phrase. *Language & Linguistics in Melanesia* 31(1):1–11. `www.langlxmelanesia.com/issues`.

[9] Buck, Marjorie J. 2018. *Gramática del amuzgo Xochistlahuaca, Guerrero*. (Serie de gramáticas de lenguas indígenas de México No16.) Tlalpan, Ciudad de México, México: Instituto Lingüístico de Verano, A.C. [SIL International in Mexico]. `www.sil.org/resources/archives/75518`.

[10] Daniel, Marco, and Elke Schubert. 2013. *The `mdframed` Package: Auto-split Frame environment* version 1.9b.

[11] Dimitriadis, Alexis. 2016. *TeX/LaTeX Information*. Web page. `www.ling.upenn.edu/advice/latex.html`.

[12] Donnelly, Kevin. 2013. Representing Linguistic Pitch in X∃LᴬTEX. *TUGboat* 34 (2): 223–27. `tug.org/TUGboat/tb34-2/tb107donnelly.pdf`.

[13] Ebarb, Kristopher J. 2014. *Tone and variation in Idakho and other Luhya varieties*. University of Indiana Ph.D. dissertation. `pqdtopen.proquest.com/doc/1625743679.html?FMT=ABS`.

[14] Frampton, John. 2006. *Pst-Asr: Tex Macros for Typesetting Autosegmental Representations*. Version:1.1. CTAN. `www.bakoma-tex.com/doc/generic/pst-asr/pst-asr-doc.pdf`.

[15] Frampton, John. 2012. *ExPex for Linguists: Example Formatting, Glosses, and Reference*. Version: 4.1. `mathserver.neu.edu/~ling/tex/expex/base/doc/expex-doc.pdf`.

[16] Freitag, Constantin and Antonio Machicao y Priemer. 2019. *LaTeX-Einführung Für Linguisten*. Berlin, Germany: Humboldt-Universität zu Berlin. `doi.org/10.13140/RG.2.2.29299.27682`.

[17] Holton, Gary. 2021. *Writing You Dissertation with LᴬTₑX*. Typescript. Hawai'i. Github.com. `gmholton.github.io/files/DissertationWriting.pdf`.

[18] Kew, Jonathan and Stephen McConnel. 1990. *Formatting Interlinear Text*. Occasional Publications in Academic Computing, Number 17. Dallas, Texas: Summer Institute of Linguistics.

[19] Knuth, Donald Ervin. 1984. *The TₑXbook*. A. Computers & typesetting. Reading, Massachusetts: American Mathematical Society; Addison-Wesley.

[20] Knuth, Donald Ervin. 1986. *TₑX: The Program*. B. Computers & typesetting. Reading, Massachusetts: Addison-Wesley.

[21] Lamicela, Andrew Charles. 2020. *Distinguishing Passive from MP2-marked Middle in Koine Greek*. University of North Dakota M.A. thesis. `commons.und.edu/theses/3277`.

[22] Lehmann, Christian. 2004. *Interlinear morphemic glossing*. In Morphologie: Ein internationales Handbuch zur Flexion und Wortbildung Morphology: an international handbook on inflection and word-formation, edited by Geert E Booij, Christian Lehmann, Joachim Mugdan, and Stavros Skopeteas, 2:1834–57. Handbücher zur Sprach- und Kommunikationswissenschaft Handbooks of Linguistics and communication science 17. Berlin ; New York: Walter de Gruyter. `doi.org/10.1515/9783110172782.2.20.1834`.

[23] Liter, Adam. 2017. *LᴬTₑX Workshop (for Linguists)*. `adamliter.org/content/LaTeX/latex-workshop-for-linguists.pdf`.

[24] Lovell, Douglas. 1999. TₑXML: Typesetting XML with TₑX. *TUGboat*. 20 (3): 176–183. `tug.org/TUGBoat/tb20-3/tb64love.pdf`.

[25] Marlett, Stephen A. 2019. *Phonology From the Ground Up: The Basics*. Dallas, Texas: SIL International. `www.sil.org/resources/archives/79207`.

[26] Neri Méndez, Emilia and Stephen A. Marlett. 2011 (Nov). Presentación Analítica del Texto "Flor de Calabaza". In Stephen A. Marlett (ed.) *Los Archivos Lingüísticos Me'phaa* (versión preliminar). SIL International, Mexico. `mexico.sil.org/publications/i-wpindex/work_papers_-_mephaa_grammar_files`.

[27] Nordhoff, Sebastian, and Stefan Müller. 2020. *Language Science Press Guidelines*. Berlin, Germany: Language Science Press. `langsci.github.io/guidelines/latexguidelines/LangSci-guidelines.pdf`.

[28] Paterson III, Hugh J. 2021. *Language Archive Records: Interoperability of Referencing Practices and Metadata Models*. University of North Dakota M.A. thesis. `commons.und.edu/theses/3937`.

[29] Pellard, Thomas. 2019. Automatic formatting of interlinear glosses with LaTeX. *Cipanglossia* `cipanglo.hypotheses.org/1221`.

[30] Peter, Steve. 2004. TEX and Linguistics. *TUGboat* 25 (1): 58–62. `tug.org/TUGBoat/tb25-1/peter.pdf`.

[31] Machicao y Priemer, Antonio, and Constantin Freitag. 2019. *LaTeX-Einführung Für Linguisten*. Presentation at the MGK Workshop – SFB 1412, Berlin. doi:`www.linguistik.hu-berlin.de/de/staff/amyp/latex20sfb/07-l4l-math2-trees-handout.pdf`.

[32] Rasmussen, Kent. 2018. *A Comparative Tone Analysis of Several Bantu D30 Languages (DR Congo)*. University of Texas Arlington Ph.D. dissertation. `hdl.handle.net/10106/27483`.

[33] Rei, Fukui. 1996. TIPA: A System for Processing Phonetic Symbols in LATEX. *TUGboat* 17 (2): 102–14. `www.tug.org/TUGBoat/tb17-2/tb51rei.pdf`.

[34] Smith, Zac, Todd Snider, and Mia Wiegand. 2016. *LaTeX and Linguistics - How to Make Your Research Pretty*. Presentation at the Cornell Linguistics Circle, Cornell, New York. `conf.ling.cornell.edu/miawiegand/Latex_Slides.pdf`.

[35] Thiele, Christina. 1995. TEX and Linguistics. *TUGboat* 16 (1): 42–44. `tug.org/TUGBoat/tb16-1/tb46ling.pdf`.

[36] Thiele, Christina. 2007. *Christina Thiele Interview by Dave Walden for the TₑX Users Group*. Transcript. `tug.org/interviews/thiele.html`.

[37] Unicode Consortium, ed. 1991. *The Unicode Standard: Worldwide Character Encoding*. Version 1.0. Reading, Massachusetts: Addison-Wesley. `www.unicode.org/versions/Unicode1.0.0`.

[38] Ward, Monica. 2002. Reusable XML Technologies and the Development of Language Learning Materials. *ReCALL* 14 (2): 285–94. `doi.org/10.1017/S0958344002000629`.

[39] Wilson, Peter. 2007. The Memoir Class. *TUG-boat* 28 (2): 243–46. `www.tug.org/TUGboat/tb28-2/tb89wilson.pdf`.

[40] Wilson, Peter. 2021. *The Memoir Class for Configurable Typesetting: User Guide.* version 3.70. Normandy Park, WA: The Herries Press. `texdoc.org/serve/memoir/0`.

[41] Wood, Joyce Kathleen. 2012. *Valence-Increasing Strategies in Urim Syntax.* Graduate Institute of Applied Linguistics M.A. thesis. `www.diu.edu/documents/theses/Wood_Joyce-thesis.pdf`.

[42] Beier, Christine, and Lev Michael. 2022. *Managing Lexicography Data: A Practical, Principled Approach Using FLEx (FieldWorks Language Explorer).* In The Open Handbook of Linguistic Data Management, edited by Andrea L. Berez-Kroeker, Bradley McDonnell, Eve Koller, and Lauren B. Collister, 301–14. Open Handbooks In Linguistics. Cambridge, Massachusetts: The MIT Press. `doi.org/10.7551/mitpress/12200.003.0029`.

[43] Conzett, Philipp, and Koenraad De Smedt. 2022. *Guidance for Citing Linguistic Data.* In The Open Handbook of Linguistic Data Management, edited by Andrea L. Berez-Kroeker, Bradley McDonnell, Eve Koller, and Lauren B. Collister, 143–55. Open Handbooks In Linguistics. Cambridge, Massachusetts: The MIT Press. `doi.org/10.7551/mitpress/12200.003.0015`.

[44] Schenner, Mathias, and Sebastian Nordhoff. 2016. *Extracting Interlinear Glossed Text from LATEX Documents.* In Proceedings of the Tenth International Conference on Language Resources and Evaluation (LREC 2016), edited by Nicoletta Calzolari, Khalid Choukri, Thierry Declerck, Sara Goggi, Marko Grobelnik, Bente Maegaard, Joseph Mariani, et al., 4044–48. Portorož, Slovenia: European Language Resources Association (ELRA). `www.aclweb.org/anthology/L16-1638.pdf`.

⬦ H. Andrew Black
  `blackhandrew (at) gmail dot com`

⬦ Hugh J. Paterson III
  `i (at) hp3 dot me`
  `http://hp3.me`