



Performance



Accessibility



Best Practices



SEO



Performance


Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0–49

50–89

90–100



METRICS

[Expand view](#)

First Contentful Paint

0.3 s

Largest Contentful Paint

1.9 s

Total Blocking Time


100 ms

Cumulative Layout Shift

0

Speed Index

1.6 s



Later this year, insights will replace performance audits. [Learn more and provide feedback here.](#)

[Go back to audits](#)

Show audits relevant to: All [FCP](#) [LCP](#) [TBT](#)

INSIGHTS

▲ Document request latency — Est savings of 580 ms

Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. [LCP](#) [FCP](#)

Avoids redirects

Server responded slowly (observed 679 ms)

Applies text compression

▲ Render blocking requests — Est savings of 180 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. [LCP](#) [FCP](#)

URL	Transfer Size	Duration
segment-c.com 1st Party	25.0 KiB	260 ms
...css/df4612fda12a60cc.css (www.segment-c.com)	1.4 KiB	70 ms
...css/c8d2a5b4bc7186c2.css (www.segment-c.com)	23.6 KiB	190 ms

▲ Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations.

Source	Total reflow time
[unattributed]	60 ms

▲ LCP request discovery

Optimize LCP by making the LCP image [discoverable](#) from the HTML immediately, and [avoiding](#)

lazy-loading LCP

- Request is discoverable in initial document
- lazy load not applied
- fetchpriority=high should be applied

▲ Network dependency tree ▼

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP

Maximum critical path latency: **896 ms**

Initial Navigation

- <https://www.segment-c.com> - **715 ms**, 21.26 KiB
 - [...css/c8d2a5b4bc7186c2.css](#) (www.segment-c.com) - **788 ms**, 23.64 KiB
 - [...css/df4612fda12a60cc.css](#) (www.segment-c.com) - **896 ms**, 1.39 KiB

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Improve image delivery — **Est savings of 1,610 KiB** ▼

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) LCP FCP

URL	Resource Size	Est Savings
segment-c.com 1st Party	1,835.0 KiB	1,609.8 KiB
/images/fenetre2.jpg (www.segment-c.com)	854.6 KiB	764.1 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		764.1 KiB
/images/fenetre1.jpg (www.segment-c.com)	821.4 KiB	737.6 KiB

URL	Resource Size	Est Savings
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		737.6 KiB
/_next/image?url=%2Fimages%2Ffenetre5.jpg&w=640&q=75 (www.segment-c.com)	109.3 KiB	86.6 KiB
Increasing the image compression factor could improve this image's download size.		55.3 KiB
This image file is larger than it needs to be (453x733) for its displayed dimensions (349x400). Use responsive images to reduce the image download size.		63.3 KiB
/_next/image?url=%2Fimages%2Ffenetre2.jpg&w=640&q=75 (www.segment-c.com)	27.4 KiB	13.4 KiB
Increasing the image compression factor could improve this image's download size.		13.4 KiB
/_next/image?url=%2Fimages%2Ffenetre3.jpg&w=640&q=75 (www.segment-c.com)	22.3 KiB	8.2 KiB
Increasing the image compression factor could improve this image's download size.		8.2 KiB

Legacy JavaScript — Est savings of 12 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) LCP FCP

URL	Wasted bytes
segment-c.com 1st Party	11.6 KiB
...chunks/1840-16ac3283f527fbf2.js (www.segment-c.com)	11.6 KiB
...chunks/1840-16ac3283f527fbf2.js:1:89587 (www.segment-c.com)	Array.prototype.at
...chunks/1840-16ac3283f527fbf2.js:1:88975 (www.segment-c.com)	Array.prototype.flat
...chunks/1840-16ac3283f527fbf2.js:1:89088 (www.segment-c.com)	Array.prototype.flatMap
...chunks/1840-16ac3283f527fbf2.js:1:89464 (www.segment-c.com)	Object.fromEntries
...chunks/1840-16ac3283f527fbf2.js:1:89722 (www.segment-c.com)	Object.hasOwn
...chunks/1840-16ac3283f527fbf2.js:1:88717 (www.segment-c.com)	String.prototype.trimEnd

URL	Wasted bytes
...chunks/1840-16ac3283f527fbf2.js:1:88632 (www.segment-c.com)	String.prototype.trimStart

☐ Optimize DOM size ▼

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#)

Statistic	Element	Value
Total elements		874
Most children	<div>body.bg-background</div> <div><body class="bg-background h-full font-sans antialiased __variable_9a8899 __variable_5c..."></div>	50
DOM depth	<div>div.flex > div.flex > svg.lucide > path</div> <div><path d="M19 17h2c.6 0 1-.4 1-1v-3c0-.9-.7-1.7-1.5-1.9C18.7 10.6 16 10 16 10s-1.3-1..."></div>	13

☐ LCP breakdown ▼

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP

Subpart	Duration
Time to first byte	0 ms
Resource load delay	690 ms
Resource load duration	160 ms
Element render delay	350 ms

☐ 3rd parties ▼

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content.

3rd party	Transfer size	Main thread time
unsplash.com	992 KiB	0 ms
/photo-170...?q=... (images.unsplash.com)	992 KiB	0 ms
pravatar.cc	49 KiB	0 ms
/300?u=sophie3 (i.pravatar.cc)	19 KiB	0 ms
/300?u=marie1 (i.pravatar.cc)	17 KiB	0 ms

3rd party	Transfer size	Main thread time
/300?u=pierre2 (i.pravatar.cc)	14 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲ Defer offscreen images — Est savings of 1,829 KiB ▼

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images.](#) LCP FCP

☒ Show 3rd-party resources (2)

URL	Resource Size	Est Savings
<div> <div>unsplash.com</div> <div> <div>Prêt à démarrer votre projet ?</div> <div>Lorem ipsum dolor sit amet</div> <div>consectetur Commenc...</div> <div> <div><div style="background-image: url(&quot;https://images.unsplash.com/photo-1707680639756-d37ea...&quot;);"></div> <div>/photo-170...?q=... (images.unsplash.com)</div> </div> </div> </div>	991.0 KiB	991.0 KiB
<div> <div>segment-c.com 1st Party</div> <div> <div>Devis gratuit et sans engagement</div> <div> <div></div> <div>/images/fenetre1.jpg (www.segment-c.com)</div> </div> </div> </div>	821.4 KiB	821.4 KiB
<div> <div>pravatar.cc</div> <div> <div>user image</div> <div> <div><img data-slot="avatar-image" class="aspect-square size-full" alt="user image" src="https://</div> <div>/300?u=marie1 (i.pravatar.cc)</div> </div> </div> </div>	16.4 KiB	16.4 KiB

URL	Resource Size	Est Savings
i.pravatar.cc/300? u=marie1">		

▲ Serve images in next-gen formats — Est savings of 1,453 KiB

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats.](#)

LCP FCP

URL	Resource Size	Est Savings
segment-c.com 1st Party	1,675.9 KiB	1,452.6 KiB
/images/fenetre2.jpg (www.segment-c.com)	854.6 KiB	733.2 KiB
Artisan installant une fenêtre alt="Artisan installant une fenêtre" class="h-80 w-full object-cover">	/images/fenetre1.jpg (www.segment-c.com) 821.4 KiB	719.5 KiB

▲ Properly size images — Est savings of 786 KiB

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images.](#) LCP FCP

☒ Show 3rd-party resources (3)

URL	Resource Size	Est Savings
segment-c.com 1st Party	930.7 KiB	739.0 KiB
Devis gratuit et sans engagement gratuit et sans engagement" class="size- full object-cover" style="height: 460px; opacity: 1; transform: none;">	/images/fenetre1.jpg (www.segment-c.com) 821.4 KiB	652.7 KiB

URL	Resource Size	Est Savings
<p>Volets et Persiennes</p> <pre></pre>	109.3 KiB	86.3 KiB
pravatar.cc	47.6 KiB	47.0 KiB
<p>user image</p> <pre></pre>	18.0 KiB	17.8 KiB
<p>user image</p> <pre></pre>	16.4 KiB	16.2 KiB
<p>user image</p> <pre></pre>	13.2 KiB	13.1 KiB

▲ Efficiently encode images — Est savings of 1,155 KiB

Optimized images load faster and consume less cellular data. [Learn how to efficiently encode images](#). LCP FCP

URL	Resource Size	Est Savings
segment-c.com 1st Party	1,675.9 KiB	1,155.4 KiB
/images/fenetre2.jpg (www.segment-c.com)	854.6 KiB	579.0 KiB
Artisan installant une fenêtre alt="Artisan installant une fenêtre" class="h-80 w-full object-cover">	/images/fenetre1.jpg (www.segment-c.com)	821.4 KiB
		576.4 KiB

▲ Reduce unused JavaScript — Est savings of 20 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). LCP FCP

URL	Transfer Size	Est Savings
segment-c.com 1st Party	39.1 KiB	20.3 KiB
...chunks/1484-6ba9e863ef4717cf.js (www.segment-c.com)	39.1 KiB	20.3 KiB

▲ Avoid serving legacy JavaScript to modern browsers — Est savings of 11 KiB

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support legacy browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) LCP FCP

URL	Est Savings
segment-c.com 1st Party	11.4 KiB
...chunks/1840-16ac3283f527fbf2.js (www.segment-c.com)	11.4 KiB
... chunks/1840-16ac3283f527fbf2.js:1:89587 (www.segment-	Array.prototype.at

URL	Est Savings
c.com)	
...	
chunks/1840-16ac3283f527fbf2.js:1:88975 (www.segment-c.com)	Array.prototype.flat
...	
chunks/1840-16ac3283f527fbf2.js:1:89088 (www.segment-c.com)	Array.prototype.flatMap
...	
chunks/1840-16ac3283f527fbf2.js:1:89464 (www.segment-c.com)	Object.fromEntries
...	
chunks/1840-16ac3283f527fbf2.js:1:89722 (www.segment-c.com)	Object.hasOwn
...	
chunks/1840-16ac3283f527fbf2.js:1:88717 (www.segment-c.com)	String.prototype.trimEnd
...	
chunks/1840-16ac3283f527fbf2.js:1:88632 (www.segment-c.com)	String.prototype.trimStart

Avoid enormous network payloads — Total size was 14,408 KiB



Large network payloads cost users real money and are highly correlated with long load times.

[Learn how to reduce payload sizes.](#)

☒ Show 3rd-party resources (1)

URL	Transfer Size
segment-c.com 1st Party	13,001.7 KiB
/videos/demo.mp4 (www.segment-c.com)	11,017.0 KiB
/images/fenetre2.jpg (www.segment-c.com)	855.1 KiB
/images/fenetre1.jpg (www.segment-c.com)	821.9 KiB
/_next/image?url=%2Fimages%2Ffenetre5.jpg&w=640&q=75 (www.segment-c.com)	109.9 KiB
...chunks/3fda73ea-0e3301df2939dbf3.js (www.segment-c.com)	54.8 KiB
...chunks/1840-16ac3283f527fbf2.js (www.segment-c.com)	43.9 KiB
...chunks/1484-6ba9e863ef4717cf.js (www.segment-c.com)	39.8 KiB
...media/93f479601ee12b01-s.p.woff2 (www.segment-c.com)	31.1 KiB

URL	Transfer Size
...media/569ce4b8f30dc480-s.p.woff2 (www.segment-c.com)	28.2 KiB
unsplash.com	991.6 KiB
/photo-170...?q=... (images.unsplash.com)	991.6 KiB

Serve static assets with an efficient cache policy — 3 resources found

A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies.](#)

URL	Cache TTL	Transfer Size
pravatar.cc		49 KiB
/300?u=sophie3 (i.pravatar.cc)	31d	19 KiB
/300?u=marie1 (i.pravatar.cc)	31d	17 KiB
/300?u=pierre2 (i.pravatar.cc)	31d	14 KiB

Avoid an excessive DOM size — 872 elements

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size.](#) TBT

Statistic	Element	Value
Total DOM Elements		872
Maximum DOM Depth	div.flex > div.flex > svg.lucide > path <path d="M19 17h2c.6 0 1-.4 1-1v-3c0-.9-.7-1.7-1.5-1.9C18.7 10.6 16 10 16 10s-1.3-1...">	13
Maximum Child Elements	body.bg-background <body class="bg-background h-full font-sans antialiased __variable_9a8899 __variable_5c...">	50

○ Avoid long main-thread tasks — 3 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT

URL	Start Time	Duration

URL	Start Time	Duration
segment-c.com 1st Party		330 ms
...chunks/1840-16ac3283f527fbf2.js (www.segment-c.com)	2,894 ms	154 ms
...chunks/1840-16ac3283f527fbf2.js (www.segment-c.com)	3,093 ms	113 ms
https://www.segment-c.com	298 ms	63 ms

○ Avoid chaining critical requests — 2 chains found ▼

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#)

Maximum critical path latency: **893.672 ms**

Initial Navigation

https://www.segment-c.com

...css/df4612fda12a60cc.css (www.segment-c.com) - **200.727 ms**, 1.39 KiB

...css/c8d2a5b4bc7186c2.css (www.segment-c.com) - **83.064 ms**, 23.64 KiB

○ Minimize third-party usage — Third-party code blocked the main thread for 0 ms ▼

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact.](#) TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
unsplash.com	992 KiB	0 ms
/photo-170...?q=... (images.unsplash.com)	992 KiB	0 ms
pravatar.cc	49 KiB	0 ms
/300?u=sophie3 (i.pravatar.cc)	19 KiB	0 ms
/300?u=marie1 (i.pravatar.cc)	17 KiB	0 ms
/300?u=pierre2 (i.pravatar.cc)	14 KiB	0 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

☐ Use efficient cache lifetimes ▼

A long cache lifetime can speed up repeat visits to your page. [Learn more](#).

Layout shift culprits ▼

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. `CLS`

☐ Duplicated JavaScript ▼

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity.

☐ Font display ▼

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#).

☐ INP breakdown ▼

Start investigating with the longest subpart. [Delays can be minimized](#). To reduce processing duration, [optimize the main-thread costs](#), often JS.

Optimize viewport for mobile ▼

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile.

head > meta

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

Eliminate render-blocking resources ▼

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources](#). `LCP` `FCP`

Minify CSS ▼

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). `LCP` `FCP`

Minify JavaScript



Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) LCP FCP

Reduce unused CSS



Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) LCP FCP

Enable text compression



Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression.](#) LCP FCP

Preconnect to required origins



Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins.](#) LCP FCP

Initial server response time was short — Root document took 600 ms



Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric.](#) LCP FCP

URL	Time Spent
segment-c.com 1st Party	600 ms
https://www.segment-c.com	600 ms

Avoid multiple page redirects



Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects.](#) LCP FCP

Use video formats for animated content



Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) LCP FCP

Remove duplicate modules in JavaScript bundles

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. LCP FCP

Preload Largest Contentful Paint image

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements.](#) LCP

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

JavaScript execution time — 0.5 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

URL	Total CPU Time	Script Evaluation	Script Parse
segment-c.com 1st Party	882 ms	457 ms	20 ms
...chunks/1840-16ac3283f527fbf2.js (www.segment-c.com)	454 ms	417 ms	6 ms
https://www.segment-c.com	279 ms	8 ms	7 ms
...chunks/1484-6ba9e863ef4717cf.js (www.segment-c.com)	149 ms	32 ms	6 ms
Unattributable	186 ms	17 ms	0 ms
Unattributable	186 ms	17 ms	0 ms

Minimizes main-thread work — 1.1 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Script Evaluation	502 ms
Other	258 ms

Category	Time Spent
Style & Layout	218 ms
Rendering	73 ms
Script Parsing & Compilation	56 ms
Parse HTML & CSS	27 ms
Garbage Collection	11 ms

All text remains visible during webfont loads

Leverage the `font-display` CSS feature to ensure text is user-visible while webfonts are loading. [Learn more about font-display](#).

☐ Lazy load third-party resources with facades

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade](#). TBT

☐ Largest Contentful Paint element

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#) LCP

☐ Largest Contentful Paint image was not lazily loaded

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading](#). LCP

☐ Avoid large layout shifts

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) CLS

Uses passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners](#).

Avoids `document.write()`

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\)](#).

○ Avoid non-composited animations ▼

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS

Image elements have explicit `width` and `height` ▼

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS

Has a `<meta name="viewport">` tag with `width` or `initial-scale` ▼

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#).



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

NAMES AND LABELS

▲ Buttons do not have an accessible name ▼

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible](#).

Failing Elements

```
div.bg-background > div.relative > div.absolute > button.transition-all
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

```
div.bg-background > div.relative > div.absolute > button.transition-all
<button class="transition-all duration-500 h-2 w-12 bg-green-500" tabindex="0">
```

```
div.bg-background > div.relative > div.absolute > button.transition-all
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

```
div.bg-background > div.relative > div.absolute > button.transition-all
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

```
div.bg-background > div.relative > div.absolute > button.transition-all
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

```
div.bg-background > div.relative > div.absolute > button.transition-all
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

```
div.bg-background > div.relative > div.absolute > button.transition-all
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

```
div.bg-background > div.relative > div.absolute > button.transition-all
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

▲ Image elements have `[alt]` attributes that are redundant text. ▼

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute](#).

Failing Elements

Volets et Persiennes

```
`

### Menuiserie

```

```

### Portes d'entrée

```

```

### Baie vitrée

```

```

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

## ARIA

▲ `[role]` values are not valid



ARIA roles must have valid values in order to perform their intended accessibility functions.

[Learn more about valid ARIA roles.](#)

## Failing Elements

Rui a remplacé toutes nos fenêtres en PVC. Le travail est impeccable, les finit...

```
<div data-slot="card" class="bg-card text-card-foreground flex flex-col gap-6 rounded-xl border py-6 sh..." image="https://i.pravatar.cc/300?u=marie1" name="Marc Dubois" review="Rui a remplacé toutes nos fenêtres en PVC. Le travail est impeccable, les ..." role="Propriétaire - Bordeaux">
```

Installation d'une porte d'entrée en aluminium. Rui m'a conseillé sur le choix ...

```
<div data-slot="card" class="bg-card text-card-foreground flex flex-col gap-6 rounded-xl border py-6 sh..." image="https://i.pravatar.cc/300?u=pierre2" name="karin Martin" review="Installation d'une porte d'entrée en aluminium. Rui m'a conseillé sur le c..." role="Particulier - Lacanau">
```

## Failing Elements

Très satisfaite du remplacement de mes volets roulants. Rui est un artisan séri...

```
<div data-slot="card" class="bg-card text-card-foreground flex flex-col gap-6 rounded-xl border py-6 sh..." image="https://i.pravatar.cc/300?u=sophie3" name="Sophie Leroy" review="Très satisfaite du remplacement de mes volets roulants. Rui est un artisan..." role="Cliente - Mérignac">
```

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

## CONTRAST

- ▲ Background and foreground colors do not have a sufficient contrast ratio. ▼

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

## Failing Elements

Rui Decarvalho

```

```



Segment.C Fenêtre Portes Baie vitrée Pergolas Vérandas Actualités Sign in Segm...

```
<div class="bg-background text-foreground relative flex h-fit flex-col">
```

Voir mes réalisations

```

```

+ Plus d'informations

```
<button data-slot="button" class="focus-visible:border-ring aria-invalid:ring-destructive/20 dark:aria-inval...">
```

Demander un devis gratuit

```

```

06.00.00.00.00

```

```

Tous les projets

```
<button data-slot="button" class="focus-visible:border-ring aria-invalid:ring-destructive/20 dark:aria-inval...">
```

Voir tous les avis (6 de plus)

```
<button data-slot="button" class="focus-visible:border-ring focus-visible:ring-ring/50 aria-invalid:ring-des...">
```

## Failing Elements

### Notre Process

```
<p class="leading-7 [¬(:first-child)]:mt-6 text-green-600">
```

Notre Process Comment ça marche ? 1 Devis gratuit et sans engagement Je vous ...

```
<div class="bg-background text-foreground" id="Presentation">
```

These are opportunities to improve the legibility of your content.

## BEST PRACTICES

- ▲ Touch targets do not have sufficient size or spacing.



Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)

## Failing Elements

div.bg-background > div.relative > div.absolute > button.transition-all

```
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

div.bg-background > div.relative > div.absolute > button.transition-all

```
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

div.bg-background > div.relative > div.absolute > button.transition-all

```
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

div.bg-background > div.relative > div.absolute > button.transition-all

```
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

div.bg-background > div.relative > div.absolute > button.transition-all

```
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

div.bg-background > div.relative > div.absolute > button.transition-all

```
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

div.bg-background > div.relative > div.absolute > button.transition-all

```
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

div.bg-background > div.relative > div.absolute > button.transition-all

```
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

## Failing Elements

div.bg-background > div.relative > div.absolute > button.transition-all

```
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

div.bg-background > div.relative > div.absolute > button.transition-all

```
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

div.bg-background > div.relative > div.absolute > button.transition-all

```
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

div.bg-background > div.relative > div.absolute > button.transition-all

```
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

div.bg-background > div.relative > div.absolute > button.transition-all

```
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

div.bg-background > div.relative > div.absolute > button.transition-all

```
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

div.bg-background > div.relative > div.absolute > button.transition-all

```
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

div.bg-background > div.relative > div.absolute > button.transition-all

```
<button class="transition-all duration-500 size-2 bg-white/50 hover:bg-white/70"
tabindex="0">
```

These items highlight common accessibility best practices.

## NAVIGATION

### ▲ Heading elements are not in a sequentially-descending order



Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

## Failing Elements

Devis gratuit et sans engagement

```
<h3 class="mb-2 text-lg font-bold transition-colors duration-300 text-green-600">
```

These are opportunities to improve keyboard navigation in your application.

## AUDIO AND VIDEO

- `<video>` elements contain a `<track>` element with `[kind="captions"]` ✓

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#)

### Failing Elements

section.relative > div.flex > div.w-full > video.aspect-video

```
<video class="aspect-video h-auto w-full object-cover" controls="" preload="metadata">
```

These are opportunities to provide alternative content for audio and video. This may improve the experience for users with hearing or vision impairments.

## ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

- Interactive controls are keyboard focusable ✓

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#)

- Interactive elements indicate their purpose and state ✓

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#)

- The page has a logical tab order ✓

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#)

- Visual order on the page follows DOM order ✓

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#)

- User focus is not accidentally trapped in a region ✓

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#)

- The user's focus is directed to new content added to the page ✓

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn](#)

[how to direct focus to new content.](#)

- HTML5 landmark elements are used to improve navigation ▼

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#)

- Offscreen content is hidden from assistive technology ▼

Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content.](#)

- Custom controls have associated labels ▼

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#)

- Custom controls have ARIA roles ▼

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review.](#)

PASSED AUDITS (17)

Show

- [\[aria-\\*\]](#) attributes match their roles ▼

Each ARIA role supports a specific subset of aria-\* attributes. Mismatching these invalidates the aria-\* attributes. [Learn how to match ARIA attributes to their roles.](#)

- [\[aria-hidden="true"\]](#) is not present on the document <body> ▼

Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body.](#)

- [\[role\]](#)s have all required [\[aria-\\*\]](#) attributes ▼

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#)

- [\[aria-\\*\]](#) attributes have valid values ▼



Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

---

`[aria-*)` attributes are valid and not misspelled



Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

---

Image elements have `[alt]` attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

---

`[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5.



Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

---

ARIA attributes are used as specified for the element's role



Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes.](#)

---

`[aria-hidden="true"]` elements do not contain focusable descendents



Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

---

Elements use only permitted ARIA attributes



Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

---

Document has a `<title>` element



The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

---

`<html>` element has a `[lang]` attribute



If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the `lang` attribute.](#)

---

`<html>` element has a valid value for its `[lang]` attribute



Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the `lang` attribute.](#)

---

Links have a discernible name



Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

---

No element has a `[tabindex]` value greater than 0



A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the `tabindex` attribute.](#)

---

Uses ARIA roles only on compatible elements



Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles.](#)

---

Deprecated ARIA roles were not used



Deprecated ARIA roles may not be processed correctly by assistive technology. [Learn more about deprecated ARIA roles.](#)

---

- `[accesskey]` values are unique

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#)

- `button`, `link`, and `menuitem` elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

- Elements with `role="dialog"` or `role="alertdialog"` have accessible names.

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#)

- ARIA input fields have accessible names

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#)

- ARIA `meter` elements have accessible names

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#)

- ARIA `progressbar` elements have accessible names

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#)

- Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#)

- `[role]`s are contained by their required parent element

Some ARIA child roles must be contained by specific parent roles to properly perform their

intended accessibility functions. [Learn more about ARIA roles and required parent element.](#)

- Elements with the `role=text` attribute do not have focusable descendents. ▼

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. [Learn more about the `role=text` attribute.](#)

- ARIA toggle fields have accessible names ▼

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#)

- ARIA `tooltip` elements have accessible names ▼

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name `tooltip` elements.](#)

- ARIA `treeitem` elements have accessible names ▼

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling `treeitem` elements.](#)

- The page contains a heading, skip link, or landmark region ▼

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#)

- `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ▼

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#)

- Definition list items are wrapped in `<dl>` elements ▼

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#)

- ARIA IDs are unique ▼

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#)

- No form fields have multiple labels ▼

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#)

- `<frame>` or `<iframe>` elements have a title

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#)

- `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute.

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

- Input buttons have discernible text.

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#)

- `<input type="image">` elements have `[alt]` text

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#)

- Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

- Links are distinguishable without relying on color.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#)

- Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

- List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements

Screen readers require list items (`<li>`) to be contained within a parent `<ul>`, `<ol>` or `<menu>` to be announced properly. [Learn more about proper list structure.](#)

- The document does not use `<meta http-equiv="refresh">`

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#)

- 
- `<object>` elements have alternate text ▼

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#)

- 
- Select elements have associated label elements. ▼

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#)

- 
- Skip links are focusable. ▼

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#)

- 
- Tables have different content in the summary attribute and `<caption>`. ▼

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#)

- 
- Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ▼

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#)

- 
- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ▼

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#)

- 
- `[lang]` attributes have a valid value ▼

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute.](#)

---



## Best Practices

### GENERAL

#### ▲ Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Source	Description
segment-c.com <a href="#">1st Party</a>	
<code>/_next/image?url=%2Fimages%2Fportrait-artisan.jpg&amp;w=640&amp;q=75:1:0 (www.segment-c.com)</code>	Failed to load resource: the server responded with a status of 404 (Not Found)

### TRUST AND SAFETY

#### ○ Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

#### ○ Use a strong HSTS policy

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#)

Description	Directive	Severity
No `includeSubDomains` directive found	<code>includeSubDomains</code>	Medium
No `preload` directive found	<code>preload</code>	Medium

#### ○ Ensure proper origin isolation with COOP ▼

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#)

Description	Directive	Severity
No COOP header found		High

#### ○ Mitigate clickjacking with XFO or CSP ▼

The X-Frame-Options (XFO) header or the `frame-ancestors` directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#)

Description	Severity
No frame control policy found	High

#### ○ Mitigate DOM-based XSS with Trusted Types ▼

The `require-trusted-types-for` directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#)

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

PASSED AUDITS (13)

Show

#### Uses HTTPS ▼

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for



HTTP/2 and many new web platform APIs. [Learn more about HTTPS.](#)

---

Avoids deprecated APIs



Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

---

Avoids third-party cookies



Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions.](#)

---

Allows users to paste into input fields



Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields.](#)

---

Avoids requesting the geolocation permission on page load



Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission.](#)

---

Avoids requesting the notification permission on page load



Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications.](#)

---

Displays images with correct aspect ratio



Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio.](#)

---

Serves images with appropriate resolution



Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

---

Has a `<meta name="viewport">` tag with `width` or `initial-scale`



A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#).

Page has the HTML doctype



Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration](#).

Properly defines charset



A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding](#).

No issues in the `Issues` panel in Chrome Devtools



Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Page has valid source maps



Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps](#).

NOT APPLICABLE (3)

Show

☐ Redirects HTTP traffic to HTTPS



Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more](#).

☐ Document uses legible font sizes



Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text  $\geq 12\text{px}$ . [Learn more about legible font sizes](#).

☐ Detected JavaScript libraries



All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)

---



## SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

### ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Show

#### ☐ Structured data is valid



Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more about Structured Data](#).

Run these additional validators on your site to check additional SEO best practices.

### PASSED AUDITS (8)

Show

#### Page isn't blocked from indexing



Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](#).

#### Document has a `<title>` element



The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

#### Document has a meta description



Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description.](#)

---

Page has successful HTTP status code



Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes.](#)

---

Links have descriptive text



Descriptive link text helps search engines understand your content. [Learn how to make links more accessible.](#)

---

Links are crawlable



Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

---

Image elements have `[alt]` attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

---

Document has a valid `hreflang`



hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang.](#)

---

NOT APPLICABLE (2)

Show

---

☐ robots.txt is valid



If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt.](#)

---

☐ Document has a valid `rel=canonical`



Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#)

---

Captured at Aug 29, 2025, 4:24

PM GMT+2

Initial page load

Emulated Desktop with

Lighthouse 12.8.0

Unknown

Single page session

Using HeadlessChromium

137.0.7151.119 with Ir

Generated by **Lighthouse** 12.8.0 | [File an issue](#)