Review

A comprehensive review of deterministic models and applications for mean-variance portfolio optimization

Can B. Kalayci*, Okkes Ertenlice, Mehmet Anil Akbay

Pamukkale University, Faculty of Engineering, Department of Industrial Engineering, Kinikli, 20160, Denizli, Turkey

ARTICLE INFO

ABSTRACT

Portfolio optimization is the process of determining the best combination of securities and proportions with the aim of having less risk and obtaining more profit in an investment. Utilizing covariance as a risk measure, mean-variance portfolio optimization model has brought a revolutionary approach to quantitative finance. Since then, along with the advancements in computational power and algorithmic enhancements, a lot of efforts have been made on improving this model by considering real-life conditions and solving model variants with various methodologies tested on various data and performance measures. A comprehensive literature review of recent and novel papers is crucial to establish a pattern of the past, and to pave the way on future directions. In this paper, a total of 175 papers published in the last two decades are selected within the scope of operations research community and reviewed in detail. Thus, a comprehensive survey on the deterministic models and applications suggested for mean-variance portfolio optimization in which several variants of this model as well as additional real-life constraints are studied. The review classifies the approaches according to exact and approximate attempts and analyzes the proposed algorithms based on various data and performance indicators in depth. Areas of future research are outlined.

Contents

* Corresponding author.
   E-mail address: cbkalayci@pau.edu.tr (C.B. Kalayci).

1. Introduction

Individual investors, brokers and fund managers invest billions of dollars in various sectors every year. Therefore, proper security selection for financial investment comes into prominence since generating profit throughout all market climates and minimizing losses during market downturns are desired. The most common investment strategy is building a portfolio consisting of different securities in order to spread the risk. Traditional portfolio analysis requires the evaluation of return and risk conditions of individual securities and may not provide success due to its subjective nature. In 1952, performing an analysis of the impact of risk, Markowitz presented a revolutionary approach for portfolio theory called Mean-Variance (MV) model (Markowitz, 1952) and initiated the era of modern portfolio theory. Using covariance as a risk measure is the key of this revolution since it was a spark that triggered quantitative finance. Following this milestone, the MV model has been a standard decision-making approach to structure and measure the performance of portfolios (Rubinstein, 2002) that quantitatively focus on the investment alternatives utilizing the covariance between securities based on return-risk trade-off (Kolm, Tutuncu, & Fabozzi, 2014). Thanks to his pioneering works in finance theory, in 1991, Markowitz was awarded the Nobel Prize for economics. Along with the developments in computational power, a growing number of researchers from not only financial fields, but also computer scientists and mathematicians have engaged a great attention to portfolio optimization (PO), evident by the vast number of publications in scientific journals to deal with mean-variance portfolio optimization (MVPO). New constraints, objectives, and solution approaches have been developed to address shortcomings of the early MV model (Konno & Yamazaki, 1991; Rockafellar & Uryasev, 2000; Young, 1998).Thus, a significant number of academic papers has been reached by accumulation of successive additions to MV model.

Over the last decade, researchers have analyzed the current trends and future research directions on PO (Table 1). In this context, Azmi and Tamiz (2010) reviewed lexicographic, weighted, minmax and fuzzy goal programming models and discussed the issues concerning multi-period returns, extended factors and measurement of risk. Metaxiotis and Liagkouras (2012) and Ponsich, Jaimes, and Coello (2013) analyzed the current state of research in portfolio optimization with a focus on Multi Objective Evolutionary Algorithms in which the lack of many real-life constraints as well as ineffectiveness of Pareto ranking schemes in the presence of many objectives are indicated. Mansini, Ogryczak, and Speranza (2014) focused on linear programming solvable models in the portfolio optimization classifying the models according to decision variables used in the integration of real features. Kolm et al. (2014) discussed practical advances in MVPO and pointed out new research directions such as diversification methods and multi-period optimization. Aouni, Colapinto, and La Torre (2014) reviewed the lexicographic, weighted, polynomial, stochastic and fuzzy goal programming models and pointed out the lack in developing computerized decision support systems to accomplish a helpful tool to facilitate the decision-making process in portfolio optimization. Doering, Juan, Kizys, Fito, and Calvet (2016) focused on recent contributions of metaheuristics in the sense of an introduction to this topic supported with a numerical example. Masmoudi and Abdelaziz (2018) focused on deterministic and stochastic multi-objective programming models comparing the different assumptions and proposed solutions in portfolio optimization. Zhang, Li, and Guo (2018) reviewed various extensions of Markowitz's MV model such as dynamic, robust, fuzzy portfolio optimization with practical factors and pointed out that combined forecasting theory with portfolio selection would be a promising future research direction to deal with uncertainty. Aouni, Doumpos, Pérez-Gladish, and Steuer (2018) reviewed multiple criteria decision aid methods for portfolio selection with a focus on exact solution methods on the construction and optimization of portfolios as well as on the analysis and the evaluation of specific securities.

The primary purpose of this paper is to deeply analyze the publications based on deterministic models and applications in the MVPO literature. This paper classifies the scientific literature presenting a taxonomy of solution techniques on solving MVPO with the aim of answering the following five research questions: (*i*) Which deterministic models are mostly investigated? (*ii*) What practical constraints have been introduced for portfolio optimization? (*iii*) How have researchers handled problem constraints? (*iv*) Which solution techniques have been employed to solve MVPO at what rate? (*v*) Which data sets and performance measures have been used to test the algorithms designed?

Section 2 clarifies the applied research methodology while Section 3 is dedicated to the deterministic models for MVPO as well as problem types and additional constraints. Section 4 describes that data while performance measures utilized to test the proposed algorithms are investigated in Section 5. Section 6 provides a detailed look on the attempts of developing solution approaches for MV model while Section 7 concludes the paper and discusses future research directions.

2. Applied research methodology

Content analysis and description of research methodology are summarized in four categories: material collection, descriptive analysis, category selection and material evaluation (Govindan, Soleimani, & Kannan, 2015; Özceylan, Kalayci, Güngör, & Gupta, 2018).

2.1. Material collection

The material for the literature review is detailed in this section. The study was conducted by covering the journal papers, book chapters and proceedings written in English language published from 1998 to 2018.

The search terms were identified through several trial and error attempts according prior experience of the authors and the keywords utilized in various papers. A keyword structure (Table 2) that initially aims to reach a broad range of search for capturing various publications in MVPO literature is carried out. Level 1 defines the main search context while level 2 indicated various alternatives of an author's approach. Level 3 focused on mean-variance and finally, Fuzzy and Robust keywords are excluded since the models dealing with uncertainty and robust portfolio optimization are not within the scope of this study with level 4. Utilizing the "title, abstract, keywords" search in Google Scholar database

Table 1
Previous reviews on portfolio optimization.

Year	Publication	Perspective	Focus
2010	Azmi and Tamiz (2010)	Goal Programming	Lexicographic/weighted/minmax/fuzzy goal programming models
2012	Metaxiotis and Liagkouras (2012)	Multi-objective optimization	Multi-objective Evolutionary Algorithms
2013	Ponsich et al. (2013)	Multi-objective optimization	Multi-objective Evolutionary Algorithms
2014	Mansini et al. (2014)	Linear programming	Linear programming solvable portfolio optimization models
2014	Kolm et al. (2014)	Practical challenges	Practical advances in MVPO
2014	Aouni et al. (2014)	Goal programming	Lexicographic/weighted/polynomial/stochastic/fuzzy goal programming models
2016	Doering et al. (2016)	Computational analysis	Metaheuristics
2017	Masmoudi and Abdelaziz (2018)	Programming models	Deterministic and stochastic multi-objective programming models
2017	Zhang, Li and Guo (2018)	Uncertainty	Dynamic/robust/fuzzy portfolio optimization with practical factors
2018	Aouni et al. (2018)	Multiple criteria decision aid methods	Exact methods for portfolio selection possessing multiple criteria
	This study	Computational analysis	Exact and approximate attempts on deterministic models of MVPO

Table 2
The proposed keyword combination structure.

Level	Search terms					
1	Portfolio					
	AND					
2	Selection	OR	Management	OR	Optimization	
	AND					
3	Mean-variance					
	AND NOT					
4	Fuzzy	OR	Robust			

which covers more publications than the Web of Science and Scopus databases, initially 34,100 publications are reached with the search. In order to obtain relevant publications about deterministic models and applications of MVPO from an operations research perspective, 175 papers are hand-selected, reviewed, classified and saved in a spreadsheet for a deeper analysis and evaluation.

2.2. Descriptive analysis

The publishing trend using the number of publications in a given year is demonstrated in Fig. 1. A total number 175 publications (20 book chapters, 56 proceedings and 99 articles) are reviewed. This significant growth in the number of publications is noticeable after 2009.

The publications and distribution of the journals, proceedings and book chapters are presented in Fig. 2, Fig. 3 and Fig. 4, re-

spectively. Fig. 2 shows that among the journals, Expert Systems with Applications is dominant representing 15% of all published articles. In Fig. 3 and Fig. 4, it is shown that 88% of proceedings are published by IEEE while 95% of book chapters are published by Springer.

2.3. Category selection

The categorization applied in this review is formed based on different properties of deterministic models and applications on MVPO. The categories are formed according to the following criteria: models, constraints, constraint handling, solution techniques, performance measures and data. The main categories used to classify the publications are shown in Fig. 5 and are described below:

2.4. Material evaluation

To enhance the credibility of the research, during the validation stage, Microsoft Excel spreadsheet and Endnote reference manager software are also applied to evaluate, analyze and reduce errors. Other databases such as Web of Science and Scopus are used to enrich the study by adding those papers not found in the initial stage. An independent working strategy of authors is carried out to adequately investigate publications via a series of search and cross-check activities.


**Fig. 1.** Distribution of publications per year.

Fig. 2. Distribution of publications based on various journals (99 papers: 1998–2019).


Fig. 3. Distribution of proceedings (46 proceedings: 1998–2018).


Fig. 4. Distribution of book chapters (36 book chapters: 1998–2018).

3. MVPO model

3.1. Single-objective MVPO model

The original MV model which aims to minimize risk (variance) for the desired level of return is a single-objective model.

Parameters

N The number of assets available
μ_i The expected return of asset i
σ_{ij} The covariance between assets i and j
R^* Desired expected return

Decision variables

w_i The proportion held of asset

$$
\begin{cases}
\min \ \sum_{i=1}^{N} \sum_{j=1}^{N} w_i w_j \sigma_{ij} & (1.1) \\[2mm]
Subject\ to : & \\[2mm]
\sum_{i=1}^{N} w_i \mu_i = R^* & (1.2) \\[2mm]
\sum_{i=1}^{N} w_i = 1 & (1.3) \\[2mm]
0 \le w_i \le 1, \qquad i = 1, \ \ldots, N & (1.4)
\end{cases}
\tag{1}
$$

The objective function given in Eq. (1.1) aims to minimize risk while Eq. (1.2) guarantees to obtain returns at the desired return level. The investment of total budget is ensured by Eqs. (1.3) and (1.4) does not allow short sales. The original single objective MV model can also be rewritten as to maximize the return for a given level of risk. A portfolio obtained by solving model (1) by taking into consideration of minimum risk for a given level of return or a maximum return for a given level of risk is called efficient portfolio. However, to find an efficient portfolio, it is necessary to know either the level of risk that the investor can endure, or the desired return defined by the investor. In fact, it may not be quite possible in real world cases. So, to find the efficient portfolio among various combinations of assets in the solution space, instead of considering a single objective, researchers must consider all objectives at once. Therefore, the researchers transformed the single-objective model into a multi-objective model.

3.2. Multi-objective MVPO model

According to Zitzler (1999), the multi-objective mathematical model can be written as follows:

$$
\begin{cases}
\min \boldsymbol{f}(\boldsymbol{x}) = (f_1(\boldsymbol{x}), f_2(\boldsymbol{x}) \ldots, f_p(\boldsymbol{x})) \\
\text{subject to: } \boldsymbol{e}(\boldsymbol{x}) = (e_1(\boldsymbol{x}), e_2(\boldsymbol{x}) \ldots, e_m(\boldsymbol{x})) \le \boldsymbol{0} \\
\text{where: } \boldsymbol{x} = (x_1, x_2, \ldots, x_n) \in \boldsymbol{X}
\end{cases}
\tag{2}
$$

Where the constraints $\boldsymbol{e}(\boldsymbol{x}) \le 0$ determine the set of feasible solutions, $\boldsymbol{x} = (x_1,\ldots, x_n)$ is the vector of decision variables (parameters) and $\boldsymbol{X}$ is the decision space, p is equal to 1 in single-objective models and p is larger than 1 in multi-objective models.

Unlike single-objective optimization, a solution to a multi-objective problem is more of a concept than a definition (Marler & Arora, 2004). Therefore, it is significant to go through basic frameworks of this concept. Based on the structure defined by

Fig. 5. Classification of models and applications on MVPO.
Single-objective MV (SOMV); Multi-objective MV (MOMV); Boundary Constraints (BC); Cardinality Constraints (CC); Transaction Costs (TC); Roundlot Constraints (RL); Sector capitalization Constraints (SC); Turnover Constraints (TUC); Methodologies to deal with various constraints on MVPO (Constraint handling); Various performance indicators to test the efficiency of proposed algorithms (Performance Measures);.

Zitzler (1999), the concepts of Feasible Set, Pareto Dominance, Pareto Optimality, Nondominated Sets are defined as follows:

Feasible Set

The feasible set X_f is defined as the set of decision vectors $\boldsymbol{x}$ that satisfy the constraints $\boldsymbol{e}(\boldsymbol{x})$.

$$\left\{ X_f = \{\boldsymbol{x} \in X | e_i(\boldsymbol{x}) \preccurlyeq \boldsymbol{0}, \, i = 1, \ldots, m \} \right. \tag{3}$$

The image of X_f denoted as $f(X_f) = \bigcup_{\boldsymbol{x} \in X_f} \{f(\boldsymbol{x})\}$ is the feasible region in the objective space.

Pareto Dominance

In model (4), concept of domination may be described as follows (Deb, 2001):

For any two decision vectors $\boldsymbol{u}$ and $\boldsymbol{v}$,

$$\begin{cases} \boldsymbol{u} \prec \boldsymbol{v} \, (\boldsymbol{u} \text{ dominates } \boldsymbol{v}) \text{ if and only if } \boldsymbol{f}(\boldsymbol{u}) \prec \boldsymbol{f}(\boldsymbol{v}) \\ \boldsymbol{u} \preccurlyeq \boldsymbol{v} \, (\boldsymbol{u} \text{ weakly dominates } \boldsymbol{v}) \text{ if and only if } \boldsymbol{f}(\boldsymbol{u}) \preccurlyeq \boldsymbol{f}(\boldsymbol{v}) \\ \boldsymbol{u} \sim \boldsymbol{v} \, (\boldsymbol{u} \text{ is indifferent to } \boldsymbol{v}) \text{ if and only if } \boldsymbol{f}(\boldsymbol{u}) \npreccurlyeq \boldsymbol{f}(\boldsymbol{v}) \text{ and } \boldsymbol{f}(\boldsymbol{u}) \nsucccurlyeq \boldsymbol{f}(\boldsymbol{v}) \end{cases} \tag{4}$$

Pareto Optimality

A decision vector $\boldsymbol{x} \in X_f$ is said to be nondominated regarding a set $\boldsymbol{A} \subseteq X_f$ if and only if there does not exist $\boldsymbol{u} \in \boldsymbol{A}: \boldsymbol{u} \prec \boldsymbol{x}$. $\boldsymbol{x}$ is set to be Pareto optimal if and only if $\boldsymbol{x}$ is nondominated regarding X_f. The entire set of all Pareto-optimal solutions is called the Pareto-optimal set and the corresponding objective vectors form the Pareto-optimal front (Zitzler, 1999).

Nondominated Sets

Among a set of solutions $\boldsymbol{A}$, the nondominated set of solutions are those that are not dominated by any member of the set $\boldsymbol{A}$.

Because of the fact that addressing the MVPO by using a single objective problem-solving structure has several difficulties due to real-world conditions, multi-objective approaches have been applied. While solving single objective optimization model, it is possible to find a global and unique optimal solution, multi objective approach gives a set of optimal solution which is called Pareto optimal solutions. Single objective model may be defined in two different ways such as aiming risk minimization or return maximization. The multi-objective models on the other hand, are based on the idea of simultaneously optimizing conflicting objectives.

3.2.1. Methods for handling multi-objective MVPO

In multi-objective models, it may not be possible to optimize all objective functions at once, that's why, it is needed to give priority to some objectives over another by using methods such as weighted sum method or apply dominance-based approaches to tackle this issue.

Weighted sum approach

In the weighted sum method (model 5), a set of objectives are combined into a single objective by assigning an associated weight to prioritize one over another. Thus, it simply relaxes a constraint into a combined single objective. Because of its simple structure and ease of implementation, in addition to the fact that it is the most widely used classical approach for multi objective optimization problems (Deb, 2005), weighted sum approach is the most popular solution approach for MVPO as well. Nevertheless, in spite of its simplicity, there is a major difficulty in obtaining Pareto optimal solutions by this approach for multi-objective optimization problems having a non-convex Pareto-optimal front. Therefore, the main disadvantage of weighted sum approach is that it cannot generate all Pareto optimal solutions with non-convex trade-off surfaces (Zitzler, 1999).

$$\begin{cases} \min \sum_{i=1}^{p} \lambda_i f_i(x) \\ subject\,to: \, x \in X_f \end{cases} \tag{5}$$

where λ_i is the weight of objective function f_i.

MOMV model can be written as follows using the weighted sum method (Chang, Meade, Beasley, & Sharaiha, 2000):

$$\begin{cases} \min \quad \lambda \left[\sum_{i=1}^{N} \sum_{j=1}^{N} w_i w_j \sigma_{ij} \right] - (1 - \lambda) \left[\sum_{i=1}^{N} w_i \mu_i \right] \tag{6.1} \\ Subject\,to: \\ \sum_{i=1}^{N} w_i = 1 \tag{6.2} \\ 0 \leq w_i \leq 1 \qquad\qquad i = 1, \ldots, N \tag{6.3} \end{cases}$$

As seen in Eq. (6.1), the two conflicting objectives (risk minimization, return maximization) are weighted by a parameter (λ).

Fig. 6. Distribution of studies on single-objective and multi-objective models according to years.

The λ weighting parameter is assigned different values between 0 and 1. When the $\lambda = 0$, the objective function of model seeks the maximum return, while when $\lambda = 1$, the objective function seeks the minimum risk, and the λ parameter achieves a trade-off between risk and return for $0 < \lambda < 1$.

Pareto-based approaches

Pareto-based approaches can handle large search spaces and multiple alternative trade-offs in a single optimization run (Zitzler, 1999). However, in contrast to weighted sum approach converting the multi-objective structure into a single objective concept, there is no single criterion to assess the quality of a trade-off front; quality measures are relatively difficult to define.

In Pareto based approaches, typically, a strategy of solution ranking based on Pareto optimality concept is used (Horn, Nafpliotis, & Goldberg, 1994). Many of multi-objective algorithms are based on Pareto ranking, yet several variations are available such as dominance depth (Deb, Pratap, Agarwal, & Meyarivan, 2002), and dominance count (Zitzler et al., 2001).

Based on the concept given by Lwin, Qu, and Kendall (2014), multi-objective MV model can also be written as follows:

$$
\begin{cases}
\min\left[\sum_{i=1}^{N}\sum_{j=1}^{N} w_i w_j \sigma_{ij}\right] \text{and} \max\left[\sum_{i=1}^{N} w_i \mu_i\right] & (7.1)\\
Subject\ to: \\
\sum_{i=1}^{N} w_i = 1 & (7.2)\\
0 \leq w_i \leq 1 \qquad\qquad i = 1,\dots,N & (7.3)
\end{cases}
$$

As seen in Eq. (7.1), the two conflicting objectives (risk minimization, return maximization) are independently evaluated to achieve an optimization for obtaining the Pareto front.

3.3. Single vs. Multi objective MV model

It is assumed that the investors are aware of the risk or return levels they desire in single objective models. But in real life, this assumption is not always true. So, multi-objective models turn out to be more realistic. Multi-objective MVPO models are increasingly used in the literature as against single-objective models (Fig. 6).

Table 3 presents the classification of publications according to their objective type (multi objective and single objective) and generation methods (weighted-sum methods and Pareto based methods).

Table 3 clearly shows that in the literature, multi objective models are often preferred by the operations research community over single objective models. While weighted sum method is the most used, Pareto/dominance-based approaches has gained an increasing attention in recent years.

3.4. Consideration of real-world constraints

Despite all the advantages of the original MV model, it falls short in real world applications. The original MV model considers only one hard constraint, setting the sum of asset weights to one meaning that sum of invested amounts must be equal to the total budget. Therefore, the MV model needs additional constraints to solve realistic PO problems. The real-world constraints that have been added to the MV model are summarized in Table 4.

Table 5 lists the classification of publications according to constraint types and Fig. 7 demonstrates the distribution of additional constraints investigated with MV models showing that boundary constraints and cardinality constraints are highly dominant over others. Although transaction costs make more sense on multiperiod portfolio optimization, researchers widely considered this constraint on single-period portfolio optimization for modelling purposes. If the selected portfolio is readjusted several times according to the determined investment horizon, TUC which is only valid for multi period portfolio optimization problems is often added into the model.

While the original MV model is presented with a quadratic objective function and linear constraints, several researchers added real life constraints which introduce non-linearity and non-convexity to MVPO. For example, *TC* may be a nonlinear and non-convex function of a difference in holdings of new and existing portfolio (Yoshimoto, 1996) which increases the complexity of the MVPO. However, *TUC* are to be formulated as a linear equation, the problem can still be solved by QP (Yoshimoto, 1996). On the other hand, *CC* together with *BC* leads to a non-convex search space (Xidonas & Mavrotas, 2014). Therefore, QP cannot be efficiently utilized and hence, researchers often head towards to inexact techniques in realistic cases.

4. Data

Researchers test the performance of their proposed algorithms developed to solve the MVPO problem using several different data sets in the literature. Table 6 lists and Fig. 8 demonstrates the distribution of data sets used in MVPO literature. Most of the researchers used real data to test their algorithms. Portfolio optimization test problems provided in OR-Library (Beasley, 1990) are popular benchmark datasets in the MVPO literature used for comparing algorithms. The data refer to the weekly stock prices from March 1992 to September 1997 for the indexes: Hang Seng with 31 assets, Dax 100 with 85 assets, FTSE 100 with 89 assets, S&P 100 with 98 assets and Nikkei with 225 assets. In addition, Kalayci, Ertenlice, Akyer, and Aygoren (2017) introduced new benchmarking data which is extracted from daily prices between May 2013 and April 2016 from XU030 and XU100 indices to further extend the

Table 3
Classification of publications based on problem objective types.

Problem objective type	Generation method	Publications
Multi objective	Weighted sum	(Ackora-Prah, Gyamerah, & Andam, 2014; Ackora-Prah, Gyamerah, Andam, & Gyamfi , 2014; Anagnostopoulos et al., 2010; Bacanin & Tuba, 2014; 2015; Bacanin et al., 2014; Baykasoglu et al., 2015; Busetti, 2006; Cesarone et al., 2013; Chang et al., 2000; Chang et al., 2009; Chen et al., 2013; Chen et al., 2012; Chen et al., 2008; ChiangLin, 2006; Cura, 2009; Deng & Lin, 2010a, b; Deng et al., 2012; Farzi et al., 2013; Fernandez & Gomez, 2007; Gaspero et al., 2011; Golmakani & Alishah, 2008; Hadi et al., 2016; Hao & Liu, 2009; Kalayci et al., 2017; Kamili & Riffi, 2015, 2016; Kao & Cheng, 2013; Koshino et al., 2007; Li et al., 2010; Lin, Li, & Li, 2005; Lu & Wang, 2013; Lwin & Qu, 2013; Maringer & Kellerer, 2003; Moral-Escudero et al., 2006; Mozafari et al., 2011; Ni et al., 2017; Niu et al., 2010; Niu et al., 2009; Pai & Michel, 2009; Peng et al., 2011; Pouya et al., 2016; Qu et al., 2017; Rong et al., 2009; Sabar & Song, 2014; Sadigh et al., 2012; Schaerf, 2002; Suganya & Vijayalakshmi Pai, 2009; Sun et al., 2011; Suthiwong & Sodanil, 2016; Tan et al., 2013; Tan et al., 2014; Tuba & Bacanin, 2014a; b; Tuba et al., 2014; Wang et al., 2015; Wang et al., 2011, 2012; Woodside-Oriakhi et al., 2011; Xia et al., 2000; Xu et al., 2010; Yaakob & Watada, 2010; Yin, Ni, & Zhai, 2015a; b; Zhu et al., 2010; Zhu et al., 2011)
	Pareto-based	(Anagnostopoulos & Mamanis, 2010, 2011a; b; Arkeman et al., 2013; Bevilacqua et al., 2011; Branke et al., 2009; Chen & Zhou, 2018; Chen et al., 2017; Chiam et al., 2007; Chiam et al., 2008; Dreżewski & Doroz, 2017; Duran et al., 2009; Eftekharian et al., 2017; Ehrgott et al., 2004; Fieldsend et al., 2004; Garcia et al., 2012; Jalota & Thakur, 2018; Kumar & Mishra, 2017; Liagkouras & Metaxiotis, 2014, 2017, 2018; Liang & Qu, 2013; Lwin et al., 2014; Lwin et al., 2013; Lwin et al., 2017; Macedo et al., 2017; Mishra et al., 2016; Mishra et al., 2014a; b; Mishra et al., 2009; Ong et al., 2005; Ruiz-Torrubiano & Suárez, 2007; Sen et al., 2015; Skolpadungket et al., 2007; Streichen & Tanaka-Yamawaki, 2006; Streichert et al., 2004a; b; Zhou & Li, 2014)
Single objective		(Abbas & Haider, 2009; Aranha & Iba, 2009; Ban et al., 2018; Bonami & Lejeune, 2009; Cao & Tao, 2010; Cesarone et al., 2015; Chang & Chen, 2008; Chang & Hsu, 2007; Chen & Cai, 2008; Chen et al., 2006; Chen & Zhang, 2010; Corazza et al., 2012a; 2013; Coutino-Gomez et al., 2003; Crama & Schyns, 2003; Cui et al., 2014; Cui et al., 2013; Dehghan Hardoroudi et al., 2017; Fasheng & Wei, 2006; Freitas et al., 2009; Gao & Chu, 2009; Golmakani & Fazel, 2011; He & Qu, 2016; Hoklie & Zuhal, 2010; Hong-mei et al., 2010; Hu & Zhangy, 2010; Huang & Shen, 2010; Huang, 2012; Jiang et al., 2014; Jiang et al., 2008; Kumar & Bhattacharya, 2012; Lai et al., 2006; Lean et al., 2008; Li et al., 2006; Lin & Liu, 2008; Loukeris et al., 2009; Mayambala et al., 2015; Reid & Malan, 2015; Ruiz-Torrubiano & Suarez, 2010; 2015; Sadjadi et al., 2012; Shaikh & Abbas, 2009; Shaw et al., 2008; Shoaf & Foster, 1998; Soleimani et al., 2009; Strumberger et al., 2017; Talebi et al., 2010; Tang et al., 2009; Thomaidis, 2010; Tian et al., 2016; Tuba et al., 2013; Wang et al., 2009; Xu & Chen, 2006; Xu et al., 2007; Yu et al., 2009; Zaheer & Pant, 2016; Zhang et al., 2010)

Table 4
Constraints for realistic portfolio optimization.

Boundary constraints (BC)	impose lower and/or upper bounds on the values of each asset weight, also known as *buy-in threshold* constraint.
Cardinality constraints (CC)	related to the number of assets invested in the portfolio, may be fixed to a certain value, may also ensure that the number of assets is between the desired range.
Transaction costs (TC)	investors pay a fee called transaction costs when they sell or buy stocks influencing the total profit
Roundlot (minimum lots) constraint (RL)	ensure that the amount invested in a security is multiples of the minimum transaction lot.
Sector capitalization constraints (SC)	impose the assets which belong to the sector with more capitalization value to have more shares in the final portfolio.
Turnover constraint (TUC)	sets the turnover rate of an asset from current period to next period which is especially useful in multi period portfolio optimization models.

Fig. 7. Distribution of additional constraints used with MV model.

Table 5

Classification of publications according to constraint types.

Constraint type	Publications
BC–CC	(Ackora-Prah, Gyamerah & Andam 2014; Ackora-Prah, Gyamerah, Andam, & Gyamfi, 2014; Anagnostopoulos & Mamanis, 2010, 2011a; b; Anagnostopoulos et al., 2010; Bacanin & Tuba, 2014; 2015; Bacanin et al., 2014; Baykasoglu et al., 2015; Busetti, 2006; Cesarone et al., 2013; 2015; Chang et al., 2000; Chang et al., 2009; Chen et al., 2013; Chen et al., 2012; Chen et al., 2017; Chiam et al., 2007; Corazza et al., 2012a; 2013; Cui et al., 2014; Cui et al., 2013; Cura, 2009; Deng & Lin, 2010a, b; Deng et al., 2012; Eftekharian et al., 2017; Farzi et al., 2013; Fernandez & Gomez, 2007; Garcia et al., 2012; Gaspero et al., 2011; Golmakani & Alishah, 2008; Golmakani & Fazel, 2011; Hadi et al., 2016; Jalota & Thakur, 2018; Jiang et al., 2016; Jin et al., 2015; Kalayci et al., 2017; Kamili & Riffi, 2015, 2016; Kao & Cheng, 2013; Kırış & Ustun, 2012; Koshino et al., 2007; Kumar & Mishra, 2017; Kumar & Bhattacharya, 2012; Liagkouras, 2018; Liagkouras & Metaxiotis, 2014, 2018; Lwin & Qu, 2013; Lwin et al., 2013; Mansour et al., 2007; Mayambala et al., 2015; Mishra et al., 2016; Mishra et al., 2014a; b; Moral-Escudero et al., 2006; Mozafari et al., 2011; Ni et al., 2017; Ruiz-Torrubiano & Suarez, 2010; Ruiz-Torrubiano & Suárez, 2007; Sabar & Song, 2014; Sadigh et al., 2012; Sadjadi et al., 2012; Schaerf, 2002; Streichen & Tanaka-Yamawaki, 2006; Suthiwong & Sodanil, 2016; Tang et al., 2009; Tian et al., 2016; Tuba & Bacanin, 2014a; b; Tuba et al., 2014; Wang et al., 2015; Wang et al., 2011, 2012; Woodside-Oriakhi et al., 2011; Xu et al., 2010; Yaakob & Watada, 2010; Yin et al., 2015a; b)
TC	(Chen & Zhang, 2010; Huang & Shen, 2010; Li et al., 2010; Lu & Wang, 2013; Paiva et al., 2019; Peng et al., 2011; Tan et al., 2013; Xia et al., 2000; Zhang et al., 2010)
BC–CC–RL	(Chiam et al., 2008; Liagkouras & Metaxiotis, 2017; Lwin et al., 2014; Lwin et al., 2017; Skolpadungket et al., 2007; Streichert et al., 2004a; Streichert et al., 2004b)
TC–RL	(Chen et al., 2008; ChiangLin, 2006; Lin & Liu, 2008; Lin et al., 2005; Niu et al., 2010)
BC–CC–TC	(Brito & Vicente, 2014a; Gao & Chu, 2009; Hu & Zhangy, 2010; Ruiz-Torrubiano & Suarez, 2015)
CC	(Dehghan Hardoroudi et al., 2017; Maringer & Kellerer, 2003; Xu et al., 2011)
BC	(Abbas & Haider, 2009; Chang & Hsu, 2007; Jiang et al., 2008)
BC–TC	(Chen & Cai, 2008; Chen et al., 2006; Xu et al., 2007)
BC–CC–SC	(Pai & Michel, 2009; Tuba et al., 2013)
BC–RL	(Bonami & Lejeune, 2009; Zhou & Li, 2014)
BC–CC–SC–RL	(Soleimani et al., 2009)
BC–CC–TC–RL	(He & Qu, 2016)
BC–CC–TC–SC	(Suganya & Vijayalakshmi Pai, 2009)
BC–TC–TUC	(Crama & Schyns, 2003)

BC: Boundary constraints; CC: Cardinality constraints; TC: Transaction costs; RL: Roundlot constraint; SC: Sector capitalization constraints; TUC: Turnover constraint.

Table 6

Datasets used in MVPO literature.

Datasets	Publication
OR-Library	(Anagnostopoulos & Mamanis, 2010, 2011a; b; Bacanin & Tuba, 2014; 2015; Baykasoglu et al., 2015; Cesarone et al., 2013; 2015; Chang et al., 2000; Chang et al., 2009; Chen et al., 2013; Chen et al., 2012; Chen et al., 2017; Chiam et al., 2007; Chiam et al., 2008; Cui et al., 2014; Cura, 2009; Deng & Lin, 2010a, b; Deng et al., 2012; Fernandez & Gomez, 2007; Gaspero et al., 2011; Golmakani & Alishah, 2008; He & Qu, 2016; Jin et al., 2015; Kalayci et al., 2017; Kamili & Riffi, 2015, 2016; Kao & Cheng, 2013; Koshino et al., 2007; Kumar & Mishra, 2017; Liagkouras, 2018; Liagkouras & Metaxiotis, 2014, 2017; Lwin & Qu, 2013; Lwin et al., 2014; Lwin et al., 2013; Mayambala et al., 2015; Mishra et al., 2016; Mishra et al., 2014a; b; Mishra et al., 2009; Moral-Escudero et al., 2006; Mozafari et al., 2011; Ni et al., 2017; Ruiz-Torrubiano & Suarez, 2010; Ruiz-Torrubiano & Suárez, 2007; Sabar & Song, 2014; Sadigh et al., 2012; Sadjadi et al., 2012; Sen et al., 2015; Skolpadungket et al., 2007; Streichen & Tanaka-Yamawaki, 2006; Streichert et al., 2004a; b; Tian et al., 2016; Tuba & Bacanin, 2014a; b; Wang et al., 2015; Wang et al., 2011, 2012; Woodside-Oriakhi et al., 2011; Xu J. et al., 2011; Xu R.T. et al., 2010; Yin et al., 2015a; b; Zhang et al., 2018a)
Case study	(Abbas & Haider, 2009; Ackora-Prah, Gyamerah, Andam, 2014; Ackora-Prah, Gyamerah, Andam, & Gyamfi, 2014; Aouni et al., 2005; Aranha & Iba, 2009; Arkeman et al., 2013; Bacanin et al., 2014; Bevilacqua et al., 2011; Bonami & Lejeune, 2009; Branke et al., 2009; Brito & Vicente, 2014a; Busetti, 2006; Cao & Tao, 2010; Chang & Chen, 2013; Chang & Hsu, 2007; Chen & Zhou, 2018; Chen & Cai, 2008; Chen et al., 2008; Chen et al., 2006; Chen & Zhang, 2010; ChiangLin, 2006; Corazza et al., 2012a; Corazza et al., 2013; Crama & Schyns, 2003; Cui et al., 2013; Dehghan Hardoroudi et al., 2017; Dreżewski & Doroz, 2017; Duran et al., 2009; Eftekharian et al., 2017; Ehrgott et al., 2004; Farzi et al., 2013; Fasheng & Wei, 2006; Fieldsend et al., 2004; Freitas et al., 2009; Gao & Chu, 2009; García et al., 2018; Garcia et al., 2012; Golmakani & Fazel, 2011; Hadi et al., 2016; Hao & Liu, 2009; Hoklie & Zuhal, 2010; Hong-mei et al., 2010; Hu & Zhangy, 2010; Huang & Shen, 2010; Huang, 2012; Jalota & Thakur, 2018; Jiang et al., 2014; Jiang et al., 2008; Kamali, 2014; Kırış & Ustun, 2012; Kocadağlı & Keskin, 2015; Kumar & Bhattacharya, 2012; Lai et al., 2006; Lean et al., 2008; Li et al., 2006; Li et al., 2010; Liagkouras, 2018; Liagkouras & Metaxiotis, 2018; Liang & Qu, 2013; Lin & Liu, 2008; Lin et al., 2005; Loukeris et al., 2009; Lu & Wang, 2013; Lwin et al., 2017; Mansour et al., 2007; Maringer & Kellerer, 2003; Niu et al., 2010; Niu et al., 2009; Ong et al., 2005; Pai & Michel, 2009; Paiva et al., 2019; Peng et al., 2011; Pouya et al., 2016; Qu et al., 2017; Reid & Malan, 2015; Rong et al., 2009; Ruiz-Torrubiano & Suarez, 2015; Schaerf, 2002; Shaikh & Abbas, 2009; Shaw et al., 2008; Shoaf & Foster, 1998; Strumberger et al., 2017; Suganya & Vijayalakshmi Pai, 2009; Sun et al., 2011; Suthiwong & Sodanil, 2016; Talebi et al., 2010; Tan et al., 2013; Tan et al., 2014; Tang et al., 2009; Thomaidis, 2010; Tuba et al., 2013, 2014; Wang et al., 2009; Xu & Chen, 2006; Xu et al., 2007; Yaakob & Watada, 2010; Yu et al., 2009; Zaheer & Pant, 2016; Zhang et al., 2010; Zhou & Li, 2014; Zhu et al., 2011)
Hypothetical	(Bacanin & Tuba, 2015; Ehrgott et al., 2004; Soleimani et al., 2009; Xia et al., 2000)

publicly available data sets to the attention of researchers, available on http://www.pau.edu.tr/portfolio/en. In addition to the dataset obtained from OR-Library, many researchers used case studies from various stock indices. Instead of testing and comparing the proposed solution approaches on publicly available data sets, studying on the data belonging to different financial markets is also valuable because of extended variety of available datasets. However, in this case, the computational comparison is not possible since

datasets are not publicly available. Stock indices from China (Chen & Cai, 2008; Chen & Zhou, 2018; Chen, Xu, Yang, & Cai, 2008, Chen, Zhang, Cai & Xu et al. 2006, Jiang, Zhang, & Xie, 2008; Lai, Yu, Wang, & Zhou, 2006; Lean, Wang, & Lai, 2008; Liang & Qu, 2013; Lu & Wang, 2013; Niu, Tan, Xue, Li, & Chai, 2010; Qu, Zhou, Xiao, Liang, & Suganthan, 2017; Rong, Lu, & Deng, 2009; Xu, Lam, & Li, 2011; Yu, Wang, & Lai, 2009; Zhou & Li, 2014), United Kingdom (Brito & Vicente, 2014a; Brito & Vicente, 2014b; Corazza, Fasano, &

Fig. 8. Distribution of data sets.

Gusso, 2012a; Corazza, Fasano, & Gusso, 2012b; Eftekharian, Shoja-far, & Shamshirband, 2017; Garcia, Quintana, Galvan, & Isasi, 2012; Jalota & Thakur, 2018; Kumar & Bhattacharya, 2012; Liagkouras & Metaxiotis, 2018; Loukeris, Donelly, Khuman, & Peng, 2009; Shaw, Liu, & Kopman, 2008), United States (Aranha & Iba, 2009; Bonami & Lejeune, 2009; Corazza, Fasano, & Gusso, 2013; Eftekharian et al., 2017; Ehrgott, Klamroth, & Schwehm, 2004; Fieldsend, et al., 2004; Lwin, Qu, & MacCarthy, 2017; Sun, Fang, Wu, Lai, & Xu, 2011; Xu, Chen, & Yang, 2007), Japan (Aranha & Iba, 2009; Eftekharian et al., 2017; Jalota & Thakur, 2018; Kumar & Bhattacharya, 2012; Pai & Michel, 2009; Suganya & Vijayalakshmi Pai, 2009), Hong Kong (Eftekharian et al., 2017; Jalota & Thakur, 2018; Jiang, Li, Gao, & Yu, 2014; Li, Sun, & Wang, 2006), India (Suganya & Vijayalakshmi Pai, 2009; Zaheer & Pant, 2016), Venezuela (Duran, Cotta, & Fernández, 2009), Ghana (Ackora-Prah, Gyamerah, & Andam, 2014; Ackora-Prah, Gyamerah, Andam, & Gyamfi, 2014), Portuguese (Freitas, De Souza, & de Almeida, 2009; Paiva, Cardoso, Hanaoka, & Duarte, 2019), Turkey (Kırış & Ustun, 2012; Kocadağlı & Keskin, 2015).

Indonesia (Hoklie & Zuhal, 2010), Pakistan (Abbas & Haider, 2009; Shaikh & Abbas, 2009), Thailand (Suthiwong & Sodanil, 2016), Taiwan (Chang & Chen, 2008; ChiangLin, 2006; Lin & Liu, 2008), Iran (Pouya, Solimanpur, & Rezaee, 2016; Talebi, Molaei, & Sheikh, 2010), Tunisia (Aouni, Abdelaziz, & Martel, 2005; Mansour, Rebai, & Aouni, 2007) and Poland (Dreżewski & Doroz, 2017) extracted by daily, monthly or yearly stock prices are extensively studied. Lastly, researchers tested performance of proposed solution approaches by using hypothetical datasets and benchmark functions in very limited studies.

5. Performance measures

Several performance metrics have been used for the comparison of different algorithms in the MVPO literature. Various indicators of MVPO literature can be categorized in four aspects of a solution set: convergence based, diversity based, hybridization based, and risk adjusted indicators.

Convergence based indicators: represent the closeness of the obtained approximation to the theoretical Pareto optimal front.

– Mean Euclidean Distance: refers to the average straight-line distance between each portfolio alternatives of the theoretical efficient frontier and the efficient frontier obtained (Cura, 2009).

– Variance of Return Error: The average value of all the errors which refers the horizontal distance corresponding a certain return level. (Fernandez & Gomez, 2007).
– Mean return error: The average value of all the errors which refers the vertical distance corresponding a certain risk(variance) level. (Fernandez & Gomez, 2007).
– Mean Percentage Error: shows the average of percentage errors (Chang et al., 2000).
– Median Percentage Error: The median value of all percentage errors (Chang et al., 2000).
– Generational Distance: measures the average distance between the non-dominated front obtained via the proposed algorithm and exact Pareto front (Van Veldhuizen & Lamont, 2000). If the generational distance is equal to zero, then all the solutions given by proposed algorithm are on the exact Pareto front. In other words, lower the generational distance value means better convergence ability and performance.
– Epsilon indicator: is a binary indicator that gives a factor by which an approximation set is worse than another considering all objectives (Zitzler, Thiele, Laumanns, Fonseca, & Da Fonseca, 2003) giving the idea about how two separate distributions of Pareto-fronts differ from each other according to their degree of positive or negative non-domination.
– Convergence metric: is used to compare the quality of two non-dominated sets without taking into consideration of the theoretical efficient frontier (Khare, Yao, & Deb, 2003).

Diversity based indicators: represent the uniformity of the distribution of the obtained solutions along the Pareto front.

– Spacing metric: defines the distribution characteristic of the solutions on the Pareto front of non-dominated solutions (Van Veldhuizen & Lamont, 2000). In other words, it shows how well non-dominated solutions scattered.
– Spread (diversity) metric: measures the extent of the spread i.e., how evenly the points are distributed among the approximation sets in objective space (Deb et al., 2002).

Hybridization based indicators: represent a combined indicator of convergence and diversity.

– Hypervolume indicator: measures the volume of the multi-dimensional region that is dominated by the set of non-dominated solutions provided by a multi-objective algorithm

Fig. 9. Distribution of performance measures.

(Zitzler & Thiele, 1999). A higher hypervolume indicator value means better approximation of solution set.

– $D1_R$: gives information about both the average distance from the closest solution and convergence to the optimal Pareto front (Czyżak & Jaszkiewicz, 1998).

– Inverted generational distance: as an improvement over the generational distance with a faster calculation advantage, is based on the idea of reversing the order of the fronts considered as input by the generational distance. In other words, while generational distance metric calculating the distance from the non-dominated solution front to reference front, inverted generational distance metric performs the calculation in a reverse order (Van Veldhuizen & Lamont, 2000).

Risk adjusted indicators: represent a risk-reward evaluation of a returns distribution which incorporates the beneficial impact of gains as well as the detrimental effect of losses.

– Sharpe ratio: is used for measuring of the risk adjusted return of an investment (Sharpe, 1966). In other words, by using sharp ratio performance metric, it can be calculated how well the portfolio return can compensate the risk taken by the investors. Higher Sharpe ratio value means better performance.

– Omega ratio: captures all the higher moment information in the returns distribution and also incorporates sensitivity to return levels while sharp ratio performance metric requires the assumption of mean-variance structure and normally distributed input data (Keating & Shadwick, 2002).

Fig. 9 demonstrates distribution of performance measures that used in MVPO literature.

The performance measures calculating the distance between the constrained efficient frontier obtained by the algorithm and the reference unconstrained efficient frontier, convergence-based performance indicators, are presented in Table 7. Diversity, hybridization based, and risk adjusted performance indicators utilized in MVPO literature is listed in Tables 8–10 respectively.

6. Applications on MVPO model

The MVPO problem has a quadratic structure, so exact solution algorithms such as quadratic programing can tackle MVPO. However, when additional constraints are added, or the problem dimension is increased, exact solution algorithms may face troubles while handling the MVPO problem. Therefore, many researchers have used inexact techniques to solve more realistic MVPO problems that incorporate non-convex constraints in the mathematical formulation, thus yielding the problem NP-hard (Moral-Escudero, Ruiz-Torrubiano, & Suarez, 2006). A broad taxonomy of solution techniques applied to PO based on MV model is given in Fig. 10. The following subsections provide a detailed review of solution techniques developed or adapted to solve MVPO.

6.1. Exact solution techniques

MVPO can be solved with some exact solution algorithms. The most popular of these is QP which is a particular type of nonlinear programming. Aouni et al. (2005) and Mansour et al. (2007) developed goal programming models for MVPO problem using QP. Hu and Zhangy (2010) compared the performance of PO models: MV, Mean Absolute Deviation, Conditional Value-at-Risk and Minimax model using linear programming. Peng, Kitagawa, Gan, and Chen (2011) proposed a MV model with transaction costs in quadratic form, thus, presented a model solved by QP. Brito and Vicente (2014b) developed a bi-objective model in which the first objective is minimizing the cardinality and second objective is maximizing return and minimizing risk using a derivative-free solver, based on direct multi-search reporting the solutions obtained by QP for several datasets. Mayambala, Rönnberg, and Larsson (2015) presented a new MV model, based on performing eigen decomposition of the covariance matrix and reported the performance of this model using QP. Qin (2015) introduced MV models for solving a hybrid portfolio selection problem: simultaneous presence of random and uncertain returns. The computational results obtained with QP indicate that the proposed models are meaningful and able to be applied.

Although the original MV model is a quadratic model, it is transformed into a nonlinear model when additional integer constraints are added. Hence, QP cannot tackle the nonlinear MV model but nonlinear programming can.

The researchers who solved the MVPO problem using the QP or nonlinear programming, mostly used CPLEX or MATLAB quadratic toolbox as the solver. Besides QP and nonlinear programming, Lagrange methods (Li et al., 2006; Shaw et al., 2008) and Branch & Bound algorithm (Bonami & Lejeune, 2009) were also applied to MVPO (Table 11).

Table 7
Convergence based performance indicators in MVPO literature.

Performance Measure	Publication
Mean Euclidean Distance	(Bacanin & Tuba, 2014; Baykasoglu et al., 2015; Chen et al., 2017; Cura, 2009; Jin et al., 2015; Kalayci et al., 2017; Kamili & Riffi, 2015, 2016; Kao & Cheng, 2013; Kumar & Mishra, 2017; Lwin et al., 2013; Mishra et al., 2016; Mishra et al., 2014a; b; Mozafari et al., 2011; Ni et al., 2017; Sadigh et al., 2012; Sen et al., 2015; Tuba & Bacanin, 2014a; Wang et al., 2011, 2012; Yin et al., 2015a)
Variance of Return Error and Mean Return Error	(Bacanin & Tuba, 2014; Baykasoglu et al., 2015; Cura, 2009; Fernandez & Gomez, 2007; Golmakani & Alishah, 2008; Kalayci et al., 2017; Kamili & Riffi, 2015, 2016; Kao & Cheng, 2013; Mishra et al., 2014a; Mozafari et al., 2011; Ni et al., 2017; Sadigh et al., 2012; Tuba & Bacanin, 2014a; Wang et al., 2011, 2012; Yin et al., 2015a)
Mean Percentage Error	(Baykasoglu et al., 2015; Chang et al., 2000; Cui et al., 2014; Deng & Lin, 2010a, b; Deng et al., 2012; Jalota & Thakur, 2018; Jin et al., 2015; Kalayci et al., 2017; Lwin & Qu, 2013; Pai & Michel, 2009; Sabar & Song, 2014; Tuba & Bacanin, 2014b; Woodside-Oriakhi et al., 2011; Xu et al., 2010)
Median Percentage Error	(Chang et al., 2000)
Generational Distance	(Lwin et al., 2017; Skolpadungket et al., 2007)
Epsilon indicator	(Liagkouras, 2018; Liagkouras & Metaxiotis, 2017, 2018)
Convergence metric	(Mishra et al., 2016; Mishra et al., 2014b; Mishra et al., 2009; Sen et al., 2015)

Table 8
Diversity based performance indicators in MVPO literature.

| Performance Measure	Publication
Spacing metric	(Chen & Zhou, 2018; Eftekharian et al., 2017; Kumar & Mishra, 2017; Mishra et al., 2016; Mishra et al., 2009)
Diversity metric	(Chen et al., 2013; Chen et al., 2012; Chen et al., 2017; Liagkouras & Metaxiotis, 2014; Liang & Qu, 2013; Lwin et al., 2014; Lwin et al., 2013; Lwin et al., 2017; Mishra et al., 2016; Mishra et al., 2014b; Mishra et al., 2009; Sen et al., 2015; Suthiwong & Sodanil, 2016)

Table 9
Hybridization based performance indicators in MVPO literature.

Performance Measure	Publication
$D1_R$	(Chen et al., 2013; Chen et al., 2012; Suthiwong & Sodanil, 2016)
Inverted Generational Distance	(Liagkouras, 2018; Liagkouras & Metaxiotis, 2017, 2018; Lwin et al., 2017)
Hyper Volume	(Dreżewski & Doroz, 2017; Liagkouras, 2018; Liagkouras & Metaxiotis, 2017, 2018; Lwin et al., 2017; H. Zhang et al., 2018)

6.2. Inexact solution techniques

It is observed in the literature that, the number of publications that design the exact solution approaches for the MVPO problem is limited.

Approximation techniques have been extensively used in the literature since the MVPO problem is known to be NP-hard due to various real-life constraints. The approximation techniques are

Fig. 10. A taxonomy of solution techniques applied to PO based on MV model.
Artificial Bee Colony (ABC), Ant Colony Optimization (ACO), Artificial Cooperative Search (ACS), Bat Algorithm (BA), Bacterial Foraging Optimization (BFO), Brunch & Bound, CRO (BnB), Chemical Reaction Optimization (CRO), Cat Swarm Optimization (CSO), Differential Evolutionary (DE), Firefly Algorithm (FA), Fireworks Algorithm (FWO), Genetic Algorithm (GA), Generalized DE3 (GDE3), Greedy Random Adaptive Search Procedure (GRASP), Guided LS (GLS), Hill Climbing (HC), Hopfield Network (HN), Indicator-Based Evolutionary Algorithm (IBEA), Invasive Weed Optimization (IWO), Iterated Local Search (ILS), Krill Herd (KH), Local Search (LS), Multi objective co-variance based ABC (M-CABC), Multi Objective GA (MOGA), Multi Objective PSO (MOPSO), Multi Objective Scatter Search (MOSS), Non-Linear Programing (NLP), Neural Network (NN), Niched Pareto GA 2 (NPGA-II), Non-dominated Sorting GA 2 (NSGA-II), Pareto Archived Evolution Strategy (PAES), Population Based Incremental Learning (PBIL), Pareto Envelope-based Selection Algorithm (PESA), Particle Swarm Optimization (PSO), Quadratic Programming (QP), Simulated Annealing (SA), Stochastic LS (SLS), Strength Pareto Evolutionary Algorithm 2 (SPEA-II), Tabu Search (TS), Vector Evaluated GA (VEGA), Variable Neighborhood Search (VNS).

Table 10

Risk adjusted performance indicators in MVPO literature.

Performance Measure	Publication
Sharpe ratio	(Ban et al., 2018; Ruiz-Torrubiano & Suarez, 2015)

examined in two categories: metaheuristics and machine learning algorithms.

6.2.1. Metaheuristics

Metaheuristics involve iterative high-level procedures guiding the sub-level heuristics designed for solving various optimization problems by performing search strategies in order to find near-optimal solutions in the vast solution space. In each iteration, metaheuristics may use a single solution or a population. Sub-level heuristics may be composed of a simple local search algorithm or a specific method developed to initialize a solution. In general, meta-heuristics have two significant search mechanisms: exploration and exploitation. Exploration mechanism guides the main algorithm to discover new promising solution areas providing a less chance of getting trapped in a local optimum while exploitation mechanism examines the newly discovered solution space carefully to search for a better neighboring solution, hopefully global optimum. A balanced proportion and timing between these two mechanisms is crucial for an efficient and robust metaheuristic algorithm. Meta-heuristic algorithms are classified in two categories: population-based algorithms and single solution-based algorithms.

6.2.1.1. Population based algorithms. Population based algorithms utilize the power of population during the search in the vast solution space. The population should be adequately diversified so that a larger area can be scanned. Population-based algorithms generate an initial population randomly or with heuristic support and follow the population improvement strategies in each iteration. Population-based algorithms can be examined in two categories according to the sources of inspiration: evolutionary algorithms and swarm-based algorithms.

Evolutionary algorithms:

The basic idea of evolutionary algorithms is to generate new solutions, represented by chromosomes, from a population of initial solutions utilizing the principles of natural selection and crossover or mutation strategies to create new offspring. The most popular evolutionary algorithm is genetic algorithm that is introduced by Holland (1975). Evolutionary algorithms applied to MVPO problem are summarized in Table 12.

Single objective evolutionary algorithms for MVPO:

Shoaf and Foster (1998) firstly applied genetic algorithm and Chang et al. (2000) adapted three algorithms including genetic algorithm to MVPO problem. Ehrgott et al. (2004) proposed a model for MVPO problem and designed three algorithms genetic algorithm, tabu search, simulated annealing for solving this model. Evaluation of algorithms in terms of utility value and standard deviation, genetic algorithm produced better results and turned out to be the most stable algorithm compared to the others. Busetti (2006) compared the performance of tabu search and genetic algorithm on MVPO and test results reported that genetic algorithm was both faster and more efficient. Lin and Liu (2008) proposed models for MVPO problem with minimum transaction lots and uses genetic algorithm to solve the models. The computational results showed that the genetic algorithm could obtain near-optimal solutions within a reasonably short time. Chang, Yang, and Chang (2009) reported that genetic algorithm can provide an efficient and convenient tool for investors by verifying that investors should not consider the number of assets to be held in the portfolio above one third of total assets since they are obviously dominated by portfolios with relatively less assets. Loukeris et al. (2009) compared genetic algorithm, differential evolution and particle swarm optimization, reporting that the differential evolution algorithm obtained the highest and most reliable results for different scenarios. Xu, Zhang, Liu, and Huang (2010) proposed a population based incremental learning algorithm and compared performance of the algorithm with genetic algorithm presented by Chang et al. (2000) and particle swarm optimization presented by Cura (2009). They reported that population based incremental learning algorithm obtained similar results with other algorithms. Woodside-Oriakhi, Lucas, and Beasley (2011) developed three algorithms (genetic algorithm, tabu search and simulated annealing) that outperform the algorithms designed by Chang et al. (2000) on all performance indicators tested such as mean percentage error and computation time for all data sets. Sadjadi, Gharakhani, and Safari (2012) presented a framework to efficiently solve cardinality constrained MVPO considering an uncertainty structure both independent and correlated by utilizing a genetic algorithm. Liu and Zhang (2015) proposed a multi period fuzzy PO model and adapted a genetic algorithm for solving the model.

Multi objective evolutionary algorithms for MVPO:

Fieldsend, Matatko, and Peng (2004) applied multi objective evolutionary algorithm firstly to MVPO problem. Ong, Huang, and Tzeng (2005) proposed a PO model with three objectives, max-imizing expected return, minimizing uncertainty risk and minimizing relation risk. They NSGA-II in order to solve the three objective model and reported that NSGA-II can provide flexible and accurate results. Skolpadungket, Dahal, and Harnpornchai (2007) applied various multi-objective evolutionary algorithms to solve MVPO problem with cardinality constraints and boundary constraints such as vector evaluated genetic algorithm, multi objective genetic algorithm, SPEA2 and NSGA-II. According to the test results, even though multi-objective genetic algorithms and SPEA2 required more complex structures, they outperformed the others. Anagnostopoulos and Mamanis (2010) proposed a tri-objective PO model: maximizing return, minimizing risk and minimizing number of assets held in the portfolio. They experimented with NSGA-II, Pareto envelope based selection algorithm and SPEA2 for finding approximation solutions and test results showed that SPEA-II obtained the best results. Anagnostopoulos and Mamanis (2011a) presented five multi-objective evolutionary algorithms a single objective evolutionary algorithm for solving MVPO problem. The

Table 11

Publications that applied exact solution techniques to solve MVPO problem.

Technique	Publications
QP	(Abbas & Haider, 2009; Aouni et al., 2005; Baykasoglu et al., 2015; Brito & Vicente, 2014a; Cesarone et al., 2013; 2015; Cui et al., 2014; Cui et al., 2013; Gaspero et al., 2011; Hu & Zhangy, 2010; Jiang et al., 2014; Jin et al., 2015; Liagkouras & Metaxiotis, 2014; Mansour et al., 2007; Mayambala et al., 2015; Moral-Escudero et al., 2006; Peng et al., 2011; Ruiz-Torrubiano & Suarez, 2015)
Nonlinear Programming	(Kırış & Ustun, 2012; Kocadağlı & Keskin, 2015)
Branch & Bound	(Bonami & Lejeune, 2009; He & Qu, 2016)
Lagrangian	(Li et al., 2006; Shaw et al., 2008)

Table 12
Evolutionary algorithms applied to MVPO.

Evolutionary algorithm	Proposed by	Objective type
Genetic algorithm (GA)	Holland (1975)	Single objective
Differential evolution (DE)	Storn and Price (1997)	Single objective
Population based incremental learning (PBIL)	Baluja (1994)	Single objective
Non-dominated sorting genetic algorithm 2 (NSGA-II)	Deb et al. (2002)	Multi objective
Strength Pareto evolutionary algorithm 2 (SPEA2)	Zitzler et al. (2001)	Multi objective
Pareto envelope-based selection algorithm (PESA)	Corne et al. (2000)	Multi objective
Pareto archived evolution strategy (PAES)	Knowles et al. (2006)	Multi objective
Indicator based evolutionary algorithm (IBEA)	Zitzler and Künzli (2004)	Multi objective
Multi objective genetic algorithm (MOGA)	Fonseca and Fleming (1993)	Multi objective
Niched Pareto genetic algorithm 2 (NPGA-II)	Erickson et al. (2001)	Multi objective
Generalized differential evolution 3 (GDE3)	Kukkonen and Lampinen (2005)	Multi objective
Multi objective scatter search (MOSS)	Glover et al. (2000)	Multi objective
Vector evaluated genetic algorithm (VEGA)	Schaffer (1985)	Multi objective
e-multi objective evolutionary algorithm (e-MOEA)	Hanne (2007)	Multi objective

computational results report that, firstly, all multi-objective evolutionary algorithms outperform the single-objective ones in all problem instances on epsilon performance indicator and performed faster, secondly, NSGA-II and SPEA2 are best performing algorithms among the algorithms in terms of convergence capability. Liagkouras and Metaxiotis (2014) proposed a probe guided mutation operator and compared their proposed operator with a classical mutation operator embedded into NSGA-II and SPEA2 algorithms in terms of performance metrics such as hypervolume, epsilon indicator and the spread of solutions Results confirmed the superiority of the probe guided mutation operator. Lwin et al. (2014) proposed a learning guided multi-objective evolutionary algorithm for MVPO problem and compared their proposed algorithm performed well on diversity and hypervolume performance indicators, especially on large sized data sets. Macedo, Godinho, and Alves (2017) compared two multi-objective evolutionary algorithms on hypervolume performance indicator and technical analysis based strategies reporting that, NSGA II outperformed SPEA2 and SPEA2 frontiers presenting a lesser extent than those of the NSGA II. Evolutionary algorithms applied for MVPO problem are shown in Table 13.

While GA is the most preferred evolutionary algorithms in the MVPO literature so far, in recent years the attention has been given to MOEAs.

Swarm based algorithms:

Swarm based algorithms are based on the study of computational systems inspired by behaviors of animals living in herds in their natural lives. Swarms such as schools of fish, flocks of birds, colonies of ants and bees liaise for their natural activities (mostly hunting). Swarm based algorithms are born as a reflection of this cooperation to computational systems. The most popular swarm based algorithm is particle swarm optimization that introduced by Kennedy and Eberhart (1995). The swarm-based algorithms are examined in two categories: single objective swarm-based algorithm and multi objective swarm-based algorithm. Swarm based algorithms applied to MVPO problem are showed in Table 14.

Single objective swarm-based algorithms for MVPO:

Chen et al. (2006) was first to apply particle swarm optimization to MVPO problem. Cura (2009) developed a particle swarm optimization algorithm for MVPO with boundary constraints and cardinality constraints and compared to genetic algorithm, tabu search and simulated annealing (Chang et al., 2000) reporting that none of the four algorithms had clearly outperformed the others, however, the particle swarm optimization obtained best solutions on low risk levels on performance indicators such as Euclidian distance, contribution percentage, variance of return error and mean return error criteria. Deng and Lin (2010a) was first to apply ant colony optimization to MVPO problem and compared results

with particle swarm optimization showing the robust and effective performance of the algorithm, especially for low-risk investments. Hong-mei, Zhuo-fu, and Hui-min (2010) was first to apply artificial bee colony algorithm to MVPO problem and noted the algorithm as a useful approach for MVPO problem. Zhu, Chen, and Wang (2010) proposed two swarm-based algorithms: ant colony optimization and particle swarm optimization. Computational results showed that ant colony optimization performed better than particle swarm optimization in small-scale and large-scale portfolios, however in the medium-scale portfolio turned out to be the opposite utilizing Sharpe ratio performance indicator. Golmakani and Fazel (2011) compared particle swarm optimization with genetic algorithms reporting the achievement of finding better solutions within a less amount of time. Xu et al. (2011) proposed chemical reaction optimization by adding a super molecule to the evolutionary process on performance indicators such as Sharpe ratio and execution time showing the improvement on the original algorithm. Deng, Lin, and Lo (2012) designed a particle swarm optimization algorithm with a mutation operator and compared against genetic algorithms, tabu search and simulated annealing algorithms (Chang et al., 2000) reporting the superiority of the algorithm on mean percentage error performance indicator. Chen, Liang, and Liu (2013) proposed an artificial bee colony algorithm with two phase encoding in which selection of stocks is determined in the first part of the encoding while investment percentage is determined in the second part of encoding. Kao and Cheng (2013) applied bacterial foraging optimization to MVPO problem and compared with genetic algorithms, tabu search and simulated annealing algorithms (Chang et al., 2000) and particle swarm optimization (Cura, 2009) claiming the superior performance of their algorithm against others in terms of solution quality and time. Tuba, Bacanin, and Pelevic (2013) was first to apply firefly algorithm to MVPO problem and reported that the algorithm has a potential for solving this problem. Bacanin, Tuba, and Pelevic (2014) compared the artificial bee colony algorithm with genetic algorithm and firefly algorithm and reported that their algorithm performed best on variance and return error performance indicators. Tan, Niu, Wang, Huang, and Duan (2014) proposed a bacterial foraging optimization algorithm with neighborhood learning for dynamic MVPO problem and showed its performance against the original algorithm. Test results showed that proposed algorithm was superior than original BFO. Tuba and Bacanin (2014b) proposed a firefly algorithm based solution approach by introducing a more intensive exploitation mechanism in the late iterations of algorithm's run. On mean and median percentage error performance indicators, they reported that proposed algorithm outperformed the original version of the algorithm. Chen (2015) developed an artificial bee colony algorithm to solve MVPO by

Table 13

Publications that applied evolutionary algorithms to solve MVPO problem.

Category	Evolutionary algorithm	References
SOEA	GA	(Ackora-Prah et al., 2014a; Aranha & Iba, 2009; Busetti, 2006; Chang et al., 2000; Chang et al., 2009; Chen et al., 2008; ChiangLin, 2006; Corazza et al., 2012a; Coutino-Gomez et al., 2003; Dreżewski & Doroz, 2017; Ehrgott et al., 2004; García et al., 2018; Hadi et al., 2016; Hao & Liu, 2009; Hoklie & Zuhal, 2010; Huang & Shen, 2010; Huang, 2012; Kamali, 2014; Lai et al., 2006; Lean et al., 2008; Lin & Liu, 2008; Lin et al., 2005; Loukeris et al., 2009; Lu & Wang, 2013; Moral-Escudero et al., 2006; Pai & Michel, 2009; Rong et al., 2006; Ruiz-Torrubiano & Suarez, 2010; 2015; 2007; Sabar & Song, 2014; Sadjadi et al., 2012; Shaikh & Abbas, 2009; Shoaf & Foster, 1998; Soleimani et al., 2009; Talebi et al., 2010; Thomaidis, 2010; Woodside-Oriakhi et al., 2011; Xia et al., 2000; Yu et al., 2009)
	DE	(Loukeris et al., 2009; Lwin & Qu, 2013; Zaheer & Pant, 2016)
	PBIL	(Jin et al., 2015; Lwin & Qu, 2013; Xu et al., 2010)
MOEA	NSGA & NSGA-II	(Anagnostopoulos & Mamanis, 2010, 2011a; Anagnostopoulos & Mamanis, 2011b; Arkeman et al., 2013; Branke et al., 2009; Chen & Zhou, 2018; Chiam et al., 2007; Chiam et al., 2008; Duran et al., 2009; Fieldsend et al., 2004; Garcia et al., 2012; Liagkouras, 2018; Liagkouras & Metaxiotis, 2014; Lwin et al., 2014; Macedo et al., 2017; Mishra et al., 2016; Mishra et al., 2014a; Mishra et al., 2009; Ong et al., 2005; Qu et al., 2017; Sen et al., 2015; Skolpadungket et al., 2007; Streichen & Tanaka-Yamawaki, 2006; Streichert et al., 2004a; Streichert et al., 2004b)
	SPEA2	(Anagnostopoulos & Mamanis, 2010, 2011a; Anagnostopoulos & Mamanis, 2011b; Chen & Zhou, 2018; Duran et al., 2009; Garcia et al., 2012; Liagkouras, 2018; Liagkouras & Metaxiotis, 2014; Lwin et al., 2014; Macedo et al., 2017; Mishra et al., 2016; Mishra et al., 2014a; Mishra et al., 2009; Skolpadungket et al., 2007)
	PESA & PESA2	(Anagnostopoulos & Mamanis, 2010, 2011a; Anagnostopoulos & Mamanis, 2011b; Lwin et al., 2014; Mishra et al., 2014a)
	PAES	(Lwin et al., 2014)
	MOGA	(Bevilacqua et al., 2011; Skolpadungket et al., 2007)
	IBEA	(Duran et al., 2009)
	GDE3	(Garcia et al., 2012)
	MOSS	(Lwin et al., 2013)
	NPGA-II	(Anagnostopoulos & Mamanis, 2011a)
	VEGA	(Skolpadungket et al., 2007)
	e-MOEA	(Anagnostopoulos & Mamanis, 2011a)
	Co-EMOA	(Dreżewski & Doroz, 2017)
	MODE-GL	(Lwin et al., 2017)
	MOEA/D-C	(Zhang et al., 2018a)

DE: Differential Evolutionary, GA: Genetic Algorithm, GDE3: Generalized DE3, MOGA: Multi Objective GA, MOPSO: Multi Objective PSO, MOSS: Multi Objective Scatter Search, NPGA-II: Niched Pareto GA 2, NSGA-II: Non-dominated Sorting Genetic Algorithm II, PAES: Pareto Archived Evolution Strategy, PBIL: Population Based Incremental Learning, PESA: Pareto Envelope-based Selection Algorithm, SPEA-II: Strength Pareto Evolutionary Algorithm 2, VEGA: Vector Evaluated GA.

Table 14

Swarm based algorithms applied to MVPO problem.

Swarm based algorithm	Proposed by	Objective type
Particle swarm optimization (PSO)	Kennedy and Eberhart (1995)	Single objective
Ant colony optimization (ACO)	Dorigo et al. (1996)	Single objective
Artificial bee colony (ABC)	Karaboga (2005)	Single objective
Firefly algorithm (FA)	Yang (2010b)	Single objective
Bacterial foraging optimization (BFO)	Passino (2002)	Single objective
Bat algorithm (BA)	Yang (2010a)	Single objective
Fireworks algorithm (FWA)	Tan and Zhu (2010)	Single objective
Cat swarm optimization (CSO)	Chu and Tsai (2007)	Single objective
Krill herd (KH)	Gandomi and Alavi (2012)	Single objective
Invasive weed optimization (IWO)	Mehrabian and Lucas (2006)	Single objective
Chemical reaction optimization (CRO)	Lam and Li (2010)	Single objective
Artificial cooperative search (ACS)	Civicioglu (2013)	Single objective
Multi objective particle swarm optimization (MOPSO)	Coello et al. (2004)	Multi objective
Multi objective co-variance based artificial bee colony (M-CABC)	Kumar and Mishra (2017)	Multi objective
Multi objective bacterial foraging optimization (MOBFO)	Panigrahi et al. (2011)	Multi objective

introducing a chaotic initialization approach and a hybridization with particle swarm optimization. Kamili and Riffi (2015) applied cat swarm optimization to MVPO with boundary and cardinality constraints. Kamili and Riffi (2016) published a comparative study on MVPO problem by using particle swarm optimization, cat swarm optimization and bat algorithms. The results claim that the three algorithms have obtained similar results. Ni, Yin, Tian, and Zhai (2017) proposed a particle swarm optimization with dynamic random population topology strategies and reported that the computational results demonstrate that the proposed dynamic random population topology could improve the performance of the original algorithm. Kalayci et al. (2017) proposed an artifi-

cial bee colony algorithm with feasibly enforcement and infeasibility toleration procedures for MVPO with boundary and cardinality constraints achieving much stronger performance than the original version of the algorithm as well as demonstrating the superiority against other algorithms such as genetic algorithms, tabu search and simulated annealing algorithms (Chang et al., 2000), (Deng et al., 2012), population based incremental learning approach (Lwin & Qu, 2013), GRASP-QP (Baykasoğlu, Avci, & Burcin Özsoydan, 2016) on various convergence metrics in the literature.

Multi objective swarm-based algorithms for MVPO

Mishra, Panda, and Meher (2009) applied multi objective particle swarm optimization to MVPO problem and compared with

Table 15
Publications that applied swarm-based algorithm to solve MVPO problem.

Category	Swarm based algorithms	References
SOSBA	PSO	(Abbas & Haider, 2009; Cao & Tao, 2010; Chang & Chen, 2008; Chang & Hsu, 2007; Chen & Cai, 2008; Chen et al., 2006; Chen & Zhang, 2010; Corazza et al., 2012a; 2013; Cui et al., 2014; Cura, 2009; Deng & Lin, 2010b; Deng et al., 2012; Farzi et al., 2013; Fasheng & Wei, 2006; Gao & Chu, 2009; Golmakani & Fazel, 2011; Kamali, 2014; Kamili & Riffi, 2016; Koshino et al., 2007; Li et al., 2010; Loukeris et al., 2009; Mozafari et al., 2011; Ni et al., 2017; Niu et al., 2010; Niu et al., 2009; Pouya et al., 2016; Reid & Malan, 2015; Sadigh et al., 2012; Sun et al., 2011; Talebi et al., 2010; Tang et al., 2009; Thomaidis, 2010; Wang et al., 2015; Wang et al., 2009; Xu & Chen, 2006; Xu et al., 2007; Yaakob & Watada, 2010; Yin et al., 2015a; Yin et al., 2015b; Zhang et al., 2010; Zhu et al., 2010; Zhu et al., 2011)
	ABC	(Bacanin et al., 2014; Chen et al., 2013; Chen et al., 2012; Hong-mei et al., 2010; Kalayci et al., 2017; Suthiwong & Sodanil, 2016; Tuba & Bacanin, 2014a; Wang et al., 2011, 2012)
	ACO	(Deng & Lin, 2010a; Zhu et al., 2010)
	FA	(Bacanin & Tuba, 2014; Tuba & Bacanin, 2014a; b; Tuba et al., 2013)
	BFO	(Kao & Cheng, 2013; Tan et al., 2013; Tan et al., 2014)
	BA	(Kamili & Riffi, 2016; Strumberger et al., 2017)
	FWA	(Bacanin & Tuba, 2015)
	CSO	(Kamili & Riffi, 2015, 2016)
	KH	(Tuba et al., 2014)
	IWO	(Pouya et al., 2016)
	CRO	(Xu et al., 2011)
	ACS	(Kumar & Bhattacharya, 2012)
MOSBA	MOPSO	(Chen & Zhou, 2018; Garcia et al., 2012; Lwin & Qu, 2013; Mishra et al., 2016; Mishra et al., 2014a; Mishra et al., 2009; Qu et al., 2017; Sen et al., 2015; Zhou & Li, 2014)
	MOABC	(Kumar & Mishra, 2017)
	MOBFO	(Mishra et al., 2014b)

NSGA-II, SPEA2 and parallel single front genetic algorithm and experimental results showed that their proposed algorithm significantly outperforms its counterparts in all experiments based on diversity performance indicators. Garcia et al. (2012) proposed a robust approach for MVPO and tested through experimentation using four multi objective algorithms (NSGA-II, SPEA-II, multi-objective particle swarm optimization and generalized differential evolution algorithms). According to comparative test results, multi-objective particle swarm optimization outperformed others. Mishra, Panda, and Majhi (2014b) proposed multi objective bacterial foraging optimization to MVPO problem with boundary and cardinality constrains and compared with three multi-objective evolutionary algorithms performing superior against other algorithms. Mishra, Panda, and Majhi (2016) proposed a prediction based MV model and implemented three multi objective algorithms (multi-objective particle swarm optimization, NSGA-II and SPEA2) reporting that multi-objective particle swarm optimization provided the best Pareto optimal solutions among all. Kumar and Mishra (2017) proposed a multi objective co-variance based artificial bee colony to tackle two conflicting objectives simultaneously validating the performance of their proposed algorithm for MVPO problem. Swarm based algorithms applied for MVPO problem are summarized in Table 15.

As shown in Table 15, particle swarm optimization is the most popular swarm-based algorithm for MVPO problem since it is the oldest algorithm among other swarm-based algorithms and there is no need for a transformation for the MVPO problem, i.e., the original structure of the algorithm is continuous and has a direct fit into the problem domain. Despite the popularity of the particle swarm optimization algorithm, it appears that the artificial bee colony algorithm has attracted the researchers' interest with its superior performance and therefore, artificial bee colony algorithm may become more popular in the near future for the MVPO problem.

6.2.1.2. Single-solution-based algorithms. Algorithms working on single solution are called trajectory methods (Blum & Roli, 2003). Single solution-based algorithms focus on modifying and improving a single solution throughout the iterations. Although, they underutilize the power of population, they can get results very

Table 16
Single-solution-based algorithms applied to MVPO problem.

Single-solution-based algorithm	Proposed by	Objective type
Simulated annealing (SA)	Kirkpatrick et al. (1983)	Single objective
Tabu search (TS)	Glover (1986)	Single objective
Greedy randomize adaptive search procedure (GRASP)	Feo and Resende (1995)	Single objective
Hill climbing (HC)	Forrest and Mitchell (1993)	Single objective
Archived multi objective simulated annealing (AMOSA)	Bandyopadhyay et al. (2008)	Multi objective

quickly since they improve a single solution instead of a population in each iteration. Single solution-based algorithms that applied to MVPO problem are summarized in Table 16.

Single-solution-based algorithms for MVPO

Chang et al. (2000) and Ehrgott et al. (2004) applied genetic algorithm, tabu search and simulated annealing and compared all by leaving a comment that no algorithm outperformed others. Anagnostopoulos, Šević, Chatzoglou, and Katsavounis (2010) designed a greedy randomized adaptive search procedure algorithm to solve MVPO problem confirming its potential on the problem. Woodside-Oriakhi et al. (2011) proposed three metaheuristics (genetic algorithm, tabu search and simulated annealing) to MVPO problem and compared their experimental results with results obtained by Chang et al. (2000) and obtained better solutions faster. Fastrich and Winker (2012) designed a hybrid heuristic algorithm integrating simulated annealing algorithm as a modification mechanism into the main solution approach. Ackora-Prah, Gyamerah, Andam and Gyamfi et al.(2014) applied pattern search originally proposed by Hooke and Jeeves (1961) to MVPO problem reporting the efficacy of pattern search. Sen, Saha, Ekbal, and Laha (2015) applied archive multi objective simulated annealing and compared with NSGA-II on diversity performance indicators and multi-objective particle swarm optimization algorithm reporting their algorithm's superiority against the others. Chen, Lin, Zeng, Xu, and Zhang (2017) introduced a local search based multi-objective optimization, a combination of a local search schema and

Table 17

Publications that applied single-solution-based algorithm to solve MVPO problem.

Single-solution-based algorithm	References
SA	(Busetti, 2006); Chang et al. (2000); Coutino-Gomez et al. (2003); Ehrgott et al. (2004); Fastrich and Winker (2012); (García et al., 2018); Li et al. (2009); Schaerf (2002); Thomaidis (2010); (Woodside-Oriakhi et al., 2011)
TS	(Chang et al., 2000; Coutino-Gomez et al., 2003; Crama & Schyns, 2003; Ehrgott et al., 2004; Maringer & Kellerer, 2003; Schaerf, 2002; Thomaidis, 2010; Woodside-Oriakhi et al., 2011)
GRASP	(Anagnostopoulos et al., 2010; Baykasoglu et al., 2015)
HC	(Coutino-Gomez et al., 2003; Gaspero et al., 2011; Schaerf, 2002)
AMOSA	(Sen et al., 2015)
LS Based MOEA	Chen et al. (2017)
PS	Ackora-Prah, Gyamerah, Andam, & Gyamfi. (2014)

Simulated Annealing (SA); Tabu Search (TS); Greedy Randomized Adaptive Search Procedures (GRASP); Hill Climbing (HC); Archive Multi Objective Simulated Annealing (AMOSA); Pattern Search (PS).

Table 18

Machine learning algorithms applied to MVPO problem.

Machine learning algorithm	Proposed by
Hopfield network (HN)	Hopfield (1984)
Artificial immune systems (AIS)	De Castro and Timmis (2002)
K-means clustering	Lloyd (1982)

Table 19

Publications that applied single-solution-based algorithm to solve MVPO problem.

Machine learning algorithm	References
Neural networks	(Fernandez & Gomez, 2007; Freitas et al., 2009; Suganya & Vijayalakshmi Pai, 2009)
Artificial immune systems	(Abbas & Haider, 2009; Golmakani & Alishah, 2008)
K-means clustering	(Jiang et al., 2014; Pai & Michel, 2009; Suganya & Vijayalakshmi Pai, 2009)

a farthest-candidate approach, to solve MVPO problem. Publications that applied single-solution-based algorithms for MVPO problem are summarized in Table 17.

As shown in Table 17, compared to population-based solution approaches, the single-solution-based algorithms have not drawn much interest to solve MVPO problem. In the MVPO problem, single-solution-based algorithms have a handicap of efficient exploration capability since it may be more difficult to efficiently explore the solution space with a single solution since the MVPO problem lies in a continuous domain instead of discrete domain.

6.2.2. Machine learning algorithms

Machine learning field is evolved from the study of pattern recognition and computational learning theory in artificial intelligence. Machine learning algorithms explore the problem data, make data-driven predictions operating a model from a training set of input observations in order to make decisions expressed as outputs, rather than strictly following static program instructions.

Machine learning algorithms applied to MVPO problem are showed in Table 18.

Fernandez and Gomez (2007) applied Hopfield network (HN) to solve MVPO problem and compared against GA, SA and TS (Chang et al., 2000) reporting HN's superior performance on bigger sized instances. Golmakani and Alishah (2008) proposed an artificial immune system algorithm and compared with genetic algorithm, tabu search and simulated annealing (Chang et al., 2000) and Hopfield network (Fernandez & Gomez, 2007) indicating that artificial immune system approach could achieve better results, yet performed not as fast as others. Suganya and Vijayalakshmi Pai (2009) designed an algorithm based on Hopfield network and employed k-means clustering analysis to tackle additional constraints in this algorithm. Publications that applied machine learning algorithms for MVPO problem are summarized in the Table 19.

6.3. A peek into the solution approaches for MVPO

The exact and the approximation techniques applied to the MVPO problem were described in Section 3.1 and Section 3.2, respectively. Among those solution techniques, the metaheuristics are commonly used to solve the MVPO problem (about 82% of all). The primary reason would be the NP-hard property of the spe-

cial variants of MVPO when integer constraints are introduced to the problem. The distribution of solution techniques applied to the MVPO problem in the literature is given in Fig. 11.

One may easily conclude that well-known metaheuristics such as genetic algorithms and particle swarm optimization have drawn a great attention in MVPO literature. However, because of the fact that studies on GA and PSO have reached an adequate level of maturity and perhaps very limited improvement area has left, these two algorithms have lost researcher's interest in the past few years. Contrary to this, the artificial bee colony algorithm which is relatively a newer algorithm, may get a bigger slice from the cake due to higher performance against other algorithms reported by (Kalayci et al., 2017).

6.4. Hybridization techniques

Hybridization strategy may be defined as designing a better algorithm by combining favorable characteristics of different algorithms. Researchers, in the quest of designing more efficient algorithms for MVPO, used this strategy to benefit from the advantages of pure algorithms or to dismiss their drawbacks. Publications that used hybridization strategy to solve MVPO problem can classified as in Table 20.

Moral-Escudero et al. (2006) designed a hybrid strategy that combines evolutionary techniques with quadratic programming. Gaspero, Tollo, Roli, and Schaerf (2011) presented a hybrid technique that combines a local search metaheuristic, as a master solver, with a quadratic programming procedure, as a sub solver. Lwin and Qu (2013) proposed a hybrid algorithm by combining population-based incremental learning and differential evolution algorithms adapting a mutation and an elitist strategy to enhance the evolution over the search space. Tuba and Bacanin (2014a) presented a hybridization of the artificial bee colony with the firefly algorithm for MVPO problem in order to enhance the search capability of the artificial bee colony algorithm for a more effective trade-off between exploitation and exploration. They compare the proposed algorithm against genetic algorithm, tabu search and

a. Main category of solution techniques

b. Sub-category for Exact Solution Techniques

c. Sub-category for Machine Learning Techniques

d. Sub-category for Metaheuristics

Fig. 11. Scatter chart of solution techniques applied MVPO problem.

Table 20
Hybrid algorithms developed to solve MVPO problem.

	Metaheuristic	Exact	Machine learning
Metaheuristic	(Lwin & Qu, 2013; Pai & Michel, 2009; Sadigh, et al., 2012; Tuba & Bacanin, 2014a; Yaakob & Watada, 2010)	(Baykasoglu, et al., 2015; Gaspero, et al., 2011; He & Qu, 2016; Jin, et al., 2015; Moral-Escudero, et al., 2006; Ruiz-Torrubiano & Suarez, 2015)	(Pai & Michel, 2009; Sadigh, et al., 2012)
Exact		N/A	N/A
Machine learning			(Suganya & Vijayalakshmi Pai, 2009)

simulated annealing (Chang et al., 2000) and particle swarm optimization (Cura, 2009) to confirm its performance. Ruiz-Torrubiano and Suarez (2015) proposed a hybrid approach that combines genetic algorithm and QP. Baykasoglu, Yunusoglu, and Ozsoydan (2015) developed a hybrid algorithm that selects a predetermined number of stocks with GRASP algorithm and finds the proportions of the selected stocks with QP.

6.5. Constraint handling methodology

In the MVPO literature, there are several methods to satisfy the constraints of the problem. Literature shows that constraint handling is done via a repair procedure, a penalty function or infeasibility tolerance. Fig. 12 demonstrates distribution of constraint handling techniques employed in MVPO literature.

Fig. 12. Distribution of constraint handling techniques.

Table 21
Constraint handling techniques for MVPO problem.

Constraint handling technique	Publication
Repair procedure	(Anagnostopoulos & Mamanis, 2010, 2011a; b; Anagnostopoulos et al., 2010; Bacanin & Tuba, 2014; 2015; Bacanin et al., 2014; Branke et al., 2009; Chang et al., 2000; Chang et al., 2009; Chen et al., 2013; Chen et al., 2012; Chen et al., 2017; Chiam et al., 2007; Chiam et al., 2008; ChiangLin, 2006; Coutino-Gomez et al., 2003; Crama & Schyns, 2003; Cui et al., 2014; Cura, 2009; Deng & Lin, 2010a, b; Deng et al., 2012; Eftekharian et al., 2017; Fernandez & Gomez, 2007; Garcia et al., 2012; Golmakani & Alishah, 2008; Hao & Liu, 2009; Huang & Shen, 2010; Jiang et al., 2014; Jiang et al., 2008; Kalayci et al., 2017; Kamili & Riffi, 2015; Kao & Cheng, 2013; Koshino et al., 2007; Kumar & Mishra, 2017; Kumar & Bhattacharya, 2012; Lai et al., 2006; Lean et al., 2008; Liagkouras & Metaxiotis, 2014; Lin et al., 2005; Lwin & Qu, 2013; Lwin et al., 2014; Lwin et al., 2013; Lwin et al., 2017; Maringer & Kellerer, 2003; Mishra et al., 2014a; Moral-Escudero et al., 2006; Mozafari et al., 2011; Ong et al., 2005; Pai & Michel, 2009; Reid & Malan, 2015; Ruiz-Torrubiano & Suarez, 2010; Sabar & Song, 2014; Sadigh et al., 2012; Schaerf, 2002; Shoaf & Foster, 1998; Skolpadungket et al., 2007; Streichen & Tanaka-Yamawaki, 2006; Streichert et al., 2004a; b; Talebi et al., 2010; Tang et al., 2009; Thomaidis, 2010; Tuba & Bacanin, 2014a; b; Tuba et al., 2013; Wang et al., 2012; Woodside-Oriakhi et al., 2011; Xia et al., 2000; Xu J. et al., 2011; Xu R.T. et al., 2010; Yin et al., 2015a; Yu et al., 2009; Zhou & Li, 2014; Zhu et al., 2011)
Penalty function	(Chen & Cai, 2008; Chen et al., 2006; Chen & Zhang, 2010; Corazza et al., 2012a; Corazza et al., 2013; Crama & Schyns, 2003; Golmakani & Fazel, 2011; Lean et al., 2008; Lu & Wang, 2013; Moral-Escudero et al., 2006; Pouya et al., 2016; Reid & Malan, 2015; Rong et al., 2009; Xu et al., 2007)
Infeasibility tolerance	(Anagnostopoulos & Mamanis, 2010; Fasheng & Wei, 2006; Kalayci et al., 2017; Mishra et al., 2016; Mishra et al., 2014b; Reid & Malan, 2015; Soleimani et al., 2009; Wang et al., 2011; Xu & Chen, 2006)

Repairing an infeasible solution to get into feasible region is the most popular methodology for constraint handling when MVPO problem is solved. Many researchers (Babaei, Sepehri, & Babaei, 2015; Chen et al., 2013; Chen et al., 2017; Deng & Lin, 2010a, 2010b; Lwin & Qu, 2013; Lwin, Qu, & Zheng, 2013; Mishra, Panda, & Majhi, 2014a; Pai & Michel, 2009; Schaerf, 2002; Vijayalakshmi Pai & Michel, 2013; Woodside-Oriakhi et al., 2011) used the repair procedure suggested by Chang et al. (2000) to satisfy cardinality and boundary constraints at once. Crama and Schyns (2003) proposed specific approaches to deal with each specific class of constraint, either by explicitly restricting the portfolios to remain in the feasible region or by penalizing infeasible portfolios. Golmakani and Fazel (2011) and Corazza et al. (2013) used penalty functions for constraint handling. Some researchers have applied the selection rules proposed by Deb (2000) to deal with infeasibility. These selection rules can be summarized as follows: (*i*) If a solution is feasible and the other solution is infeasible, select the feasible one,

(*ii*) if the both solutions are infeasible, select the solution with less violation, (*iii*) if both solutions are feasible, select the solution that has a better objective function value. Kalayci et al. (2017) used this infeasibility toleration technique to satisfy binary constraints and repair procedure to satisfy cardinality constraints in their proposed artificial bee colony algorithm reporting the superior performance against the repair procedure suggested by Chang et al. (2000). Table 21 shows the classifications of studies according to utilized constraint handling methodologies.

7. Conclusion and discussion

This paper provided a comprehensive survey of deterministic models and applications on MVPO. Analyzing the literature confirmed the growing interest in search of the new trends, developments and practical factors on portfolio optimization as the research in MVPO continues to be very active.

A taxonomy of applications based on models, constraints, constraint handling techniques, various solution approaches along with the performance indicators are presented. The vast majority of the presented work focused on employed exact and heuristic attempts for solving MVPO problem. The main research lines for this research area was devoted to the deterministic models with classical formulations including realistic features and the adaptation of various algorithms with a computational analysis utilizing difference performance indicators.

Although the original mean-variance model had single objective, multi-objective variants that simultaneously or independently consider minimized risk and maximized return turned out to be more popular as years pass since in practice, investors may not be aware of the risk and returns levels they desire. In order to tackle the multi-objective nature of the problem, the majority of researchers had either focused on weighted sum approach that systematically prioritizes objectives or dealt with efficiency and non-dominance rules to obtain Pareto optimal solutions forming the efficient frontier.

In the pursuit of a realistic portfolio management, various studies increasingly incorporated additional constraints such as cardinality, threshold, transaction costs, round lots, sector capitalization and turnover constraints to the original model. Because of the integer constraints, the classical convex quadratic programming problem with a polynomial worst-case complexity bound had been transformed into a mixed integer quadratic programming problem which introduced the problem to the class of NP-Complete problems. Therefore, the majority of researchers had employed approximate algorithms rather than exact algorithms to overcome computational complexity of the problem where solution time greatly matters in the financial business. Metaheuristics are by far the most preferred approximation algorithms adapted to solve MVPO. Although evolutionary and swarm intelligence algorithms utilizing the power of a population of solutions had drawn a great attention so far, other successful metaheuristic algorithms such as single-solution-based algorithms may get a bigger slice from the cake in the near future.

In the quest of precise optimization, researchers have employed various hybridization strategies to benefit from the advantages of different algorithms or to dismiss some drawbacks. Although an exact algorithm may be inadequate to reach optimal solutions alone in a reasonable time, literature analysis revealed that hybridizations of exact and metaheuristic algorithms had shown superior performance against other competing algorithms. This may trigger the design and implementation of mat-heuristics for MVPO variants.

Constraint handling, a requirement for constrained portfolio optimization, was done via repair procedures, penalty functions or temporarily tolerating infeasibility in the literature. Although a complete repair procedure was widely preferred in the literature, comparative results showed that a partial repair mechanism might enhance the algorithms with a dramatic effect on the performance.

Considering the intense competition in financial markets to provide a better portfolio optimization, developing new methodologies to efficiently solve portfolio optimization is a matter of great importance. Publicly available benchmark instances for portfolio optimization enable the computational comparison of the proposed algorithms in the literature. Solution approaches racing on the benchmarking platform would serve to the future of financial decision making with the help of algorithmic enhancements. Most of the studies are either based on some case studies or publicly available benchmarking datasets of limited variety and quantity. The future of financial decisions relies on algorithmic performances which can only be validated on various large-scale datasets gathered from complex environments and global markets.

Despite all the efforts made to present a complete review on MVPO based on the applied research methodology, assuming that the risky security returns obey normal distribution, it has some limitations. The review of powerful approaches for optimization under uncertainty, robust, fuzzy and dynamic optimization was out of the scope of this study.

The analysis of the literature revealed a number of open research fields requiring an in-depth discussion to guide researchers for future research directions in the light of the findings based on the solution approaches developed for MVPO. It is evident that the field presents significant research opportunities both for academics and practitioners. The identified gaps in literature for the future research opportunities are as follows:

- It is also worthy to note that the lack of multiple constraints in the problem formulation that the real-life portfolio managers deal with limits the methodologies' usefulness to academic purposes. Therefore, to reduce the gap between the academia and the real-world, the incorporation of additional real-life constraints is still a challenge to be answered.
- Further research is always required towards the design of new algorithmic enhancements on solving portfolio optimization variants.
- Because of the fact that different financial markets have different dynamics and features, extensions of the common datasets would undoubtfully be an important future direction in order to provide an opportunity for testing new solution methodologies and algorithms in various market conditions. New performance measures would also serve a better race platform for future algorithmic studies on testing the performance
- It appears that most of the researchers focus on the computational aspects of the problem and overlook its profitability in practice. A potential path of future research would be to analyze the performance of securities on investment horizons in dynamic real-world environment. Therefore, solution approaches should also be of interest in incorporating multi-period portfolio optimization since decision support systems in financial optimization rely on algorithmic decisions in consecutive phases.
- The decision-making process involved in portfolio optimization is extremely complex and difficult to automate. Therefore, to extend the capabilities of efficient algorithms to trade execution, the design of interactive and automated algorithms for the portfolio optimization problem promises a potential area for future research.
- Today the race is on financial trading. The investigation of performing short-term forecasting of stock prices with heuristics is a topic worth exploring that can provide trading decision models. Furthermore, combing forecasting theory with portfolio optimization is another promising research direction.
- In spite of the fact that uncertainty in MVPO was not within the scope of this study, it is evident from the uncertain characteristics of the financial data, making the model dynamic and robust may ensure a more consistent estimation. That's why, a detailed analysis on MVPO including uncertainty and robustness would be very helpful for the researchers and practitioners.
- As financial systems can be affected by various conditions such as social-fact events, politics and investor behaviors, data mining and big data analysis come into prominence for enhanced decision support systems.

Acknowledgement

References

Abbas, A., & Haider, S. (2009). Comparison of AIS and PSO for constrained portfolio optimization. In *Proceedings - 2009 International Conference on Information and Financial Engineering, ICIFE 2009* (pp. 50–54).

Ackora-Prah, J., Gyamerah, S. A., & Andam, P. S. (2014a). A heuristic crossover for portfolio selection. *Applied Mathematical Sciences, 8*, 3215–3227.

Ackora-Prah, J., Gyamerah, S. A., Andam, P. S., & Gyamfi, D. (2014b). Pattern search for portfolio selection. *Applied Mathematical Sciences, 8*, 7137–7147.

Anagnostopoulos, K. P., & Mamanis, G. (2010). A portfolio optimization model with three objectives and discrete variables. *Computers & Operations Research, 37*, 1285–1297.

Anagnostopoulos, K. P., & Mamanis, G. (2011a). The mean–variance cardinality constrained portfolio optimization problem: An experimental evaluation of five multiobjective evolutionary algorithms. *Expert Systems with Applications, 38*, 14208–14217.

Anagnostopoulos, K. P., & Mamanis, G. (2011b). Multiobjective evolutionary algorithms for complex portfolio optimization problems. *Computational Management Science, 8*, 259–279.

Anagnostopoulos, K. P., Šević, Ž., Chatzoglou, P. D., & Katsavounis, S. (2010). A reactive greedy randomized adaptive search procedure for a mixed integer portfolio optimization problem. *Managerial Finance, 36*, 1057–1065.

Aouni, B., Colapinto, C., & La Torre, D. (2014). Financial portfolio management through the goal programming model: Current state-of-the-art. *European Journal of Operational Research, 234*, 536–545.

Aouni, B., Doumpos, M., Pérez-Gladish, B., & Steuer, R. E. (2018). On the increasing importance of multiple criteria decision aid methods for portfolio selection. *Journal of the Operational Research Society*, 1–18.

Aouni, B. F., Abdelaziz, Ben, & Martel, J. M. (2005). Decision-maker's preferences modeling in the stochastic goal programming. *European Journal of Operational Research, 162*, 610–618.

Aranha, C., & Iba, H. (2009). The Memetic Tree-based Genetic Algorithm and its application to Portfolio Optimization. *Memetic Computing, 1*, 139–151.

Arkeman, Y., Yusuf, A., Mushthofa, Laxmi, G. F., & Seminar, K. B. (2013). The formation of optimal portfolio of mutual shares funds using multi-objective genetic algorithm. *Telkomnika, 11*, 625–636.

Azmi, R., & Tamiz, M. (2010). A review of goal programming for portfolio selection. *Lecture Notes in Economics and Mathematical Systems, 638*, 15–33.

Babaei, S., Sepehri, M. M., & Babaei, E. (2015). Multi-objective portfolio optimization considering the dependence structure of asset returns. *European Journal of Operational Research, 244*, 525–539.

Bacanin, N., & Tuba, M. (2014). Firefly algorithm for cardinality constrained mean–variance portfolio optimization problem with entropy diversity constraint. *Scientific World Journal, 2014*, 1–16.

Bacanin, N., & Tuba, M. (2015). Fireworks algorithm applied to constrained portfolio optimization problem. In *2015 IEEE Congress on Evolutionary Computation, CEC 2015 - Proceedings* (pp. 1242–1249).

Bacanin, N., Tuba, M., & Pelevic, B. (2014). Constrained portfolio selection using artificial bee colony (ABC) algorithm. *International Journal of Mathematical Models and Methods in Applied Sciences, 8*, 190–198.

Baluja, S. (1994). *Population-based incremental learning. a method for integrating genetic search based function optimization and competitive learning.* DTIC Document.

Ban, G. Y., El Karoui, N., & Lim, A. E. B. (2018). Machine learning and portfolio optimization. *Management Science, 64*, 1136–1154.

Bandyopadhyay, S., Saha, S., Maulik, U., & Deb, K. (2008). A simulated annealing-based multiobjective optimization algorithm: AMOSA. *IEEE Transactions on Evolutionary Computation, 12*, 269–283.

Baykasoğlu, A., Avci, M. G., & Burcin Özsoydan, F. (2016). Erratum to "A GRASP based solution approach to solve cardinality constrained portfolio optimization problems" [Comput. Indus. Eng. 90 (2015) 339–351]. *Computers & Industrial Engineering, 96*, 249–250.

Baykasoglu, A., Yunusoglu, M. G., & Ozsoydan, F. B. (2015). A GRASP based solution approach to solve cardinality constrained portfolio optimization problems. *Computers & Industrial Engineering, 90*, 339–351.

Beasley, J. E. (1990). Or-Library - distributing test problems by electronic mail. *Journal of the Operational Research Society, 41*, 1069–1072.

Bevilacqua, V., Pacelli, V., & Saladino, S. (2011). A novel multi objective genetic algorithm for the portfolio optimization. In D.-S. Huang, Y. Gan, V. Bevilacqua, & J. C. Figueroa (Eds.), *Advanced intelligent computing* (pp. 186–193). BerlinHeidelberg: Springer Berlin Heidelberg.

Blum, C., & Roli, A. (2003). Metaheuristics in combinatorial optimization: Overview and conceptual comparison. *Acm Computing Surveys, 35*, 268–308.

Bonami, P., & Lejeune, M. A. (2009). An exact solution approach for portfolio optimization problems under stochastic and integer constraints. *Operations Research, 57*, 650–670.

Branke, J., Scheckenbach, B., Stein, M., Deb, K., & Schmeck, H. (2009). Portfolio optimization with an envelope-based multi-objective evolutionary algorithm. *European Journal of Operational Research, 199*, 684–693.

Brito, R. P., & Vicente, L. N. (2014a). *Efficient cardinality/mean-variance portfolios* (pp. 52–73). BerlinHeidelberg: Springer Berlin Heidelberg.

Brito, R. P., & Vicente, L. N. (2014b). Efficient cardinality/mean-variance portfolios. *IFIP Advances in Information and Communication Technology, 443*, 52–73.

Busetti, F. (2006). Heuristic approaches to realistic portfolio optimisation. *WIT Transactions on Modelling and Simulation, 43*, 361–370.

Cao, J., & Tao, L. (2010). Improved particle swarm algorithm for portfolio optimization problem. In *ICIMA 2010 - 2010 2nd International Conference on Industrial Mechatronics and Automation: 2* (pp. 561–564).

Cesarone, F., Scozzari, A., & Tardella, F. (2013). A new method for mean-variance portfolio optimization with cardinality constraints. *Annals of Operations Research, 205*, 213–234.

Cesarone, F., Scozzari, A., & Tardella, F. (2015). Linear vs. quadratic portfolio selection models with hard real-world constraints. *Computational Management Science, 12*, 345–370.

Chang, J. F., & Chen, K. L. (2008). Applying new investment satisfied capability index and particle swarm optimization to stock portfolio selection. *ICIC Express Letters, 3*, 349–354.

Chang, J. F., & Hsu, S. W. (2007). The construction of stock's portfolios by using particle swarm optimization. *Second International Conference on Innovative Computing, Information and Control, ICICIC 2007*.

Chang, T. J., Meade, N., Beasley, J. E., & Sharaiha, Y. M. (2000). Heuristics for cardinality constrained portfolio optimisation. *Computers & Operations Research, 27*, 1271–1302.

Chang, T. J., Yang, S. C., & Chang, K. J. (2009). Portfolio optimization problems in different risk measures using genetic algorithm. *Expert Systems with Applications, 36*, 10529–10537.

Chen, A. H. L., Liang, Y. C., & Liu, C. C. (2013). Portfolio optimization using improved artificial bee colony approach. In *Proceedings of the 2013 IEEE Conference on Computational Intelligence for Financial Engineering and Economics, CIFEr 2013 - 2013 IEEE Symposium Series on Computational Intelligence, SSCI 2013* (pp. 60–67).

Chen, A. H. L., Yun-Chia, L., & Chia-Chien, L. (2012). An artificial bee colony algorithm for the cardinality-constrained portfolio optimization problems. In *Evolutionary Computation (CEC), 2012 IEEE Congress on* (pp. 1–8).

Chen, B. L., Lin, Y. B., Zeng, W. H., Xu, H., & Zhang, D. F. (2017). The mean–variance cardinality constrained portfolio optimization problem using a local search-based multi-objective evolutionary algorithm. *Applied Intelligence, 47*, 505–525.

Chen, C., & Zhou, Y. S. (2018). Robust multiobjective portfolio with higher moments. *Expert Systems with Applications, 100*, 165–181.

Chen, W. (2015). Artificial bee colony algorithm for constrained possibilistic portfolio optimization problem. *Physica a-Statistical Mechanics and Its Applications, 429*, 125–139.

Chen, W., & Cai, Y. M. (2008). *Study on the efficient frontier in portfolio selection by using particle swarm optimizationChinese Control and Decision Conference, 2008, CCDC 2008* (pp. 269–272).

Chen, W., Xu, W. J., Yang, L., & Cai, Y. M. (2008). *Genetic algorithm with an application to complex portfolio selectionProceedings - 4th International Conference on Natural Computation, ICNC 2008: 5* (pp. 333–337). IEEE.

Chen, W., Zhang, R. T., Cai, Y. M., & Xu, F. S. (2006). Particle swarm optimization for constrained portfolio selection problems. In *Proceedings of the 2006 International Conference on Machine Learning and Cybernetics: 2006* (pp. 2425–2429). IEEE.

Chen, W., & Zhang, W. G. (2010). The admissible portfolio selection problem with transaction costs and an improved PSO algorithm. *Physica a-Statistical Mechanics and Its Applications, 389*, 2070–2076.

Chiam, S. C., Al Mamun, A., & Low, Y. L. (2007). A realistic approach to evolutionary multiobjective portfolio optimization. In *2007 IEEE Congress on Evolutionary Computation, CEC 2007* (pp. 204–211).

Chiam, S. C., Tan, K. C., & Mamum, A. (2008). Evolutionary multi-objective portfolio optimization in practical context. *International Journal of Automation and Computing, 5*, 67–80.

ChiangLin, C. Y. (2006). Applications of genetic algorithm to portfolio optimization with practical transaction constraints. In *Proceedings of the 9th Joint Conference on Information Sciences, JCIS 2006: 2006*.

Chu, S. C., & Tsai, P. W. (2007). Computational intelligence based on the behavior of cats. *International Journal of Innovative Computing Information and Control, 3*, 163–173.

Civicioglu, P. (2013). Artificial cooperative search algorithm for numerical optimization problems. *Information Sciences, 229*, 58–76.

Coello, C. A. C., Pulido, G. T., & Lechuga, M. S. (2004). Handling multiple objectives with particle swarm optimization. *IEEE Transactions on Evolutionary Computation, 8*, 256–279.

Corazza, M., Fasano, G., & Gusso, R. (2012a). Portfolio selection with an alternative measure of risk: Computational performances of particle swarm optimization and genetic algorithms. In C. Perna, & M. Sibillo (Eds.), *Mathematical and statistical methods for actuarial sciences and finance* (pp. 123–130). Milano: Springer Milan.

Corazza, M., Fasano, G., & Gusso, R. (2012b). Portfolio selection with an alternative measure of risk: Computational performances of Particle Swarm Optimization and Genetic Algorithms. *Mathematical and Statistical Methods for Actuarial Sciences and Finance*, 123–130.

Corazza, M., Fasano, G., & Gusso, R. (2013). Particle Swarm Optimization with non-smooth penalty reformulation, for a complex portfolio selection problem. *Applied Mathematics and Computation, 224*, 611–624.

Corne, D., Knowles, J., & Oates, M. (2000). The Pareto envelope-based selection algorithm for multiobjective optimization. In *Parallel problem solving from nature PPSN VI* (pp. 839–848). Springer.

Coutino-Gomez, C. A., Torres-Jimenez, J., & Villarreal-Antelo, B. M. (2003). Heuristic Methods for Portfolio Selection at the Mexican Stock Exchange. In J. Liu, Y.-m. Cheung, & H. Yin (Eds.), *Intelligent Data Engineering and Automated Learning: 4th International Conference, IDEAL 2003, Hong Kong, China, March 21-23, 2003. Revised Papers* (pp. 919–923). Springer Berlin Heidelberg.

Crama, Y., & Schyns, M. (2003). Simulated annealing for complex portfolio selection problems. *European Journal of Operational Research, 150*, 546–571.

Cui, T., Cheng, S., & Bai, R. (2014). A combinatorial algorithm for the cardinality constrained portfolio optimization problem. In *Proceedings of the 2014 IEEE Congress on Evolutionary Computation, CEC 2014* (pp. 491–498).

Cui, X. T., Zheng, X. J., Zhu, S. S., & Sun, X. L. (2013). Convex relaxations and MIQCQP reformulations for a class of cardinality-constrained portfolio selection problems. *Journal of Global Optimization, 56*, 1409–1423.

Cura, T. (2009). Particle swarm optimization approach to portfolio optimization. *Nonlinear Analysis-Real World Applications, 10*, 2396–2406.

Czyzżak, P., & Jaszkiewicz, A. (1998). Pareto simulated annealing—a metaheuristic technique for multiple-objective combinatorial optimization. *Journal of Multi--Criteria Decision Analysis, 7*, 34–47.

De Castro, L. N., & Timmis, J. (2002). *Artificial immune systems: a new computational intelligence approach*. Springer Science & Business Media.

Deb, K. (2000). An efficient constraint handling method for genetic algorithms. *Computer Methods in Applied Mechanics and Engineering, 186*, 311–338.

Deb, K. (2001). *Multi-objective optimization using evolutionary algorithms*: 16. John Wiley & Sons.

Deb, K. (2005). Multi-objective optimization. In E. K. Burke, & G. Kendall (Eds.), *Search Methodologies: introductory tutorials in optimization and decision support techniques* (pp. 273–316). Boston, MA: Springer US.

Deb, K., Pratap, A., Agarwal, S., & Meyarivan, T. (2002). A fast and elitist multiobjective genetic algorithm: NSGA-II. *IEEE Transactions on Evolutionary Computation, 6*, 182–197.

Dehghan Hardoroudi, N., Keshvari, A., Kallio, M., & Korhonen, P. (2017). Solving cardinality constrained mean-variance portfolio problems via MILP. *Annals of Operations Research, 254*, 47–59.

Deng, G.-F., & Lin, W.-T. (2010a). Ant Colony optimization for markowitz mean-variance portfolio model. In B. K. Panigrahi, S. Das, P. N. Suganthan, & S. S. Dash (Eds.), *Swarm, Evolutionary, and Memetic Computing: First International Conference on Swarm, Evolutionary, and Memetic Computing, SEMCCO 2010, Chennai, India, December 16-18, 2010. Proceedings* (pp. 238–245). Springer Berlin Heidelberg.

Deng, G.-F., & Lin, W.-T. (2010b). Swarm intelligence for cardinality-constrained portfolio problems. In *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics): 6423* (pp. 406–415). LNAI.

Deng, G. F., Lin, W. T., & Lo, C. C. (2012). Markowitz-based portfolio selection with cardinality constraints using improved particle swarm optimization. *Expert Systems with Applications, 39*, 4558–4566.

Doering, J., Juan, A. A., Kizys, R., Fito, A., & Calvet, L. (2016). Solving realistic portfolio optimization problems via metaheuristics: A survey and an example. In *Modeling and simulation in Engineering, economics and management: 254* (pp. 22–30). Springer.

Dorigo, M., Maniezzo, V., & Colorni, A. (1996). Ant system: Optimization by a colony of cooperating agents. *IEEE Trans Syst Man Cybern B Cybern, 26*, 29–41.

Dreżewski, R., & Doroz, K. (2017). An agent-based co-evolutionary multi-objective algorithm for portfolio optimization. *Symmetry, 9*, 168–198.

Duran, F. C., Cotta, C., & Fernández, A. J. (2009). Evolutionary optimization for multiobjective portfolio selection under markowitz's model with application to the caracas stock exchange. In R. Chiong (Ed.). In *Nature-Inspired algorithms for optimisation: 193* (pp. 489–509). BerlinHeidelberg: Springer Berlin Heidelberg.

Eftekharian, S., Shojafar, M., & Shamshirband, S. (2017). 2-Phase NSGA II: An optimized reward and risk measurements algorithm in portfolio optimization. *Algorithms, 10*, 130–143.

Ehrgott, M., Klamroth, K., & Schwehm, C. (2004). An MCDM approach to portfolio optimization. *European Journal of Operational Research, 155*, 752–770.

Erickson, M., Mayer, A., & Horn, J. (2001). The niched pareto genetic algorithm 2 applied to the design of groundwater remediation systems. *International Conference on Evolutionary Multi-Criterion Optimization, 1993*, 681–695.

Farzi, S., Shavazi, A. R., & Pandari, A. (2013). Using quantum-behaved particle swarm optimization for portfolio selection problem. *International Arab Journal of Information Technology, 10*, 111–119.

Fasheng, X., & Wei, C. (2006). Stochastic portfolio selection based on velocity limited particle swarm optimization. In *Proceedings of the World Congress on Intelligent Control and Automation (WCICA): 1* (pp. 3599–3603). IEEE.

Fastrich, B., & Winker, P. (2012). Robust portfolio optimization with a hybrid heuristic algorithm. *Computational Management Science, 9*, 63–88.

Feo, T. A., & Resende, M. G. C. (1995). Greedy randomized adaptive search procedures. *Journal of Global Optimization, 6*, 109–133.

Fernandez, A., & Gomez, S. (2007). Portfolio selection using neural networks. *Computers & Operations Research, 34*, 1177–1191.

Fieldsend, J. E., Matatko, J., & Peng, M. (2004). Cardinality constrained portfolio optimisation. In Z. R. Yang, H. Yin, & R. M. Everson (Eds.), *Intelligent Data Engineering and Automated Learning – IDEAL 2004: 5th International Conference, Exeter, UK. August 25-27, 2004. Proceedings* (pp. 788–793). Berlin, Heidelberg: Springer Berlin Heidelberg.

Fonseca, C. M., & Fleming, P. J. (1993). Genetic algorithms for multiobjective optimization: formulationdiscussion and generalization. In *Icga: 93* (pp. 416–423). Citeseer.

Forrest, S., & Mitchell, M. (1993). Relative building-block fitness and the building-block hypothesis. *Foundations of Genetic Algorithms 2, 2*, 109–126.

Freitas, F. D., De Souza, A. F., & de Almeida, A. R. (2009). Prediction-based portfolio optimization model using neural networks. *Neurocomputing, 72*, 2155–2170.

Gandomi, A. H., & Alavi, A. H. (2012). Krill herd: A new bio-inspired optimization algorithm. *Communications in Nonlinear Science and Numerical Simulation, 17*, 4831–4845.

Gao, J., & Chu, Z. (2009). An improved particle swarm optimization for the constrained portfolio selection problem. In *Computational Intelligence and Natural Computing, 2009. CINC'09. International Conference on: 1* (pp. 518–522). IEEE.

García, F., Guijarro, F., & Oliver, J. (2018). Index tracking optimization with cardinality constraint: A performance comparison of genetic algorithms and tabu search heuristics. *Neural Computing and Applications, 30*, 2625–2641.

Garcia, S., Quintana, D., Galvan, I. M., & Isasi, P. (2012). Time-stamped resampling for robust evolutionary portfolio optimization. *Expert Systems with Applications, 39*, 10722–10730.

Gaspero, L. D., Tollo, G. D., Roli, A., & Schaerf, A. (2011). Hybrid metaheuristics for constrained portfolio selection problems. *Quantitative Finance, 11*, 1473–1487.

Glover, F. (1986). Future paths for integer programming and links to artificial-intelligence. *Computers & Operations Research, 13*, 533–549.

Glover, F., Lagunai, M., & Marti, R. (2000). Fundamentals of scatter search and path relinking. *Control and cybernetics, 29*, 653–684.

Golmakani, H. R., & Alishah, E. J. (2008). Portfolio selection using an artificial immune system. In *2008 IEEE International Conference on Information Reuse and Integration, IEEE IRI-2008* (pp. 28–33).

Golmakani, H. R., & Fazel, M. (2011). Constrained portfolio selection using particle swarm optimization. *Expert Systems with Applications, 38*, 8327–8335.

Govindan, K., Soleimani, H., & Kannan, D. (2015). Reverse logistics and closed-loop supply chain: A comprehensive review to explore the future. *European Journal of Operational Research, 240*, 603–626.

Hadi, A. S., El Naggar, A. A., & Bary, M. N. A. (2016). New model and method for portfolios selection. *Applied Mathematical Sciences, 10*, 263–288.

Hanne, T. (2007). A multiobjective evolutionary algorithm for approximating the efficient set. *European Journal of Operational Research, 176*, 1723–1734.

Hao, F. F., & Liu, Y. K. (2009). Mean-variance models for portfolio selection with fuzzy random returns. *Journal of Applied Mathematics and Computing, 30*, 9–38.

He, F., & Qu, R. (2016). Hybridising local search with branch-and-bound for constrained portfolio selection problems. In *Proceedings - 30th European Conference on Modelling and Simulation Ecms 2016* (pp. 446–452).

Hoklie, & Zuhal, L. R. (2010). Resolving multi objective stock portfolio optimization problem using genetic algorithm. In *2010 The 2nd International Conference on Computer and Automation Engineering (ICCAE): 2* (pp. 40–44). IEEE.

Holland, J. H. (1975). *Adaptation in natural and artificial systems*. Ann Arbor, MI: The University of Michigan Press.

Hong-mei, L., Zhuo-fu, W., & Hui-min, L. (2010). Artificial bee colony algorithm for real estate portfolio optimization based on risk preference coefficient. In *Management Science and Engineering (ICMSE), 2010 International Conference on* (pp. 1682–1687). IEEE.

Hooke, R., & Jeeves, T. A. (1961). "Direct Search"Solution of Numerical and Statistical Problems. *Journal of the ACM (JACM), 8*, 212–229.

Hopfield, J. J. (1984). Neurons with graded response have collective computational properties like those of two-state neurons. *Proceedings of the National Academy of Sciences, 81*, 3088–3092.

Horn, J., Nafpliotis, N., & Goldberg, D. E. (1994). A niched Pareto genetic algorithm for multiobjective optimization. In *Evolutionary Computation, 1994. IEEE World Congress on Computational Intelligence., Proceedings of the First IEEE Conference on* (pp. 82–87). Ieee.

Hu, J., & Zhangy, G. (2010). Comparison of portfolio optimization models with real features: An empirical study based on Chinese stock market. *Dynamics of Continuous, Discrete and Impulsive Systems Series B: Applications and Algorithms, 17*, 83–100.

Huang, X., & Shen, W. (2010). Multi-period mean-variance model with transaction cost for fuzzy portfolio selection. In *Proceedings - 2010 7th International Conference on Fuzzy Systems and Knowledge Discovery, FSKD 2010: 2* (pp. 894–898). IEEE.

Huang, X. X. (2012). Mean-variance models for portfolio selection subject to experts' estimations. *Expert Systems with Applications, 39*, 5887–5893.

Jalota, H., & Thakur, M. (2018). Genetic algorithm designed for solving portfolio optimization problems subjected to cardinality constraint. *International Journal of System Assurance Engineering and Management, 9*, 294–305.

Jiang, K., Li, D., Gao, J., & Yu, J. X. (2014). Factor model based clustering approach for cardinality constrained portfolio selection. In *IFAC Proceedings Volumes (IFAC-PapersOnline): 19* (pp. 10713–10718). Elsevier.

Jiang, W., Zhang, Y., & Xie, J. (2008). A particle swarm optimization algorithm based on diffusion-repulsion and application to portfolio selection. In *2008 International Symposium on Information Science and Engineering, ISISE 2008: 2* (pp. 498–501). IEEE.

Jin, Y., Qu, R., & Atkin, J. (2015). A population-based incremental learning method for constrained portfolio optimisation. In *Proceedings - 16th International Symposium on Symbolic and Numeric Algorithms for Scientific Computing, SYNASC 2014* (pp. 212–219). IEEE.

Kalayci, C. B., Ertenlice, O., Akyer, H., & Aygoren, H. (2017). An artificial bee colony algorithm with feasibility enforcement and infeasibility toleration procedures for cardinality constrained portfolio optimization. *Expert Systems with Applications, 85*, 61–75.

Kamali, S. (2014). Portfolio optimization using particle swarm optimization and genetic algorithm. *Journal of mathematics and computer science, 10*, 85–90.

Kamili, H., & Riffi, M. E. (2015). Portfolio selection using the cat swarm optimization. *Journal of Theoretical and Applied Information Technology, 74*, 374–380.

Kamili, H., & Riffi, M. E. (2016). A comparative study on portfolio optimization problem. In *Proceedings - 2016 International Conference on Engineering and MIS, ICEMIS 2016*. IEEE.

Kao, Y. C., & Cheng, H. T. (2013). Bacterial foraging optimization approach to portfolio optimization. *Computational Economics, 42*, 453–470.

Karaboga, D. (2005). *An idea based on honey bee swarm for numerical optimization*: 200. Kayseri: Erciyes University, Engineering Faculty, Computer Engineering Department.

Keating, C., & Shadwick, W. F. (2002). A universal performance measure. *Journal of performance measurement, 6*, 59–84.

Kennedy, J., & Eberhart, R. (1995). Particle swarm optimization. In *Neural Networks, 1995. Proceedings., IEEE International Conference on: 4* (pp. 1942–1948). vol. 1944.

Khare, V., Yao, X., & Deb, K. (2003). *Performance scaling of Multi-objective evolutionary algorithms* (pp. 376–390). BerlinHeidelberg: Springer Berlin Heidelberg.

Kırış, Ş., & Ustun, O. (2012). An integrated approach for stock evaluation and portfolio optimization. *Optimization, 61*, 423–441.

Kirkpatrick, S., Gelatt, C. D., Jr., & Vecchi, M. P. (1983). Optimization by simulated annealing. *Science, 220*, 671–680.

Knowles, J., Thiele, L., & Zitzler, E. (2006). A tutorial on the performance assessment of stochastic multiobjective optimizers. *Tik report, 214*, 327–332.

Kocadağlı, O., & Keskin, R. (2015). A novel portfolio selection model based on fuzzy goal programming with different importance and priorities. *Expert Systems with Applications, 42*, 6898–6912.

Kolm, P. N., Tutuncu, R., & Fabozzi, F. J. (2014). 60 Years of portfolio optimization: Practical challenges and current trends. *European Journal of Operational Research, 234*, 356–371.

Konno, H., & Yamazaki, H. (1991). Mean-Absolute Deviation Portfolio Optimization Model and Its Applications to Tokyo Stock-Market. *Management Science, 37*, 519–531.

Koshino, M., Murata, H., & Kimura, H. (2007). Improved particle swarm optimization and application to portfolio selection. *Electronics and Communications in Japan Part III-Fundamental Electronic Science, 90*, 13–25.

Kukkonen, S., & Lampinen, J. (2005). GDE3: The third evolution step of generalized differential evolution. In *Evolutionary Computation, 2005. The 2005 IEEE Congress on: 1* (pp. 443–450). IEEE.

Kumar, D., & Mishra, K. K. (2017). Portfolio optimization using novel co-variance guided Artificial Bee Colony algorithm. *Swarm and Evolutionary Computation, 33*, 119–130.

Kumar, R., & Bhattacharya, S. (2012). Cooperative search using agents for cardinality constrained portfolio selection problem. *IEEE Transactions on Systems Man and Cybernetics Part C-Applications and Reviews, 42*, 1510–1518.

Lai, K. K., Yu, L., Wang, S., & Zhou, C. (2006). A double-stage genetic optimization algorithm for portfolio selection. In I. King, J. Wang, L.-W. Chan, & D. Wang (Eds.), *Neural Information Processing: 13th International Conference, ICONIP 2006, Hong Kong, China, October 3-6, 2006. Proceedings, Part III* (pp. 928–937). Springer Berlin Heidelberg.

Lam, A. Y. S., & Li, V. O. K. (2010). Chemical-reaction-inspired metaheuristic for optimization. *IEEE Transactions on Evolutionary Computation, 14*, 381–399.

Lean, Y., Wang, S., & Lai, K. K. (2008). Portfolio optimization using evolutionary algorithms. *Reflexing Interfaces: The Complex Coevolution of Information Technology Ecosystems*, 235–245.

Li, D., Sun, X. L., & Wang, J. (2006). Optimal lot solution to cardinality constrained mean-variance formulation for portfolio selection. *Mathematical Finance, 16*, 83–101.

Li, L., Xue, B., Tan, L., & Niu, B. (2010). Improved particle swarm optimizers with application on constrained portfolio selection. In *Lecture notes in computer science (including subseries lecture notes in artificial intelligence and lecture notes in Bioinformatics): 6215* (pp. 579–586). LNCS.

Li, X., Zhang, Y., Wong, H. S., & Qin, Z. F. (2009). A hybrid intelligent algorithm for portfolio selection problem with fuzzy returns. *Journal of Computational and Applied Mathematics, 233*, 264–278.

Liagkouras, K. (2019). A new three-dimensional encoding multiobjective evolutionary algorithm with application to the portfolio optimization problem. *Knowledge-Based Systems, 163*, 186–203. https://doi.org/10.1016/j.knosys.2018.08.025.

Liagkouras, K., & Metaxiotis, K. (2014). A new Probe Guided Mutation operator and its application for solving the cardinality constrained portfolio optimization problem. *Expert Systems with Applications, 41*, 6274–6290.

Liagkouras, K., & Metaxiotis, K. (2017). Handling the complexities of the multi–constrained portfolio optimization problem with the support of a novel MOEA. *Journal of the Operational Research Society*, 1–19.

Liagkouras, K., & Metaxiotis, K. (2018). A new efficiently encoded multiobjective algorithm for the solution of the cardinality constrained portfolio optimization problem. *Annals of Operations Research, 267*, 281–319.

Liang, J. J., & Qu, B. Y. (2013). Large-scale portfolio optimization using multiobjective dynamic mutli-swarm particle swarm optimizer. In *Proceedings of the 2013 IEEE Symposium on Swarm Intelligence, SIS 2013 - 2013 IEEE Symposium Series on Computational Intelligence, SSCI 2013* (pp. 1–6).

Lin, C. C., & Liu, Y. T. (2008). Genetic algorithms for portfolio selection problems with minimum transaction lots. *European Journal of Operational Research, 185*, 393–404.

Lin, D., Li, X., & Li, M. (2005). In *A genetic algorithm for solving portfolio optimization problems with transaction costs and minimum transaction lots: 3612* (pp. 808–811). BerlinHeidelberg: Springer Berlin Heidelberg.

Liu, Y. J., & Zhang, W. G. (2015). A multi-period fuzzy portfolio optimization model with minimum transaction lots. *European Journal of Operational Research, 242*, 933–941.

Lloyd, S. P. (1982). Least-Squares Quantization in Pcm. *IEEE Transactions on Information Theory, 28*, 129–137.

Loukeris, N., Donelly, D., Khuman, A., & Peng, Y. (2009). A numerical evaluation of meta-heuristic techniques in portfolio optimisation. *Operational Research, 9*, 81–103.

Lu, Z., & Wang, X. (2013). Improved portfolio optimization with non-convex and non-concave cost using genetic algorithms. In *Proceedings - 2013 International Conference on Mechatronic Sciences, Electric Engineering and Computer, MEC 2013* (pp. 2567–2570). IEEE.

Lwin, K., & Qu, R. (2013). A hybrid algorithm for constrained portfolio selection problems. *Applied Intelligence, 39*, 251–266.

Lwin, K., Qu, R., & Kendall, G. (2014). A learning-guided multi-objective evolutionary algorithm for constrained portfolio optimization. *Applied Soft Computing, 24*, 757–772.

Lwin, K., Qu, R., & Zheng, J. (2013). Multi-objective scatter search with external archive for portfolio optimization. In *IJCCI 2013 - Proceedings of the 5th International Joint Conference on Computational Intelligence* (pp. 111–119).

Lwin, K. T., Qu, R., & MacCarthy, B. L. (2017). Mean-VaR portfolio optimization: A nonparametric approach. *European Journal of Operational Research, 260*, 751–766.

Macedo, L. L., Godinho, P., & Alves, M. J. (2017). Mean-semivariance portfolio optimization with multiobjective evolutionary algorithms and technical analysis rules. *Expert Systems with Applications, 79*, 33–43.

Mansini, R., Ogryczak, W., & Speranza, M. G. (2014). Twenty years of linear programming based portfolio optimization. *European Journal of Operational Research, 234*, 518–535.

Mansour, N., Rebai, A., & Aouni, B. (2007). Portfolio selection through the imprecise goal programming model: Integration of manager's preferences. *Journal of Industrial Engineering International, 3*, 1–8.

Maringer, D., & Kellerer, H. (2003). Optimization of cardinality constrained portfolios with a hybrid local search algorithm. *OR Spectrum, 25*, 481–495.

Markowitz, H. (1952). Portfolio Selection. *The Journal of Finance, 7*, 77–91.

Marler, R. T., & Arora, J. S. (2004). Survey of multi-objective optimization methods for engineering. *Structural and Multidisciplinary Optimization, 26*, 369–395.

Masmoudi, M., & Abdelaziz, F. B. (2018). Portfolio selection problem: A review of deterministic and stochastic multiple objective programming models. *Annals of Operations Research, 267*, 335–352.

Mayambala, F., Rönnberg, E., & Larsson, T. (2015). Eigendecomposition of the mean–variance portfolio optimization model. *Springer Proceedings in Mathematics and Statistics, 130*, 209–232.

Mehrabian, A. R., & Lucas, C. (2006). A novel numerical optimization algorithm inspired from weed colonization. *Ecological informatics, 1*, 355–366.

Metaxiotis, K., & Liagkouras, K. (2012). Multiobjective Evolutionary Algorithms for Portfolio Management: A comprehensive literature review. *Expert Systems with Applications, 39*, 11685–11698.

Mishra, S. K., Panda, G., & Majhi, B. (2016). Prediction based mean-variance model for constrained portfolio assets selection using multiobjective evolutionary algorithms. *Swarm and Evolutionary Computation, 28*, 117–130.

Mishra, S. K., Panda, G., & Majhi, R. (2014a). A comparative performance assessment of a set of multiobjective algorithms for constrained portfolio assets selection. *Swarm and Evolutionary Computation, 16*, 38–51.

Mishra, S. K., Panda, G., & Majhi, R. (2014b). Constrained portfolio asset selection using multiobjective bacteria foraging optimization. *Operational Research, 14*, 113–145.

Mishra, S. K., Panda, G., & Meher, S. (2009). Multi-objective particle swarm optimization approach to portfolio optimization. In *2009 World Congress on Nature and Biologically Inspired Computing, NABIC 2009 - Proceedings* (pp. 1612–1615). IEEE.

Moral-Escudero, R., Ruiz-Torrubiano, R., & Suarez, A. (2006). Selection of optimal investment portfolios with cardinality constraints. In *Evolutionary Computation, 2006. CEC 2006. IEEE Congress on* (pp. 2382–2388). IEEE.

Mozafari, M., Jolai, F., & Tafazzoli, S. (2011). A new IPSO-SA approach for cardinality constrained portfolio optimization. *International Journal of Industrial Engineering Computations, 2*, 249–262.

Ni, Q. J., Yin, X. S., Tian, K. W., & Zhai, Y. Q. (2017). Particle swarm optimization with dynamic random population topology strategies for a generalized portfolio selection problem. *Natural Computing, 16*, 31–44.

Niu, B., Tan, L., Xue, B., Li, L., & Chai, Y. (2010). Constrained portfolio selection using multiple swarms. In *IEEE Congress on Evolutionary Computation* (pp. 1–7). IEEE.

Niu, B., Xue, B., Li, L., & Chai, Y. (2009). Symbiotic multi-swarm PSO for portfolio optimization. In D.-S. Huang, K.-H. Jo, H.-H. Lee, H.-J. Kang, & V. Bevilacqua (Eds.), *Emerging Intelligent Computing Technology and Applications. With Aspects of Artificial Intelligence: 5th International Conference on Intelligent Computing, ICIC 2009 Ulsan, South Korea, September 16-19, 2009 Proceedings* (pp. 776–784). Springer Berlin Heidelberg.

Ong, C. S., Huang, H. J., & Tzeng, G. H. (2005). A novel hybrid model for portfolio selection. *Applied Mathematics and Computation, 169*, 1195–1210.

Özceylan, E., Kalayci, C. B., Güngör, A., & Gupta, S. M. (2018). Disassembly line balancing problem: A review of the state of the art and future directions. *International Journal of Production Research*, 1–23.

Pai, G. A. V., & Michel, T. (2009). Evolutionary optimization of constrained k-means clustered assets for diversification in small portfolios. *IEEE Transactions on Evolutionary Computation, 13*, 1030–1053.

Paiva, F. D., Cardoso, R. T. N., Hanaoka, G. P., & Duarte, W. M. (2019). Decision-making for financial trading: A fusion approach of machine learning and portfolio selection. *Expert Systems with Applications, 115*, 635–655.

Panigrahi, B. K., Pandi, V. R., Sharma, R., Das, S., & Das, S. (2011). Multiobjective bacteria foraging algorithm for electrical load dispatch problem. *Energy Conversion and Management, 52*, 1334–1342.

Passino, K. M. (2002). Biomimicry of bacterial foraging for distributed optimization and control. *IEEE Control Systems Magazine, 22*, 52–67.

Peng, H., Kitagawa, G., Gan, M., & Chen, X. H. (2011). A new optimal portfolio selection strategy based on a quadratic form mean-variance model with transaction costs. *Optimal Control Applications & Methods, 32*, 127–138.

Ponsich, A., Jaimes, A. L., & Coello, C. A. C. (2013). A survey on multiobjective evolutionary algorithms for the solution of the portfolio optimization problem and other finance and economics applications. *IEEE Transactions on Evolutionary Computation, 17*, 321–344.

Pouya, A. R., Solimanpur, M., & Rezaee, M. J. (2016). Solving multi-objective portfolio optimization problem using invasive weed optimization. *Swarm and Evolutionary Computation, 28*, 42–57.

Qin, Z. F. (2015). Mean-variance model for portfolio optimization problem in the simultaneous presence of random and uncertain returns. *European Journal of Operational Research, 245*, 480–488.

Qu, B. Y., Zhou, Q., Xiao, J. M., Liang, J. J., & Suganthan, P. N. (2017). Large-scale portfolio optimization using multiobjective evolutionary algorithms and preselection methods. *Mathematical Problems in Engineering, 2017*, 1–14.

Reid, S. G., & Malan, K. M. (2015). Constraint handling methods for portfolio optimization using particle swarm optimization. In *Proceedings - 2015 IEEE Symposium Series on Computational Intelligence, SSCI 2015* (pp. 1766–1773). IEEE.

Rockafellar, R. T., & Uryasev, S. (2000). Optimization of conditional value-at-risk. *Journal of risk, 2*, 21–42.

Rong, X., Lu, M., & Deng, L. (2009). Multi-period model of portfolio investment and adjustment based on hybrid genetic algorithm. *Transactions of Tianjin University, 15*, 415–422.

Rubinstein, M. (2002). Markowitz's "Portfolio Selection": A Fifty-Year Retrospective. *The Journal of Finance, 57*, 1041–1045.

Ruiz-Torrubiano, R., & Suarez, A. (2010). Hybrid approaches and dimensionality reduction for portfolio selection with cardinality constraints. *IEEE Computational Intelligence Magazine, 5*, 92–107.

Ruiz-Torrubiano, R., & Suarez, A. (2015). A memetic algorithm for cardinality-constrained portfolio optimization with transaction costs. *Applied Soft Computing, 36*, 125–142.

Ruiz-Torrubiano, R., & Suárez, A. (2007). Use of heuristic rules in evolutionary methods for the selection of optimal investment portfolios. In *2007 IEEE Congress on Evolutionary Computation, CEC 2007* (pp. 212–219). IEEE.

Sabar, N. R., & Song, A. (2014). *Dual population genetic algorithm for the cardinality constrained portfolio selection problem* (pp. 703–712). Cham: Springer International Publishing.

Sadigh, A. N., Mokhtari, H., Iranpoor, M., & Ghomi, S. M. T. F. (2012). Cardinality constrained portfolio optimization using a hybrid approach based on particle swarm optimization and hopfield neural network. *Advanced Science Letters, 17*, 11–20.

Sadjadi, S. J., Gharakhani, M., & Safari, E. (2012). Robust optimization framework for cardinality constrained portfolio problem. *Applied Soft Computing, 12*, 91–99.

Schaerf, A. (2002). Local search techniques for constrained portfolio selection problems. *Computational Economics, 20*, 177–190.

Schaffer, J. D. (1985). Multiple objective optimization with vector evaluated genetic algorithms. In *Proceedings of the 1st international Conference on Genetic Algorithms* (pp. 93–100). L. Erlbaum Associates Inc.

Sen, T., Saha, S., Ekbal, A., & Laha, A. K. (2015). Bi-objective portfolio optimization using archive multi-objective simulated annealing. *2014 International Conference on High Performance Computing and Applications, ICHPCA 2014*. IEEE.

Shaikh, R. A., & Abbas, A. (2009). Genetic algorithm and MS solver for portfolio optimization under exogenous influence. In *2009 International Conference on Computer and Electrical Engineering, ICCEE 2009: 1* (pp. 555–558).

Sharpe, W. F. (1966). Mutual fund performance. *The Journal of Business, 39*, 119–138.

Shaw, D. X., Liu, S. C., & Kopman, L. (2008). Lagrangian relaxation procedure for cardinality-constrained portfolio optimization. *Optimization Methods & Software, 23*, 411–420.

Shoaf, J., & Foster, J. A. (1998). Efficient set GA for stock portfolios. In *Proceedings of the IEEE Conference on Evolutionary Computation, ICEC* (pp. 354–359). IEEE.

Skolpadungket, P., Dahal, K., & Harnpornchai, N. (2007). Portfolio optimization using multi-objective genetic algorithms. In *2007 IEEE Congress on Evolutionary Computation, CEC 2007* (pp. 516–523). IEEE.

Soleimani, H., Golmakani, H. R., & Salimi, M. H. (2009). Markowitz-based portfolio selection with minimum transaction lots, cardinality constraints and regarding sector capitalization using genetic algorithm. *Expert Systems with Applications, 36*, 5058–5063.

Storn, R., & Price, K. (1997). Differential evolution–a simple and efficient heuristic for global optimization over continuous spaces. *Journal of Global Optimization, 11*, 341–359.

Streichen, F., & Tanaka-Yamawaki, M. (2006). The effect of local search on the constrained portfolio selection problem. In *2006 IEEE Congress on Evolutionary Computation, CEC 2006* (pp. 2368–2374). IEEE.

Streichert, F., Ulmer, H., & Zell, A. (2004a). Evaluating a hybrid encoding and three crossover operators on the constrained portfolio selection problem. In *Evolutionary Computation, 2004. CEC2004. Congress on: 1* (pp. 932–939). Vol. 931.

Streichert, F., Ulmer, H., & Zell, A. (2004b). Evolutionary algorithms and the cardinality constrained portfolio optimization problem. In *Operations Research Proceedings 2003: 2003* (pp. 253–260). Springer.

Strumberger, I., Bacanin, N., & Tuba, M. (2017). Constrained portfolio optimization by hybridized bat algorithm. In *7th International Conference on Intelligent Systems, Modelling and Simulation* (pp. 83–88). IEEE.

Suganya, N. C., & Vijayalakshmi Pai, G. A. (2009). Constrained portfolio rebalancing with transaction costs using evolutionary wavelet hopfield network strategy. In *2009 World Congress on Nature and Biologically Inspired Computing, NABIC 2009 - Proceedings* (pp. 451–456).

Sun, J., Fang, W., Wu, X. J., Lai, C. H., & Xu, W. B. (2011). Solving the multi-stage portfolio optimization problem with a novel particle swarm optimization. *Expert Systems with Applications, 38*, 6727–6735.

Suthiwong, D., & Sodanil, M. (2016). Cardinality-constrained Portfolio optimization using an improved quick Artificial Bee Colony Algorithm. In *Computer Science and Engineering Conference (ICSEC), 2016 International* (pp. 1–4). IEEE.

Talebi, A., Molaei, M. A., & Sheikh, M. J. (2010). Performance investigation and comparison of two evolutionary algorithms in portfolio optimization: Genetic and particle swarm optimization. In *Proceedings - 2010 2nd IEEE International Conference on Information and Financial Engineering, ICIFE 2010* (pp. 430–437).

Tan, L., Niu, B., Lin, F., Duan, Q., & Li, L. (2013). Modified bacterial foraging optimization for constrained portfolio optimization. *Information Technology Journal, 12*, 7918–7921.

Tan, L., Niu, B., Wang, H., Huang, H., & Duan, Q. (2014). In *Bacterial foraging optimization with neighborhood learning for dynamic portfolio selection: 8590* (pp. 413–423). Cham: Springer International Publishing.

Tan, Y., & Zhu, Y. (2010). Fireworks algorithm for optimization. In Y. Tan, Y. Shi, & K. C. Tan (Eds.), *Advances in Swarm Intelligence: First International Conference, ICSI 2010, Beijing, China, June 12-15, 2010, Proceedings, Part I* (pp. 355–364). Springer Berlin Heidelberg.

Tang, J., Wang, K., & Zhao, X. (2009). A novel constraint handling technique for complex portfolio selection. In *6th International Conference on Fuzzy Systems and Knowledge Discovery, FSKD 2009: 2* (pp. 156–160). IEEE.

Thomaidis, N. S., et al. (2010). Active portfolio management from a fuzzy multi-objective programming perspective. In C. Chio, A. Brabazon, G. A. Caro, M. Ebner, M. Farooq, & A. Fink, et al. (Eds.), *Applications of Evolutionary Computation: EvoApplications 2010: EvoCOMNET, EvoENVIRONMENT, EvoFIN, EvoMUSART, and EvoTRANSLOG, Istanbul, Turkey, April 7-9, 2010, Proceedings, Part II* (pp. 222–231). Springer Berlin Heidelberg.

Tian, Y., Fang, S., Deng, Z. B., & Jin, Q. W. (2016). Cardinality constrained portfolio selection problem: a completely positive programming approach. *Journal of Industrial and Management Optimization, 12*, 1041–1056.

Tuba, M., & Bacanin, N. (2014a). Artificial bee colony algorithm hybridized with firefly algorithm for cardinality constrained mean-variance portfolio selection problem. *Applied Mathematics & Information Sciences, 8*, 2831–2844.

Tuba, M., & Bacanin, N. (2014b). Upgraded firefly algorithm for portfolio optimization problem. In *Proceedings - UKSim-AMSS 16th International Conference on Computer Modelling and Simulation, UKSim 2014* (pp. 113–118). IEEE.

Tuba, M., Bacanin, N., & Pelevic, B. (2013). Framework for constrained portfolio selection by the firefly algorithm. *International Journal of Mathematical Models and Methods in Applied Sciences, 7*, 888–896.

Tuba, M., Bacanin, N., & Pelevic, B. (2014). Krill Herd (KH) algorithm applied to the constrained portfolio selection problem. *International Journal of Mathematics and Computers in Simulation, 8*, 94–102.

Van Veldhuizen, D. A., & Lamont, G. B. (2000). Multiobjective evolutionary algorithms: Analyzing the state-of-the-art. *Evolutionary computation, 8*, 125–147.

Vijayalakshmi Pai, G. A., & Michel, T. (2013). Fuzzy decision theory based optimization of constrained portfolios using metaheuristics. *IEEE International Conference on Fuzzy Systems*. IEEE.

Wang, J.-b., Chen, W.-N., Zhang, J., & Lin, Y. (2015). A dimension-decreasing particle swarm optimization method for portfolio optimization. In *Proceedings of the Companion Publication of the 2015 on Genetic and Evolutionary Computation Conference - GECCO Companion '15* (pp. 1515–1516). ACM.

Wang, W., Wang, H., Wu, Z., & Dai, H. (2009). A simple and fast particle swarm optimization and its application on portfolio selection. In *Intelligent Systems and Applications, 2009. ISA 2009. International Workshop on* (pp. 1–4). IEEE.

Wang, Z., Liu, S., & Kong, X. (2011). An Improved artificial bee colony algorithm for portfolio optimization problem. *International Journal of Advancements in Computing Technology, 3*, 67–74.

Wang, Z., Liu, S., & Kong, X. (2012). Artificial bee colony algorithm for portfolio optimization problems. *International Journal of Advancements in Computing Technology, 4*, 8–16.

Woodside-Oriakhi, M., Lucas, C., & Beasley, J. E. (2011). Heuristic algorithms for the cardinality constrained efficient frontier. *European Journal of Operational Research, 213*, 538–550.

Xia, Y. S., Liu, B. D., Wang, S. Y., & Lai, K. K. (2000). A model for portfolio selection with order of expected returns. *Computers & Operations Research, 27*, 409–422.

Xidonas, P., & Mavrotas, G. (2014). Multiobjective portfolio optimization with non–convex policy constraints: Evidence from the Eurostoxx 50. *European Journal of Finance, 20*, 957–977.

Xu, F., & Chen, W. (2006). Stochastic portfolio selection based on velocity limited particle swarm optimization. In *Intelligent Control and Automation, 2006. WCICA 2006. The Sixth World Congress on: 1* (pp. 3599–3603). IEEE.

Xu, F., Chen, W., & Yang, L. (2007). Improved particle swarm optimization for realistic portfolio selection. In *Proceedings - SNPD 2007: Eighth ACIS International Conference on Software Engineering, Artificial Intelligence, Networking, and Parallel/Distributed Computing: 1* (pp. 185–190). IEEE.

Xu, J., Lam, A. Y. S., & Li, V. O. K. (2011). Stock portfolio selection using chemical reaction optimization. *World Academy of Science, Engineering and Technology, 5*, 458–463.

Xu, R. T., Zhang, J., Liu, O., & Huang, R. Z. (2010). An estimation of distribution algorithm based portfolio selection approach. In *Proceedings - International Conference on Technologies and Applications of Artificial Intelligence, TAAI 2010* (pp. 305–313). IEEE.

Yaakob, S. B., & Watada, J. (2010). A hybrid particle swarm optimization approach to mixed integer quadratic programming for portfolio selection problems. *International Journal of Simulation: Systems, Science and Technology, 11*, 68–74.

Yang, X.-S. (2010a). A new metaheuristic bat-inspired algorithm. In J. R. González, D. A. Pelta, C. Cruz, G. Terrazas, & N. Krasnogor (Eds.). In *Nature inspired cooperative strategies for optimization (NICSO 2010): 284* (pp. 65–74). BerlinHeidelberg: Springer Berlin Heidelberg.

Yang, X. S. (2010b). *Engineering optimization: an introduction with metaheuristic applications*. John Wiley & Sons.

Yin, X., Ni, Q., & Zhai, Y. (2015a). *A novel particle swarm optimization for portfolio optimization based on random population topology strategies* (pp. 164–175). Cham: Springer International Publishing.

Yin, X., Ni, Q., & Zhai, Y. (2015b). A novel PSO for portfolio optimization based on heterogeneous multiple population strategy. In *2015 IEEE Congress on Evolutionary Computation, CEC 2015 - Proceedings* (pp. 1196–1203). IEEE.

Yoshimoto, A. (1996). The mean-variance approach to portfolio optimization subject to transaction costs. *Journal of the Operations Research Society of Japan, 39*, 99–117.

Young, M. R. (1998). A minimax portfolio selection rule with linear programming solution. *Management Science, 44*, 673–683.

Yu, L., Wang, S. Y., & Lai, K. K. (2009). Multi-attribute portfolio selection with genetic optimization algorithms. *INFOR, 47*, 23–30.

Zaheer, H., & Pant, M. (2016). Solving portfolio optimization problem through differential evolution. In *International Conference on Electrical, Electronics, and Optimization Techniques, ICEEOT 2016* (pp. 3982–3987). IEEE.

Zhang, H., Zhao, Y., Wang, F., Zhang, A., Yang, P., & Shen, X. (2018a). A new evolutionary algorithm based on MOEA/D for portfolio optimization. In *Advanced Computational Intelligence (ICACI), 2018 Tenth International Conference on* (pp. 831–836). IEEE.

Zhang, X. L., Zhang, W. G., Xu, W. J., & Xiao, W. L. (2010). Possibilistic approaches to portfolio selection problem with general transaction costs and a CLPSO Algorithm. *Computational Economics, 36*, 191–200.

Zhang, Y., Li, X., & Guo, S. (2018b). Portfolio selection problems with Markowitz's mean–variance framework: A review of literature. *Fuzzy Optimization and Decision Making, 17*, 125–158.

Zhou, J., & Li, J. (2014). An improved multi-objective particle swarm optimization for constrained portfolio selection model. *11th International Conference on Service Systems and Service Management, ICSSSM 2014 - Proceeding*. IEEE.

Zhu, H., Chen, Y., & Wang, K. (2010). Swarm intelligence algorithms for portfolio optimization. In Y. Tan, Y. Shi, & K. C. Tan (Eds.), *Advances in Swarm Intelligence: First International Conference, ICSI 2010, Beijing, China, June 12-15, 2010, Proceedings, Part I: 6145* (pp. 306–313). Springer Berlin Heidelberg.

Zhu, H. H., Wang, Y., Wang, K. S., & Chen, Y. (2011). Particle Swarm Optimization (PSO) for the constrained portfolio optimization problem. *Expert Systems with Applications, 38*, 10161–10169.

Zitzler, E. (1999). *Evolutionary algorithms for multiobjective optimization: methods and applications*: 63. Citeseer.

Zitzler, E., & Künzli, S. (2004). Indicator-based selection in multiobjective search. In *International Conference on Parallel Problem Solving from Nature: 3242* (pp. 832–842). Springer.

Zitzler, E., Laumanns, M., Thiele, L., Zitzler, E., Zitzler, E., Thiele, L., et al. (2001). SPEA2: Improving the strength Pareto evolutionary algorithm. *Eidgenössische technische hochschule zürich (ETH)*. Institut für Technische Informatik und Kommunikationsnetze (TIK).

Zitzler, E., & Thiele, L. (1999). Multiobjective evolutionary algorithms: A comparative case study and the Strength Pareto approach. *IEEE Transactions on Evolutionary Computation, 3*, 257–271.

Zitzler, E., Thiele, L., Laumanns, M., Fonseca, C. M., & Da Fonseca, V. G. (2003). Performance assessment of multiobjective optimizers: An analysis and review. *IEEE Transactions on Evolutionary Computation, 7*, 117–132.