

CEILINGS

	<b>Exposed Deck</b> - Exposed floor or roof deck no applied finish	
	<b>Exposed Painted Deck with Acoustic Absorber</b> - Exposed floor deck with applied paint finish unless other noted - colour TBC. Class 'A' acoustic absorber to soffit in accordance with Acoustic Report. - Heradesign superfine 1200x600x25mm AK-01 directly fixed to CD channel with Acoustic backfill	
	<b>Exposed Deck</b> - Exposed roof deck painted matt black finish	
	<b>MF plasterboard</b> - MF plasterboard system with access panels to suit M+E	
	<b>MR MF plasterboard</b> - Moisture resistant MF plasterboard system with access panels to suit M+E	
	<b>Acoustic Suspended Ceiling</b> - 600X600 mineral fibre suspended acoustic tile ceiling system, Class 'C' sound absorption. - Armstrong Bioguard Acoustic tiles, Tegular edge. 24mm grid and perimeter trim.. Shadow batten painted 9010 to perimeters of all suspended ceilings.	


	<b>Laboratory Suspended Ceiling</b> - 600X600 mineral fibre hygenic, acoustic suspended tile system, Class 'C' sound absorption. Armstrong Bioguard Acoustic tiles, Tegular edge. 24mm grid and perimeter trim.. Shadow batten painted 9010 to perimeters of all suspended ceilings.	
	<b>Catering Suspended Ceiling</b> - 600X600 mineral fibre hygenic suspended tile system. Armstrong Bioguard Acoustic tiles, Board (square) edge. Non-corrosive 24mm grid and perimeter trim.	
	<b>40 dB EMC</b> (Electro Magnetic) shielding ceiling by specialist EMC specialist fit out contractor) refer to Outline Specification.	
	<b>100 dB EMC</b> (Electro Magnetic) shielding ceiling by specialist EMC specialist fit out contractor) refer to Outline Specification.	
	<b>Plenum</b> - MF plasterboard lining to form sealed plenum under lecture theatre - refer to acoustic report.	
	<b>Lecture Theatre Ceiling</b> - Suspended MF acoustic ceiling rafts with return edge. Refer to Acoustic Report. Three separate zone rafts (see section). Reflective zone - Knauf Regula solid board Class 'A' zone - Heradesign Superfine 1200x600x25mm AK-01 directly fixed to CD-Channel with Acoustic backfill. Return edge profile to Heradesign boards. Colour TBC Class 'C' zone - Heradesign Superfine 1200x600x25mm AK-01 directly fixed to CD-Channel. Return edge profile to Heradesign boards. Colour TBC	

<b>Replacement Ceiling subject to client confirmation</b>		
<b>Acoustic Suspended Ceiling</b> - 600X600 mineral fibre suspended acoustic tile ceiling system, Class 'C' sound absorption. - Armstrong Bioguard Acoustic tiles, Tegular edge. 24mm grid and perimeter trim.. Shadow batten painted 9010 to perimeters of all suspended ceilings.		
<b>Anechoic</b> - anechoic foam lined chamber by specialist fitout contractor		
<b>Existing</b> - No additional works to existing ceiling .		
Heradesign wood wool panels fitted to timber or CD Channel. in colour TBC. with return edge profile to rafts to screen plant/fittings over. Areas of Heradesign shown are in accordance with AECOM acoustic report Unless Noted Otherwise		
rev	date	comment
P08	19.08.16	Ceilings updated
P07	09.11.15	Updated to perforated plaster board treatment. Key updated
P06	14.10.15	Updated to show acoustic panel treatment. Key updated
P05	13.10.15	Updated to reflect revised planning application. Key updated.
P04	04.08.15	Amended Stage 3+ information
P03	14.08.15	Updated to reflect updated plans
P02	08.06.15	Employers requirement issue
P01	10.04.15	Drawing created

project	ECM, University of Lincoln	purpose of issue	PRELIMINARY
MA job no	drawing number	date	scale
2400	EC-MA-00-04-DR-A-35049		
drawing name / status / revision	Phase 2 Fourth Ceiling Finishes-S2- P08		1:200 @ A1
architecture / interiors / landscape			
Email - info@maber.co.uk			
Tel - 0115 3415555			
maber.co.uk			
issuing office	Nottingham		

UNLESS OTHERWISE SPECIFIED, ALL CEILINGS TO BE 3M ABOVE F.F.L.

GENERAL NOTE:  
Painted Ceiling - minimum 1 mist coat and 2 full coats Dulux vinyl matt Emulsion (RAL 9010). All Shower room areas to be painted in Dulux Diamond Matt (RAL 9010).  
Access hatches - painted metal access hatch, face laid flush with adjacent ceiling finishes, beaded frame with budget lock. Flush beaded edges with no visible frame.



PHASE 2