1. Admin Dashboard Sidebar Layout

Index.html

```html
<!DOCTYPE html>
<html>
    <head>
        <title>Online Website</title>
        <link rel="stylesheet" href="style.css">
    </head>
    <body>
         <header>
            <h3>Admin Dashboard</h3>
         </header>

         <div class="overview">
            <h4>Overview</h4><br><br>
            <h4>Users</h4><br><br>
            <h4>Reports</h4><br><br>
            <h4>Settings</h4><br><br>
         </div>
         <div class="one">
            <b>Active Users</b><br>
            <p>1,248 currently online</p>
         </div>
           <div class="two">
            <b>Revenue</b><br>
            <p>$12,450 this month</p>
         </div>
           <div class="three">
            <b>Server Status</b><br>
            <p>All systems operational</p>
         </div>
    </body>
</html>
```

Style.css

```
*{
    margin: 0;
    padding: 0;
}
h3{
    background-color: blue;
    color: white;
    padding: 15px;
    border-color: blue;
    border-style: solid;
    border-width: 2px;
}
.overview{
    height:700px;
    width:150px;
    background-color: blue;
    color: white;
    padding-left: 40px;
    padding-top: 50px;
    display: inline-block;
}
.one{
    height: 60px;
    width: 170px;
    vertical-align: top;
    display: inline-block;
    padding-left: 10px;
    padding-top:15px;
    border-width: 2px;
    border-style: solid;
    border-color: black;
    margin-top: 20px;
    margin-left: 10px;
}
.two{
    height: 60px;
    width: 170px;
    vertical-align: top;
    display: inline-block;
    padding-left: 10px;
```

```
    padding-top:15px;
    border-width: 2px;
    border-style: solid;
    border-color: black;
    margin-top: 20px;
    margin-left: 10px;
}
.three{
    height: 60px;
    width: 170px;
    vertical-align: top;
    display: inline-block;
    padding-left: 10px;
    padding-top:15px;
    border-width: 2px;
    border-style: solid;
    border-color: black;
    margin-top: 20px;
    margin-left: 10px;
}
```

Output



2.Course Registration Page

```
<!DOCTYPE html>
<html>
    <head>
        <title>Course</title>
        <style>
            *{
                margin:0;
                padding:0;
            }
            body{
                background-color: rgb(3, 3, 68);
                color:white;
            }
            h1{
                padding: 10px;
            }
            .one{
                height: 80px;
                width: 100%;
                background-color: rgb(51, 50, 50);
                display: grid;
                margin-bottom: 10px;
                padding-left: 10px;
            }
            .box{
                height:20px;
                width:99%;
                background-color: rgb(20, 216, 20);
                margin-top: 5px;
                display:grid;
                border-radius: 10px;
                margin-bottom: 10px;
                border-bottom: 30px solid rgb(244, 244, 27);
            }
```

```
        .container{
            display: grid;
            grid-template-columns: 1fr 1fr 1fr;
            gap: 20px;
            margin-top: 20px;
            margin-left: 20px;
        }
        .para{
            height: 200px;
            width: 400px;
            background-color: rgb(2, 52, 2);
            padding-left: 20px;
            padding-top: 20px;
            border-radius: 10px;
        }
        .box3,.box5{
            background-color: rgb(70, 9, 126);
        }
    </style>
</head>
<body>
    <h1>Course Registeration</h1>
    <div class="one">
        <p>Search for course</p>
        <div class="box">

        </div>
    </div>
    <div class="container">
        <div class="para ">
               <h2>CS101-Data Structure</h2><br>
               <p>Core Concepts Of Data Structure</p><br>
               <button>Click</button>
        </div>
        <div class="para">
               <h2>CS205-Database Systems</h2><br>
               <p>Ready to learn</p><br>
               <button>Click</button>
        </div>
        <div class="para box3">
```

```
                <h2>CS205-Database Systems</h2><br>
                <p>Ready to learn</p><br>
                <button>Click</button>
            </div>
            <div class="para">
                <h2>CS205-Database Systems</h2><br>
                <p>Ready to learn</p><br>
                <button>Click</button>
            </div>
            <div class="para box5">
                <h2>CS205-Database Systems</h2><br>
                <p>Ready to learn</p><br>
                <button>Click</button>
            </div>
        </div>
    </body>
</html>
```

Output:



3.Online Exam Monitoring

```html
<!DOCTYPE html>
<html>
    <head>
        <title>Exam Monitoring</title>
        <style>
            body{
                background-color: #1e1e1e;
                color:white;
            }
            .container{
                display: grid;
                grid-template-columns: repeat(4,250px);
                column-gap: 20px;
                justify-content: start;
                padding-left: 20px;
            }
            .box{
                height:150px ;
                width: 250px;
               padding-left: 5px;
                border-radius: 10px;

            }
            .box1,.box2,.box3,.box4{
                background-color: black;
                border-radius: 10px;
                padding-bottom: 20px;
                padding-top: 1px;
                border-left: 5px;

            }
            p{
                padding-left: 5px;
            }
            h5{
                padding-left: 5px;
            }
        </style>
    </head>
    <body>
```

```html
        <h1>Online Exam Monitoring</h1>
        <p>live priya the online interface</p>
        <div class="container">
           <div class="box">
               <div class="box1" style="border-left: 5px solid green;">
               <h5>Student name:Priyadharshini G</h5>
               <p>Status in progress</p>
               <p>time 00:00</p>
               </div>
           </div>
           <div class="box" >
               <div class="box2" style="border-left: 5px solid yellow;">
               <h5>Student name:Renuga A</h5>
               <p>Status in progress</p>
               <p>time 18 mins</p>
               </div>
           </div>
           <div class="box">
               <div class="box3" style="border-left: 5px solid red;">
               <h5>Student name:Asiya B</h5>
               <p>Status in progress</p>
               <p>tab continue</p>
               </div>
           </div>
           <div class="box">
               <div class="box4" style="border-left: 5px solid yellow;"">
               <h5>Student name:Priya Sharma</h5>
               <p>Status in progress</p>
               <p>time 25 mins</p>
               </div>
           </div>
        </div>


    </body>
</html>
```

Output:



4.Home Web Page

```
<!DOCTYPE html>
<html>
    <head>
        <title>Home Page</title>
        <style>
            *{
                margin:0;
                padding:0;
            }
            body{
                background-color:skyblue;
            }
             nav{
                background-color: sandybrown;
                padding: 10px;
            }
             b,ul,li{
                display: inline;
            }
            b{
                 padding: 10px;
                 margin: 10px;
            }
            ul{
                 padding-left: 70%;
            }
            li{
```

```
            padding-right: 5px;
        }
         .container{
            display: grid;
            grid-template-columns: repeat(3,250px);
            column-gap: 20px;
            justify-content: center;

         }
         .box{
            height: 250px;
            width:250px;
            background-color: azure;
            border:1px solid azure;
         }
         .box1,.box2,.box3{
            background-color: slategray;
            border: 1px solid slategray;
         }
         .box4,.box5,.box6{
            margin-top: 70px;
            border-radius: 10px;
         }
        button{
        border-radius: 10px;
        background-color: aqua;
        padding: 5px;
        margin: 5px;
        border-color: aqua;
        }
        .one{
            padding-left: 80px;
            padding-top: 80px;
        }
        .two{
            padding-top: 40px;
            padding-left:60px;
        }
    </style>
</head>
```

```
    <body>
        <nav>
            <b>HomePage</b>
            <ul>
                <li>Home</li>
                <li>About Us</li>
                <li>Features</li>
            </ul>
        </nav>
        <div class="container">
            <div class="box box4">
                <button>features</button>
                <div class="one">300 X 200</div>
            </div>
            <div class="box box5">
                <button>features</button>
                <div class="one">300 X 200</div>
            </div>
            <div class="box box6">
                <button>features</button>
                <div class="one">300 X 200</div>
            </div>
            <div class="box box1">
                <h4 style="padding: 10px;">name</h4>
                <div class="two">
                    <p>Gayathri</p>
                    <p>Gayathri</p>
                </div>
                <button style="padding: 15px; margin-left: 60px;
margin-top: 70px;">view</button>
            </div>
            <div class="box box2"></div>
            <div class="box box3"></div>
        </div>
    </body>
</html>
```

Output



5.Transaction History Page

```
<!DOCTYPE html>
<html>
    <head>
        <title>Transaction</title>
        <style>
            *{
                margin:0;
                padding:0;
            }
           body{
            background-color: black;
           }
           h2{
            padding: 10px;
            color: white;
           }
           .container{
            background-color: darkslategrey;
            height: 600px;
            width: 850px;
            border-radius: 10px;
```

```
            margin-left: 20px;
            display: flex;
            flex-direction: column;
           }
           .box{
            margin-top: 30px;
            margin-left: 45px;
            height:30px;
            width:750px;
            border-radius: 20px;
           /* background-color: darkgray;*/


           }
           .box1,.box5{
            padding: 10px;
            background-color: blueviolet;
            border:1px solid blueviolet
           }
           .box2,.box3,.box4,.box6,.box7{
            padding:10px;
            background-color: darkslategray;
            border:1px solid rgb(59, 85, 85);
           }
           .box2,.box6{
            border-left: 7px solid yellow;
           }
           .box3,.box4,.box7{
            border-left: 6px solid red;
           }
           p{
            display: inline;
           }

        </style>
    </head>
    <body>
       <h2>Transaction History</h2>
       <div class="container">
        <div class="box box1">21 Sep 2024</div>
```

```html
        <div class="box box2"><p>Transaction Performed</p>
        <i style="padding-left: 70%; color:yellow">+45,000</i></div>
        <div class="box box3">
            <p>Groceries</p>
            <i style="padding-left: 80%;color:red">-4,500</i>
        </div>
        <div class="box box4">
            <p>Transaction processed</p>
            <i style="padding-left: 70%; color:red">-3,500</i>
        </div>
        <div class="box box5">11 Sep 2024</div>
        <div class="box box6">
            <p>Transport</p>
            <i style="padding-left: 80%;color:yellow">+5,000</i>
        </div>
        <div class="box box7">
            <p>Tea</p>
            <i style="padding-left: 85%;color:red">-2,500</i>
        </div>
       </div>
    </body>
</html>
```

Output

6.Available Products

```
<!DOCTYPE html>
<html>
    <head>
        <title>Product</title>

        <style>
            *{
                margin: 0;
                padding: 0;
            }
            body{
                background-color: black;
                color:white;
            }
            h1{
```

```
        padding: 10px;
    }
    .container{
        display: flex;

    }
    .container1{
        height:300px;
        width:500px;
        background-color: rgb(3, 3, 41);
        margin-top: 20px;
        margin-left: 20px;
        display:flex;
        flex-direction: column;
    }
    .container2{
        height:300px ;
        width:250px;
        background-color: rgb(3,3,41);
        margin-top: 20px;
        margin-left:20px;
    }
    h2{
        padding: 10px;
    }
    .box{
        height: 30px;
        width:450px;
        margin-top: 15px;
        margin-left:20px;
        background-color:rgb(117, 120, 122);
        border-radius: 30px;
    }
    p{

        padding-left: 10px;
        padding-top: 5px;
        display: inline-block;
    }
    .box1{
```

```
            background-color:rgb(3, 3, 41);
            margin-left: 10px;
            margin-top: 10px;
        }
        button{
            background-color: green;
            height:30px;
            width:200px;
            margin-top: 15px;
            margin-left: 20px;
            border-radius: 30px;
        }
    </style>
</head>
<body>
    <h1>Available Products</h1>
    <div class="container">
        <div class="container1">
            <h2>Products</h2>
            <div class="box">
              <p>Milk(1L)</p>
              <b style="padding-left: 300px;">Rs.60</b>
            </div>
            <div class="box">
                <p>Bread</p>
                <b style="padding-left: 320px;">Rs.40</b>
            </div>
            <div class="box">
                <p> Grocery</p>
                <b style="padding-left: 310px;">Rs.100</b>
            </div>
            <div class="box">
                <p>Biscuit</p>
                <b style="padding-left: 320px;">Rs.35</b>
            </div>
            <div class="box">
                <p>Oil</p>
                <b style="padding-left: 340px;">Rs.180</b>
            </div>
        </div>
```

```html
            <div class="container2">
                <h2>Cart</h2>
                <div class="box1" style="color: grey;">
                    <p>Milk</p>
                    <b style="padding-left: 120px; ">Rs.60</b>
                </div>
                <div class="box1" style="color: grey;">
                    <p> Bread</p>
                    <b style="padding-left: 110px; ">Rs.40</b>
                </div>
                <button>Checkout</button>
            </div>
        </div>
    </body>
</html>
```

Output:

7.Transaction History

```html
<!DOCTYPE html>
```

```html
<html>
    <head>
      <title>History</title>
      <style>
        *{
            margin: 0;
            padding: 0;
        }
         body{
            background-color: black;
            color: white;
         }
         .container{
            height:400px;
            width: 600px;
            background-color: #1e1e1e;
            margin-top: 30px;
            margin-left: 120px;
            border-radius:15px;
         }
         h1{
            text-align: center;
            padding-top:30px ;
         }
         .box{
            height:30px;
            width:500px;
            background-color: black;
            margin-top: 30px;
            margin-left: 50px;
         }
         .box2,.box3,.box4,.box5{
            border-radius: 10px;
            background-color: #353333;
         }
      </style>
    </head>
    <body>
      <header style="background-color:white;color: black;text-align:
center;">
```

```
      <p>Input</p>
      </header>
      <main>
        <div class="container">
            <h1>Transaction History</h1>
            <div class="box box1">
                <b style="padding-top: 50px;padding-left: 50px;">Date</b>
                <b style="padding: 50px;">Amount</b>
                <b style="padding-top: 50px;padding-left: 15px;">Payment
Type</b>
                <b style="padding-top: 50px;padding-left: 80px;">Type</b>
            </div>
            <div class="box box2">
                <b style="padding-top: 50px;padding-left:
40px;">01-01-2026</b>
                <b style="padding-top: 50px;padding-left: 30px;">-500</b>
                <b style="padding: 50px;padding-left: 70px;">Online
Payment</b>
                <b style="padding-top: 50px;padding-left: 30px;color:
green;">credit</b>
            </div>
            <div class="box box3">
                <b style="padding-top: 100px;padding-left:
40px;">03-01-2026</b>
                <b style="padding-top: 50px;padding-left: 25px;">+2000</b>
                <b style="padding-top: 50px;padding-left: 65px;">ATM
Withdrawal</b>
                <b style="padding-top: 50px;padding-left: 65px;color:
red;">debit</b>
            </div>
            <div class="box box4">
                <b style="padding-top: 50px;padding-left:
40px;">05-01-2026</b>
                <b style="padding-top: 50px;padding-left: 25px;">+1000</b>
                <b style="padding-top: 50px;padding-left: 70px;">Cash</b>
                <b style="padding-top: 50px;padding-left: 150px;color:
red;">debit</b>
            </div>
            <div class="box box5">
```

```
                <b style="padding-top: 50px;padding-left:
40px;">07-01-2026</b>
                <b style="padding-top: 50px;padding-left: 25px;">-3000</b>
                <b style="padding-top: 50px;padding-left: 70px;">Online
Payment</b>
                <b style="padding-top: 50px;padding-left: 80px;color:
green;">credit</b>
            </div>

        </div>



      </main>
    </body>
</html>
```

Output 👍

Input

Transaction History

Date	Amount	Payment Type	Type
01-01-2026	-500	Online Payment	credit
03-01-2026	+2000	ATM Withdrawal	debit
05-01-2026	+1000	Cash	debit
07-01-2026	-3000	Online Payment	credit

8.Advanced CSS-Only Card Comparison Interface With Focus Interface

```
<!DOCTYPE html>
<html>
    <head>
        <title>Card Comparsion UI</title>
        <style>
            *{
                margin:0;
                padding:0;
            }
            body{
                background-color: black;
            }
           .container{
            display: grid;
            grid-template-columns: 1fr 1fr 1fr;
            }
           .box{
            height: 130px;
            width: 300px;
            background-color: #1e1e1e;
            border-radius: 15px;
            margin-top: 50px;
            margin-left: 30px;
           }
           h2{
            color: aqua;
            text-align: center;
            padding-top: 20px;
           }
           p{
            color: white;
            font-size: larger;
           }
        </style>
    </head>
    <body>
```

```
        <div class="container">
            <div class="box">
                <h2>Basic</h2>
                <p style="padding-left:80px;padding-top: 5px;">Essential
features for </p>
                <p style="padding-left: 110px;">individuals</p>
            </div>
            <div class="box">
                <h2>Profesional</h2>
                <p style="padding-left:50px;padding-top: 5px;">Advanced
tools for growing</p>
                <p style="padding-left: 120px;">teams</p>
            </div>
            <div class="box">
                <h2>Enterprise</h2>
                <p style="padding-left:70px;padding-top: 5px;">Complete
solution for </p>
                <p style="padding-left: 110px;">organizations</p>
            </div>
        </div>
    </body>
</html>
```

Output :



9.Hotel Booking

```
<!DOCTYPE html>
<html>
    <head>
        <title>Hotel</title>
        <style>
            *{
                margin: 0;
                paddding:0;
            }
             body{
                background-color: black;
                padding: 15px;
             }
             h1{
               color: white;
             }
             .container{
                display: flex;
             }
             .box1{
                height: 600px;
                width: 250px;
                background-color: rgb(108, 108, 108);
                margin-top: 20px;
                margin-left: 20px;
                border:1px solid black;
             }
             b{
                font-size: larger;
                padding-top: 35px;
                padding-left: 20px;
                display: inline-block;
                font-family: 'Franklin Gothic Medium', 'Arial Narrow',
Arial, sans-serif;
             }
             ul{
                font-size: larger;
                padding-top: 20px;
                padding-right: 10px;
             }
```

```
            .box{
               height: 290px;
               width: 230px;
               background-color: rgb(108, 108, 108);
               margin-top: 20px;
               margin-left: 20px;
            }
            .container2{
               display: grid;
               grid-template-columns: 1fr 1fr;
            }
            em{
               padding-left: 30px;
               font-size: x-large;
               font-family: 'Franklin Gothic Medium', 'Arial Narrow',
Arial, sans-serif;
               display: inline-block;
               padding-top: 50px;
            }
            p{
               font-size: x-large;
               padding-left: 30px;
               padding-top: 30px;
            }
        </style>
    </head>
    <body>
          <h1>Hotel Booking Summary</h1>
          <div class="container">
            <div class="container1">
               <div class="box1">
                  <b>Names</b>
                  <ul>
                   <li>Gayathri</li>
                   <li>Harini</li>
                   <li>Dhisanika</li>
                   <li>Suba</li>
                   <li>Shivani</li>
                  </ul>
                  <b>Names</b>
```

```html
                <ul>
                 <li>Gayathri</li>
                 <li>Harini</li>
                 <li>Dhisanika</li>
                 <li>Suba</li>
                 <li>Shivani</li>
                </ul>
                <b>Names</b>
                <ul>
                 <li>Gayathri</li>
                 <li>Harini</li>
                 <li>Dhisanika</li>
                 <li>Suba</li>
                 <li>Shivani</li>
                </ul>
            </div>
        </div>
        <div class="container2">
            <div class="box">
                <em>Rs.4567</em>
                <p>⭐⭐⭐⭐</p>
            </div>
            <div class="box">
                <em>Rs.1400</em>
                 <p>⭐⭐⭐</p>
            </div>
            <div class="box">
                <em>Rs.1250</em>
                 <p>⭐⭐⭐⭐⭐</p>
            </div>
            <div class="box">
                <em>Rs.1289</em>
                 <p>⭐⭐⭐⭐</p>
            </div>

        </div>

      </div>
    </body>
</html>
```

Output:

For Emoji use or Search Emojipedia Website

https://emojipedia.org/

10.Product Comparison Page

```
<!DOCTYPE html>
<html>
   <head>
        <title>products</title>
        <style>
            *{
```

```
        margin:0;
        padding: 0;
    }
    nav{
        background-color: blueviolet;
        color: white;
    }
    h3,ul,li{
        display: inline-block;
        padding: 7px;
    }
    ul{
        padding-left: 60%;
    }
    .container{
         display: flex;
         flex-direction: row;
    }
    .box{
        height: 400px;
        width:400px;
        background-color: rgb(253, 253, 253);
        margin-top: 29px;
   }
   .box1{
    margin-left: 200px;
   }
   .box2{
    margin-left: 20px;
   }
   .boxinside{
    height:250px;
    width: 400px;
    background-color: rgb(224, 221, 221);
   }
   .button1{
    background-color: rgb(6, 110, 6);
    color: white;
    border: 1px solid green;
    margin-left: 320px;
```

```
        margin-top: 5px;
        padding: 5px;
        border-radius: 3px;
       }
       b{
        color: rgb(109, 106, 106);
        font-size: xx-large;
        display: block;
        margin-top: 100px;
        margin-left: 130px;
       }
       .one{
          padding-top: 10px;
          padding-left: 30px;
          font-size:x-large;

       }
       .two{
        color: rgb(144, 140, 140);
        padding-top: 15px;
        padding-left: 30px;
       }
       .button2{
        background-color: blueviolet;
        color: white;
        padding: 10px;
        margin-top: 15px;
        margin-left: 25px;
        width: 350px;
        font-size: larger;
        border-radius: 5px;
        border: 1px solid blueviolet;
       }

       .three{
        color: rgb(151, 149, 149);
        padding-left: 550px;
        margin-top: 70px;
       }
    </style>
```

```html
  </head>
  <body>
      <header>
        <nav>
          <h3>Compare Products</h3>
          <ul>
             <li>Home</li>
             <li>Dash</li>
          </ul>
        </nav>
      </header>
      <main>
       <div class="container">
          <div class="box box1">
             <div class="boxinside">
                <button class="button1">RS.19,999</button>
                <b>300 X 200</b>
             </div>
             <p class="one">Smartphone X</p>
             <p class="two">1.29GB|AMDLED</p>
             <button class="button2">compare</button>
          </div>
          <div class="box box2">
             <div class="boxinside">
                <button class="button1">RS.24,990</button>
                <b>300 X 200</b>
             </div>
             <p class="one">Smartphone Pro</p>
             <p class="two">2.50GB|CLED</p>
             <button class="button2">compare</button>
          </div>
       </div>
       <footer>
          <p class="three">@2026 ShopSmart</p>
       </footer>
      </main>
  </body>
</html>
```

Output:


Compare Products
Home
Dash
RS.19,999
300 X 200
Smartphone X
1.29GB|AMDLED
compare
RS.24,990
300 X 200
Smartphone Pro
2.50GB|CLED
compare
@2026 ShopSmart