Engineering Data Mining and Applications

<u>Dashboard</u> / My courses / <u>ME 781-2020-1</u> / <u>General</u> / <u>Assignment-3</u>

Assignment-3

Assignment 3

ME 781

(dissimilarity/similarity measure and testing)

- 1. Create a Python function/subroutine to calculate the dissimilarity and similarity between two data points.
- a. It should take 2 data points and a dissimilarity/similarity measure as inputs (and any additional data needed for calculation) and return both the dissimilarity and similarity between the data points based on that.
 - Parameters:
 - Data Point 1: 1D array of data type float or int
 - Data Point 2: 1D array of data type float or int
 - Measure: String (abbreviation for the dissimilarity/similarity measure as given in Table 1)
 - (Optional) Additional data: Any additional data required by the dissimilarity/similarity measure
 - Returns:
 - Dissimilarity and Similarity between the data points: 2-tuple (Float, Float)
 - Just for uniformity in the submissions, return (dissimilarity, similarity)

PS: Any dissimilarity measure can be used to define a corresponding similarity measure

and vice versa.

- b. The subroutine should be robust to wrong inputs
- If any of the 3 (or 4) arguments are not in the expected format, then it should be able to detect it and print an appropriate message on the debug console.
 - It should not crash under any circumstances, as long as we pass it 3 (or 4) arguments.
- Basically for any arguments, it should either return the 2-tuple (dissimilarity, similarity) or it should give an appropriate reason for not being able to compute it.
- 2. Create a function to perform unit testing of this subroutine for 5 different kinds of assertions
- This function should test the subroutine for 5 different inputs, choose inputs such that they test different aspects of the subroutine. Don't just pass 5 different pairs of data points.
 - For each assertion, you have to specify what purpose it serves in the testing of the subroutine
 - In Python you can use unittest or pytest modules

Submission guidelines: Submit a single .ipynb file containing all the required functions.

Table 1: Dissimilarity/ Similarity Measures

| Dissimilarity/Similarity Measure | Abbreviation | Additional data |
|-----------------------------------|--------------|---|
| Euclidean norm | EN | None |
| Frobenius or Hilbert Schmidt norm | HSN | None |
| Diagonal norm | DN | Diagonal matrix data (a vector) |
| Mahalanobis norm | MN | Data points for computing covariance matrix |
| Lebesgue or Minkowski norm | LMN | Alpha value |
| Cosine | cs | None |
| Overlap | os | None |
| Dice | DS | None |
| Jaccard | JS | None |

P.S.: In the slides, all vectors are row vectors not column vectors. For calculating the covariance matrix in Mahalanobis norm, use p (distribution dimension) mutually independent data points in order to ensure that covariance matrix is not singular.

Submission status

| Submission status | Submitted for grading | | |
|---------------------|--|--|--|
| Grading status | Not graded | | |
| Due date | Wednesday, 23 September 2020, 11:59 PM | | |
| Time remaining | Assignment was submitted 3 hours 50 mins early | | |
| Last modified | Wednesday, 23 September 2020, 8:08 PM | | |
| File submissions | _ <u>183236001_A3.ipynb</u> 23 September 2020, 8:08 PM | | |
| Submission comments | ► Comments (0) | | |

Edit submission Remove submission

You can still make changes to your submission.

■ Course Project details

Jump to...

Colab files for Linear Regression ▶

You are logged in as Sudhakar Kumar (Log out) ME 781-2020-1